






# Compliance Calendar for Florida Perchloroethylene Dry Cleaners

**2019**

This calendar is designed for perc dry cleaners. It summarizes environmental regulations and provides a place for you to keep required records. Keep these records at your facility for five years.

Provided by: Small Business Environmental Assistance Program, DEP



## Environmental Regulations

Dry cleaners are facilities engaged in the cleaning of fabrics in a nonaqueous solvent by means of one or more washes in a solvent, extraction of excess solvent by spinning, and drying by tumbling in an airstream. Such facilities include dry to dry machines, filter and purification systems; emission control equipment; waste disposal systems; holding tanks; pumps and attendant piping and valves.

Dry cleaning facilities utilizing the solvent perchloroethylene, or perc, which is considered an air toxic or hazardous pollutant, are eligible to operate in Florida under the terms of an air general permit (AGP) pursuant to the requirements of [Rule 62-210.310\(5\)\(f\), Florida Administrative Code \(F.A.C.\)](#), <https://www.flrules.org/gateway/RuleNo.asp?title=STATIONARY SOURCES - GENERAL REQUIREMENTS&ID=62-210.310>.

An AGP is an authorization by rule to construct or operate a specific type of air pollutant emitting facility. Use of such authorization by any individual facility does not require action by the Florida Department of Environmental Protection (DEP). The terms and conditions of an AGP are set forth in the rule, rather than in a separately issued air construction or air operation permit.

Dry cleaners that use only petroleum based cleaning solvents may qualify for an exemption under [Rule 62-210.300\(3\)\(a\)\(25\), F.A.C.](#), <https://www.flrules.org/gateway/RuleNo.asp?title=STATIONARY SOURCES - GENERAL REQUIREMENTS&ID=62-210.300>, provided the solvent consumption is less than 3,250 gallons per year.

## Division of Air Resource Management

For Dry Cleaner operation questions, please contact the Small Business Environmental Assistance Program (SBEAP) at 1-800-722-7457, or by email: [Small.Business@dep.state.fl.us](mailto:Small.Business@dep.state.fl.us).

- The SBEAP provides free and confidential assistance with environmental regulations.
- If it's located in Broward, Duval, Hillsborough, Miami-Dade, Orange, Palm Beach, Pinellas, or Sarasota counties, visit our Local Program at <https://floridadep.gov/air/air-director/content/local-program-air-contacts>. For all other counties, go to our District Air Contacts, <https://floridadep.gov/air/air-director/content/district-air-contacts>.



## PERC Purchases Running Total (Example for July 2019)

Record the date you purchased PERC. If you bought 15 gallons, record this amount and add it to the subtotal. This amount will also go on next year's calendar for this same month. The 12-Month running total is now 60 gallons. Record 60 gallons on next month's form.

Running Total from last Month, June 2019	Previous 12 Month's Total (=)	55 gallons
Enter the amount of PERC you bought during this same month last year, from last year's records or calendar. Subtract this amount. July 2018	SUBTRACT (-)	10 gallons
This is your 12-month running total if you do not buy PERC this month	SUBTOTAL (=)	45 gallons

45 GALLONS

+15 GALLONS

= 60 GALLONS

Purchase Date of PERC	Purchase Amount in Gallons	
Wednesday, July 11, 2018	ADD (+)	15 gallons
12 Month Running Total	EQUALS (=)	60 gallons

## FACTS

### Condenser Temperature Log:

- Check the outlet temperature of the refrigerated condenser every week.
- Record the temperature and date in the space provided.
- In the block marked "Is temp less than or equal to 45° F (7.2° C)?" Check "Y" or "N" for "yes" or "no". If you checked "N", the machine must be repaired.

### Condenser Temperature Log:

- If you buy 140 gallons or more of PERC per year, you must check your machine weekly for leaks and record the results.
- If you buy less than 140 gallons of PERC per year, you must conduct and record leak inspections at least every other week.
- Record the results of the inspections on the calendar. If leaks are found, they must be repaired within 24 hours. Indicate in the "DATE REPAIRED" block when repairs are completed. If parts must be purchased, indicate the dates they are ordered, and the date installed. Parts must be ordered within 2 working days of leak detection and installed within 5 working days of receipt.

PERC Purchases Running Total		
Running Total from December 2018.	Previous 12-Months Total (=)	_____gallons
Subtract PERC purchased during January 2018.	SUBTRACT (-)	_____gallons
This is your 12-month running total if you do not buy PERC this month.	SUBTOTAL (=)	_____gallons
<b>Purchase Date of PERC</b>	<b>Purchase Amount</b>	<b>12-Month Running Total</b>
Date: _____	+ _____	_____gallons
Date: _____	ADD (+)	_____gallons

Condenser Temperature Log		
Date	Temperature	Is temp less than or equal to 45°F (7.2°C)?
		Yes / No
		Yes / No
		Yes / No
		Yes / No
		Yes / No
		Yes / No
		Yes / No
		Yes / No
		Yes / No
		Yes / No
		Yes / No
		Yes / No

Component Inspected Weekly	Leaking? (No=No / Y=Yes)					Date Parts Ordered	Date Parts Received	Date Repaired
Date								
Hoses	Yes/No	Yes/No	Yes/No	Yes/No	Yes/No			
Doors	Yes/No	Yes/No	Yes/No	Yes/No	Yes/No			
Pump	Yes/No	Yes/No	Yes/No	Yes/No	Yes/No			
Solvent Tanks	Yes/No	Yes/No	Yes/No	Yes/No	Yes/No			
Water Separator	Yes/No	Yes/No	Yes/No	Yes/No	Yes/No			
Still/Much Cooker	Yes/No	Yes/No	Yes/No	Yes/No	Yes/No			
Halogen Leak Detector	Yes/No	Yes/No	Yes/No	Yes/No	Yes/No			
Diverter Valve/Exhaust Damp	Yes/No	Yes/No	Yes/No	Yes/No	Yes/No			
Gasket/Door Lint/Button Trap	Yes/No	Yes/No	Yes/No	Yes/No	Yes/No			
Cartridge Filter/Spin Disc	Yes/No	Yes/No	Yes/No	Yes/No	Yes/No			
Waste Containers	Yes/No	Yes/No	Yes/No	Yes/No	Yes/No			

# January 2019

Monday	Tuesday	Wednesday	Thursday	Friday	Saturday	Sunday
	1	2	3	4 Temp Logged <input type="checkbox"/> Inspect Logged <input type="checkbox"/>	5	6
7	8	9	10	11 Temp Logged <input type="checkbox"/> Inspect Logged <input type="checkbox"/>	12	13
14	15	16	17	18 Temp Logged <input type="checkbox"/> Inspect Logged <input type="checkbox"/>	19	20
21	22	23	24	25 Temp Logged <input type="checkbox"/> Inspect Logged <input type="checkbox"/>	26	27
28	29	30	31			

## TIPS AND REMINDERS

Have you changed your waste water treatment filter according to the manufacturer's specifications?

To reduce solid waste, consider providing hanger caddies for collection, return and reuse.

You can register, renew, change ownership or make administrative corrections to AGPs online. [Air General Permit Electronic Registration System \(AGPERS\)](http://www.fldeportal.com/go/home/).

<http://www.fldeportal.com/go/home/>.



# February 2019

Monday	Tuesday	Wednesday	Thursday	Friday	Saturday	Sunday
				1 Temp Logged <input type="checkbox"/> Inspect Logged <input type="checkbox"/>	2	3
4	5	6	7	8 Temp Logged <input type="checkbox"/> Inspect Logged <input type="checkbox"/>	9	10
11	12	13	14	15 Temp Logged <input type="checkbox"/> Inspect Logged <input type="checkbox"/>	16	17
18	19	20	21	22 Temp Logged <input type="checkbox"/> Inspect Logged <input type="checkbox"/>	23	24
25	26	27	28			

## TIPS AND REMINDERS

Have you changed your waste water treatment filter according to the manufacturer's specifications?

Collect and recycle polyethylene bags.

Click here: Reprint a [Receipt for an On-Line Payment](http://www.fldeportal.com/DepPortal/go/continue/), <http://www.fldeportal.com/DepPortal/go/continue/>.





# March 2019

Monday	Tuesday	Wednesday	Thursday	Friday	Saturday	Sunday
				1 Temp Logged <input type="checkbox"/> Inspect Logged <input type="checkbox"/>	2	3
4	5	6	7	8 Temp Logged <input type="checkbox"/> Inspect Logged <input type="checkbox"/>	9	10
11	12	13	14	15 Temp Logged <input type="checkbox"/> Inspect Logged <input type="checkbox"/>	16	17
18	19	20	21	22 Temp Logged <input type="checkbox"/> Inspect Logged <input type="checkbox"/>	23	24
25	26	27	28	29 Temp Logged <input type="checkbox"/> Inspect Logged <input type="checkbox"/>	30	31

## TIPS AND REMINDERS

Have you changed your waste water treatment filter according to the manufacturer's specifications?

Reduce paperwork and paper waste by using electronic bookkeeping.

To Make Administrative Corrections to an Air General Permit, sign into [DEP Business Portal](http://www.fldepportal.com/go/), <http://www.fldepportal.com/go/>.



# April 2019

Monday	Tuesday	Wednesday	Thursday	Friday	Saturday	Sunday
1	2	3	4	5 Temp Logged <input type="checkbox"/> Inspect Logged <input type="checkbox"/>	6	7
8	9	10	11	12 Temp Logged <input type="checkbox"/> Inspect Logged <input type="checkbox"/>	13	14
15	16	17	18	19 Temp Logged <input type="checkbox"/> Inspect Logged <input type="checkbox"/>	20	21
22	23	24	25	26 Temp Logged <input type="checkbox"/> Inspect Logged <input type="checkbox"/>	27	28
29	30					

## TIPS AND REMINDERS

Have you changed your waste water treatment filter according to the manufacturer's specifications?

Collect cardboard, cans and other recyclables at your facility.

To Register or Renew an Air General Permit, go to the [DEP Business Portal Air Facility](http://www.fldepportal.com/go/home/) page at <http://www.fldepportal.com/go/home/> and sign in or register from the link in the upper right corner of the page.



# May 2019

Monday	Tuesday	Wednesday	Thursday	Friday	Saturday	Sunday
		1	2	3 Temp Logged <input type="checkbox"/> Inspect Logged <input type="checkbox"/>	4	5
6	7	8	9	10 Temp Logged <input type="checkbox"/> Inspect Logged <input type="checkbox"/>	11	12
13	14	15	16	17 Temp Logged <input type="checkbox"/> Inspect Logged <input type="checkbox"/>	18	19
20	21	22	23	24 Temp Logged <input type="checkbox"/> Inspect Logged <input type="checkbox"/>	25	26
27	28	29	30	31 Temp Logged <input type="checkbox"/> Inspect Logged <input type="checkbox"/>		

## TIPS AND REMINDERS

Have you changed your waste water treatment filter according to the manufacturer's specifications?

Regularly replace gaskets/seals on dryer dampers, deodorizers and aeration valves.

For more information on AGPs or assistance with using the online renewal, please contact DEP's Small Business Environmental Assistance Program at 1-800-722-7457.



# June 2019

Monday	Tuesday	Wednesday	Thursday	Friday	Saturday	Sunday
					1	2
3	4	5	6	7 Temp Logged <input type="checkbox"/> Inspect Logged <input type="checkbox"/>	8	9
10	11	12	13	14 Temp Logged <input type="checkbox"/> Inspect Logged <input type="checkbox"/>	15	16
17	18	19	20	21 Temp Logged <input type="checkbox"/> Inspect Logged <input type="checkbox"/>	22	23
24	25	26	27	28 Temp Logged <input type="checkbox"/> Inspect Logged <input type="checkbox"/>	29	30

## TIPS AND REMINDERS

Have you changed your waste water treatment filter according to the manufacturer's specifications?

Replace faulty or worn gaskets on button trap and around cleaning machine door.

For more information on AGPs or assistance with using AGPERS, please contact DEP's Small Business Environmental Assistance Program at 1-800-722-7457.





# July 2019

Monday	Tuesday	Wednesday	Thursday	Friday	Saturday	Sunday
1	2	3	4	5 Temp Logged <input type="checkbox"/> Inspect Logged <input type="checkbox"/>	6	7
8	9	10	11	12 Temp Logged <input type="checkbox"/> Inspect Logged <input type="checkbox"/>	13	14
15	16	17	18	19 Temp Logged <input type="checkbox"/> Inspect Logged <input type="checkbox"/>	20	21
22	23	24	25	26 Temp Logged <input type="checkbox"/> Inspect Logged <input type="checkbox"/>	27	28
29	30	31				

## TIPS AND REMINDERS

Have you changed your waste water treatment filter according to the manufacturer's specifications?

After a filter change, check gaskets and sealing of new filter.

Compliance Assistance Information, [Informational Handout](https://floridadep.gov/air/permitting-compliance/documents/printing-operations), <https://floridadep.gov/air/permitting-compliance/documents/printing-operations>.



# August 2019

Monday	Tuesday	Wednesday	Thursday	Friday	Saturday	Sunday
			1	2 Temp Logged <input type="checkbox"/> Inspect Logged <input type="checkbox"/>	3	4
5	6	7	8	9 Temp Logged <input type="checkbox"/> Inspect Logged <input type="checkbox"/>	10	11
12	13	14	15	16 Temp Logged <input type="checkbox"/> Inspect Logged <input type="checkbox"/>	17	18
19	20	21	22	23 Temp Logged <input type="checkbox"/> Inspect Logged <input type="checkbox"/>	24	25
26	27	28	29	30 Temp Logged <input type="checkbox"/> Inspect Logged <input type="checkbox"/>	31	

## TIPS AND REMINDERS

Have you changed your waste water treatment filter according to the manufacturer's specifications?

Monitor equipment efficiency (e.g. pounds of clothes cleaned per drum of solvent).

If your 12-month total is 140 gallons or more or PERC, you must conduct and record leak inspections weekly.



# September 2019

Monday	Tuesday	Wednesday	Thursday	Friday	Saturday	Sunday
						1
2	3	4	5	6 Temp Logged <input type="checkbox"/> Inspect Logged <input type="checkbox"/>	7	8
9	10	11	12	13 Temp Logged <input type="checkbox"/> Inspect Logged <input type="checkbox"/>	14	15
16	17	18	19	20 Temp Logged <input type="checkbox"/> Inspect Logged <input type="checkbox"/>	21	22
23	24	25	26	27 Temp Logged <input type="checkbox"/> Inspect Logged <input type="checkbox"/>	28	29
30						

## TIPS AND REMINDERS

Have you changed your waste water treatment filter according to the manufacturer's specifications?

Size loads (neither over nor under-loading) to maximize solvent efficiency.

You can register, renew, change ownership or make administrative corrections to AGPs online at [Air General Permit Electronic Registration System \(AGPERS\)](http://www.fldeportal.com/go/home/), <http://www.fldeportal.com/go/home/>.



# October 2019

Monday	Tuesday	Wednesday	Thursday	Friday	Saturday	Sunday
	1	2	3	4 Temp Logged <input type="checkbox"/> Inspect Logged <input type="checkbox"/>	5	6
7	8	9	10	11 Temp Logged <input type="checkbox"/> Inspect Logged <input type="checkbox"/>	12	13
14	15	16	17	18 Temp Logged <input type="checkbox"/> Inspect Logged <input type="checkbox"/>	19	20
21	22	23	24	25 Temp Logged <input type="checkbox"/> Inspect Logged <input type="checkbox"/>	26	27
28	29	30	31			

## TIPS AND REMINDERS

Have you changed your waste water treatment filter according to the manufacturer's specifications?

A tiny drip or leak through a door gasket valve or bearing seal may add to many gallons of solvent \$\$\$ in a very short time.

You can register, renew, change ownership or make administrative corrections to AGPs online at [Air General Permit Electronic Registration System \(AGPERS\)](http://www.fldeportal.com/go/home/), <http://www.fldeportal.com/go/home/>.



PERC Purchases Running Total		
Running Total from October 2019.	Previous 12-Months Total (=)	_____gallons
Subtract PERC purchased during November 2018.	SUBTRACT (-)	_____gallons
This is your 12-month running total if you do not buy PERC this month.	SUBTOTAL (=)	_____gallons
<b>Purchase Date of PERC</b>	<b>Purchase Amount</b>	<b>12-Month Running Total</b>
Date: _____	+ _____	_____gallons
Date: _____	ADD (+)	_____gallons

Condenser Temperature Log		
Date	Temperature	Is temp less than or equal to 45°F (7.2°C)?
		Yes / No
		Yes / No
		Yes / No
		Yes / No
		Yes / No
		Yes / No
		Yes / No
		Yes / No
		Yes / No
		Yes / No
		Yes / No
		Yes / No

Component Inspected Weekly	Leaking? (No=No / Y=Yes)					Date Parts Ordered	Date Parts Received	Date Repaired
Date								
Hoses	Yes/No	Yes/No	Yes/No	Yes/No	Yes/No			
Doors	Yes/No	Yes/No	Yes/No	Yes/No	Yes/No			
Pump	Yes/No	Yes/No	Yes/No	Yes/No	Yes/No			
Solvent Tanks	Yes/No	Yes/No	Yes/No	Yes/No	Yes/No			
Water Separator	Yes/No	Yes/No	Yes/No	Yes/No	Yes/No			
Still/Much Cooker	Yes/No	Yes/No	Yes/No	Yes/No	Yes/No			
Halogen Leak Detector	Yes/No	Yes/No	Yes/No	Yes/No	Yes/No			
Diverter Valve/Exhaust Damp	Yes/No	Yes/No	Yes/No	Yes/No	Yes/No			
Gasket/Door Lint/Button Trap	Yes/No	Yes/No	Yes/No	Yes/No	Yes/No			
Cartridge Filter/Spin Disc	Yes/No	Yes/No	Yes/No	Yes/No	Yes/No			
Waste Containers	Yes/No	Yes/No	Yes/No	Yes/No	Yes/No			

# November 2019

Monday	Tuesday	Wednesday	Thursday	Friday	Saturday	Sunday
				1 Temp Logged <input type="checkbox"/> Inspect Logged <input type="checkbox"/>	2	3
4	5	6	7	8 Temp Logged <input type="checkbox"/> Inspect Logged <input type="checkbox"/>	9	10
11	12	13	14	15 Temp Logged <input type="checkbox"/> Inspect Logged <input type="checkbox"/>	16	17
18	19	20	21	22 Temp Logged <input type="checkbox"/> Inspect Logged <input type="checkbox"/>	23	24
25	26	27	28	29 Temp Logged <input type="checkbox"/> Inspect Logged <input type="checkbox"/>	30	

## TIPS AND REMINDERS

Have you changed your waste water treatment filter according to the manufacturer's specifications?

Open button traps and lint gaskets only long enough to clean. Clean lint screens regularly to avoid clogging fans and condensers.

For more information on AGPs or assistance with using AGPERS, please contact DEP's Small Business Environmental Assistance Program at 1-800-722-7457.



# December 2019

Monday	Tuesday	Wednesday	Thursday	Friday	Saturday	Sunday
						1
2	3	4	5	6 Temp Logged <input type="checkbox"/> Inspect Logged <input type="checkbox"/>	7	8
9	10	11	12	13 Temp Logged <input type="checkbox"/> Inspect Logged <input type="checkbox"/>	14	15
16	17	18	19	20 Temp Logged <input type="checkbox"/> Inspect Logged <input type="checkbox"/>	21	22
23	24	25	26	27 Temp Logged <input type="checkbox"/> Inspect Logged <input type="checkbox"/>	28	29
30	31					

## TIPS AND REMINDERS

Have you changed your waste water treatment filter according to the manufacturer's specifications?

Install energy efficient fluorescent lighting such as T8, T10 fixtures and bulbs, electronic ballasts or metal halide and/or sodium vapor lamps.

For questions related to compliance procedures such as test notifications, report submittals, record keeping, inspections, etc., please contact the compliance authority specific to the county where your facility is located.

# District and County Air Program Contacts

Contact Person	Office	Location	Telephone	email
Carol Melton	Northwest District	Pensacola	850-595-0616	<a href="mailto:Carol.Melton@dep.state.fl.us">Carol.Melton@dep.state.fl.us</a>
Jennifer Waltrip	Northwest District	Pensacola	850-595-0662	<a href="mailto:Jennifer.Waltrip@dep.state.fl.us">Jennifer.Waltrip@dep.state.fl.us</a>
Tracy White	Northwest District Branch	Pensacola	850-245-7628	<a href="mailto:Tracy.A.White@dep.state.fl.us">Tracy.A.White@dep.state.fl.us</a>
Marc Lovallo	Northeast District	Jacksonville	904-256-1566	<a href="mailto:Marc.Lovallo@FloridaDEP.gov">Marc.Lovallo@FloridaDEP.gov</a>
Chris Kirts	Northeast District	Jacksonville	904-256-1553	<a href="mailto:Christopher.Kirts@FloridaDEP.gov">Christopher.Kirts@FloridaDEP.gov</a>
Max Grondahl	Southwest District	Tampa	813-470-5864	<a href="mailto:Max.Grondahl@FloridaDEP.gov">Max.Grondahl@FloridaDEP.gov</a>
Daniel Hall	Central District	Orlando	407-897-4167	<a href="mailto:Daniel.K.Hall@FloridaDEP.gov">Daniel.K.Hall@FloridaDEP.gov</a>
Diane Pupa	Southeast District	West Palm Beach	561-681-6782	<a href="mailto:Diane.Pupa@dep.state.fl.us">Diane.Pupa@dep.state.fl.us</a>
Katie O'Gara	South District	Fort Myers	239-344-5690	<a href="mailto:Katie.Ogara@FloridaDEP.gov">Katie.Ogara@FloridaDEP.gov</a>
Rick Garcia	Miami-Dade County	Miami	305-372-6925	<a href="mailto:garcima@miamidade.gov">garcima@miamidade.gov</a>
D'Arcy Damveld-Ansel	Broward County	Plantation	954-519-1459	<a href="mailto:DDAMVELDANSEL@broward.org">DDAMVELDANSEL@broward.org</a>
Patricia Gee-Jones	Duval County	Jacksonville	904-255-7199	<a href="mailto:PATRICIA@coj.net">PATRICIA@coj.net</a>
Jason Waters	Hillsborough County	Tampa	813-627-2600, Extension 1269	<a href="mailto:watersj@epchc.org">watersj@epchc.org</a>
Jeff Dizek	Palm Beach County	West Palm Beach	561-837-5925	<a href="mailto:Jeff.Dizek@flhealth.gov">Jeff.Dizek@flhealth.gov</a>
Sherrill Culliver	Pinellas County	Clearwater	727-464-4422	<a href="mailto:sculliver@pinellascounty.org">sculliver@pinellascounty.org</a>
Ilka Bundy	Orange County	Orlando	407-836-1476	<a href="mailto:ilka.bundy@ocfl.net">ilka.bundy@ocfl.net</a>
Michael Storino	Sarasota County	Sarasota	941-836-1476	<a href="mailto:mstorino@scgov.net">mstorino@scgov.net</a>

The Dry Cleaner Air General Permit is NOT TRANSFERABLE and does not follow a change in ownership of the facility. If you are a new owner and have not submitted a registration worksheet and/or have any permitting questions, please contact the Small Business Environmental Assistance Program at 1-800-722-7457.

You can register online electronically at:

<https://floridadep.gov/air/permitting-compliance/content/air-general-permits>.

If you prefer to register manually by hardcopy, then print the "Printing Operations Air General Permit Registration Worksheet" located at:

<https://floridadep.gov/air/permitting-compliance/content/perchloroethylene-dry-cleaners>.

Registrations and fees should be mailed to the following address:

FDEP Receipts

P.O. Box 3070

Tallahassee, FL 32315-3070

**If you are a Florida dry cleaner that uses perc, you need to be permitted with the Division of Air Resources Management AND you need to be registered with the Division of Waste.**

#### **Division of Waste Management**

**Federal E. P.A. I. D. #:** Tiffany Noland Hazardous Waste Section at 850-245-8727. As a dry cleaner, it is likely that you are a small quantity generator of hazardous waste. Call to obtain your required federal I.D. number.

**Dry Cleaning Facility Registration:** Andrea McGill at 850-245-8840. Dry cleaning facilities and wholesale supply facilities that use dry cleaning solvents are required to be registered with the Division of Waste Management. Regulated solvents include: perchloroethylene ("perc"), tetrachloroethylene, valcene, carbon tetrachloride, and other petroleum-based solvents. The Waste Division issues invoices each November for an \$100 annual registration fee due from every facility that operated in the calendar year. You must be registered in order to purchase perc from your supplier.

**Dry Cleaning Solvent Cleanup Program:** Aaron Cohen at 850-245-8974. Dry cleaning facilities and wholesale supply facilities that reported dry cleaning solvent contamination to FDEP no later than December 31, 1998, may be eligible for site rehabilitation assistance. Call for more information on this program and to see if your facility is eligible.

**Septic tank recommendations:** Check with your Local County Health Department.

**Sewer recommendations:** Check with your Local public/private utility.