

Southwest District Office 13051 North Telecom Parkway #101 Temple Terrace, Florida 33637-0926 Jeanette Nuñez Lt. Governor

Shawn Hamilton Secretary

System Name: The Village at Charlie Creek			PWS-ID No. 6250278
MONITORING & REPORTS		DUE	COMMENTS
Raw Water Microbiological ("Bacteriological")		Monthly	1 Raw Water Sample per well.
Distribution Micro	biological ("Bacteriological")	Monthly	1 Distribution Samples per month. Disinfectant residuals must be reported.
Nitrate and Nitrite		2023	Sample at each POE every year.*
Primary Inorganics		2024	Sample at each POE every three years.
Secondaries		2024	Sample at each POE every three years.
Radiologicals	Gross Alpha	2027	Sample at each POE every three, six or nine years.
	Uranium	2027	Sample at each POE every three, six or nine years.
	Radium-226	2024	Sample at each POE every three, six or nine years.
	Radium-228	2024	Sample at each POE every three, six or nine years.
Volatile Organic Contaminants (VOCs)		2024	Sample at each POE every three years.
Synthetic Organic Contaminants (SOCs)		2024	Sample at each POE every three years, or submit SOC reduced monitoring waiver, if applicable. Use Form 62-560.545(2), F.A.C.
Stage II Disinfection Byproducts (DBPs) Total Trihalomethanes & Haloacetic Acids (5)		July - Sept 2024	Sample according to approved Stage 2 D/DBPR Monitoring Plan.
Asbestos		2030	Certification or results due every nine years. Use Form 62-555.900(10), F.A.C.
Lead & Copper		June – Sept 2024	Sample from sites approved on the Lead and Copper Sampling Plan every three years.
Consumer Confidence Report (CCR) & CCR Certification of Delivery		July 1, 2023	CCR must be delivered by July 1, 2022. The CCR Certification of Delivery must be submitted to the Department by August 10, 2022. Use Form 62-555.900(alternate 19), F.A.C.
Tank(s) Inspection & cleaning		Last 5-year Inspection: Jun 2018	Pursuant to 62-555.350(2) F.A.C. all finished drinking water storage tanks with access manholes shall be inspected and cleaned at a maximum interval of every 5 years.

\*POE = Point of entry to the distribution system. Sample at each POE that is representative of each source after treatment.

This is a good faith assessment of monitoring requirements for the above-referenced public water system for calendar year 2022 and may not include additional sampling required during the year due to special circumstances. If you have questions or disagree with the assessment, please contact the appropriate personnel at (813) 470-5700. Monitoring schedules are subject to change, at any time, based on results of analyses or other factors. This chart shall not relieve any person from any requirement of Florida law.

- It is strongly recommended that testing be conducted early in the monitoring period to allow time for retests due to possible sampling or lab errors. Annual and triennial sampling should be completed by <u>9/30/2022</u> to provide time for revisions, re-tests, and/or corrections.
- Test results must be submitted to DEP within the first ten days following the end of the required monitoring period, or the first ten days following the month in which the sample results were received, whichever time is the shortest. Failure to comply may result in enforcement action.



Southwest District Office 13051 North Telecom Parkway #101 Temple Terrace, Florida 33637-0926 Jeanette Nuñez Lt. Governor

Shawn Hamilton Secretary

2023 Chemical	Monitoring	for Communi	ty Systems
---------------	------------	-------------	------------

System Name: The Village at Charlie Creek			PWS-ID No. 6250278
MONITORING & REPORTS		DUE	COMMENTS
Raw Water Microb	iological ("Bacteriological")	Monthly	1 Raw Water Sample per well.
Distribution Microbiological ("Bacteriological")		Monthly	1 Distribution Samples per month. Disinfectant residuals must be reported.
Nitrate and Nitrite		2023	Sample at each POE every year.*
Primary Inorganics	3	2024	Sample at each POE every three years.
Secondaries		2024	Sample at each POE every three years.
Radiologicals	Gross Alpha	2027	Sample at each POE every three, six or nine years.
	Uranium	2027	Sample at each POE every three, six or nine years.
	Radium-226	2024	Sample at each POE every three, six or nine years.
	Radium-228	2024	Sample at each POE every three, six or nine years.
Volatile Organic Contaminants (VOCs)		2024	Sample at each POE every three years.
Synthetic Organic Contaminants (SOCs)		2024	Sample at each POE every three years, or submit SOC reduced monitoring waiver, if applicable. Use Form 62-560.545(2), F.A.C.
Stage II Disinfection Byproducts (DBPs) Total Trihalomethanes & Haloacetic Acids (5)		July - Sept 2024	Sample according to approved Stage 2 D/DBPR Monitoring Plan.
Asbestos		2030	Certification or results due every nine years. Use Form 62-555.900(10), F.A.C.
Lead & Copper		June – Sept 2024	Sample from sites approved on the Lead and Copper Sampling Plan every three years.
Consumer Confidence Report (CCR) & CCR Certification of Delivery		July 1, 2023	CCR must be delivered by July 1, 2023. The CCR Certification of Delivery must be submitted to the Department by August 10, 2022. Use Form 62-555.900(alternate 19), F.A.C.
Tank(s) Inspection & cleaning		Last 5-year Inspection: Jun 2018	Pursuant to 62-555.350(2) F.A.C. all finished drinking water storage tanks with access manholes shall be inspected and cleaned at a maximum interval of every 5 years.

\*POE = Point of entry to the distribution system. Sample at each POE that is representative of each source after treatment.

This is a good faith assessment of monitoring requirements for the above-referenced public water system for calendar year 2023 and may not include additional sampling required during the year due to special circumstances. If you have questions or disagree with the assessment, please contact the appropriate personnel at (813) 470-5700. Monitoring schedules are subject to change, at any time, based on results of analyses or other factors. This chart shall not relieve any person from any requirement of Florida law.

- It is strongly recommended that testing be conducted early in the monitoring period to allow time for retests due to possible sampling or lab errors. Annual and triennial sampling should be completed by <u>9/30/2023</u> to provide time for revisions, re-tests, and/or corrections.
- Test results must be submitted to DEP within the first ten days following the end of the required monitoring period, or the first ten days following the month in which the sample results were received, whichever time is the shortest. Failure to comply may result in enforcement action.



Southwest District Office 13051 North Telecom Parkway #101 Temple Terrace, Florida 33637-0926 Jeanette Nuñez Lt. Governor

Shawn Hamilton Secretary

2023 Chemical Monitoring for Community Systems

System Name: Wauchula City Water Depart			PWS-ID No. 6250329
MONITORING & REPORTS		DUE	COMMENTS
Microbiological ("Bacteriological")		Monthly	Disinfectant residuals must be reported.
Nitrate and Nitrite		2023	Sample at each POE every year. *
Primary Inorganics		2023	Sample at each POE every three years.
Secondaries		2023	Sample at each POE every three years.
Radiologicals	Gross Alpha	2026	Sample at each POE every three, six or nine years.
	Uranium	2026	Sample at each POE every three, six or nine years.
	Radium-226	2023	Sample at each POE every three, six or nine years.
	Radium-228	2023	Sample at each POE every three, six or nine years.
Volatile Organic Contaminants (VOCs)		2023	Sample at each POE every three years.
Synthetic Organic Contaminants (SOCs)		2 Quarters in 2023	Sample at each POE every three years, or submit SOC reduced monitoring waiver, if applicable. Use Form 62-560.545(2), F.A.C.
Stage II Disinfection Byproducts (DBPs) Total Trihalomethanes & Haloacetic Acids (5)		July – Sept 2023	Sample according to approved Stage 2 D/DBPR Monitoring Plan.
Asbestos		2029	Certification or results due every nine years. Use Form 62-555.900(10), F.A.C.
Lead & Copper		June – Sept 2023	Sample from sites approved on the Lead and Copper Sampling Plan every three years.
Consumer Confidence Report (CCR) & CCR Certification of Delivery		July 1, 2023	CCR must be delivered by July 1, 2022. The CCR Certification of Delivery must be submitted to the Department by August 10, 2022. Use Form 62-555.900(alternate 19), F.A.C.

\*POE = Point of entry to the distribution system. Sample at each POE that is representative of each source after treatment.

This is a good faith assessment of monitoring requirements for the above-referenced public water system for calendar year 2023 and may not include additional sampling required during the year due to special circumstances. If you have questions or disagree with the assessment, please contact the appropriate personnel at (813) 470-5700. Monitoring schedules are subject to change, at any time, based on results of analyses or other factors. This chart shall not relieve any person from any requirement of Florida law.

- It is strongly recommended that testing be conducted early in the monitoring period to allow time for retests due to possible sampling or lab errors. Annual and triennial sampling should be completed by <u>9/30/2023</u> to provide time for revisions, retests, and/or corrections.
- > Test results must be submitted to DEP within the first ten days following the end of the required monitoring period, or the first ten days following the month in which the sample results were received, whichever time is the shortest. Failure to comply may result in enforcement action.



Southwest District Office 13051 North Telecom Parkway #101 Temple Terrace, Florida 33637-0926 Jeanette Nuñez Lt. Governor

Shawn Hamilton Secretary

2023 Chemical Monitoring for Community Systems

System Name: Wauchula City Water Departme			PWS-ID No. 6250329
MONITORING & REPORTS		DUE	COMMENTS
Microbiological ("Bacteriological")		Monthly	Disinfectant residuals must be reported.
Nitrate and Nitrite		2023	Sample at each POE every year. *
Primary Inorganics		2023	Sample at each POE every three years.
Secondaries		2023	Sample at each POE every three years.
Radiologicals	Gross Alpha	2026	Sample at each POE every three, six or nine years.
	Uranium	2026	Sample at each POE every three, six or nine years.
	Radium-226	2023	Sample at each POE every three, six or nine years.
	Radium-228	2023	Sample at each POE every three, six or nine years.
Volatile Organic Contaminants (VOCs)		2023	Sample at each POE every three years.
Synthetic Organic Contaminants (SOCs)		2 Quarters in 2023	Sample at each POE every three years, or submit SOC reduced monitoring waiver, if applicable. Use Form 62-560.545(2), F.A.C.
Stage II Disinfection Byproducts (DBPs) Total Trihalomethanes & Haloacetic Acids (5)		July - Sept 2023	Sample according to approved Stage 2 D/DBPR Monitoring Plan.
Asbestos		2029	Certification or results due every nine years. Use Form 62-555.900(10), F.A.C.
Lead & Copper		June – Sept 2023	Sample from sites approved on the Lead and Copper Sampling Plan every three years.
Consumer Confidence Report (CCR) & CCR Certification of Delivery		July 1, 2023	CCR must be delivered by July 1, 2022. The CCR Certification of Delivery must be submitted to the Department by August 10, 2022. Use Form 62-555.900(alternate 19), F.A.C.

\*POE = Point of entry to the distribution system. Sample at each POE that is representative of each source after treatment.

This is a good faith assessment of monitoring requirements for the above-referenced public water system for calendar year 2023 and may not include additional sampling required during the year due to special circumstances. If you have questions or disagree with the assessment, please contact the appropriate personnel at (813) 470-5700. Monitoring schedules are subject to change, at any time, based on results of analyses or other factors. This chart shall not relieve any person from any requirement of Florida law.

- It is strongly recommended that testing be conducted early in the monitoring period to allow time for retests due to possible sampling or lab errors. Annual and triennial sampling should be completed by <u>9/30/2023</u> to provide time for revisions, retests, and/or corrections.
- > Test results must be submitted to DEP within the first ten days following the end of the required monitoring period, or the first ten days following the month in which the sample results were received, whichever time is the shortest. Failure to comply may result in enforcement action.



Southwest District Office 13051 North Telecom Parkway #101 Temple Terrace, Florida 33637-0926 Jeanette Nuñez Lt. Governor

Shawn Hamilton Secretary

System Name: Toy	wn of Zolfo Springs	C	PWS-ID No. 6250332
MONITORING & REPORTS		DUE	COMMENTS
Raw Water Microbiological ("Bacteriological")		Monthly	1 Raw Water Sample per well.
Distribution Microbiological ("Bacteriological")		Monthly	1 Distribution Samples per month. Disinfectant residuals must be reported.
Nitrate and Nitrite		2023	Sample at each POE every year.*
Primary Inorganics	3	2024	Sample at each POE every three years.
Secondaries		2024	Sample at each POE every three years.
Radiologicals	Gross Alpha	2027	Sample at each POE every three, six or nine years.
	Uranium	2027	Sample at each POE every three, six or nine years.
	Radium-226	2027	Sample at each POE every three, six or nine years.
	Radium-228	2027	Sample at each POE every three, six or nine years.
Volatile Organic Co	Volatile Organic Contaminants (VOCs)		Sample at each POE every three years.
Synthetic Organic Contaminants (SOCs)		2024	Sample at each POE every three years, or submit SOC reduced monitoring waiver, if applicable. Use Form 62-560.545(2), F.A.C.
Stage II Disinfection Byproducts (DBPs) Total Trihalomethanes & Haloacetic Acids (5)		July – Sept 2023	Sample according to approved Stage 2 D/DBPR Monitoring Plan.
Asbestos		2030	Certification or results due every nine years. Use Form 62-555.900(10), F.A.C.
Lead & Copper		June-September 2024	Sample from sites approved on the Lead and Copper Sampling Plan every three years.
Consumer Confidence Report (CCR) & CCR Certification of Delivery		July 1, 2023	CCR must be delivered by July 1, 2023. The CCR Certification of Delivery must be submitted to the Department by August 10, 2023. Use Form 62-555.900(alternate 19), F.A.C.
Tank(s) Inspection & cleaning		Last 5-year Inspection: December 2019	Pursuant to 62-555.350(2) F.A.C. all finished drinking water storage tanks with access manholes shall be inspected and cleaned at a maximum interval of every 5 years.

\*POE = Point of entry to the distribution system. Sample at each POE that is representative of each source after treatment.

This is a good faith assessment of monitoring requirements for the above-referenced public water system for calendar year 2023 and may not include additional sampling required during the year due to special circumstances. If you have questions or disagree with the assessment, please contact the appropriate personnel at (813) 470-5700. Monitoring schedules are subject to change, at any time, based on results of analyses or other factors. This chart shall not relieve any person from any requirement of Florida law.

- It is strongly recommended that testing be conducted early in the monitoring period to allow time for retests due to possible sampling or lab errors. Annual and triennial sampling should be completed by <u>9/30/2023</u> to provide time for revisions, re-tests, and/or corrections.
- Test results must be submitted to DEP within the first ten days following the end of the required monitoring period, or the first ten days following the month in which the sample results were received, whichever time is the shortest. Failure to comply may result in enforcement action.



Southwest District Office 13051 North Telecom Parkway #101 Temple Terrace, Florida 33637-0926 Jeanette Nuñez Lt. Governor

Shawn Hamilton Secretary

2023 Chemical Monitoring for Community Systems

System Name: Peace River Heights			PWS-ID No. 6251954
MONITORING & REPORTS		DUE	COMMENTS
Raw Water Microbiological ("Bacteriological")		Monthly	1 Raw Water Sample per well.
Distribution Microbiological ("Bacteriological")		Monthly	1 Distribution Samples per month. Disinfectant residuals must be reported.
Nitrate and Nitrite		2023	Sample at each POE every year.*
Primary Inorganics	3	2024	Sample at each POE every three years.
Secondaries		2024	Sample at each POE every three years.
Radiologicals	Gross Alpha	2027	Sample at each POE every three, six or nine years.
	Uranium	2027	Sample at each POE every three, six or nine years.
	Radium-226	2024	Sample at each POE every three, six or nine years.
	Radium-228	2024	Sample at each POE every three, six or nine years.
Volatile Organic Co	ontaminants (VOCs)	2024	Sample at each POE every three years.
Synthetic Organic Contaminants (SOCs)		2024	Sample at each POE every three years, or submit SOC reduced monitoring waiver, if applicable. Use Form 62-560.545(2), F.A.C.
Stage II Disinfection Byproducts (DBPs) Total Trihalomethanes & Haloacetic Acids (5)		July – Sept. 2024	Sample according to approved Stage 2 D/DBPR Monitoring Plan.
Asbestos		2030	Certification or results due every nine years. Use Form 62-555.900(10), F.A.C.
Lead & Copper		June – Sept. 2024	Sample from sites approved on the Lead and Copper Sampling Plan every three years.
Consumer Confidence Report (CCR) & CCR Certification of Delivery		July 1, 2023	CCR must be delivered by July 1, 2022. The CCR Certification of Delivery must be submitted to the Department by August 10, 2022. Use Form 62-555.900(alternate 19), F.A.C.

\*POE = Point of entry to the distribution system. Sample at each POE that is representative of each source after treatment.

This is a good faith assessment of monitoring requirements for the above-referenced public water system for calendar year 2023 and may not include additional sampling required during the year due to special circumstances. If you have questions or disagree with the assessment, please contact the appropriate personnel at (813) 470-5700. Monitoring schedules are subject to change, at any time, based on results of analyses or other factors. This chart shall not relieve any person from any requirement of Florida law.

- It is strongly recommended that testing be conducted early in the monitoring period to allow time for retests due to possible sampling or lab errors. Annual and triennial sampling should be completed by <u>9/30/2023</u> to provide time for revisions, re-tests, and/or corrections.
- Test results must be submitted to DEP within the first ten days following the end of the required monitoring period, or the first ten days following the month in which the sample results were received, whichever time is the shortest. Failure to comply may result in enforcement action.



Southwest District Office 13051 North Telecom Parkway #101 Temple Terrace, Florida 33637-0926 Jeanette Nuñez Lt. Governor

Shawn Hamilton Secretary

2023 Chemical Monitoring for Community Systems

ce River Heights	C	PWS-ID No. 6251954
MONITORING & REPORTS		COMMENTS
Raw Water Microbiological ("Bacteriological")		1 Raw Water Sample per well.
Distribution Microbiological ("Bacteriological")		1 Distribution Samples per month. Disinfectant residuals must be reported.
	2023	Sample at each POE every year.*
	2024	Sample at each POE every three years.
	2024	Sample at each POE every three years.
Gross Alpha	2027	Sample at each POE every three, six or nine years.
Uranium	2027	Sample at each POE every three, six or nine years.
Radium-226	2024	Sample at each POE every three, six or nine years.
Radium-228	2024	Sample at each POE every three, six or nine years.
Volatile Organic Contaminants (VOCs)		Sample at each POE every three years.
Synthetic Organic Contaminants (SOCs)		Sample at each POE every three years, or submit SOC reduced monitoring waiver, if applicable. Use Form 62-560.545(2), F.A.C.
Stage II Disinfection Byproducts (DBPs) Total Trihalomethanes & Haloacetic Acids (5)		Sample according to approved Stage 2 D/DBPR Monitoring Plan.
Asbestos		Certification or results due every nine years. Use Form 62-555.900(10), F.A.C.
Lead & Copper		Sample from sites approved on the Lead and Copper Sampling Plan every three years.
Consumer Confidence Report (CCR) & CCR Certification of Delivery		CCR must be delivered by July 1, 2023. The CCR Certification of Delivery must be submitted to the Department by August 10, 2023. Use Form 62-555.900(alternate 19), F.A.C.
	ING & REPORTS iological piological Gross Alpha Uranium Radium-226 Radium-228 ontaminants (VOCs) Contaminants (VOCs) Contaminants (SOCs) m Byproducts (DBPs) <i>es &amp; Haloacetic Acids (5)</i>	ING & REPORTSDUEiologicalMonthlybiologicalMonthlybiologicalMonthly202320232024202420242024Gross Alpha2027Uranium2027Radium-2262024Radium-2282024ontaminants (VOCs)2024Contaminants (SOCs)2024n Byproducts (DBPs)2030 <i>es &amp; Haloacetic Acids (5)</i> July - Sept. 2024Ince Report (CCR) & CCRIuly 1, 2023

\*POE = Point of entry to the distribution system. Sample at each POE that is representative of each source after treatment.

This is a good faith assessment of monitoring requirements for the above-referenced public water system for calendar year 2023 and may not include additional sampling required during the year due to special circumstances. If you have questions or disagree with the assessment, please contact the appropriate personnel at (813) 470-5700. Monitoring schedules are subject to change, at any time, based on results of analyses or other factors. This chart shall not relieve any person from any requirement of Florida law.

- It is strongly recommended that testing be conducted early in the monitoring period to allow time for retests due to possible sampling or lab errors. Annual and triennial sampling should be completed by <u>9/30/2023</u> to provide time for revisions, re-tests, and/or corrections.
- Test results must be submitted to DEP within the first ten days following the end of the required monitoring period, or the first ten days following the month in which the sample results were received, whichever time is the shortest. Failure to comply may result in enforcement action.



Southwest District Office 13051 North Telecom Parkway #101 Temple Terrace, Florida 33637-0926 Jeanette Nuñez Lt. Governor

Shawn Hamilton Secretary

System Name: City of Bowling Green			PWS-ID No. 6252022
MONITORING & REPORTS		DUE	COMMENTS
Raw Water Microbiological ("Bacteriological")		Monthly	1 Raw Water Sample per well.
Distribution Microl ("Bacteriological")	biological	Monthly	1 Distribution Samples per month. Disinfectant residuals must be reported.
Nitrate and Nitrite		2023	Sample at each POE every year.*
Primary Inorganics	3	2024	Sample at each POE every three years.
Secondaries		2024	Sample at each POE every three years.
Radiologicals	Gross Alpha	2024	Sample at each POE every three, six or nine years.
	Uranium	2024	Sample at each POE every three, six or nine years.
	Radium-226	2024	Sample at each POE every three, six or nine years.
	Radium-228	2024	Sample at each POE every three, six or nine years.
Volatile Organic Contaminants (VOCs)		2024	Sample at each POE every three years.
Synthetic Organic Contaminants (SOCs)		2024	Sample at each POE every three years, or submit SOC reduced monitoring waiver, if applicable. Use Form 62-560.545(2), F.A.C.
Stage II Disinfection Byproducts (DBPs) Total Trihalomethanes & Haloacetic Acids (5)		2023	Sample according to approved Stage 2 D/DBPR Monitoring Plan.
Asbestos		2030	Certification or results due every nine years. Use Form 62-555.900(10), F.A.C.
Lead & Copper		June – Sept. 2024	Sample from sites approved on the Lead and Copper Sampling Plan every three years.
Consumer Confidence Report (CCR) & CCR Certification of Delivery		July 1, 2023	CCR must be delivered by July 1, 2023. The CCR Certification of Delivery must be submitted to the Department by August 10, 2023. Use Form 62-555.900(alternate 19), F.A.C.

\*POE = Point of entry to the distribution system. Sample at each POE that is representative of each source after treatment.

This is a good faith assessment of monitoring requirements for the above-referenced public water system for calendar year 2023 and may not include additional sampling required during the year due to special circumstances. If you have questions or disagree with the assessment, please contact the appropriate personnel at (813) 470-5700. Monitoring schedules are subject to change, at any time, based on results of analyses or other factors. This chart shall not relieve any person from any requirement of Florida law.

- It is strongly recommended that testing be conducted early in the monitoring period to allow time for retests due to possible sampling or lab errors. Annual and triennial sampling should be completed by <u>9/30/2023</u> to provide time for revisions, re-tests, and/or corrections.
- Test results must be submitted to DEP within the first ten days following the end of the required monitoring period, or the first ten days following the month in which the sample results were received, whichever time is the shortest. Failure to comply may result in enforcement action.



Southwest District Office 13051 North Telecom Parkway #101 Temple Terrace, Florida 33637-0926 Jeanette Nuñez Lt. Governor

Shawn Hamilton Secretary

2023 Chemical Monitoring for NTNC	
-----------------------------------	--

Water System: Mosaic Fertilizer (North Pasture)		ure)	PWS-ID No. 6252045
MONITORING & REPORTS		DUE	COMMENTS
Raw Water Microbiological ("Bacteriological")		Quarterly	1 Raw Water Sample per well.
Distribution Microbiological ("Bacteriological")		Quarterly	1 Distribution Sample per quarter. Disinfectant residuals must be reported.
Nitrate and Nitrit	e	2023	Sample at each POE every year. *
Primary Inorganio	28	2025	Sample at each POE every three years.
Radiologicals	Gross Alpha	Waived	Sample at each POE every quarterly, six, nine years, or Waived use of Grandfather Data (date of sample)
	Uranium	Waived	Sample at each POE every quarterly, six, nine years, or Waived use of Grandfather Data (date of sample)
	Radium-226	2025	Sample at each POE every quarterly, six, nine years, or Waived use of Grandfather Data (date of sample)
	Radium-228	2025	Sample at each POE every quarterly, six, nine years, or Waived use of Grandfather Data (date of sample)
Volatile Organic Contaminants (VOCs)		2025	Sample at each POE every three years.
Synthetic Organic Contaminants (SOCs)		2025	Sample at each POE every three years, or submit SOC reduced monitoring waiver, if applicable. Use Form 62-560.545(2), F.A.C.
Stage II Disinfection Byproducts (DBPs) Total Trihalomethanes & Haloacetic Acids (5)		Jul – Sept 2023	Sample according to approved Stage 2 D/DBPR Monitoring Plan.
Asbestos		2023	Certification or results due every nine years. Use Form 62-555.900(10), F.A.C.
Lead & Copper		June - Sept 2025	Sample from sites approved on the Lead and Copper Sampling Plan every three years.

\*POE = Point of entry to the distribution system. Sample at each POE that is representative of each source after treatment.

This is a good faith assessment of monitoring requirements for the above-referenced public water system for calendar year 2023 and may not include additional sampling required during the year due to special circumstances. If you have questions or disagree with the assessment, please contact the appropriate personnel at (813) 470-5700. Monitoring schedules are subject to change, at any time, based on results of analyses or other factors. This chart shall not relieve any person from any requirement of Florida law.

- It is strongly recommended that testing be conducted early in the monitoring period to allow time for retests due to possible sampling or lab errors. Annual and triennial sampling should be completed by <u>9/30/2023</u> to provide time for revisions, retests, and/or corrections.
- > Test results must be submitted to DEP within the first ten days following the end of the required monitoring period, or the first ten days following the month in which the sample results were received, whichever time is the shortest. Failure to comply may result in enforcement action.



Southwest District Office 13051 North Telecom Parkway #101 Temple Terrace, Florida 33637-0926 Jeanette Nuñez Lt. Governor

Shawn Hamilton Secretary

2023	Chemical	Monitoring	for NT	NC
		DITIO	<b>TD 1T</b>	

Water System: Th	housand Trails RV Resort		PWS-ID No. 6254750
MONITOF	RING & REPORTS	DUE	COMMENTS
Raw Water Microbiological ("Bacteriological")		Quarterly	1 Raw Water Sample per well.
Distribution Microbiological ("Bacteriological")		Quarterly	1 Distribution Sample per quarter. Disinfectant residuals must be reported.
Nitrate and Nitrit	e	2023	Sample at each POE every year. *
Primary Inorganic	CS	2025	Sample at each POE every three years.
Radiologicals	Gross Alpha	Waived	Sample at each POE every quarterly, six, nine years, or Waived use of Grandfather Data (date of sample)
	Uranium	Waived	Sample at each POE every quarterly, six, nine years, or Waived use of Grandfather Data (date of sample)
	Radium-226	2028	Sample at each POE every quarterly, six, nine years, or Waived use of Grandfather Data (date of sample)
	Radium-228	2028	Sample at each POE every quarterly, six, nine years, or Waived use of Grandfather Data (date of sample)
Volatile Organic Contaminants (VOCs)		2025	Sample at each POE every three years.
Synthetic Organic Contaminants (SOCs)		2025	Sample at each POE every three years, or submit SOC reduced monitoring waiver, if applicable. Use Form 62-560.545(2), F.A.C.
Di(2-ethylhexyl)Phthalate (2039)		Annually in Q2: April - June	Sample at each POE annually in Quarter 2 (Q2).
Stage II Disinfection Byproducts (DBPs) Total Trihalomethanes & Haloacetic Acids (5)		Jul – Sept 2023	Sample according to approved Stage 2 D/DBPR Monitoring Plan.
Asbestos		2031	Certification or results due every nine years. Use Form 62-555.900(10), F.A.C.
Lead & Copper		June - Sept 2025	Sample from sites approved on the Lead and Copper Sampling Plan every three years.

\*POE = Point of entry to the distribution system. Sample at each POE that is representative of each source after treatment.

This is a good faith assessment of monitoring requirements for the above-referenced public water system for calendar year 2023 and may not include additional sampling required during the year due to special circumstances. If you have questions or disagree with the assessment, please contact the appropriate personnel at (813) 470-5700. Monitoring schedules are subject to change, at any time, based on results of analyses or other factors. This chart shall not relieve any person from any requirement of Florida law.

- It is strongly recommended that testing be conducted early in the monitoring period to allow time for retests due to possible sampling or lab errors. Annual and triennial sampling should be completed by <u>9/30/2023</u> to provide time for revisions, retests, and/or corrections.
- > Test results must be submitted to DEP within the first ten days following the end of the required monitoring period, or the first ten days following the month in which the sample results were received, whichever time is the shortest. Failure to comply may result in enforcement action.



**Southwest District Office** 13051 North Telecom Parkway #101 Temple Terrace, Florida 33637-0926 **Jeanette Nuñez** Lt. Governor

**Shawn Hamilton** Secretary

2023 Chemical Monitoring for NTNC

PWS-ID No.	6254752

Water System:	Florida SKP RV Resort	2023 Chemical Woh	PWS-ID No. 6254752		
MONITORING & REPORTS		DUE	COMMENTS		
Raw Water Microbio	ological ("Bacteriological")	Quarterly	1 Raw Water Sample per well.		
Distribution Microb	iological ("Bacteriological")	Quarterly	1 Distribution Sample per quarter. Disinfectant residuals must be reported.		
Nitrate and Nitrite		2023	Sample at each POE every year. *		
Primary Inorganics		2025	Sample at each POE every three years.		
Radiologicals	Gross Alpha	Waived	Sample at each POE every quarterly, six, nine years, or Waived use of Grandfather Data (date of sample)		
	Uranium	Waived	Sample at each POE every quarterly, six, nine years, or Waived use of Grandfather Data (date of sample)		
	Radium-226	2031	Sample at each POE every quarterly, six, nine years, or Waived use of Grandfather Data (date of sample)		
	Radium-228	2031	Sample at each POE every quarterly, six, nine years, or Waived use of Grandfather Data (date of sample)		
Volatile Organic Contaminants (VOCs)		2025	Sample at each POE every three years.		
Total Xylene (2955)		Annually in Q2: April – Jun	Sample at each POE annually in Quarter 2 (Q2).		
Synthetic Organic Contaminants (SOCs)		2025	Sample at each POE every three years, or submit SOC reduced monitoring waiver, if applicable. Use Form 62-560.545(2), F.A.C.		
Dalapon (2031)		Annually in Q2 April - Jun	Sample at each POE, annually in Quarter 2 (Q2).		
2, 4-D (2105)		Annually in Q2 April - Jun	Sample at each POE, annually in Quarter 2 (Q2).		
Stage II Disinfection Byproducts (DBPs) Total Trihalomethanes & Haloacetic Acids (5)		Jul – Sept 2023	Sample according to approved Stage 2 D/DBPR Monitoring Plan.		
Asbestos		2031	Certification or results due every nine years. Use Form 62-555.900(10), F.A.C.		
Lead & Copper		June - Sept 2025	Sample from sites approved on the Lead and Copper Sampling Plan every three years.		
Tank(s) Inspection & cleaning		Last 5-year Inspection: Aug 2018	Pursuant to 62-555.350(2) F.A.C. all finished drinking water storage tanks with access manholes shall be inspected and cleaned at a maximum interval of every 5 years.		
Meter(s) Calibration		Last Calibration: Dec 2018	Pursuant to 62-555.350(2) F.A.C. requires that water systems maintain and calibrate master meters in accordance to manufacturer specifications at no less than interval of every 5 years.		

\*POE = Point of entry to the distribution system. Sample at each POE that is representative of each source after treatment.

This is a good faith assessment of monitoring requirements for the above-referenced public water system for calendar year 2023 and may not include additional sampling required during the year due to special circumstances. If you have questions or disagree with the assessment, please contact the appropriate personnel at (813) 470-5700. Monitoring schedules are subject to change, at any time, based on results of analyses or other factors. This chart shall not relieve any person from any requirement of Florida law.

- It is strongly recommended that testing be conducted early in the monitoring period to allow time for retests due to possible sampling or ≻ lab errors. Annual and triennial sampling should be completed by <u>9/30/2023</u> to provide time for revisions, re-tests, and/or corrections.
- Test results must be submitted to DEP within the first ten days following the end of the required monitoring period, or the first ten days  $\geq$ following the month in which the sample results were received, whichever time is the shortest. Failure to comply may result in enforcement action.



Southwest District Office 13051 North Telecom Parkway #101 Temple Terrace, Florida 33637-0926 Jeanette Nuñez Lt. Governor

Shawn Hamilton Secretary

Water System: Lit	tle Charlie Creek RV Park	025 Chemical Won	PWS-ID No. 6254753
MONITORING & REPORTS		DUE	COMMENTS
Raw Water Micro ("Bacteriological"	e	Quarterly	1 Raw Water Sample per well.
Distribution Micr ("Bacteriological"	0	Quarterly	1 Distribution Sample per quarter. Disinfectant residuals must be reported.
Nitrate and Nitri	te	2023	Sample at each POE every year. *
Primary Inorgani	cs	2025	Sample at each POE every three years.
Radiologicals	Gross Alpha	2028	Sample at each POE every quarterly, six, nine years, or Waived use of Grandfather Data (date of sample)
	Uranium	2028	Sample at each POE every quarterly, six, nine years, or Waived use of Grandfather Data (date of sample)
	Radium-226	2028	Sample at each POE every quarterly, six, nine years, or Waived use of Grandfather Data (date of sample)
	Radium-228	2028	Sample at each POE every quarterly, six, nine years, or Waived use of Grandfather Data (date of sample)
Volatile Organic Contaminants (VOCs)		2025	Sample at each POE every three years.
Synthetic Organic Contaminants (SOCs)		2025	Sample at each POE every three years, or submit SOC reduced monitoring waiver, if applicable. Use Form 62-560.545(2), F.A.C.
Stage II Disinfection Byproducts (DBPs) Total Trihalomethanes & Haloacetic Acids (5)		Jul – Sept 2023	Sample according to approved Stage 2 D/DBPR Monitoring Plan.
Asbestos		<mark>2023</mark>	Certification or results due every nine years. Use Form 62-555.900(10), F.A.C.
Lead & Copper		June - Sept 2025	Sample from sites approved on the Lead and Copper Sampling Plan every three years.

\*POE = Point of entry to the distribution system. Sample at each POE that is representative of each source after treatment.

This is a good faith assessment of monitoring requirements for the above-referenced public water system for calendar year 2023 and may not include additional sampling required during the year due to special circumstances. If you have questions or disagree with the assessment, please contact the appropriate personnel at (813) 470-5700. Monitoring schedules are subject to change, at any time, based on results of analyses or other factors. This chart shall not relieve any person from any requirement of Florida law.

- It is strongly recommended that testing be conducted early in the monitoring period to allow time for retests due to possible sampling or lab errors. Annual and triennial sampling should be completed by <u>9/30/2023</u> to provide time for revisions, retests, and/or corrections.
- > Test results must be submitted to DEP within the first ten days following the end of the required monitoring period, or the first ten days following the month in which the sample results were received, whichever time is the shortest. Failure to comply may result in enforcement action.



Southwest District Office 13051 North Telecom Parkway #101 Temple Terrace, Florida 33637-0926 Jeanette Nuñez Lt. Governor

Shawn Hamilton Secretary

System Name: Hardee Correctional Institute			PWS-ID No. 6254754
MONITORING & REPORTS		DUE	COMMENTS
Raw Water Microbiological ("Bacteriological")		Monthly	1 Raw Water Sample per well.
Distribution Microb ("Bacteriological")	iological	Monthly	1 Distribution Samples per month. Disinfectant residuals must be reported.
Nitrate and Nitrite		2023	Sample at each POE every year.*
Primary Inorganics		2024	Sample at each POE every three years.
Secondaries		2024	Sample at each POE every three years.
Radiologicals	Gross Alpha	2025	Sample at each POE every three, six or nine years.
	Uranium	2025	Sample at each POE every three, six or nine years.
	Radium-226	2025	Sample at each POE every three, six or nine years.
	Radium-228	2025	Sample at each POE every three, six or nine years.
Volatile Organic Contaminants (VOCs)		2024	Sample at each POE every three years.
Synthetic Organic Contaminants (SOCs)		2024	Sample at each POE every three years, or submit SOC reduced monitoring waiver, if applicable. Use Form 62-560.545(2), F.A.C.
Stage II Disinfection Byproducts (DBPs) Total Trihalomethanes & Haloacetic Acids (5)		July - Sept. 2023	Sample according to approved Stage 2 D/DBPR Monitoring Plan.
Asbestos		2030	Certification or results due every nine years. Use Form 62-555.900(10), F.A.C.
Lead & Copper		June-September 2023	Sample from sites approved on the Lead and Copper Sampling Plan every three years.
Consumer Confidence Report (CCR) & CCR Certification of Delivery		July 1, 2023	CCR must be delivered by July 1, 2023. The CCR Certification of Delivery must be submitted to the Department by August 10, 2023. Use Form 62-555.900(alternate 19), F.A.C.

\*POE = Point of entry to the distribution system. Sample at each POE that is representative of each source after treatment.

This is a good faith assessment of monitoring requirements for the above-referenced public water system for calendar year 2023 and may not include additional sampling required during the year due to special circumstances. If you have questions or disagree with the assessment, please contact the appropriate personnel at (813) 470-5700. Monitoring schedules are subject to change, at any time, based on results of analyses or other factors. This chart shall not relieve any person from any requirement of Florida law.

- It is strongly recommended that testing be conducted early in the monitoring period to allow time for retests due to possible sampling or lab errors. Annual and triennial sampling should be completed by <u>9/30/2023</u> to provide time for revisions, re-tests, and/or corrections.
- Test results must be submitted to DEP within the first ten days following the end of the required monitoring period, or the first ten days following the month in which the sample results were received, whichever time is the shortest. Failure to comply may result in enforcement action.



Southwest District Office 13051 North Telecom Parkway #101 Temple Terrace, Florida 33637-0926 Jeanette Nuñez Lt. Governor

Shawn Hamilton Secretary

System Name: B	rookside Bluff RV Park	U	PWS-ID No. 6254762
MONITORING & REPORTS		DUE	COMMENTS
Raw Water Microbiological ("Bacteriological")		Monthly	1 Raw Water Sample per well.
Distribution Micr ("Bacteriological"		Monthly	1 Distribution Samples per month. Disinfectant residuals must be reported.
Nitrate and Nitrit	e	2023	Sample at each POE every year.*
Primary Inorgani	cs	2024	Sample at each POE every three years.
Secondaries		2024	Sample at each POE every three years.
Radiologicals	Gross Alpha	2027	Sample at each POE every three, six or nine years.
	Uranium	2027	Sample at each POE every three, six or nine years.
	Radium-226	2027	Sample at each POE every three, six or nine years.
	Radium-228	2024	Sample at each POE every three, six or nine years.
Volatile Organic (	Volatile Organic Contaminants (VOCs)		Sample at each POE every three years.
Synthetic Organic Contaminants (SOCs)		2024	Sample at each POE every three years, or submit SOC reduced monitoring waiver, if applicable. Use Form 62-560.545(2), F.A.C.
Stage II Disinfection Byproducts (DBPs) Total Trihalomethanes & Haloacetic Acids (5)		July - Sept. 2023	Sample according to approved Stage 2 D/DBPR Monitoring Plan.
Asbestos		2030	Certification or results due every nine years. Use Form 62-555.900(10), F.A.C.
Lead & Copper		June – Sept. 2024	Sample from sites approved on the Lead and Copper Sampling Plan every three years.
Consumer Confidence Report (CCR) & CCR Certification of Delivery		July 1, 2023	CCR must be delivered by July 1, 2023. The CCR Certification of Delivery must be submitted to the Department by August 10, 2023. Use Form 62-555.900(alternate 19), F.A.C.
Meter(s) Calibration		Last Calibration: 2017	Pursuant to 62-555.350(2) F.A.C. requires that water systems maintain and calibrate master meters in accordance to manufacturer specifications at no less than interval of every 5 years.

\*POE = Point of entry to the distribution system. Sample at each POE that is representative of each source after treatment.

This is a good faith assessment of monitoring requirements for the above-referenced public water system for calendar year 2023 and may not include additional sampling required during the year due to special circumstances. If you have questions or disagree with the assessment, please contact the appropriate personnel at (813) 470-5700. Monitoring schedules are subject to change, at any time, based on results of analyses or other factors. This chart shall not relieve any person from any requirement of Florida law.

- It is strongly recommended that testing be conducted early in the monitoring period to allow time for retests due to possible sampling or lab errors. Annual and triennial sampling should be completed by <u>9/30/2023</u> to provide time for revisions, re-tests, and/or corrections.
- Test results must be submitted to DEP within the first ten days following the end of the required monitoring period, or the first ten days following the month in which the sample results were received, whichever time is the shortest. Failure to comply may result in enforcement action.



Southwest District Office 13051 North Telecom Parkway #101 Temple Terrace, Florida 33637-0926 Jeanette Nuñez Lt. Governor

Shawn Hamilton Secretary

2023 Chemical	Monitoring for	or NTNC

Water System: Peace River Electric-OperationPWS-ID No. 6254769			PWS-ID No. 6254769
MONITORING & REPORTS		DUE	COMMENTS
Raw Water Microb	iological ("Bacteriological")	Quarterly	1 Raw Water Sample per well.
Distribution Microl	biological ("Bacteriological")	Quarterly	1 Distribution Sample per quarter. Disinfectant residuals must be reported.
Nitrate and Nitrite		2023	Sample at each POE every year. *
Primary Inorganics	;	2025	Sample at each POE every three years.
Radiologicals	Gross Alpha	2025	Sample at each POE every quarterly, six, nine years, or Waived use of Grandfather Data (date of sample)
	Uranium	Waived	Sample at each POE every quarterly, six, nine years, or Waived use of Grandfather Data (date of sample)
	Radium-226	2031	Sample at each POE every quarterly, six, nine years, or Waived use of Grandfather Data (date of sample)
	Radium-228	2031	Sample at each POE every quarterly, six, nine years, or Waived use of Grandfather Data (date of sample)
Volatile Organic Co	ontaminants (VOCs)	2025	Sample at each POE every three years.
Synthetic Organic O	Contaminants (SOCs)	2025	Sample at each POE every three years, or submit SOC reduced monitoring waiver, if applicable. Use Form 62-560.545(2), F.A.C.
Dalapon (2031)		Annually in Q2 April - Jun	Sample at each POE, annually in Quarter 2 (Q2).
Hexachlorocyclope	entadiene (2042)	Annually in Q2 April - Jun	Sample at each POE, annually in Quarter 2 (Q2).
Stage II Disinfection Total Trihalomethane	n Byproducts (DBPs) es & Haloacetic Acids (5)	Jul - Sept 2025	Sample according to approved Stage 2 D/DBPR Monitoring Plan.
Asbestos		2031	Certification or results due every nine years. Use Form 62-555.900(10), F.A.C.
Lead & Copper		January to June & July to December 2023	Sample from sites approved on the Lead and Copper Sampling Plan every three years.
Meter(s) Calibration	n	Last Calibrated: Feb 2018	Pursuant to 62-555.350(2) F.A.C. requires that water systems maintain and calibrate master meters in accordance to manufacturer specifications at no less than interval of every 5 years.

\*POE = Point of entry to the distribution system. Sample at each POE that is representative of each source after treatment.

This is a good faith assessment of monitoring requirements for the above-referenced public water system for calendar year 2023 and may not include additional sampling required during the year due to special circumstances. If you have questions or disagree with the assessment, please contact the appropriate personnel at (813) 470-5700. Monitoring schedules are subject to change, at any time, based on results of analyses or other factors. This chart shall not relieve any person from any requirement of Florida law.

- It is strongly recommended that testing be conducted early in the monitoring period to allow time for retests due to possible sampling or lab errors. Annual and triennial sampling should be completed by <u>9/30/2023</u> to provide time for revisions, retests, and/or corrections.
- > Test results must be submitted to DEP within the first ten days following the end of the required monitoring period, or the first ten days following the month in which the sample results were received, whichever time is the shortest. Failure to comply may result in enforcement action.



Southwest District Office 13051 North Telecom Parkway #101 Temple Terrace, Florida 33637-0926 Jeanette Nuñez Lt. Governor

Shawn Hamilton Secretary

System Name: Lakeside Neurological (FKA F.I.N.R.)			PWS-ID No. 6254774
MONITORING & REPORTS		DUE	COMMENTS
Raw Water Microbi ("Bacteriological")	ological	Monthly	1 Raw Water Sample per well.
Distribution Microb ("Bacteriological")	piological	Monthly	1 Distribution Samples per month. Disinfectant residuals must be reported.
Nitrate and Nitrite		2023	Sample at each POE every year.*
Primary Inorganics		2024	Sample at each POE every three years.
Secondaries		2024	Sample at each POE every three years.
Radiologicals	Gross Alpha	2027	Sample at each POE every three, six or nine years.
	Uranium	2027	Sample at each POE every three, six or nine years.
	Radium-226	2024	Sample at each POE every three, six or nine years.
	Radium-228	2024	Sample at each POE every three, six or nine years.
Volatile Organic Contaminants (VOCs)		2024	Sample at each POE every three years.
Synthetic Organic Contaminants (SOCs)		2024	Sample at each POE every three years, or submit SOC reduced monitoring waiver, if applicable. Use Form 62-560.545(2), F.A.C.
Stage II Disinfection Byproducts (DBPs) Total Trihalomethanes & Haloacetic Acids (5)		July – Sept. 2023	Sample according to approved Stage 2 D/DBPR Monitoring Plan.
Asbestos		2030	Certification or results due every nine years. Use Form 62-555.900(10), F.A.C.
Lead & Copper		June – Sept. 2024	Sample from sites approved on the Lead and Copper Sampling Plan every three years.
Certification of Delivery		July 1, 2023	CCR must be delivered by July 1, 2023. The CCR Certification of Delivery must be submitted to the Department by August 10, 2023. Use Form 62-555.900(alternate 19), F.A.C.

\*POE = Point of entry to the distribution system. Sample at each POE that is representative of each source after treatment.

This is a good faith assessment of monitoring requirements for the above-referenced public water system for calendar year 2023 and may not include additional sampling required during the year due to special circumstances. If you have questions or disagree with the assessment, please contact the appropriate personnel at (813) 470-5700. Monitoring schedules are subject to change, at any time, based on results of analyses or other factors. This chart shall not relieve any person from any requirement of Florida law.

- It is strongly recommended that testing be conducted early in the monitoring period to allow time for retests due to possible sampling or lab errors. Annual and triennial sampling should be completed by <u>9/30/2023</u> to provide time for revisions, re-tests, and/or corrections.
- Test results must be submitted to DEP within the first ten days following the end of the required monitoring period, or the first ten days following the month in which the sample results were received, whichever time is the shortest. Failure to comply may result in enforcement action.



Southwest District Office 13051 North Telecom Parkway #101 Temple Terrace, Florida 33637-0926 Jeanette Nuñez Lt. Governor

Shawn Hamilton Secretary

2023 Chemical	Monitoring for	Community Systems
---------------	----------------	-------------------

System Name: Wauchula Hills (Hardee County Utilities)		nty Utilities)	PWS-ID No. 6254799
MONITO	RING & REPORTS	DUE	COMMENTS
Raw Water Microb	iological ("Bacteriological")	Monthly	1 Raw Water Sample per well.
Distribution Microl	biological ("Bacteriological")	Monthly	1 Distribution Samples per month. Disinfectant residuals must be reported.
Nitrate and Nitrite		2023	Sample at each POE every year.*
Primary Inorganics	5	2024	Sample at each POE every three years.
Secondaries		2024	Sample at each POE every three years.
Radiologicals	Gross Alpha	2027	Sample at each POE every three, six or nine years.
	Uranium	2027	Sample at each POE every three, six or nine years.
	Radium-226	2024	Sample at each POE every three, six or nine years.
	Radium-228	2024	Sample at each POE every three, six or nine years.
Volatile Organic Co	ontaminants (VOCs)	2024	Sample at each POE every three years.
Synthetic Organic Contaminants (SOCs)		2024	Sample at each POE every three years, or submit SOC reduced monitoring waiver, if applicable. Use Form 62-560.545(2), F.A.C.
	n Byproducts (DBPs) es & Haloacetic Acids (5)	July - Sept. 2023	Sample according to approved Stage 2 D/DBPR Monitoring Plan.
Asbestos		2030	Certification or results due every nine years. Use Form 62-555.900(10), F.A.C.
Lead & Copper		June-September 2023	Sample from sites approved on the Lead and Copper Sampling Plan every three years.
Consumer Confidence Report (CCR) & CCR Certification of Delivery		July 1, 2023	CCR must be delivered by July 1, 2023. The CCR Certification of Delivery must be submitted to the Department by August 10, 2023. Use Form 62-555.900(alternate 19), F.A.C.
f $f$ $f$ $f$ $f$ $f$ $f$ $f$ $f$ $f$		Last Inspection: Aug 2018	Pursuant to 62-555.350(2) F.A.C. all finished drinking water storage tanks with access manholes shall be inspected and cleaned at a maximum interval of every 5 years.

\*POE = Point of entry to the distribution system. Sample at each POE that is representative of each source after treatment.

This is a good faith assessment of monitoring requirements for the above-referenced public water system for calendar year 2023 and may not include additional sampling required during the year due to special circumstances. If you have questions or disagree with the assessment, please contact the appropriate personnel at (813) 470-5700. Monitoring schedules are subject to change, at any time, based on results of analyses or other factors. This chart shall not relieve any person from any requirement of Florida law.

- It is strongly recommended that testing be conducted early in the monitoring period to allow time for retests due to possible sampling or lab errors. Annual and triennial sampling should be completed by <u>9/30/2023</u> to provide time for revisions, re-tests, and/or corrections.
- Test results must be submitted to DEP within the first ten days following the end of the required monitoring period, or the first ten days following the month in which the sample results were received, whichever time is the shortest. Failure to comply may result in enforcement action.



Southwest District Office 13051 North Telecom Parkway #101 Temple Terrace, Florida 33637-0926 Jeanette Nuñez Lt. Governor

Shawn Hamilton Secretary

Water System: Old Castle Lawn & Garden			PWS-ID No. 6254803
MONITORING & REPORTS		DUE	COMMENTS
Raw Water Microbi ("Bacteriological")	ological	Quarterly	1 Raw Water Sample per well.
Distribution Microb ("Bacteriological")	piological	Quarterly	1 Distribution Sample per quarter. Disinfectant residuals must be reported.
Nitrate and Nitrite		2023	Sample at each POE every year. *
Primary Inorganics		2025	Sample at each POE every three years.
Radiologicals	Gross Alpha	Waived	Sample at each POE every quarterly, six, nine years, or Waived use of Grandfather Data (date of sample)
	Uranium	Waived	Sample at each POE every quarterly, six, nine years, or Waived use of Grandfather Data (date of sample)
	Radium-226	Waived	Sample at each POE every quarterly, six, nine years, or Waived use of Grandfather Data (date of sample)
	Radium-228	Waived	Sample at each POE every quarterly, six, nine years, or Waived use of Grandfather Data (date of sample)
Volatile Organic Contaminants (VOCs)		2025	Sample at each POE every three years.
Synthetic Organic Contaminants (SOCs)		2025	Sample at each POE every three years, or submit SOC reduced monitoring waiver, if applicable. Use Form 62-560.545(2), F.A.C.
Stage II Disinfection Byproducts (DBPs)Total Trihalomethanes & Haloacetic Acids (5)		Jul – Sept 2023	Sample according to approved Stage 2 D/DBPR Monitoring Plan.
Asbestos		<mark>2023</mark>	Certification or results due every nine years. Use Form 62-555.900(10), F.A.C.
Lead & Copper		June - Sept 2025	Sample from sites approved on the Lead and Copper Sampling Plan every three years.

\*POE = Point of entry to the distribution system. Sample at each POE that is representative of each source after treatment.

This is a good faith assessment of monitoring requirements for the above-referenced public water system for calendar year 2023 and may not include additional sampling required during the year due to special circumstances. If you have questions or disagree with the assessment, please contact the appropriate personnel at (813) 470-5700. Monitoring schedules are subject to change, at any time, based on results of analyses or other factors. This chart shall not relieve any person from any requirement of Florida law.

- It is strongly recommended that testing be conducted early in the monitoring period to allow time for retests due to possible sampling or lab errors. Annual and triennial sampling should be completed by <u>9/30/2023</u> to provide time for revisions, retests, and/or corrections.
- > Test results must be submitted to DEP within the first ten days following the end of the required monitoring period, or the first ten days following the month in which the sample results were received, whichever time is the shortest. Failure to comply may result in enforcement action.



Southwest District Office 13051 North Telecom Parkway #101 Temple Terrace, Florida 33637-0926 Jeanette Nuñez Lt. Governor

Shawn Hamilton Secretary

2023 Chemical Monitoring for NTNC

Water System: MIDULLA GENERATING STATION - SEMINOLE E. PWS-ID No. 6254806				
<b>MONITORING &amp; REPORTS</b>		COMMENTS		
biological )	Quarterly	1 Raw Water Sample per well.		
bbiological )	Quarterly	1 Distribution Sample per quarter. Disinfectant residuals must be reported.		
2	2023	Sample at each POE every year. *		
S	2025	Sample at each POE every three years.		
Gross Alpha	Quarterly	Sample at each POE every quarterly, six, nine years, or Waived use of Grandfather Data (date of sample)		
Uranium	Quarterly	Sample at each POE every quarterly, six, nine years, or Waived use of Grandfather Data (date of sample)		
Radium-226	Quarterly	Sample at each POE every quarterly, six, nine years, or Waived use of Grandfather Data (date of sample)		
Radium-228	Quarterly	Sample at each POE every quarterly, six, nine years, or Waived use of Grandfather Data (date of sample)		
Contaminants (VOCs)	Quarterly	Sample at each POE quarterly.		
Synthetic Organic Contaminants (SOCs)		Sample at each POE quarterly, or submit SOC reduced monitoring waiver, if applicable. Use Form 62-560.545(2), F.A.C.		
Stage II Disinfection Byproducts (DBPs) Total Trihalomethanes & Haloacetic Acids (5)		Sample according to approved Stage 2 D/DBPR Monitoring Plan.		
Asbestos		Certification or results due every nine years. Use Form 62-555.900(10), F.A.C.		
Lead & Copper		Sample from sites approved on the Lead and Copper Sampling Plan biannually.		
	NG & REPORTS piological obiological s Gross Alpha Uranium Radium-226 Radium-228 Contaminants (VOCs) Contaminants (SOCs)	NG & REPORTSDUEpiologicalQuarterlypbiologicalQuarterlypbiologicalQuarterly20232023s2025Gross AlphaQuarterlyUraniumQuarterlyRadium-226QuarterlyRadium-228QuarterlyContaminants (VOCs)QuarterlyContaminants (SOCs)Quarterlyon Byproducts (DBPs)Jul - Sept		

\*POE = Point of entry to the distribution system. Sample at each POE that is representative of each source after treatment.

This is a good faith assessment of monitoring requirements for the above-referenced public water system for calendar year 2023 and may not include additional sampling required during the year due to special circumstances. If you have questions or disagree with the assessment, please contact the appropriate personnel at (813) 470-5700. Monitoring schedules are subject to change, at any time, based on results of analyses or other factors. This chart shall not relieve any person from any requirement of Florida law.

- It is strongly recommended that testing be conducted early in the monitoring period to allow time for retests due to possible sampling or lab errors. Annual and triennial sampling should be completed by <u>9/30/2023</u> to provide time for revisions, retests, and/or corrections.
- > Test results must be submitted to DEP within the first ten days following the end of the required monitoring period, or the first ten days following the month in which the sample results were received, whichever time is the shortest. Failure to comply may result in enforcement action.



Southwest District Office 13051 North Telecom Parkway #101 Temple Terrace, Florida 33637-0926 Jeanette Nuñez Lt. Governor

Shawn Hamilton Secretary

2023 Chemical Monitoring for NTNC

Water System: PFH Grove Holdings, LLC			PWS-ID No. 6254808
<b>MONITORING &amp; REPORTS</b>		DUE	COMMENTS
Raw Water Micro ("Bacteriological"	6	Quarterly	1 Raw Water Sample per well.
Distribution Micro ("Bacteriological"	0	Quarterly	1 Distribution Sample per quarter. Disinfectant residuals must be reported.
Nitrate and Nitrit	e	2023	Sample at each POE every year. *
Primary Inorganio	28	2025	Sample at each POE every three years.
Radiologicals	Gross Alpha	2029	Sample at each POE every quarterly, six, nine years, or Waived use of Grandfather Data (date of sample)
	Uranium	2029	Sample at each POE every quarterly, six, nine years, or Waived use of Grandfather Data (date of sample)
	Radium-226	2029	Sample at each POE every quarterly, six, nine years, or Waived use of Grandfather Data (date of sample)
	Radium-228	2029	Sample at each POE every quarterly, six, nine years, or Waived use of Grandfather Data (date of sample)
Volatile Organic O	Volatile Organic Contaminants (VOCs)		Sample at each POE every three years.
Synthetic Organic Contaminants (SOCs)		2025	Sample at each POE every three years, or submit SOC reduced monitoring waiver, if applicable. Use Form 62-560.545(2), F.A.C.
Stage II Disinfection Byproducts (DBPs) Total Trihalomethanes & Haloacetic Acids (5)		Jul - Sept 2023	Sample according to approved Stage 2 D/DBPR Monitoring Plan.
Asbestos		<mark>2023</mark>	Certification or results due every nine years. Use Form 62-555.900(10), F.A.C.
Lead & Copper		Annually: 2023 June - Sept	Sample from sites approved on the Lead and Copper Sampling Plan annually.

\*POE = Point of entry to the distribution system. Sample at each POE that is representative of each source after treatment.

This is a good faith assessment of monitoring requirements for the above-referenced public water system for calendar year 2023 and may not include additional sampling required during the year due to special circumstances. If you have questions or disagree with the assessment, please contact the appropriate personnel at (813) 470-5700. Monitoring schedules are subject to change, at any time, based on results of analyses or other factors. This chart shall not relieve any person from any requirement of Florida law.

- It is strongly recommended that testing be conducted early in the monitoring period to allow time for retests due to possible sampling or lab errors. Annual and triennial sampling should be completed by <u>9/30/2023</u> to provide time for revisions, retests, and/or corrections.
- > Test results must be submitted to DEP within the first ten days following the end of the required monitoring period, or the first ten days following the month in which the sample results were received, whichever time is the shortest. Failure to comply may result in enforcement action.



Southwest District Office 13051 North Telecom Parkway #101 Temple Terrace, Florida 33637-0926 Jeanette Nuñez Lt. Governor

Shawn Hamilton Secretary

2023 Chemica	l Monitoring	for NTNC
--------------	--------------	----------

Water System: Mosaic Fertilizer LLC – ONA Compound		A Compound	PWS-ID No. 6254810
MONITORING & REPORTS		DUE	COMMENTS
Raw Water Microl ("Bacteriological")	0	Quarterly	1 Raw Water Sample per well.
Distribution Micro ("Bacteriological")		Quarterly	1 Distribution Sample per quarter. Disinfectant residuals must be reported.
Nitrate and Nitrite	2	2023	Sample at each POE every year. *
Primary Inorganic	S	2025	Sample at each POE every three years.
Radiologicals	Gross Alpha	2027	Sample at each POE every quarterly, six, nine years, or Waived use of Grandfather Data (date of sample)
	Uranium	2027	Sample at each POE every quarterly, six, nine years, or Waived use of Grandfather Data (date of sample)
	Radium-226	2027	Sample at each POE every quarterly, six, nine years, or Waived use of Grandfather Data (date of sample)
	Radium-228	2027	Sample at each POE every quarterly, six, nine years, or Waived use of Grandfather Data (date of sample)
Volatile Organic Contaminants (VOCs)		2025	Sample at each POE every three years.
Total Xylene (2955)		Quarterly 2023	Sample at each POE quarterly in Quarter 1 and 2.
Synthetic Organic Contaminants (SOCs)		2025	Sample at each POE every three years, or submit SOC reduced monitoring waiver, if applicable. Use Form 62-560.545(2), F.A.C.
Stage II Disinfection Byproducts (DBPs)Total Trihalomethanes & Haloacetic Acids (5)		Jul - Sept 2023	Sample according to approved Stage 2 D/DBPR Monitoring Plan.
Asbestos		2030	Certification or results due every nine years. Use Form 62-555.900(10), F.A.C.
Load Ar Connor		Annually: 2023 June - Sept	Sample from sites approved on the Lead and Copper Sampling Plan annually.

\*POE = Point of entry to the distribution system. Sample at each POE that is representative of each source after treatment.

This is a good faith assessment of monitoring requirements for the above-referenced public water system for calendar year 2023 and may not include additional sampling required during the year due to special circumstances. If you have questions or disagree with the assessment, please contact the appropriate personnel at (813) 470-5700. Monitoring schedules are subject to change, at any time, based on results of analyses or other factors. This chart shall not relieve any person from any requirement of Florida law.

- It is strongly recommended that testing be conducted early in the monitoring period to allow time for retests due to possible sampling or lab errors. Annual and triennial sampling should be completed by <u>9/30/2023</u> to provide time for revisions, retests, and/or corrections.
- > Test results must be submitted to DEP within the first ten days following the end of the required monitoring period, or the first ten days following the month in which the sample results were received, whichever time is the shortest. Failure to comply may result in enforcement action.