



# FLORIDA DEPARTMENT OF Environmental Protection

**Ron DeSantis**  
Governor

**Jeanette Nuñez**  
Lt. Governor

**Shawn Hamilton**  
Secretary

Southwest District Office  
13051 North Telecom Parkway #101  
Temple Terrace, Florida 33637-0926

## 2023 Chemical Monitoring for Community Systems

System Name: Big Tree Mobile Home & RV Village

PWS-ID No. 6270009

MONITORING & REPORTS		DUE	COMMENTS
Raw Water Microbiological ("Bacteriological")		Monthly	1 Raw Water Sample per well.
Distribution Microbiological ("Bacteriological")		Monthly	1 Distribution Samples per month. Disinfectant residuals must be reported.
Nitrate and Nitrite		2023	Sample at each POE every year.*
Primary Inorganics		2024	Sample at each POE every three years.
Secondaries		2024	Sample at each POE every three years.
Radiologicals	Gross Alpha	2027	Sample at each POE every three, six or nine years.
	Uranium	2024	Sample at each POE every three, six or nine years.
	Radium-226	2027	Sample at each POE every three, six or nine years.
	Radium-228	2027	Sample at each POE every three, six or nine years.
Volatile Organic Contaminants (VOCs)		2024	Sample at each POE every three years.
Synthetic Organic Contaminants (SOCs)		2024	Sample at each POE every three years, or submit SOC reduced monitoring waiver, if applicable. Use Form 62-560.545(2), F.A.C.
Stage II Disinfection Byproducts (DBPs) <i>Total Trihalomethanes &amp; Haloacetic Acids (5)</i>		July-Sept 2024	Sample according to approved Stage 2 D/DBPR Monitoring Plan.
Asbestos		2030	Certification or results due every nine years. Use Form 62-555.900(10), F.A.C.
Lead & Copper		June-September 2024	Sample from sites approved on the Lead and Copper Sampling Plan every three years.
Consumer Confidence Report (CCR) & CCR Certification of Delivery		July 1, 2023	CCR must be delivered by July 1, 2022. The CCR Certification of Delivery must be submitted to the Department by August 10, 2023. Use Form 62-555.900(alternate 19), F.A.C.

\*POE = Point of entry to the distribution system. Sample at each POE that is representative of each source after treatment.

This is a good faith assessment of monitoring requirements for the above-referenced public water system for calendar year 2023 and may not include additional sampling required during the year due to special circumstances. If you have questions or disagree with the assessment, please contact the appropriate personnel at (813) 470-5700. Monitoring schedules are subject to change, at any time, based on results of analyses or other factors. This chart shall not relieve any person from any requirement of Florida law.

**It is important for you to provide this information to your operator and/or sampler:**

- **It is strongly recommended that testing be conducted early in the monitoring period to allow time for retests due to possible sampling or lab errors. Annual and triennial sampling should be completed by 9/30/2023 to provide time for revisions, re-tests, and/or corrections.**
- **Test results must be submitted to DEP within the first ten days following the end of the required monitoring period, or the first ten days following the month in which the sample results were received, whichever time is the shortest. Failure to comply may result in enforcement action.**



# FLORIDA DEPARTMENT OF Environmental Protection

**Ron DeSantis**  
Governor

**Jeanette Nuñez**  
Lt. Governor

**Shawn Hamilton**  
Secretary

Southwest District Office  
13051 North Telecom Parkway #101  
Temple Terrace, Florida 33637-0926

## 2023 Chemical Monitoring for Community Systems

System Name: Camp-A-Wyle Lake Resort

PWS-ID No. 6270246

MONITORING & REPORTS		DUE	COMMENTS
Raw Water Microbiological ("Bacteriological")		Monthly	1 Raw Water Sample per well.
Distribution Microbiological ("Bacteriological")		Monthly	1 Distribution Samples per month. Disinfectant residuals must be reported.
Nitrate and Nitrite		2023	Sample at each POE every year.*
Primary Inorganics		2024	Sample at each POE every three years.
Secondaries		2024	Sample at each POE every three years.
Radiologicals	Gross Alpha	2024	Sample at each POE every three, six or nine years.
	Uranium	2024	Sample at each POE every three, six or nine years.
	Radium-226	2024	Sample at each POE every three, six or nine years.
	Radium-228	2024	Sample at each POE every three, six or nine years.
Volatile Organic Contaminants (VOCs)		2024	Sample at each POE every three years.
Synthetic Organic Contaminants (SOCs)		2024	Sample at each POE every three years, or submit SOC reduced monitoring waiver, if applicable. Use Form 62-560.545(2), F.A.C.
Stage II Disinfection Byproducts (DBPs) <i>Total Trihalomethanes &amp; Haloacetic Acids (5)</i>		July-Sept 2024	Sample according to approved Stage 2 D/DBPR Monitoring Plan.
Asbestos		2030	Certification or results due every nine years. Use Form 62-555.900(10), F.A.C.
Lead & Copper		June-September 2024	Sample from sites approved on the Lead and Copper Sampling Plan every three years.
Consumer Confidence Report (CCR) & CCR Certification of Delivery		July 1, 2023	CCR must be delivered by July 1, 2022. The CCR Certification of Delivery must be submitted to the Department by August 10, 2022. Use Form 62-555.900(alternate 19), F.A.C.

\*POE = Point of entry to the distribution system. Sample at each POE that is representative of each source after treatment.

This is a good faith assessment of monitoring requirements for the above-referenced public water system for calendar year 2023 and may not include additional sampling required during the year due to special circumstances. If you have questions or disagree with the assessment, please contact the appropriate personnel at (813) 470-5700. Monitoring schedules are subject to change, at any time, based on results of analyses or other factors. This chart shall not relieve any person from any requirement of Florida law.

**It is important for you to provide this information to your operator and/or sampler:**

- **It is strongly recommended that testing be conducted early in the monitoring period to allow time for retests due to possible sampling or lab errors. Annual and triennial sampling should be completed by 9/30/2023 to provide time for revisions, re-tests, and/or corrections.**
- **Test results must be submitted to DEP within the first ten days following the end of the required monitoring period, or the first ten days following the month in which the sample results were received, whichever time is the shortest. Failure to comply may result in enforcement action.**



# FLORIDA DEPARTMENT OF Environmental Protection

**Ron DeSantis**  
Governor

**Jeanette Nuñez**  
Lt. Governor

**Shawn Hamilton**  
Secretary

Southwest District Office  
13051 North Telecom Parkway #101  
Temple Terrace, Florida 33637-0926

## 2023 Chemical Monitoring for Community Systems

System Name: Cedar Lane

PWS-ID No. 6270269

MONITORING & REPORTS		DUE	COMMENTS
Raw Water Microbiological ("Bacteriological")		Monthly	1 Raw Water Sample per well.
Distribution Microbiological ("Bacteriological")		Monthly	1 Distribution Samples per month. Disinfectant residuals must be reported.
Nitrate and Nitrite		2023	Sample at each POE every year.*
Primary Inorganics		2024	Sample at each POE every three years.
Secondaries		2024	Sample at each POE every three years.
Radiologicals	Gross Alpha	2024	Sample at each POE every three, six or nine years.
	Uranium	2024	Sample at each POE every three, six or nine years.
	Radium-226	2027	Sample at each POE every three, six or nine years.
	Radium-228	2027	Sample at each POE every three, six or nine years.
Volatile Organic Contaminants (VOCs)		2024	Sample at each POE every three years.
Total Xylene (2955)		Quarterly (ends 3/31/23)	Sample at each POE every quarter.
Synthetic Organic Contaminants (SOCs)		2024	Sample at each POE every three years, or submit SOC reduced monitoring waiver, if applicable. Use Form 62-560.545(2), F.A.C.
Stage II Disinfection Byproducts (DBPs) <i>Total Trihalomethanes &amp; Haloacetic Acids (5)</i>		July - Sept 2023	Sample according to approved Stage 2 D/DBPR Monitoring Plan.
Asbestos		2030	Certification or results due every nine years. Use Form 62-555.900(10), F.A.C.
Lead & Copper		June-September 2023	Sample from sites approved on the Lead and Copper Sampling Plan every three years.
Consumer Confidence Report (CCR) & CCR Certification of Delivery		July 1, 2023	CCR must be delivered by July 1, 2022. The CCR Certification of Delivery must be submitted to the Department by August 10, 2022. Use Form 62-555.900(alternate 19), F.A.C.
Tank(s) Inspection & Cleaning		Due: 2028	Pursuant to 62-555.350(2) F.A.C. all finished drinking water storage tanks with access manholes shall be inspected and cleaned at a maximum interval of every 5 years.

\*POE = Point of entry to the distribution system. Sample at each POE that is representative of each source after treatment.

This is a good faith assessment of monitoring requirements for the above-referenced public water system for calendar year 2023 and may not include additional sampling required during the year due to special circumstances. If you have questions or disagree with the assessment, please contact the appropriate personnel at (813) 470-5700. Monitoring schedules are subject to change, at any time, based on results of analyses or other factors. This chart shall not relieve any person from any requirement of Florida law.

**It is important for you to provide this information to your operator and/or sampler:**

- It is strongly recommended that testing be conducted early in the monitoring period to allow time for retests due to possible sampling or lab errors. Annual and triennial sampling should be completed by 9/30/2023 to provide time for revisions, re-tests, and/or corrections.
- Test results must be submitted to DEP within the first ten days following the end of the required monitoring period, or the first ten days following the month in which the sample results were received, whichever time is the shortest. Failure to comply may result in enforcement action.



# FLORIDA DEPARTMENT OF Environmental Protection

Southwest District Office  
13051 North Telecom Parkway #101  
Temple Terrace, Florida 33637-0926

**Ron DeSantis**  
Governor

**Jeanette Nuñez**  
Lt. Governor

**Shawn Hamilton**  
Secretary



# FLORIDA DEPARTMENT OF Environmental Protection

**Ron DeSantis**  
Governor

**Jeanette Nuñez**  
Lt. Governor

**Shawn Hamilton**  
Secretary

Southwest District Office  
13051 North Telecom Parkway #101  
Temple Terrace, Florida 33637-0926

## 2023 Chemical Monitoring for Community Systems

System Name: Hernando County Utilities – Dogwood Estates

PWS-ID No. 6270468

MONITORING & REPORTS		DUE	COMMENTS
Raw Water Microbiological (“Bacteriological”)		Monthly	1 Raw Water Sample per well.
Distribution Microbiological (“Bacteriological”)		Monthly	1 Distribution Samples per month. Disinfectant residuals must be reported.
Nitrate and Nitrite		2023	Sample at each POE every year.*
Primary Inorganics		2024	Sample at each POE every three years.
Secondaries		2024	Sample at each POE every three years.
Radiologicals	Gross Alpha	2027	Sample at each POE every three, six or nine years.
	Uranium	2027	Sample at each POE every three, six or nine years.
	Radium-226	2027	Sample at each POE every three, six or nine years.
	Radium-228	2027	Sample at each POE every three, six or nine years.
Volatile Organic Contaminants (VOCs)		2024	Sample at each POE every three years.
Synthetic Organic Contaminants (SOCs)		2024	Sample at each POE every three years, or submit SOC reduced monitoring waiver, if applicable. Use Form 62-560.545(2), F.A.C.
Stage II Disinfection Byproducts (DBPs) <i>Total Trihalomethanes &amp; Haloacetic Acids (5)</i>		July - Sept 2025	Sample according to approved Stage 2 D/DBPR Monitoring Plan.
Asbestos		2029	Certification or results due every nine years. Use Form 62-555.900(10), F.A.C.
Lead & Copper		June-September 2023	Sample from sites approved on the Lead and Copper Sampling Plan every three years.
Consumer Confidence Report (CCR) & CCR Certification of Delivery		July 1, 2023	CCR must be delivered by July 1, 2022. The CCR Certification of Delivery must be submitted to the Department by August 10, 2022. Use Form 62-555.900(alternate 19), F.A.C.
Tank(s) Inspection & cleaning		Due: 05/2024 & 05/2023	Pursuant to 62-555.350(2) F.A.C. all finished drinking water storage tanks with access manholes shall be inspected and cleaned at a maximum interval of every 5 years.

\*POE = Point of entry to the distribution system. Sample at each POE that is representative of each source after treatment.

This is a good faith assessment of monitoring requirements for the above-referenced public water system for calendar year 2023 and may not include additional sampling required during the year due to special circumstances. If you have questions or disagree with the assessment, please contact the appropriate personnel at (813) 470-5700. Monitoring schedules are subject to change, at any time, based on results of analyses or other factors. This chart shall not relieve any person from any requirement of Florida law.

**It is important for you to provide this information to your operator and/or sampler:**

- **It is strongly recommended that testing be conducted early in the monitoring period to allow time for retests due to possible sampling or lab errors. Annual and triennial sampling should be completed by 9/30/2023 to provide time for revisions, re-tests, and/or corrections.**
- **Test results must be submitted to DEP within the first ten days following the end of the required monitoring period, or the first ten days following the month in which the sample results were received, whichever time is the shortest. Failure to comply may result in enforcement action.**



# FLORIDA DEPARTMENT OF Environmental Protection

**Ron DeSantis**  
Governor

**Jeanette Nuñez**  
Lt. Governor

**Shawn Hamilton**  
Secretary

Southwest District Office  
13051 North Telecom Parkway #101  
Temple Terrace, Florida 33637-0926

2023 Chemical Monitoring for NTNC

Water System: Eden Christian School

PWS-ID No. 6270507

MONITORING & REPORTS		DUE	COMMENTS
Raw Water Microbiological ("Bacteriological")		Quarterly	1 Raw Water Sample per well.
Distribution Microbiological ("Bacteriological")		Quarterly	1 Distribution Sample per quarter. Disinfectant residuals must be reported.
Nitrate and Nitrite		2023	Sample at each POE every year. *
Primary Inorganics		2025	Sample at each POE every three years.
Radiologicals	Gross Alpha	2037	Sample at each POE every quarterly, six, nine years, or Waived use of Grandfather Data (date of sample)
	Uranium	2037	Sample at each POE every quarterly, six, nine years, or Waived use of Grandfather Data (date of sample)
	Radium-226	2037	Sample at each POE every quarterly, six, nine years, or Waived use of Grandfather Data (date of sample)
	Radium-228	2037	Sample at each POE every quarterly, six, nine years, or Waived use of Grandfather Data (date of sample)
Volatile Organic Contaminants (VOCs)		2025	Sample at each POE every three years.
Synthetic Organic Contaminants (SOCs)		2025	Sample at each POE every three years, or submit SOC reduced monitoring waiver, if applicable. Use Form 62-560.545(2), F.A.C.
Stage II Disinfection Byproducts (DBPs) <i>Total Trihalomethanes &amp; Haloacetic Acids (5)</i>		Jul.-Sept. 2025	Sample according to approved Stage 2 D/DBPR Monitoring Plan.
Asbestos		2028	Certification or results due every nine years. Use Form 62-555.900(10), F.A.C.
Lead & Copper		June - Sept 2025	Sample from sites approved on the Lead and Copper Sampling Plan every three years.

\*POE = Point of entry to the distribution system. Sample at each POE that is representative of each source after treatment.

This is a good faith assessment of monitoring requirements for the above-referenced public water system for calendar year 2023 and may not include additional sampling required during the year due to special circumstances. If you have questions or disagree with the assessment, please contact the appropriate personnel at (813) 470-5700. Monitoring schedules are subject to change, at any time, based on results of analyses or other factors. This chart shall not relieve any person from any requirement of Florida law.

**It is important for you to provide this information to your operator and/or sampler:**

- **It is strongly recommended that testing be conducted early in the monitoring period to allow time for retests due to possible sampling or lab errors. Annual and triennial sampling should be completed by 9/30/2023 to provide time for revisions, re-tests, and/or corrections.**
- **Test results must be submitted to DEP within the first ten days following the end of the required monitoring period, or the first ten days following the month in which the sample results were received, whichever time is the shortest. Failure to comply may result in enforcement action.**



# FLORIDA DEPARTMENT OF Environmental Protection

**Ron DeSantis**  
Governor

**Jeanette Nuñez**  
Lt. Governor

**Shawn Hamilton**  
Secretary

Southwest District Office  
13051 North Telecom Parkway #101  
Temple Terrace, Florida 33637-0926

## 2023 Chemical Monitoring for NTNC

Water System: Cemex Corporation

PWS-ID No. 6270598

MONITORING & REPORTS		DUE	COMMENTS
Raw Water Microbiological ("Bacteriological")		Quarterly	1 Raw Water Sample per well.
Distribution Microbiological ("Bacteriological")		Quarterly	1 Distribution Sample per quarter. Disinfectant residuals must be reported.
Nitrate and Nitrite		2023	Sample at each POE every year. *
Primary Inorganics		2023	Sample at each POE every three years.
Radiologicals	Gross Alpha	Waived	Sample at each POE every quarterly, six, nine years, or Waived use of Grandfather Data (date of sample)
	Uranium	Waived	Sample at each POE every quarterly, six, nine years, or Waived use of Grandfather Data (date of sample)
	Radium-226	Waived	Sample at each POE every quarterly, six, nine years, or Waived use of Grandfather Data (date of sample)
	Radium-228	Waived	Sample at each POE every quarterly, six, nine years, or Waived use of Grandfather Data (date of sample)
Volatile Organic Contaminants (VOCs)		2025	Sample at each POE every three years.
Synthetic Organic Contaminants (SOCs)		2025	Sample at each POE every three years, or submit SOC reduced monitoring waiver, if applicable. Use Form 62-560.545(2), F.A.C.
Stage II Disinfection Byproducts (DBPs) <i>Total Trihalomethanes &amp; Haloacetic Acids (5)</i>		July - Sept 2025	Sample according to approved Stage 2 D/DBPR Monitoring Plan.
Asbestos		2031	Certification or results due every nine years. Use Form 62-555.900(10), F.A.C.
Lead & Copper		June - Sept 2025	Sample from sites approved on the Lead and Copper Sampling Plan every three years.
Meter(s) Calibration		Calibration Due: 2024/04	Pursuant to 62-555.350(2) F.A.C. requires that water systems maintain and calibrate master meters in accordance to manufacturer specifications at no less than interval of every 5 years.
Tank(s) Inspection & cleaning		5-year Inspection Due: 2023/06	Pursuant to 62-555.350(2) F.A.C. all finished drinking water storage tanks with access manholes shall be inspected and cleaned at a maximum interval of every 5 years.

\*POE = Point of entry to the distribution system. Sample at each POE that is representative of each source after treatment.

This is a good faith assessment of monitoring requirements for the above-referenced public water system for calendar year 2023 and may not include additional sampling required during the year due to special circumstances. If you have questions or disagree with the assessment, please contact the appropriate personnel at (813) 470-5700. Monitoring schedules are subject to change, at any time, based on results of analyses or other factors. This chart shall not relieve any person from any requirement of Florida law.

### **It is important for you to provide this information to your operator and/or sampler:**

- **It is strongly recommended that testing be conducted early in the monitoring period to allow time for retests due to possible sampling or lab errors. Annual and triennial sampling should be completed by 9/30/2023 to provide time for revisions, retests, and/or corrections.**
- **Test results must be submitted to DEP within the first ten days following the end of the required monitoring period, or the first ten days following the month in which the sample results were received, whichever time is the shortest. Failure to comply may result in enforcement action.**



# FLORIDA DEPARTMENT OF Environmental Protection

**Ron DeSantis**  
Governor

**Jeanette Nuñez**  
Lt. Governor

**Shawn Hamilton**  
Secretary

Southwest District Office  
13051 North Telecom Parkway #101  
Temple Terrace, Florida 33637-0926

## 2023 Chemical Monitoring for Community Systems

System Name: Imperial Estates MHP

PWS-ID No. 6270851

MONITORING & REPORTS		DUE	COMMENTS
Raw Water Microbiological ("Bacteriological")		Monthly	1 Raw Water Sample per well.
Distribution Microbiological ("Bacteriological")		Monthly	1 Distribution Samples per month. Disinfectant residuals must be reported.
Nitrate and Nitrite		2023	Sample at each POE every year.*
Primary Inorganics		2024	Sample at each POE every three years.
Secondaries		2024	Sample at each POE every three years.
Radiologicals	Gross Alpha	2027	Sample at each POE every three, six or nine years.
	Uranium	2027	Sample at each POE every three, six or nine years.
	Radium-226	2024	Sample at each POE every three, six or nine years.
	Radium-228	2024	Sample at each POE every three, six or nine years.
Volatile Organic Contaminants (VOCs)		2024	Sample at each POE every three years.
Synthetic Organic Contaminants (SOCs)		2024	Sample at each POE every three years, or submit SOC reduced monitoring waiver, if applicable. Use Form 62-560.545(2), F.A.C.
Stage II Disinfection Byproducts (DBPs) <i>Total Trihalomethanes &amp; Haloacetic Acids</i> (5)		July-Sept 2024	Sample according to approved Stage 2 D/DBPR Monitoring Plan.
Asbestos		2030	Certification or results due every nine years. Use Form 62-555.900(10), F.A.C.
Lead & Copper		June-Sept 2024	Sample from sites approved on the Lead and Copper Sampling Plan every three years.
Tank(s) Inspection & cleaning		Last 5-year Inspection: June 2020	Pursuant to 62-555.350(2) F.A.C. all finished drinking water storage tanks with access manholes shall be inspected and cleaned at a maximum interval of every 5 years.
Meter(s) Calibration		Last Calibration: January 2023	Pursuant to 62-555.350(2) F.A.C. requires that water systems maintain and calibrate master meters in accordance to manufacturer specifications at no less than interval of every 5 years.
Consumer Confidence Report (CCR) & CCR Certification of Delivery		July 1, 2023	CCR must be delivered by July 1, 2023. The CCR Certification of Delivery must be submitted to the Department by August 10, 2023. Use Form 62-555.900(alternate 19), F.A.C.

\*POE = Point of entry to the distribution system. Sample at each POE that is representative of each source after treatment.



# FLORIDA DEPARTMENT OF Environmental Protection

Southwest District Office  
13051 North Telecom Parkway #101  
Temple Terrace, Florida 33637-0926

**Ron DeSantis**  
Governor

**Jeanette Nuñez**  
Lt. Governor

**Shawn Hamilton**  
Secretary

This is a good faith assessment of monitoring requirements for the above-referenced public water system for calendar year 2023 and may not include additional sampling required during the year due to special circumstances. If you have questions or disagree with the assessment, please contact the appropriate personnel at (813) 470-5700. Monitoring schedules are subject to change, at any time, based on results of analyses or other factors. This chart shall not relieve any person from any requirement of Florida law.

**It is important for you to provide this information to your operator and/or sampler:**

- **It is strongly recommended that testing be conducted early in the monitoring period to allow time for retests due to possible sampling or lab errors. Annual and triennial sampling should be completed by 9/30/2023 to provide time for revisions, re-tests, and/or corrections.**
- **Test results must be submitted to DEP within the first ten days following the end of the required monitoring period, or the first ten days following the month in which the sample results were received, whichever time is the shortest. Failure to comply may result in enforcement action.**



# FLORIDA DEPARTMENT OF Environmental Protection

**Ron DeSantis**  
Governor

**Jeanette Nuñez**  
Lt. Governor

**Shawn Hamilton**  
Secretary

Southwest District Office  
13051 North Telecom Parkway #101  
Temple Terrace, Florida 33637-0926

## 2023 Chemical Monitoring for Community Systems

System Name: Frontier Campground

PWS-ID No. 6271171

MONITORING & REPORTS		DUE	COMMENTS
Raw Water Microbiological ("Bacteriological")		Monthly	1 Raw Water Sample per well.
Distribution Microbiological ("Bacteriological")		Monthly	1 Distribution Samples per month. Disinfectant residuals must be reported.
Nitrate and Nitrite		2023	Sample at each POE every year.*
Primary Inorganics		2024	Sample at each POE every three years.
Secondaries		2024	Sample at each POE every three years.
Radiologicals	Gross Alpha	2024	Sample at each POE every three, six or nine years.
	Uranium	2024	Sample at each POE every three, six or nine years.
	Radium-226	2024	Sample at each POE every three, six or nine years.
	Radium-228	2024	Sample at each POE every three, six or nine years.
Volatile Organic Contaminants (VOCs)		2024	Sample at each POE every three years.
Synthetic Organic Contaminants (SOCs)		2024	Sample at each POE every three years, or submit SOC reduced monitoring waiver, if applicable. Use Form 62-560.545(2), F.A.C.
Stage II Disinfection Byproducts (DBPs) <i>Total Trihalomethanes &amp; Haloacetic Acids (5)</i>		July-Sept 2024	Sample according to approved Stage 2 D/DBPR Monitoring Plan.
Asbestos		2030	Certification or results due every nine years. Use Form 62-555.900(10), F.A.C.
Lead & Copper		June-September 2024	Sample from sites approved on the Lead and Copper Sampling Plan every three years.
Consumer Confidence Report (CCR) & CCR Certification of Delivery		July 1, 2023	CCR must be delivered by July 1, 2022. The CCR Certification of Delivery must be submitted to the Department by August 10, 2023. Use Form 62-555.900(alternate 19), F.A.C.

\*POE = Point of entry to the distribution system. Sample at each POE that is representative of each source after treatment.

This is a good faith assessment of monitoring requirements for the above-referenced public water system for calendar year 2023 and may not include additional sampling required during the year due to special circumstances. If you have questions or disagree with the assessment, please contact the appropriate personnel at (813) 470-5700. Monitoring schedules are subject to change, at any time, based on results of analyses or other factors. This chart shall not relieve any person from any requirement of Florida law.

**It is important for you to provide this information to your operator and/or sampler:**

- **It is strongly recommended that testing be conducted early in the monitoring period to allow time for retests due to possible sampling or lab errors. Annual and triennial sampling should be completed by 9/30/2023 to provide time for revisions, re-tests, and/or corrections.**
- **Test results must be submitted to DEP within the first ten days following the end of the required monitoring period, or the first ten days following the month in which the sample results were received, whichever time is the shortest. Failure to comply may result in enforcement action.**



# FLORIDA DEPARTMENT OF Environmental Protection

**Ron DeSantis**  
Governor

**Jeanette Nuñez**  
Lt. Governor

**Shawn Hamilton**  
Secretary

Southwest District Office  
13051 North Telecom Parkway #101  
Temple Terrace, Florida 33637-0926

## 2023 Chemical Monitoring for NTNC

Water System: Ridge Manor Campground

PWS-ID No. 6271505

MONITORING & REPORTS		DUE	COMMENTS
Raw Water Microbiological ("Bacteriological")		Quarterly	1 Raw Water Sample per well.
Distribution Microbiological ("Bacteriological")		Quarterly	1 Distribution Sample per quarter. Disinfectant residuals must be reported.
Nitrate and Nitrite		2023	Sample at each POE every year. *
Primary Inorganics		2025	Sample at each POE every three years.
Radiologicals	Gross Alpha	Waived	Sample at each POE every quarterly, six, nine years, or Waived use of Grandfather Data (date of sample)
	Uranium	Waived	Sample at each POE every quarterly, six, nine years, or Waived use of Grandfather Data (date of sample)
	Radium-226	Waived until Dec 31, 2025	Sample at each POE every quarterly, six, nine years, or Waived use of Grandfather Data (date of sample)
	Radium-228	Waived until Dec 31, 2025	Sample at each POE every quarterly, six, nine years, or Waived use of Grandfather Data (date of sample)
Volatile Organic Contaminants (VOCs)		2025	Sample at each POE every three years.
Synthetic Organic Contaminants (SOCs)		2025	Sample at each POE every three years, or submit SOC reduced monitoring waiver, if applicable. Use Form 62-560.545(2), F.A.C.
Stage II Disinfection Byproducts (DBPs) <i>Total Trihalomethanes &amp; Haloacetic Acids (5)</i>		July-Sept 2023	Sample according to approved Stage 2 D/DBPR Monitoring Plan.
Asbestos		2031	Certification or results due every nine years. Use Form 62-555.900(10), F.A.C.
Lead & Copper		June - Sept 2025	Sample from sites approved on the Lead and Copper Sampling Plan every three years.

\*POE = Point of entry to the distribution system. Sample at each POE that is representative of each source after treatment.

This is a good faith assessment of monitoring requirements for the above-referenced public water system for calendar year 2023 and may not include additional sampling required during the year due to special circumstances. If you have questions or disagree with the assessment, please contact the appropriate personnel at (813) 470-5700. Monitoring schedules are subject to change, at any time, based on results of analyses or other factors. This chart shall not relieve any person from any requirement of Florida law.

### It is important for you to provide this information to your operator and/or sampler:

- **It is strongly recommended that testing be conducted early in the monitoring period to allow time for retests due to possible sampling or lab errors. Annual and triennial sampling should be completed by 9/30/2023 to provide time for revisions, retests, and/or corrections.**
- **Test results must be submitted to DEP within the first ten days following the end of the required monitoring period, or the first ten days following the month in which the sample results were received, whichever time is the shortest. Failure to comply may result in enforcement action.**



# FLORIDA DEPARTMENT OF Environmental Protection

**Ron DeSantis**  
Governor

**Jeanette Nuñez**  
Lt. Governor

**Shawn Hamilton**  
Secretary

Southwest District Office  
13051 North Telecom Parkway #101  
Temple Terrace, Florida 33637-0926

2023 Chemical Monitoring for NTNC

Water System: Riverside Restaurant

PWS-ID No. 6271520

MONITORING & REPORTS		DUE	COMMENTS
Raw Water Microbiological ("Bacteriological")		Quarterly	1 Raw Water Sample per well.
Distribution Microbiological ("Bacteriological")		Quarterly	1 Distribution Sample per quarter. Disinfectant residuals must be reported.
Nitrate and Nitrite		2023	Sample at each POE every year. *
Primary Inorganics		2025	Sample at each POE every three years.
Radiologicals	Gross Alpha	2025	Sample at each POE every quarterly, six, nine years, or Waived use of Grandfather Data (date of sample)
	Uranium	2025	Sample at each POE every quarterly, six, nine years, or Waived use of Grandfather Data (date of sample)
	Radium-226	2025	Sample at each POE every quarterly, six, nine years, or Waived use of Grandfather Data (date of sample)
	Radium-228	2025	Sample at each POE every quarterly, six, nine years, or Waived use of Grandfather Data (date of sample)
Volatile Organic Contaminants (VOCs)		2025	Sample at each POE every three years.
Synthetic Organic Contaminants (SOCs)		2025	Sample at each POE every three years, or submit SOC reduced monitoring waiver, if applicable. Use Form 62-560.545(2), F.A.C.
Stage II Disinfection Byproducts (DBPs) <i>Total Trihalomethanes &amp; Haloacetic Acids (5)</i>		2025	Sample according to approved Stage 2 D/DBPR Monitoring Plan.
Asbestos		2025	Certification or results due every nine years. Use Form 62-555.900(10), F.A.C.
Lead & Copper		June - Sept 2025	Sample from sites approved on the Lead and Copper Sampling Plan every three years.

\*POE = Point of entry to the distribution system. Sample at each POE that is representative of each source after treatment.

This is a good faith assessment of monitoring requirements for the above-referenced public water system for calendar year 2023 and may not include additional sampling required during the year due to special circumstances. If you have questions or disagree with the assessment, please contact the appropriate personnel at (813) 470-5700. Monitoring schedules are subject to change, at any time, based on results of analyses or other factors. This chart shall not relieve any person from any requirement of Florida law.

**It is important for you to provide this information to your operator and/or sampler:**

- **It is strongly recommended that testing be conducted early in the monitoring period to allow time for retests due to possible sampling or lab errors. Annual and triennial sampling should be completed by 9/30/2023 to provide time for revisions, re-tests, and/or corrections.**
- **Test results must be submitted to DEP within the first ten days following the end of the required monitoring period, or the first ten days following the month in which the sample results were received, whichever time is the shortest. Failure to comply may result in enforcement action.**



# FLORIDA DEPARTMENT OF Environmental Protection

**Ron DeSantis**  
Governor

**Jeanette Nuñez**  
Lt. Governor

**Shawn Hamilton**  
Secretary

Southwest District Office  
13051 North Telecom Parkway #101  
Temple Terrace, Florida 33637-0926

## 2023 Chemical Monitoring for Community Systems

System Name: Hernando County Utilities – Royal Oaks

PWS-ID No. 6271553

MONITORING & REPORTS		DUE	COMMENTS
Raw Water Microbiological (“Bacteriological”)		Monthly	1 Raw Water Sample per well.
Distribution Microbiological (“Bacteriological”)		Monthly	1 Distribution Samples per month. Disinfectant residuals must be reported.
Nitrate and Nitrite		2023	Sample at each POE every year. *
Primary Inorganics		2024	Sample at each POE every three years.
Secondaries		2024	Sample at each POE every three years.
Radiologicals	Gross Alpha	2027	Sample at each POE every three, six or nine years.
	Uranium	2027	Sample at each POE every three, six or nine years.
	Radium-226	2027	Sample at each POE every three, six or nine years.
	Radium-228	2027	Sample at each POE every three, six or nine years.
Volatile Organic Contaminants (VOCs)		2024	Sample at each POE every three years.
Synthetic Organic Contaminants (SOCs)		2024	Sample at each POE every three years, or submit SOC reduced monitoring waiver, if applicable. Use Form 62-560.545(2), F.A.C.
Stage II Disinfection Byproducts (DBPs) <i>Total Trihalomethanes &amp; Haloacetic Acids (5)</i>		July - Sept 2024	Sample according to approved Stage 2 D/DBPR Monitoring Plan.
Asbestos		2029	Certification or results due every nine years. Use Form 62-555.900(10), F.A.C.
Lead & Copper		June-September 2023	Sample from sites approved on the Lead and Copper Sampling Plan every three years.
Consumer Confidence Report (CCR) & CCR Certification of Delivery		July 1, 2023	CCR must be delivered by July 1, 2023. The CCR Certification of Delivery must be submitted to the Department by August 10, 2023. Use Form 62-555.900(alternate 19), F.A.C.
Tank(s) Inspection & cleaning		Last 5-year Inspection: 2018/05	Pursuant to 62-555.350(2) F.A.C. all finished drinking water storage tanks with access manholes shall be inspected and cleaned at a maximum interval of every 5 years.

\*POE = Point of entry to the distribution system. Sample at each POE that is representative of each source after treatment.

This is a good faith assessment of monitoring requirements for the above-referenced public water system for calendar year 2023 and may not include additional sampling required during the year due to special circumstances. If you have questions or disagree with the assessment, please contact the appropriate personnel at (813) 470-5700. Monitoring schedules are subject to change, at any time, based on results of analyses or other factors. This chart shall not relieve any person from any requirement of Florida law.

**It is important for you to provide this information to your operator and/or sampler:**

- **It is strongly recommended that testing be conducted early in the monitoring period to allow time for retests due to possible sampling or lab errors. Annual and triennial sampling should be completed by 9/30/2023 to provide time for revisions, re-tests, and/or corrections.**
- **Test results must be submitted to DEP within the first ten days following the end of the required monitoring period, or the first ten days following the month in which the sample results were received, whichever time is the shortest. Failure to comply may result in enforcement action.**



# FLORIDA DEPARTMENT OF Environmental Protection

**Ron DeSantis**  
Governor

**Jeanette Nuñez**  
Lt. Governor

**Shawn Hamilton**  
Secretary

Southwest District Office  
13051 North Telecom Parkway #101  
Temple Terrace, Florida 33637-0926

## 2023 Chemical Monitoring for Community Systems

System Name: Weeki Wachee North TP

PWS-ID No. 6271934

MONITORING & REPORTS		DUE	COMMENTS
Raw Water Microbiological ("Bacteriological")		Monthly	1 Raw Water Sample per well.
Distribution Microbiological ("Bacteriological")		Monthly	1 Distribution Samples per month. Disinfectant residuals must be reported.
Nitrate and Nitrite		2023	Sample at each POE every year.*
Primary Inorganics		2024	Sample at each POE every three years.
Secondaries		2024	Sample at each POE every three years.
Radiologicals	Gross Alpha	2024	Sample at each POE every three, six or nine years.
	Uranium	2024	Sample at each POE every three, six or nine years.
	Radium-226	2027	Sample at each POE every three, six or nine years.
	Radium-228	2027	Sample at each POE every three, six or nine years.
Volatile Organic Contaminants (VOCs)		2024	Sample at each POE every three years.
Synthetic Organic Contaminants (SOCs)		2024	Sample at each POE every three years, or submit SOC reduced monitoring waiver, if applicable. Use Form 62-560.545(2), F.A.C.
Stage II Disinfection Byproducts (DBPs) <i>Total Trihalomethanes &amp; Haloacetic Acids (5)</i>		July-Sept 2024	Sample according to approved Stage 2 D/DBPR Monitoring Plan.
Asbestos		2030	Certification or results due every nine years. Use Form 62-555.900(10), F.A.C.
Lead & Copper		June-September 2024	Sample from sites approved on the Lead and Copper Sampling Plan every three years.
Consumer Confidence Report (CCR) & CCR Certification of Delivery		July 1, 2023	CCR must be delivered by July 1, 2022. The CCR Certification of Delivery must be submitted to the Department by August 10, 2023. Use Form 62-555.900(alternate 19), F.A.C.

\*POE = Point of entry to the distribution system. Sample at each POE that is representative of each source after treatment.

This is a good faith assessment of monitoring requirements for the above-referenced public water system for calendar year 2023 and may not include additional sampling required during the year due to special circumstances. If you have questions or disagree with the assessment, please contact the appropriate personnel at (813) 470-5700. Monitoring schedules are subject to change, at any time, based on results of analyses or other factors. This chart shall not relieve any person from any requirement of Florida law.

**It is important for you to provide this information to your operator and/or sampler:**

- **It is strongly recommended that testing be conducted early in the monitoring period to allow time for retests due to possible sampling or lab errors. Annual and triennial sampling should be completed by 9/30/2023 to provide time for revisions, re-tests, and/or corrections.**
- **Test results must be submitted to DEP within the first ten days following the end of the required monitoring period, or the first ten days following the month in which the sample results were received, whichever time is the shortest. Failure to comply may result in enforcement action.**



# FLORIDA DEPARTMENT OF Environmental Protection

**Ron DeSantis**  
Governor

**Jeanette Nuñez**  
Lt. Governor

**Shawn Hamilton**  
Secretary

Southwest District Office  
13051 North Telecom Parkway #101  
Temple Terrace, Florida 33637-0926

## 2023 Chemical Monitoring for NTNC

Water Systems Weeki Wachee Springs-**Buccaneer Bay WTP** PWS-ID No. 6271935

MONITORING & REPORTS		DUE	COMMENTS
Raw Water Microbiological ("Bacteriological")		Quarterly	1 Raw Water Sample per well.
Distribution Microbiological ("Bacteriological")		Quarterly	1 Distribution Sample per quarter. Disinfectant residuals must be reported.
Nitrate and Nitrite		2023	Sample at each POE every year.*
Primary Inorganics		2025	Sample at each POE every three years.
Radiologicals	Gross Alpha	Waived	Waived - historical data relieves system of future testing (use of Grandfather Data)
	Uranium	Waived	Waived - historical data relieves system of future testing (use of Grandfather Data)
	Radium-226	Waived	Waived - historical data relieves system of future testing (use of Grandfather Data)
	Radium-228	Waived	Waived - historical data relieves system of future testing (use of Grandfather Data)
Volatile Organic Contaminants (VOCs)		2025	Sample at each POE every three years.
Synthetic Organic Contaminants (SOCs)		2025	Sample at each POE every three years, or submit SOC reduced monitoring waiver, if applicable. Use Form 62-560.545(2), F.A.C.
Stage II Disinfection Byproducts (DBPs) <i>Total Trihalomethanes &amp; Haloacetic Acids (5)</i>		July-Sept. 2025	Sample according to approved Stage 2 D/DBPR Monitoring Plan.
Asbestos		2031	Certification or results due every nine years. Use Form 62-555.900(10), F.A.C.
Lead & Copper		June- -Sept. 2025	Sample from sites approved on the Lead and Copper Sampling Plan every three years.
Meter(s) Calibration		Due: 02/2026	Pursuant to 62-555.350(2) F.A.C. requires that water systems maintain and calibrate master meters in accordance to manufacturer specifications at no less than interval of every 5 years.
Tank(s) Inspection & cleaning: 1,600 gallons: H/1		Due: 04/2025	Pursuant to 62-555.350(2) F.A.C. all finished drinking water storage tanks with access manholes shall be inspected and cleaned at a maximum interval of every 5 years.



# FLORIDA DEPARTMENT OF Environmental Protection

**Ron DeSantis**  
Governor

**Jeanette Nuñez**  
Lt. Governor

**Shawn Hamilton**  
Secretary

Southwest District Office  
13051 North Telecom Parkway #101  
Temple Terrace, Florida 33637-0926

Water Systems Weeki Wachee Springs-**Parking Lot WTP** PWS-ID No. 6271935

MONITORING & REPORTS		DUE	COMMENTS
Raw Water Microbiological ("Bacteriological")		Quarterly	1 Raw Water Sample per well.
Distribution Microbiological ("Bacteriological")		Quarterly	1 Distribution Sample per quarter. Disinfectant residuals must be reported.
Nitrate and Nitrite		2023	Sample at each POE every year.*
Primary Inorganics		2025	Sample at each POE every three years.
Radiologicals	Gross Alpha	Waived	Waived – historical data relieves system of future testing (use of Grandfather Data)
	Uranium	Waived	Waived use of Grandfather Data
	Radium-226	Waived	Waived use of Grandfather Data
	Radium-228	Waived	Waived use of Grandfather Data
Volatile Organic Contaminants (VOCs)		2025	Sample at each POE every three years.
Synthetic Organic Contaminants (SOCs)		2025	Sample at each POE every three years, or submit SOC reduced monitoring waiver, if applicable. Use Form 62-560.545(2), F.A.C.
Stage II Disinfection Byproducts (DBPs) <i>Total Trihalomethanes &amp; Haloacetic Acids (5)</i>		July-Sept. 2025	Sample according to approved Stage 2 D/DBPR Monitoring Plan.
Asbestos		2031	Certification or results due every nine years. Use Form 62-555.900(10), F.A.C.
Lead & Copper		June- -Sept. 2023	Sample from sites approved on the Lead and Copper Sampling Plan every three years.
Meter(s) Calibration		Due: 02/2026	Pursuant to 62-555.350(2) F.A.C. requires that water systems maintain and calibrate master meters in accordance to manufacturer specifications at no less than interval of every 5 years.
Tank(s) Inspection & cleaning:2,000 gallon: H/2		Due: 04/2025	Pursuant to 62-555.350(2) F.A.C. all finished drinking water storage tanks with access manholes shall be inspected and cleaned at a maximum interval of every 5 years.

\*POE = Point of entry to the distribution system. Sample at each POE that is representative of each source after treatment.

This is a good faith assessment of monitoring requirements for the above-referenced public water system for calendar year 2023 and may not include additional sampling required during the year due to special circumstances. If you have questions or disagree with the assessment, please contact the appropriate personnel at (813) 470-5700. Monitoring schedules are subject to change, at any time, based on results of analyses or other factors. This chart shall not relieve any person from any requirement of Florida law.

**It is important for you to provide this information to your operator and/or sampler:**

- It is strongly recommended that testing be conducted early in the monitoring period to allow time for retests due to possible sampling or lab errors. Annual and triennial sampling should be completed by 9/30/2023 to provide time for revisions, re-tests, and/or corrections.
- Test results must be submitted to DEP within the first ten days following the end of the required monitoring period, or the first ten days following the month in which the sample results were received, whichever time is the shortest. Failure to comply may result in enforcement action.



# FLORIDA DEPARTMENT OF Environmental Protection

Ron DeSantis  
Governor

Jeanette Nuñez  
Lt. Governor

Shawn Hamilton  
Secretary

Southwest District Office  
13051 North Telecom Parkway #101  
Temple Terrace, Florida 33637-0926

## 2023 Chemical Monitoring for Community Systems

System Name: Wesleyan Village

PWS-ID No. 6271942

MONITORING & REPORTS	DUE	COMMENTS
Raw Water Microbiological ("Bacteriological")	Monthly	1 Raw Water Sample per well.
Distribution Microbiological ("Bacteriological")	Monthly	1 Distribution Samples per month. Disinfectant residuals must be reported.
Stage II Disinfection Byproducts (DBPs) <i>Total Trihalomethanes &amp; Haloacetic Acids (5)</i>	July - Sept 2024	Sample according to approved Stage 2 D/DBPR Monitoring Plan.
Asbestos	2029	Certification or results due every nine years. Use Form 62-555.900(10), F.A.C.
Lead & Copper	June-September 2024	Sample from sites approved on the Lead and Copper Sampling Plan every three years.
Consumer Confidence Report (CCR) & CCR Certification of Delivery	July 1, 2023	CCR must be delivered by July 1, 2020. The CCR Certification of Delivery must be submitted to the Department by August 10, 2021. Use Form 62-555.900(alternate 19), F.A.C.

\*POE = Point of entry to the distribution system. Sample at each POE that is representative of each source after treatment.

This is a good faith assessment of monitoring requirements for the above-referenced public water system for calendar year 2023 and may not include additional sampling required during the year due to special circumstances. If you have questions or disagree with the assessment, please contact the appropriate personnel at (813) 470-5700. Monitoring schedules are subject to change, at any time, based on results of analyses or other factors. This chart shall not relieve any person from any requirement of Florida law.

**It is important for you to provide this information to your operator and/or sampler:**

- **It is strongly recommended that testing be conducted early in the monitoring period to allow time for retests due to possible sampling or lab errors. Annual and triennial sampling should be completed by 9/30/2023 to provide time for revisions, re-tests, and/or corrections.**
- **Test results must be submitted to DEP within the first ten days following the end of the required monitoring period, or the first ten days following the month in which the sample results were received, whichever time is the shortest. Failure to comply may result in enforcement action.**



# FLORIDA DEPARTMENT OF Environmental Protection

**Ron DeSantis**  
Governor

**Jeanette Nuñez**  
Lt. Governor

**Shawn Hamilton**  
Secretary

Southwest District Office  
13051 North Telecom Parkway #101  
Temple Terrace, Florida 33637-0926

## 2023 Chemical Monitoring for Community Systems

System Name: City of Brooksville

PWS-ID No. 6272180

MONITORING & REPORTS	DUE	COMMENTS
Microbiological ("Bacteriological")	Monthly	Disinfectant residuals must be reported.
Nitrate and Nitrite	2023	Sample at each POE every year. *
Primary Inorganics	2023	Sample at each POE every three years.
Secondaries	2023	Sample at each POE every three years.
Volatile Organic Contaminants (VOCs)	2023	Sample at each POE every three years.
Synthetic Organic Contaminants (SOCs)	2 Quarters in 2023	Sample at each POE every three years, or submit SOC reduced monitoring waiver, if applicable. Use Form 62-560.545(2), F.A.C.
Stage II Disinfection Byproducts (DBPs) <i>Total Trihalomethanes &amp; Haloacetic Acids (5)</i>		Sample according to approved Stage 2 D/DBPR Monitoring Plan.
Asbestos	2029	Certification or results due every nine years. Use Form 62-555.900(10), F.A.C.
Lead & Copper	June - Sept 2023	Sample from sites approved on the Lead and Copper Sampling Plan every three years.
Consumer Confidence Report (CCR) & CCR Certification of Delivery	July 1, 2023	CCR must be delivered by July 1, 2022. The CCR Certification of Delivery must be submitted to the Department by August 10, 2023. Use Form 62-555.900(alternate 19), F.A.C.

### Hillside WTP

Radiologicals	Gross Alpha	2026	Sample at each POE every three, six or nine Years.
	Uranium	2026	Sample at each POE every three, six or nine Years.
	Radium-226	2026	Sample at each POE every three, six or nine Years.
	Radium-228	2026	Sample at each POE every three, six or nine Years.
Tank(s) Inspection & Cleaning		2023	Pursuant to 62-555.350(2) F.A.C. all finished drinking water storage tanks with access manholes shall be inspected and cleaned at a maximum interval of every 5 years.
Meter(s) Calibration		2023	Pursuant to 62-555.350(2) F.A.C. requires that water systems maintain and calibrate master meters in accordance to manufacturer specifications at no less than interval of every 5 years.



# FLORIDA DEPARTMENT OF Environmental Protection

**Ron DeSantis**  
Governor

**Jeanette Nuñez**  
Lt. Governor

**Shawn Hamilton**  
Secretary

Southwest District Office  
13051 North Telecom Parkway #101  
Temple Terrace, Florida 33637-0926

## Lamar WTP

Radiologicals	Gross Alpha	2026	Sample at each POE every three, six or nine Years.
	Uranium	2026	Sample at each POE every three, six or nine Years.
	Radium-226	2023	Sample at each POE every three, six or nine Years.
	Radium-228	2023	Sample at each POE every three, six or nine Years.
Tank(s) Inspection & Cleaning		2023	Pursuant to 62-555.350(2) F.A.C. all finished drinking water storage tanks with access manholes shall be inspected and cleaned at a maximum interval of every 5 years.
Meter(s) Calibration		2023	Pursuant to 62-555.350(2) F.A.C. requires that water systems maintain and calibrate master meters in accordance to manufacturer specifications at no less than interval of every 5 years.

## Hope Hill WTP

Radiologicals	Gross Alpha	2031	Sample at each POE every three, six or nine Years.
	Uranium	2031	Sample at each POE every three, six or nine Years.
	Radium-226	2023	Sample at each POE every three, six or nine Years.
	Radium-228	2023	Sample at each POE every three, six or nine Years.
Tank(s) Inspection & Cleaning		2023	Pursuant to 62-555.350(2) F.A.C. all finished drinking water storage tanks with access manholes shall be inspected and cleaned at a maximum interval of every 5 years.
Meter(s) Calibration		2023	Pursuant to 62-555.350(2) F.A.C. requires that water systems maintain and calibrate master meters in accordance to manufacturer specifications at no less than interval of every 5 years.

\*POE = Point of entry to the distribution system. Sample at each POE that is representative of each source after treatment.

This is a good faith assessment of monitoring requirements for the above-referenced public water system for calendar year 2023 and may not include additional sampling required during the year due to special circumstances. If you have questions or disagree with the assessment, please contact the appropriate personnel at (813) 470-5700. Monitoring schedules are subject to change, at any time, based on results of analyses or other factors. This chart shall not relieve any person from any requirement of Florida law.

**It is important for you to provide this information to your operator and/or sampler:**

- **It is strongly recommended that testing be conducted early in the monitoring period to allow time for retests due to possible sampling or lab errors. Annual and triennial sampling should be completed by 9/30/2023 to provide time for revisions, re-tests, and/or corrections.**
- **Test results must be submitted to DEP within the first ten days following the end of the required monitoring period, or the first ten days following the month in which the sample results were received, whichever time is the shortest. Failure to comply may result in enforcement action.**



# FLORIDA DEPARTMENT OF Environmental Protection

**Ron DeSantis**  
Governor

**Jeanette Nuñez**  
Lt. Governor

**Shawn Hamilton**  
Secretary

Southwest District Office  
13051 North Telecom Parkway #101  
Temple Terrace, Florida 33637-0926

2023 Chemical Monitoring for NTNC

Water System: Holiday Travel Park

PWS-ID No. 6272213

MONITORING & REPORTS		DUE	COMMENTS
Raw Water Microbiological ("Bacteriological")		Quarterly	1 Raw Water Sample per well.
Distribution Microbiological ("Bacteriological")		Quarterly	1 Distribution Sample per quarter. Disinfectant residuals must be reported.
Nitrate and Nitrite		2023	Sample at each POE every year. *
Primary Inorganics		2025	Sample at each POE every three years.
Radiologicals	Gross Alpha	2037	Sample at each POE every quarterly, six, nine years, or Waived use of Grandfather Data (date of sample)
	Uranium	2025	Sample at each POE every quarterly, six, nine years, or Waived use of Grandfather Data (date of sample)
	Radium-226	2037	Sample at each POE every quarterly, six, nine years, or Waived use of Grandfather Data (date of sample)
	Radium-228	2037	Sample at each POE every quarterly, six, nine years, or Waived use of Grandfather Data (date of sample)
Volatile Organic Contaminants (VOCs)		2025	Sample at each POE every three years.
Synthetic Organic Contaminants (SOCs)		2025	Sample at each POE every three years, or submit SOC reduced monitoring waiver, if applicable. Use Form 62-560.545(2), F.A.C.
Stage II Disinfection Byproducts (DBPs) <i>Total Trihalomethanes &amp; Haloacetic Acids (5)</i>		2025	Sample according to approved Stage 2 D/DBPR Monitoring Plan.
Asbestos		2028	Certification or results due every nine years. Use Form 62-555.900(10), F.A.C.
Lead & Copper		June - Sept 2025	Sample from sites approved on the Lead and Copper Sampling Plan every three years.
Tank(s) Inspection & cleaning		Due Every 5Year	Pursuant to 62-555.350(2) F.A.C. all finished drinking water storage tanks with access manholes shall be inspected and cleaned at a maximum interval of every 5 years.
Meter(s) Calibration		Due Every 5 Years	Pursuant to 62-555.350(2) F.A.C. requires that water systems maintain and calibrate master meters in accordance to manufacturer specifications at no less than interval of every 5 years.

\*POE = Point of entry to the distribution system. Sample at each POE that is representative of each source after treatment.

This is a good faith assessment of monitoring requirements for the above-referenced public water system for calendar year 2023 and may not include additional sampling required during the year due to special circumstances. If you have questions or disagree with the assessment, please contact the appropriate personnel at (813) 470-5700. Monitoring schedules are subject to change, at any time, based on results of analyses or other factors. This chart shall not relieve any person from any requirement of Florida law.

**It is important for you to provide this information to your operator and/or sampler:**

- **It is strongly recommended that testing be conducted early in the monitoring period to allow time for retests due to possible sampling or lab errors. Annual and triennial sampling should be completed by 9/30/2023 to provide time for revisions, re-tests, and/or corrections.**
- **Test results must be submitted to DEP within the first ten days following the end of the required monitoring period, or the first ten days following the month in which the sample results were received, whichever time is the shortest. Failure to comply may result in enforcement action.**



# FLORIDA DEPARTMENT OF Environmental Protection

**Ron DeSantis**  
Governor

**Jeanette Nuñez**  
Lt. Governor

**Shawn Hamilton**  
Secretary

Southwest District Office  
13051 North Telecom Parkway #101  
Temple Terrace, Florida 33637-0926

## 2023 Chemical Monitoring for Community Systems

System Name: Camper's Holiday

PWS-ID No. 6272304

MONITORING & REPORTS		DUE	COMMENTS
Raw Water Microbiological ("Bacteriological")		Monthly	1 Raw Water Sample per well.
Distribution Microbiological ("Bacteriological")		Monthly	1 Distribution Samples per month. Disinfectant residuals must be reported.
Nitrate and Nitrite		2023	Sample at each POE every year.*
Primary Inorganics		2024	Sample at each POE every three years.
Secondaries		2024	Sample at each POE every three years.
Radiologicals	Gross Alpha	2027	Sample at each POE every three, six or nine years.
	Uranium	2027	Sample at each POE every three, six or nine years.
	Radium-226	2024	Sample at each POE every three, six or nine years.
	Radium-228	2024	Sample at each POE every three, six or nine years.
Volatile Organic Contaminants (VOCs)		2024	Sample at each POE every three years.
Synthetic Organic Contaminants (SOCs)		2024	Sample at each POE every three years, or submit SOC reduced monitoring waiver, if applicable. Use Form 62-560.545(2), F.A.C.
Stage II Disinfection Byproducts (DBPs) <i>Total Trihalomethanes &amp; Haloacetic Acids (5)</i>		July - Sept 2023	Sample according to approved Stage 2 D/DBPR Monitoring Plan.
Asbestos		2029	Certification or results due every nine years. Use Form 62-555.900(10), F.A.C.
Lead & Copper		June-September 2024	Sample from sites approved on the Lead and Copper Sampling Plan every three years.
Consumer Confidence Report (CCR) & CCR Certification of Delivery		July 1, 2023	CCR must be delivered by July 1, 2022. The CCR Certification of Delivery must be submitted to the Department by August 10, 2023. Use Form 62-555.900(alternate 19), F.A.C.
Meter(s) Calibration		Last Calibration: 2019/03	Pursuant to 62-555.350(2) F.A.C. requires that water systems maintain and calibrate master meters in accordance to manufacturer specifications at no less than interval of every 5 years.
Tank(s) Inspection & cleaning		Last 5-year Inspection: 2020/07	Pursuant to 62-555.350(2) F.A.C. all finished drinking water storage tanks with access manholes shall be inspected and cleaned at a maximum interval of every 5 years.

\*POE = Point of entry to the distribution system. Sample at each POE that is representative of each source after treatment.

This is a good faith assessment of monitoring requirements for the above-referenced public water system for calendar year 2023 and may not include additional sampling required during the year due to special circumstances. If you have questions or disagree with the assessment, please contact the appropriate personnel at (813) 470-5700. Monitoring schedules are subject to change, at any time, based on results of analyses or other factors. This chart shall not relieve any person from any requirement of Florida law.



# FLORIDA DEPARTMENT OF Environmental Protection

Southwest District Office  
13051 North Telecom Parkway #101  
Temple Terrace, Florida 33637-0926

**Ron DeSantis**  
Governor

**Jeanette Nuñez**  
Lt. Governor

**Shawn Hamilton**  
Secretary

**It is important for you to provide this information to your operator and/or sampler:**

- It is strongly recommended that testing be conducted early in the monitoring period to allow time for retests due to possible sampling or lab errors. Annual and triennial sampling should be completed by 9/30/2023 to provide time for revisions, re-tests, and/or corrections.
- Test results must be submitted to DEP within the first ten days following the end of the required monitoring period, or the first ten days following the month in which the sample results were received, whichever time is the shortest. Failure to comply may result in enforcement action.



# FLORIDA DEPARTMENT OF Environmental Protection

**Ron DeSantis**  
Governor

**Jeanette Nuñez**  
Lt. Governor

**Shawn Hamilton**  
Secretary

Southwest District Office  
13051 North Telecom Parkway #101  
Temple Terrace, Florida 33637-0926

## 2023 Chemical Monitoring for Community Systems

System Name: Camper's Holiday

PWS-ID No. 6272304

MONITORING & REPORTS		DUE	COMMENTS
Raw Water Microbiological ("Bacteriological")		Monthly	1 Raw Water Sample per well.
Distribution Microbiological ("Bacteriological")		Monthly	1 Distribution Samples per month. Disinfectant residuals must be reported.
Nitrate and Nitrite		2023	Sample at each POE every year.*
Primary Inorganics		2024	Sample at each POE every three years.
Secondaries		2024	Sample at each POE every three years.
Radiologicals	Gross Alpha	2027	Sample at each POE every three, six or nine years.
	Uranium	2027	Sample at each POE every three, six or nine years.
	Radium-226	2024	Sample at each POE every three, six or nine years.
	Radium-228	2024	Sample at each POE every three, six or nine years.
Volatile Organic Contaminants (VOCs)		2024	Sample at each POE every three years.
Synthetic Organic Contaminants (SOCs)		2024	Sample at each POE every three years, or submit SOC reduced monitoring waiver, if applicable. Use Form 62-560.545(2), F.A.C.
Stage II Disinfection Byproducts (DBPs) Total Trihalomethanes & Haloacetic Acids (5)		July - Sept 2023	Sample according to approved Stage 2 D/DBPR Monitoring Plan.
Asbestos		2029	Certification or results due every nine years. Use Form 62-555.900(10), F.A.C.
Lead & Copper		June-September 2024	Sample from sites approved on the Lead and Copper Sampling Plan every three years.
Consumer Confidence Report (CCR) & CCR Certification of Delivery		July 1, 2023	CCR must be delivered by July 1, 2022. The CCR Certification of Delivery must be submitted to the Department by August 10, 2022. Use Form 62-555.900(alternate 19), F.A.C.
Meter(s) Calibration		Calibration Due: 2024/03	Pursuant to 62-555.350(2) F.A.C. requires that water systems maintain and calibrate master meters in accordance to manufacturer specifications at no less than interval of every 5 years.
Tank(s) Inspection & cleaning		5-year Inspection Due: 2025/07	Pursuant to 62-555.350(2) F.A.C. all finished drinking water storage tanks with access manholes shall be inspected and cleaned at a maximum interval of every 5 years.

\*POE = Point of entry to the distribution system. Sample at each POE that is representative of each source after treatment.

This is a good faith assessment of monitoring requirements for the above-referenced public water system for calendar year 2023 and may not include additional sampling required during the year due to special circumstances. If you have questions or disagree with the assessment, please contact the appropriate personnel at (813) 470-5700. Monitoring schedules are subject to change, at any time, based on results of analyses or other factors. This chart shall not relieve any person from any requirement of Florida law.

**It is important for you to provide this information to your operator and/or sampler:**

- **It is strongly recommended that testing be conducted early in the monitoring period to allow time for retests due to possible sampling or lab errors. Annual and triennial sampling should be completed by 9/30/2023 to provide time for revisions, re-tests, and/or correctio**



# FLORIDA DEPARTMENT OF Environmental Protection

Southwest District Office  
13051 North Telecom Parkway #101  
Temple Terrace, Florida 33637-0926

**Ron DeSantis**  
Governor

**Jeanette Nuñez**  
Lt. Governor

**Shawn Hamilton**  
Secretary

- Test results must be submitted to DEP within the first ten days following the end of the required monitoring period, or the first ten days following the month in which the sample results were received, whichever time is the shortest. Failure to comply may result in enforcement action.



# FLORIDA DEPARTMENT OF Environmental Protection

**Ron DeSantis**  
Governor

**Jeanette Nuñez**  
Lt. Governor

**Shawn Hamilton**  
Secretary

Southwest District Office  
13051 North Telecom Parkway #101  
Temple Terrace, Florida 33637-0926

## 2023 Chemical Monitoring for NTNC

Water System: CEMEX South Bagging FKA FL Power Development

PWS-ID No. 6272431

MONITORING & REPORTS		DUE	COMMENTS
Raw Water Microbiological ("Bacteriological")		Quarterly	1 Raw Water Sample per well.
Distribution Microbiological ("Bacteriological")		Quarterly	1 Distribution Sample per quarter. Disinfectant residuals must be reported.
Nitrate and Nitrite		2023	Sample at each POE every year. *
Primary Inorganics		2025	Sample at each POE every three years.
Radiologicals	Gross Alpha	Waived	Sample at each POE every quarterly, six, nine years, or Waived use of Grandfather Data (date of sample)
	Uranium	2028	Sample at each POE every quarterly, six, nine years, or Waived use of Grandfather Data (date of sample)
	Radium-226	2025	Sample at each POE every quarterly, six, nine years, or Waived use of Grandfather Data (date of sample)
	Radium-228	2025	Sample at each POE every quarterly, six, nine years, or Waived use of Grandfather Data (date of sample)
Volatile Organic Contaminants (VOCs)		2025	Sample at each POE every three years.
Synthetic Organic Contaminants (SOCs)		2025	Sample at each POE every three years, or submit SOC reduced monitoring waiver, if applicable. Use Form 62-560.545(2), F.A.C.
Stage II Disinfection Byproducts (DBPs) <i>Total Trihalomethanes &amp; Haloacetic Acids (5)</i>		July- Sept 2025	Sample according to approved Stage 2 D/DBPR Monitoring Plan.
Asbestos		2031	Certification or results due every nine years. Use Form 62-555.900(10), F.A.C.
Lead & Copper		June - Sept 2025	Sample from sites approved on the Lead and Copper Sampling Plan every three years.
Tank(s) Inspection & cleaning		2026	Pursuant to 62-555.350(2) F.A.C. all finished drinking water storage tanks with access manholes shall be inspected and cleaned at a maximum interval of every 5 years.
Meter(s) Calibration		2024	Pursuant to 62-555.350(2) F.A.C. requires that water systems maintain and calibrate master meters in accordance to manufacturer specifications at no less than interval of every 5 years.

\*POE = Point of entry to the distribution system. Sample at each POE that is representative of each source after treatment.

This is a good faith assessment of monitoring requirements for the above-referenced public water system for calendar year 2023 and may not include additional sampling required during the year due to special circumstances. If you have questions or disagree with the assessment, please contact the appropriate personnel at (813) 470-5700. Monitoring schedules are subject to change, at any time, based on results of analyses or other factors. This chart shall not relieve any person from any requirement of Florida law.

**It is important for you to provide this information to your operator and/or sampler:**

- **It is strongly recommended that testing be conducted early in the monitoring period to allow time for retests due to possible sampling or lab errors. Annual and triennial sampling should be completed by 9/30/2023 to provide time for revisions, re-tests, and/or corrections.**
- **Test results must be submitted to DEP within the first ten days following the end of the required monitoring period, or the first ten days following the month in which the sample results were received, whichever time is the shortest. Failure to comply may result in enforcement action.**



# FLORIDA DEPARTMENT OF Environmental Protection

**Ron DeSantis**  
Governor

**Jeanette Nuñez**  
Lt. Governor

**Shawn Hamilton**  
Secretary

Southwest District Office  
13051 North Telecom Parkway #101  
Temple Terrace, Florida 33637-0926

2023 Chemical Monitoring for NTNC

Water System: The Arc Nature Coast

PWS-ID No. 6272605

MONITORING & REPORTS		DUE	COMMENTS
Raw Water Microbiological ("Bacteriological")		Quarterly	1 Raw Water Sample per well.
Distribution Microbiological ("Bacteriological")		Quarterly	1 Distribution Sample per quarter. Disinfectant residuals must be reported.
Nitrate and Nitrite		2023	Sample at each POE every year. *
Primary Inorganics		2025	Sample at each POE every three years.
Radiologicals	Gross Alpha	Waived	Sample at each POE every quarterly, six, nine years, or Waived use of Grandfather Data (date of sample)
	Uranium	2025	Sample at each POE every quarterly, six, nine years, or Waived use of Grandfather Data (date of sample)
	Radium-226	2025	Sample at each POE every quarterly, six, nine years, or Waived use of Grandfather Data (date of sample)
	Radium-228	2025	Sample at each POE every quarterly, six, nine years, or Waived use of Grandfather Data (date of sample)
Volatile Organic Contaminants (VOCs)		2025	Sample at each POE every three years.
Synthetic Organic Contaminants (SOCs)		2025	Sample at each POE every three years, or submit SOC reduced monitoring waiver, if applicable. Use Form 62-560.545(2), F.A.C.
Stage II Disinfection Byproducts (DBPs) <i>Total Trihalomethanes &amp; Haloacetic Acids (5)</i>		July-Sept. 2025	Sample according to approved Stage 2 D/DBPR Monitoring Plan.
Asbestos		2029	Certification or results due every nine years. Use Form 62-555.900(10), F.A.C.
Lead & Copper		June - Sept 2025	Sample from sites approved on the Lead and Copper Sampling Plan every three years.
Tank(s) Inspection & cleaning		Due	Pursuant to 62-555.350(2) F.A.C. all finished drinking water storage tanks with access manholes shall be inspected and cleaned at a maximum interval of every 5 years.
Meter(s) Calibration		Due	Pursuant to 62-555.350(2) F.A.C. requires that water systems maintain and calibrate master meters in accordance to manufacturer specifications at no less than interval of every 5 years.

\*POE = Point of entry to the distribution system. Sample at each POE that is representative of each source after treatment.

This is a good faith assessment of monitoring requirements for the above-referenced public water system for calendar year 2023 and may not include additional sampling required during the year due to special circumstances. If you have questions or disagree with the assessment, please contact the appropriate personnel at (813) 470-5700. Monitoring schedules are subject to change, at any time, based on results of analyses or other factors. This chart shall not relieve any person from any requirement of Florida law.

**It is important for you to provide this information to your operator and/or sampler:**

- **It is strongly recommended that testing be conducted early in the monitoring period to allow time for retests due to possible sampling or lab errors. Annual and triennial sampling should be completed by 9/30/2023 to provide time for revisions, re-tests, and/or corrections.**
- **Test results must be submitted to DEP within the first ten days following the end of the required monitoring period, or the first ten days following the month in which the sample results were received, whichever time is the shortest. Failure to comply may result in enforcement action.**



# FLORIDA DEPARTMENT OF Environmental Protection

**Ron DeSantis**  
Governor

**Jeanette Nuñez**  
Lt. Governor

**Shawn Hamilton**  
Secretary

Southwest District Office  
13051 North Telecom Parkway #101  
Temple Terrace, Florida 33637-0926

## 2023 Chemical Monitoring for NTNC

Water System: Storage King USA

PWS-ID No. 6274821

MONITORING & REPORTS		DUE	COMMENTS
Raw Water Microbiological ("Bacteriological")		Quarterly	1 Raw Water Sample per well.
Distribution Microbiological ("Bacteriological")		Quarterly	1 Distribution Sample per quarter. Disinfectant residuals must be reported.
Nitrate and Nitrite		2023	Sample at each POE every year. *
Primary Inorganics		2025	Sample at each POE every three years.
Radiologicals	Gross Alpha	Waived	Sample at each POE every quarterly, six, nine years, or Waived use of Grandfather Data (date of sample)
	Uranium	Waived	Sample at each POE every quarterly, six, nine years, or Waived use of Grandfather Data (date of sample)
	Radium-226	Waived	Sample at each POE every quarterly, six, nine years, or Waived use of Grandfather Data (date of sample)
	Radium-228	Waived	Sample at each POE every quarterly, six, nine years, or Waived use of Grandfather Data (date of sample)
Volatile Organic Contaminants (VOCs)		2025	Sample at each POE every three years.
Synthetic Organic Contaminants (SOCs)		2025	Sample at each POE every three years, or submit SOC reduced monitoring waiver, if applicable. Use Form 62-560.545(2), F.A.C.
Stage II Disinfection Byproducts (DBPs) <i>Total Trihalomethanes &amp; Haloacetic Acids (5)</i>		July-Sept. 2025	Sample according to approved Stage 2 D/DBPR Monitoring Plan.
Asbestos		2029	Certification or results due every nine years. Use Form 62-555.900(10), F.A.C.
Lead & Copper		January - June & July to December 2023	Sample Bi-annual
Meter(s) Calibration		Due	Pursuant to 62-555.350(2) F.A.C. requires that water systems maintain and calibrate master meters in accordance to manufacturer specifications at no less than interval of every 5 years.
Tank(s) Inspections		N/A- No Hatch	

\*POE = Point of entry to the distribution system. Sample at each POE that is representative of each source after treatment.

This is a good faith assessment of monitoring requirements for the above-referenced public water system for calendar year 2023 and may not include additional sampling required during the year due to special circumstances. If you have questions or disagree with the assessment, please contact the appropriate personnel at (813) 470-5700. Monitoring schedules are subject to change, at any time, based on results of analyses or other factors. This chart shall not relieve any person from any requirement of Florida law.

**It is important for you to provide this information to your operator and/or sampler:**

- **It is strongly recommended that testing be conducted early in the monitoring period to allow time for retests due to possible sampling or lab errors. Annual and triennial sampling should be completed by 9/30/2023 to provide time for revisions, re-tests, and/or corrections.**

**Test results must be submitted to DEP within the first ten days following the end of the required monitoring period, or the first ten days following the month in which the sample results were received, whichever time is the shortest. Failure to comply may result in enforcement action. 2021 Chemical Monitoring for NTNC**



# FLORIDA DEPARTMENT OF Environmental Protection

**Ron DeSantis**  
Governor

**Jeanette Nuñez**  
Lt. Governor

**Shawn Hamilton**  
Secretary

Southwest District Office  
13051 North Telecom Parkway #101  
Temple Terrace, Florida 33637-0926

## 2023 Chemical Monitoring for NTNC

Water System: Spartronics Brooksville LLC

PWS-ID No. 6274847

MONITORING & REPORTS		DUE	COMMENTS
Raw Water Microbiological ("Bacteriological")		Quarterly	1 Raw Water Sample per well.
Distribution Microbiological ("Bacteriological")		Quarterly	1 Distribution Sample per quarter. Disinfectant residuals must be reported.
Nitrate and Nitrite		2023	Sample at each POE every year. *
Primary Inorganics		2025	Sample at each POE every three years.
Radiologicals	Gross Alpha	Waived	Sample at each POE every quarterly, six, nine years, or Waived use of Grandfather Data (date of sample)
	Uranium	Waived	Sample at each POE every quarterly, six, nine years, or Waived use of Grandfather Data (date of sample)
	Radium-226	Waived	Sample at each POE every quarterly, six, nine years, or Waived use of Grandfather Data (date of sample)
	Radium-228	Waived	Sample at each POE every quarterly, six, nine years, or Waived use of Grandfather Data (date of sample)
Volatile Organic Contaminants (VOCs)		2025	Sample at each POE every three years.
Synthetic Organic Contaminants (SOCs)		2025	Sample at each POE every three years, or submit SOC reduced monitoring waiver, if applicable. Use Form 62-560.545(2), F.A.C.
Stage II Disinfection Byproducts (DBPs) <i>Total Trihalomethanes &amp; Haloacetic Acids (5)</i>		July-Sept. 2025	Sample according to approved Stage 2 D/DBPR Monitoring Plan.
Asbestos		2031	Certification or results due every nine years. Use Form 62-555.900(10), F.A.C.
Lead & Copper		June - Sept 2025	Sample from sites approved on the Lead and Copper Sampling Plan every three years.
Meter(s) Calibration		Due	Pursuant to 62-555.350(2) F.A.C. requires that water systems maintain and calibrate master meters in accordance to manufacturer specifications at no less than interval of every 5 years.
Tank(s) Inspection & cleaning		Due: 05/2023	Pursuant to 62-555.350(2) F.A.C. all finished drinking water storage tanks with access manholes shall be inspected and cleaned at a maximum interval of every 5 years.

\*POE = Point of entry to the distribution system. Sample at each POE that is representative of each source after treatment.

This is a good faith assessment of monitoring requirements for the above-referenced public water system for calendar year 2023 and may not include additional sampling required during the year due to special circumstances. If you have questions or disagree with the assessment, please contact the appropriate personnel at (813) 470-5700. Monitoring schedules are subject to change, at any time, based on results of analyses or other factors. This chart shall not relieve any person from any requirement of Florida law.

**It is important for you to provide this information to your operator and/or sampler:**

- **It is strongly recommended that testing be conducted early in the monitoring period to allow time for retests due to possible sampling or lab errors. Annual and triennial sampling should be completed by 9/30/2023 to provide time for revisions, re-tests, and/or corrections.**

**Test results must be submitted to DEP within the first ten days following the end of the required monitoring period, or the first ten days following the month in which the sample results were received, whichever time is the shortest. Failure to comply may result in enforcement action.** 2021 Chemical Monitoring for NTNC



# FLORIDA DEPARTMENT OF Environmental Protection

**Ron DeSantis**  
Governor

**Jeanette Nuñez**  
Lt. Governor

**Shawn Hamilton**  
Secretary

Southwest District Office  
13051 North Telecom Parkway #101  
Temple Terrace, Florida 33637-0926

## 2023 Chemical Monitoring for Community Systems

System Name: Countryside Estates

PWS-ID No. 6274859

MONITORING & REPORTS		DUE	COMMENTS
Raw Water Microbiological ("Bacteriological")		Monthly	1 Raw Water Sample per well.
Distribution Microbiological ("Bacteriological")		Monthly	1 Distribution Samples per month. Disinfectant residuals must be reported.
Nitrate and Nitrite		2023	Sample at each POE every year.*
Primary Inorganics		2024	Sample at each POE every three years.
Secondaries		2024	Sample at each POE every three years.
Radiologicals	Gross Alpha	2027	Sample at each POE every three, six or nine years.
	Uranium	2024	Sample at each POE every three, six or nine years.
	Radium-226	2024	Sample at each POE every three, six or nine years.
	Radium-228	2024	Sample at each POE every three, six or nine years.
Volatile Organic Contaminants (VOCs)		2024	Sample at each POE every three years.
Synthetic Organic Contaminants (SOCs)		2024	Sample at each POE every three years, or submit SOC reduced monitoring waiver, if applicable. Use Form 62-560.545(2), F.A.C.
Stage II Disinfection Byproducts (DBPs) <i>Total Trihalomethanes &amp; Haloacetic Acids (5)</i>		July - Sept 2024	Sample according to approved Stage 2 D/DBPR Monitoring Plan.
Asbestos		2029	Certification or results due every nine years. Use Form 62-555.900(10), F.A.C.
Lead & Copper		June-September 2024	Sample from sites approved on the Lead and Copper Sampling Plan every three years.
Consumer Confidence Report (CCR) & CCR Certification of Delivery		July 1, 2023	CCR must be delivered by July 1, 2022. The CCR Certification of Delivery must be submitted to the Department by August 10, 2022. Use Form 62-555.900(alternate 19), F.A.C.
Meter(s) Calibration		Due	Pursuant to 62-555.350(2) F.A.C. requires that water systems maintain and calibrate master meters in accordance to manufacturer specifications at no less than interval of every 5 years.
Tank(s) Inspection & cleaning		Due: 05/2023	Pursuant to 62-555.350(2) F.A.C. all finished drinking water storage tanks with access manholes shall be inspected and cleaned at a maximum interval of every 5 years.

\*POE = Point of entry to the distribution system. Sample at each POE that is representative of each source after treatment.

This is a good faith assessment of monitoring requirements for the above-referenced public water system for calendar year 2023 and may not include additional sampling required during the year due to special circumstances. If you have questions or disagree with the assessment, please contact the appropriate personnel at (813) 470-5700. Monitoring schedules are subject to change, at any time, based on results of analyses or other factors. This chart shall not relieve any person from any requirement of Florida law.

**It is important for you to provide this information to your operator and/or sampler:**

- **It is strongly recommended that testing be conducted early in the monitoring period to allow time for retests due to possible sampling or lab errors. Annual and triennial sampling should be completed by 9/30/2023 to provide time for revisions, re-tests, and/or corrections.**
- **Test results must be submitted to DEP within the first ten days following the end of the required monitoring period, or the first ten days following the month in which the sample results were received, whichever time is the shortest. Failure to comply may result in enforcement action.**



# FLORIDA DEPARTMENT OF Environmental Protection

**Ron DeSantis**  
Governor

**Jeanette Nuñez**  
Lt. Governor

**Shawn Hamilton**  
Secretary

Southwest District Office  
13051 North Telecom Parkway #101  
Temple Terrace, Florida 33637-0926

## 2023 Chemical Monitoring for NTNC

Water System: Topics RV Travel Trailer Park

PWS-ID No. 6274862

MONITORING & REPORTS		DUE	COMMENTS
Raw Water Microbiological ("Bacteriological")		Quarterly	1 Raw Water Sample per well.
Distribution Microbiological ("Bacteriological")		Quarterly	1 Distribution Sample per quarter. Disinfectant residuals must be reported.
Nitrate and Nitrite		2023	Sample at each POE every year. *
Primary Inorganics		2025	Sample at each POE every three years.
Radiologicals	Gross Alpha	2025	Sample at each POE every quarterly, six, nine years, or Waived use of Grandfather Data (date of sample)
	Uranium	2025	Sample at each POE every quarterly, six, nine years, or Waived use of Grandfather Data (date of sample)
	Radium-226	2028	Sample at each POE every quarterly, six, nine years, or Waived use of Grandfather Data (date of sample)
	Radium-228	2028	Sample at each POE every quarterly, six, nine years, or Waived use of Grandfather Data (date of sample)
Volatile Organic Contaminants (VOCs)		2025	Sample at each POE every three years.
Synthetic Organic Contaminants (SOCs)		2025	Sample at each POE every three years, or submit SOC reduced monitoring waiver, if applicable. Use Form 62-560.545(2), F.A.C.
Stage II Disinfection Byproducts (DBPs) <i>Total Trihalomethanes &amp; Haloacetic Acids (5)</i>		Jul.-Sept. 2025	Sample according to approved Stage 2 D/DBPR Monitoring Plan.
Asbestos		2028	Certification or results due every nine years. Use Form 62-555.900(10), F.A.C.
Lead & Copper		June - Sept 2025	Sample from sites approved on the Lead and Copper Sampling Plan every three years.
Tank(s) Inspection & cleaning		2027	Pursuant to 62-555.350(2) F.A.C. all finished drinking water storage tanks with access manholes shall be inspected and cleaned at a maximum interval of every 5 years.
Meter(s) Calibration		2025	Pursuant to 62-555.350(2) F.A.C. requires that water systems maintain and calibrate master meters in accordance to manufacturer specifications at no less than interval of every 5 years.

\*POE = Point of entry to the distribution system. Sample at each POE that is representative of each source after treatment.

This is a good faith assessment of monitoring requirements for the above-referenced public water system for calendar year 2023 and may not include additional sampling required during the year due to special circumstances. If you have questions or disagree with the assessment, please contact the appropriate personnel at (813) 470-5700. Monitoring schedules are subject to change, at any time, based on results of analyses or other factors. This chart shall not relieve any person from any requirement of Florida law.

**It is important for you to provide this information to your operator and/or sampler:**

- **It is strongly recommended that testing be conducted early in the monitoring period to allow time for retests due to possible sampling or lab errors. Annual and triennial sampling should be completed by 9/30/2023 to provide time for revisions, re-tests, and/or corrections.**
- **Test results must be submitted to DEP within the first ten days following the end of the required monitoring period, or the first ten days following the month in which the sample results were received, whichever time is the shortest. Failure to comply may result in enforcement action.**



# FLORIDA DEPARTMENT OF Environmental Protection

**Ron DeSantis**  
Governor

**Jeanette Nuñez**  
Lt. Governor

**Shawn Hamilton**  
Secretary

Southwest District Office  
13051 North Telecom Parkway #101  
Temple Terrace, Florida 33637-0926

## 2023 Chemical Monitoring for NTNC

Water System: United Parcel Service

PWS-ID No. 6274877

MONITORING & REPORTS		DUE	COMMENTS
Raw Water Microbiological ("Bacteriological")		Quarterly	1 Raw Water Sample per well.
Distribution Microbiological ("Bacteriological")		Quarterly	1 Distribution Sample per quarter. Disinfectant residuals must be reported.
Nitrate and Nitrite		2023	Sample at each POE every year. *
Primary Inorganics		2025	Sample at each POE every three years.
Radiologicals	Gross Alpha	2025	Sample at each POE every quarterly, six, nine years, or Waived use of Grandfather Data (date of sample)
	Uranium	2025	Sample at each POE every quarterly, six, nine years, or Waived use of Grandfather Data (date of sample)
	Radium-226	2025	Sample at each POE every quarterly, six, nine years, or Waived use of Grandfather Data (date of sample)
	Radium-228	2025	Sample at each POE every quarterly, six, nine years, or Waived use of Grandfather Data (date of sample)
Volatile Organic Contaminants (VOCs)		2025	Sample at each POE every three years.
Dichloromethane		Quarterly	
Toulene		Quarterly	
Synthetic Organic Contaminants (SOCs)		2025	Sample at each POE every three years, or submit SOC reduced monitoring waiver, if applicable. Use Form 62-560.545(2), F.A.C.
Stage II Disinfection Byproducts (DBPs) <i>Total Trihalomethanes &amp; Haloacetic Acids (5)</i>		July-Sept. 2025	Sample according to approved Stage 2 D/DBPR Monitoring Plan.
Asbestos		2031	Certification or results due every nine years. Use Form 62-555.900(10), F.A.C.
Lead & Copper		January to June & July to December 2023	Sample Bi-annual
Meter(s) Calibration		Due: 04/2023	Pursuant to 62-555.350(2) F.A.C. requires that water systems maintain and calibrate master meters in accordance to manufacturer specifications at no less than interval of every 5 years.
Tank(s) Inspection & cleaning		Due: 04/2023	Pursuant to 62-555.350(2) F.A.C. all finished drinking water storage tanks with access manholes shall be inspected and cleaned at a maximum interval of every 5 years. 7

\*POE = Point of entry to the distribution system. Sample at each POE that is representative of each source after treatment.

This is a good faith assessment of monitoring requirements for the above-referenced public water system for calendar year 2023 and may not include additional sampling required during the year due to special circumstances. If you have questions or disagree with the assessment, please contact the appropriate personnel at (813) 470-5700. Monitoring schedules are subject to change, at any time, based on results of analyses or other factors. This chart shall not relieve any person from any requirement of Florida law.

**It is important for you to provide this information to your operator and/or sampler:**

- **It is strongly recommended that testing be conducted early in the monitoring period to allow time for retests due to possible sampling or lab errors. Annual and triennial sampling should be completed by 9/30/2023 to provide time for revisions, re-tests, and/or corrections.**

**Test results must be submitted to DEP within the first ten days following the end of the required monitoring period, or the first ten days following the month in which the sample results were received, whichever time is the shortest. Failure to comply may result in enforcement action. 2021 Chemical**

# Monitoring for NTNC

[www.FloridaDEP.gov](http://www.FloridaDEP.gov)



# FLORIDA DEPARTMENT OF Environmental Protection

**Ron DeSantis**  
Governor

**Jeanette Nuñez**  
Lt. Governor

**Shawn Hamilton**  
Secretary

Southwest District Office  
13051 North Telecom Parkway #101  
Temple Terrace, Florida 33637-0926

## 2023 Chemical Monitoring for NTNC

Water System: Faith Baptist Church

PWS-ID No. 6274884

MONITORING & REPORTS		DUE	COMMENTS
Raw Water Microbiological ("Bacteriological")		Quarterly	1 Raw Water Sample per well.
Distribution Microbiological ("Bacteriological")		Quarterly	1 Distribution Sample per quarter. Disinfectant residuals must be reported.
Nitrate and Nitrite		2023	Sample at each POE every year. *
Primary Inorganics		2025	Sample at each POE every three years.
Radiologicals	Gross Alpha	Waived	Sample at each POE every quarterly, six, nine years, or Waived use of Grandfather Data (date of sample)
	Uranium	Waived	Sample at each POE every quarterly, six, nine years, or Waived use of Grandfather Data (date of sample)
	Radium-226	2025	Sample at each POE every quarterly, six, nine years, or Waived use of Grandfather Data (date of sample)
	Radium-228	2025	Sample at each POE every quarterly, six, nine years, or Waived use of Grandfather Data (date of sample)
Volatile Organic Contaminants (VOCs)		2025	Sample at each POE every three years.
Toluene		Quarterly	Sample 4-consecutive quarters.
Synthetic Organic Contaminants (SOCs)		2025	Sample at each POE every three years, or submit SOC reduced monitoring waiver, if applicable. Use Form 62-560.545(2), F.A.C.
Stage II Disinfection Byproducts (DBPs) <i>Total Trihalomethanes &amp; Haloacetic Acids (5)</i>		July-Sept. 2022	Sample according to approved Stage 2 D/DBPR Monitoring Plan.
Asbestos		2031	Certification or results due every nine years. Use Form 62-555.900(10), F.A.C.
Lead & Copper		June - Sept 2025	Sample from sites approved on the Lead and Copper Sampling Plan every three years.
Flow Meter Calibration		Due	Pursuant to 62-555.350(2) F.A.C. requires that water systems maintain and calibrate master meters in accordance to manufacturer specifications at no less than interval of every 5 years.
Tank(s) Inspection		N/A	Pursuant to 62-555.350(2) F.A.C. all finished drinking water storage tanks with access manholes shall be inspected and cleaned at a maximum interval of every 5 years.

\*POE = Point of entry to the distribution system. Sample at each POE that is representative of each source after treatment.

This is a good faith assessment of monitoring requirements for the above-referenced public water system for calendar year 2023 and may not include additional sampling required during the year due to special circumstances. If you have questions or disagree with the assessment, please contact the appropriate personnel at (813) 470-5700. Monitoring schedules are subject to change, at any time, based on results of analyses or other factors. This chart shall not relieve any person from any requirement of Florida law.

**It is important for you to provide this information to your operator and/or sampler:**

- **It is strongly recommended that testing be conducted early in the monitoring period to allow time for retests due to possible sampling or lab errors. Annual and triennial sampling should be completed by 9/30/2023 to provide time for revisions, re-tests, and/or corrections.**
- **Test results must be submitted to DEP within the first ten days following the end of the required monitoring period, or the first ten days following the month in which the sample results were received, whichever time is the shortest. Failure to comply may result in enforcement action.**



# FLORIDA DEPARTMENT OF Environmental Protection

**Ron DeSantis**  
Governor

**Jeanette Nuñez**  
Lt. Governor

**Shawn Hamilton**  
Secretary

Southwest District Office  
13051 North Telecom Parkway #101  
Temple Terrace, Florida 33637-0926

## 2023 Chemical Monitoring for NTNC

Water System: Cemex Brooksville Quarry

PWS-ID No. 6277026

MONITORING & REPORTS		DUE	COMMENTS
Raw Water Microbiological ("Bacteriological")		Quarterly	1 Raw Water Sample per well.
Distribution Microbiological ("Bacteriological")		Quarterly	1 Distribution Sample per quarter. Disinfectant residuals must be reported.
Nitrate and Nitrite		2023	Sample at each POE every year. *
Primary Inorganics		2025	Sample at each POE every three years.
Radiologicals	Gross Alpha	Waived	Sample at each POE every quarterly, six, nine years, or Waived use of Grandfather Data (date of sample)
	Uranium	Waived	Sample at each POE every quarterly, six, nine years, or Waived use of Grandfather Data (date of sample)
	Radium-226	Waived	Sample at each POE every quarterly, six, nine years, or Waived use of Grandfather Data (date of sample)
	Radium-228	Waived	Sample at each POE every quarterly, six, nine years, or Waived use of Grandfather Data (date of sample)
Volatile Organic Contaminants (VOCs)		2025	Sample at each POE every three years.
Synthetic Organic Contaminants (SOCs)		2025	Sample at each POE every three years, or submit SOC reduced monitoring waiver, if applicable. Use Form 62-560.545(2), F.A.C.
Stage II Disinfection Byproducts (DBPs) <i>Total Trihalomethanes &amp; Haloacetic Acids (5)</i>		July-Sept. 2025	Sample according to approved Stage 2 D/DBPR Monitoring Plan.
Asbestos		2031	Certification or results due every nine years. Use Form 62-555.900(10), F.A.C.
Lead & Copper		June - Sept 2025	Sample from sites approved on the Lead and Copper Sampling Plan every three years.
Meter(s) Calibration		Due	Pursuant to 62-555.350(2) F.A.C. requires that water systems maintain and calibrate master meters in accordance to manufacturer specifications at no less than interval of every 5 years.
Tank(s) Inspection & cleaning		Due	Pursuant to 62-555.350(2) F.A.C. all finished drinking water storage tanks with access manholes shall be inspected and cleaned at a maximum interval of every 5 years.

\*POE = Point of entry to the distribution system. Sample at each POE that is representative of each source after treatment.

This is a good faith assessment of monitoring requirements for the above-referenced public water system for calendar year 2023 and may not include additional sampling required during the year due to special circumstances. If you have questions or disagree with the assessment, please contact the appropriate personnel at (813) 470-5700. Monitoring schedules are subject to change, at any time, based on results of analyses or other factors. This chart shall not relieve any person from any requirement of Florida law.

**It is important for you to provide this information to your operator and/or sampler:**

- **It is strongly recommended that testing be conducted early in the monitoring period to allow time for retests due to possible sampling or lab errors. Annual and triennial sampling should be completed by 9/30/2023 to provide time for revisions, re-tests, and/or corrections.**
- **Test results must be submitted to DEP within the first ten days following the end of the required monitoring period, or the first ten days following the month in which the sample results were received, whichever time is the shortest. Failure to comply may result in enforcement action.**



# FLORIDA DEPARTMENT OF Environmental Protection

**Ron DeSantis**  
Governor

**Jeanette Nuñez**  
Lt. Governor

**Shawn Hamilton**  
Secretary

Southwest District Office  
13051 North Telecom Parkway #101  
Temple Terrace, Florida 33637-0926

## 2023 Chemical Monitoring for NTNC

Water System: AutoNation Ford Brooksville

PWS-ID No. 6277033

MONITORING & REPORTS		DUE	COMMENTS
Raw Water Microbiological ("Bacteriological")		Quarterly	1 Raw Water Sample per well.
Distribution Microbiological ("Bacteriological")		Quarterly	1 Distribution Sample per quarter. Disinfectant residuals must be reported.
Nitrate and Nitrite		2023	Sample at each POE every year. *
Primary Inorganics		2025	Sample at each POE every three years.
Radiologicals	Gross Alpha	2027	Sample at each POE every quarterly, six, nine years, or Waived use of Grandfather Data (date of sample)
	Uranium	2027	Sample at each POE every quarterly, six, nine years, or Waived use of Grandfather Data (date of sample)
	Radium-226	2027	Sample at each POE every quarterly, six, nine years, or Waived use of Grandfather Data (date of sample)
	Radium-228	2027	Sample at each POE every quarterly, six, nine years, or Waived use of Grandfather Data (date of sample)
Volatile Organic Contaminants (VOCs)		2025	Sample at each POE every three years.
Synthetic Organic Contaminants (SOCs)		2025	Sample at each POE every three years, or submit SOC reduced monitoring waiver, if applicable. Use Form 62-560.545(2), F.A.C.
Stage II Disinfection Byproducts (DBPs) <i>Total Trihalomethanes &amp; Haloacetic Acids (5)</i>		July-Sept. 2025	Sample according to approved Stage 2 D/DBPR Monitoring Plan.
Asbestos		2023	Certification or results due every nine years. Use Form 62-555.900(10), F.A.C.
Lead & Copper		June - Sept 2025	Sample from sites approved on the Lead and Copper Sampling Plan every three years.
Tank(s) Inspection & Cleaning		Due	Pursuant to 62-555.350(2) F.A.C. all finished drinking water storage tanks with access manholes shall be inspected and cleaned at a maximum interval of every 5 years.
Meter(s) Calibration		Due	Pursuant to 62-555.350(2) F.A.C. requires that water systems maintain and calibrate master meters in accordance to manufacturer specifications at no less than interval of every 5 years.

\*POE = Point of entry to the distribution system. Sample at each POE that is representative of each source after treatment.

This is a good faith assessment of monitoring requirements for the above-referenced public water system for calendar year 2023 and may not include additional sampling required during the year due to special circumstances. If you have questions or disagree with the assessment, please contact the appropriate personnel at (813) 470-5700. Monitoring schedules are subject to change, at any time, based on results of analyses or other factors. This chart shall not relieve any person from any requirement of Florida law.

**It is important for you to provide this information to your operator and/or sampler:**

- **It is strongly recommended that testing be conducted early in the monitoring period to allow time for retests due to possible sampling or lab errors. Annual and triennial sampling should be completed by 9/30/2023 to provide time for revisions, retests, and/or corrections.**





# FLORIDA DEPARTMENT OF Environmental Protection

**Ron DeSantis**  
Governor

**Jeanette Nuñez**  
Lt. Governor

**Shawn Hamilton**  
Secretary

Southwest District Office  
13051 North Telecom Parkway #101  
Temple Terrace, Florida 33637-0926

## 2023 Chemical Monitoring for Community Systems

System Name: Hernando County Util- West

PWS-ID No. 6277059

MONITORING & REPORTS- Systemwide	DUE	COMMENTS
Distribution Microbiological ("Bacteriological")	Monthly	120 Distribution Samples per month. Disinfectant residuals must be reported.
Raw Water Microbiological ("Bacteriological")	Monthly	Sample each non-4-log approved well monthly.
Stage II Disinfection Byproducts (DBPs) <i>Total Trihalomethanes &amp; Haloacetic Acids (5)</i>	Quarterly 2023	Sample according to approved Stage 2 D/DBPR Monitoring Plan.
Asbestos	2029	Certification or results due every nine years. Use Form 62-555.900(10), F.A.C.
Lead & Copper	June - Sept 2023	Sample from sites approved on the Lead and Copper Sampling Plan every three years.
Water Quality Parameters (WQP)	June - Sept 2023	Sample from sites approved on the Lead & Copper Sampling Plan annually.
Consumer Confidence Report (CCR) & CCR Certification of Delivery	July 1, 2023	CCR must be delivered by July 1, 2021. The CCR Certification of Delivery must be submitted to the Department by August 10, 2021. Use Form 62-555.900(alternate 19), F.A.C.
Cross-Connection Control Annual Report	March 31, 2023	Complete and submit DEP form 62-555.900(13).
Meter(s) Calibration	Last Calibration: See Table below	Pursuant to 62-555.350(2) F.A.C. requires that water systems maintain and calibrate master meters in accordance to manufacturer specifications at no less than interval of every 5 years.

MONITORING & REPORTS West Hernando	DUE	COMMENTS	
Nitrate and Nitrite	2023	Sample at each POE every year. *	
Primary Inorganics	2023	Sample at each POE every three years.	
Secondaries	2023	Sample at each POE every three years.	
Radiologicals	Gross Alpha	2026	Sample at each POE every three, six or nine years.
	Uranium	2026	Sample at each POE every three, six or nine years.
	Radium-226	2026	Sample at each POE every three, six or nine years.
	Radium-228	2026	Sample at each POE every three, six or nine years.
Volatile Organic Contaminants (VOCs)	2023	Sample at each POE every three years.	
Synthetic Organic Contaminants (SOCs)	2 Quarters in 2023	Sample at each POE every three years, or submit SOC reduced monitoring waiver, if applicable. Use Form 62-560.545(2), F.A.C.	



# FLORIDA DEPARTMENT OF Environmental Protection

**Ron DeSantis**  
Governor

**Jeanette Nuñez**  
Lt. Governor

**Shawn Hamilton**  
Secretary

Southwest District Office  
13051 North Telecom Parkway #101  
Temple Terrace, Florida 33637-0926

MONITORING & REPORTS Royal Highlands		DUE	COMMENTS
Nitrate and Nitrite		2023	Sample at each POE every year. *
Primary Inorganics		2023	Sample at each POE every three years.
Secondaries		2023	Sample at each POE every three years.
Radiologicals	Gross Alpha	2026	Sample at each POE every three, six or nine years.
	Uranium	2023	Sample at each POE every three, six or nine years.
	Radium-226	2026	Sample at each POE every three, six or nine years.
	Radium-228	2026	Sample at each POE every three, six or nine years.
Volatile Organic Contaminants (VOCs)		2023	Sample at each POE every three years.
Synthetic Organic Contaminants (SOCs)		2 Quarters in 2023	Sample at each POE every three years, or submit SOC reduced monitoring waiver, if applicable. Use Form 62-560.545(2), F.A.C.

MONITORING & REPORTS SW Hernando WTP		DUE	COMMENTS
Nitrate and Nitrite		2023	Sample at each POE every year. *
Primary Inorganics		2023	Sample at each POE every three years.
Secondaries		2023	Sample at each POE every three years.
Radiologicals	Gross Alpha	2026	Sample at each POE every three, six or nine years.
	Uranium	2023	Sample at each POE every three, six or nine years.
	Radium-226	2023	Sample at each POE every three, six or nine years.
	Radium-228	2023	Sample at each POE every three, six or nine years.
Volatile Organic Contaminants (VOCs)		2023	Sample at each POE every three years.
Synthetic Organic Contaminants (SOCs)		2 Quarters in 2023	Sample at each POE every three years, or submit SOC reduced monitoring waiver, if applicable. Use Form 62-560.545(2), F.A.C.



# FLORIDA DEPARTMENT OF Environmental Protection

**Ron DeSantis**  
Governor

**Jeanette Nuñez**  
Lt. Governor

**Shawn Hamilton**  
Secretary

Southwest District Office  
13051 North Telecom Parkway #101  
Temple Terrace, Florida 33637-0926

MONITORING & REPORTS Killian WTP	DUE	COMMENTS
-------------------------------------	-----	----------

Nitrate and Nitrite	2023	Sample at each POE every year. *	
Primary Inorganics	2023	Sample at each POE every three years.	
Secondaries	2023	Sample at each POE every three years.	
Radiologicals	Gross Alpha	2026	Sample at each POE every three, six or nine years.
	Uranium	2026	Sample at each POE every three, six or nine years.
	Radium-226	2023	Sample at each POE every three, six or nine years.
	Radium-228	2023	Sample at each POE every three, six or nine years.
Volatile Organic Contaminants (VOCs)	2023	Sample at each POE every three years.	
Synthetic Organic Contaminants (SOCs)	2 Quarters in 2023	Sample at each POE every three years, or submit SOC reduced monitoring waiver, if applicable. Use Form 62-560.545(2), F.A.C.	

MONITORING & REPORTS Antelope WTP	DUE	COMMENTS	
Nitrate and Nitrite	2023	Sample at each POE every year. *	
Primary Inorganics	2023	Sample at each POE every three years.	
Secondaries	2023	Sample at each POE every three years.	
Radiologicals	Gross Alpha	2026	Sample at each POE every three, six or nine years.
	Uranium	2026	Sample at each POE every three, six or nine years.
	Radium-226	2026	Sample at each POE every three, six or nine years.
	Radium-228	2026	Sample at each POE every three, six or nine years.
Volatile Organic Contaminants (VOCs)	2023	Sample at each POE every three years.	
<b>Toluene (2991)</b>	<b>April-June 2023</b>	<b>Sample at each POE during Quarter indicated for three years (2021,2022 &amp; 2023).</b>	
Synthetic Organic Contaminants (SOCs)	2 Quarters in 2023	Sample at each POE every three years, or submit SOC reduced monitoring waiver, if applicable. Use Form 62-560.545(2), F.A.C.	



# FLORIDA DEPARTMENT OF Environmental Protection

**Ron DeSantis**  
Governor

**Jeanette Nuñez**  
Lt. Governor

**Shawn Hamilton**  
Secretary

Southwest District Office  
13051 North Telecom Parkway #101  
Temple Terrace, Florida 33637-0926

MONITORING & REPORTS Linden & Deer WTP		DUE	COMMENTS
Nitrate and Nitrite		2023	Sample at each POE every year. *
Primary Inorganics		2023	Sample at each POE every three years.
Secondaries		2023	Sample at each POE every three years.
Radiologicals	Gross Alpha	2026	Sample at each POE every three, six or nine years.
	Uranium	2026	Sample at each POE every three, six or nine years.
	Radium-226	2026	Sample at each POE every three, six or nine years.
	Radium-228	2026	Sample at each POE every three, six or nine years.
Volatile Organic Contaminants (VOCs)		2023	Sample at each POE every three years.
Synthetic Organic Contaminants (SOCs)		2 Quarters in 2023	Sample at each POE every three years, or submit SOC reduced monitoring waiver, if applicable. Use Form 62-560.545(2), F.A.C.



# FLORIDA DEPARTMENT OF Environmental Protection

**Ron DeSantis**  
Governor

**Jeanette Nuñez**  
Lt. Governor

**Shawn Hamilton**  
Secretary

Southwest District Office  
13051 North Telecom Parkway #101  
Temple Terrace, Florida 33637-0926

MONITORING & REPORTS Jamaica WTP		DUE	COMMENTS
Nitrate and Nitrite		2023	Sample at each POE every year. *
Primary Inorganics		2023	Sample at each POE every three years.
Secondaries		2023	Sample at each POE every three years.
Radiologicals	Gross Alpha	2026	Sample at each POE every three, six or nine years.
	Uranium	2023	Sample at each POE every three, six or nine years.
	Radium-226	2026	Sample at each POE every three, six or nine years.
	Radium-228	2026	Sample at each POE every three, six or nine years.
Volatile Organic Contaminants (VOCs)		2023	Sample at each POE every three years.
<b>Toluene (2991)</b>		<b>April-June 2023</b>	<b>Sample at each POE during Quarter indicated for three years (2021,2022 &amp; 2023).</b>
Synthetic Organic Contaminants (SOCs)		2 Quarters in 2023	Sample at each POE every three years, or submit SOC reduced monitoring waiver, if applicable. Use Form 62-560.545(2), F.A.C.

MONITORING & REPORTS Carte & Keyville WTP		DUE	COMMENTS
Nitrate and Nitrite		2023	Sample at each POE every year. *
Primary Inorganics		2023	Sample at each POE every three years.
Secondaries		2023	Sample at each POE every three years.
Radiologicals	Gross Alpha	2026	Sample at each POE every three, six or nine years.
	Uranium	2026	Sample at each POE every three, six or nine years.
	Radium-226	2026	Sample at each POE every three, six or nine years.

	Radium-228	2026	Sample at each POE every three, six or nine years.
Volatile Organic Contaminants (VOCs)		2023	Sample at each POE every three years.
Synthetic Organic Contaminants (SOCs)		2 Quarters in 2023	Sample at each POE every three years, or submit SOC reduced monitoring waiver, if applicable. Use Form 62-560.545(2), F.A.C.



# FLORIDA DEPARTMENT OF Environmental Protection

**Ron DeSantis**  
Governor

**Jeanette Nuñez**  
Lt. Governor

**Shawn Hamilton**  
Secretary

Southwest District Office  
13051 North Telecom Parkway #101  
Temple Terrace, Florida 33637-0926

MONITORING & REPORTS Eldridge WTP		DUE	COMMENTS
Nitrate and Nitrite		2023	Sample at each POE every year. *
Primary Inorganics		2023	Sample at each POE every three years.
Secondaries		2023	Sample at each POE every three years.
Radiologicals	Gross Alpha	2026	Sample at each POE every three, six or nine years.
	Uranium	2023	Sample at each POE every three, six or nine years.
	Radium-226	2026	Sample at each POE every three, six or nine years.
	Radium-228	2026	Sample at each POE every three, six or nine years.
Volatile Organic Contaminants (VOCs)		2023	Sample at each POE every three years.
Synthetic Organic Contaminants (SOCs)		2 Quarters in 2023	Sample at each POE every three years, or submit SOC reduced monitoring waiver, if applicable. Use Form 62-560.545(2), F.A.C.

MONITORING & REPORTS Gretna WTP		DUE	COMMENTS
Nitrate and Nitrite		2023	Sample at each POE every year. *
Primary Inorganics		2023	Sample at each POE every three years.
Secondaries		2023	Sample at each POE every three years.
Radiologicals	Gross Alpha	2026	Sample at each POE every three, six or nine years.
	Uranium	2026	Sample at each POE every three, six or nine years.
	Radium-226	2026	Sample at each POE every three, six or nine years.
	Radium-228	2026	Sample at each POE every three, six or nine years.
Volatile Organic Contaminants (VOCs)		2023	Sample at each POE every three years.
Toluene (2991)		April-June 2023	Sample at each POE during Quarter indicated for three years (2021,2022 & 2023).

Synthetic Organic Contaminants (SOCs)	2 Quarters in 2023	Sample at each POE every three years, or submit SOC reduced monitoring waiver, if applicable. Use Form 62-560.545(2), F.A.C.
---------------------------------------	--------------------	--



# FLORIDA DEPARTMENT OF Environmental Protection

**Ron DeSantis**  
Governor

**Jeanette Nuñez**  
Lt. Governor

**Shawn Hamilton**  
Secretary

Southwest District Office  
13051 North Telecom Parkway #101  
Temple Terrace, Florida 33637-0926

MONITORING & REPORTS Hexam Road WTP		DUE	COMMENTS
Nitrate and Nitrite		2023	Sample at each POE every year. *
Primary Inorganics		2023	Sample at each POE every three years.
Secondaries		2023	Sample at each POE every three years.
Radiologicals	Gross Alpha	2026	Sample at each POE every three, six or nine years.
	Uranium	2023	Sample at each POE every three, six or nine years.
	Radium-226	2023	Sample at each POE every three, six or nine years.
	Radium-228	2023	Sample at each POE every three, six or nine years.
Volatile Organic Contaminants (VOCs)		2023	Sample at each POE every three years.
Synthetic Organic Contaminants (SOCs)		2 Quarters in 2023	Sample at each POE every three years, or submit SOC reduced monitoring waiver, if applicable. Use Form 62-560.545(2), F.A.C.

\*POE = Point of entry to the distribution system. Sample at each POE that is representative of each source after treatment.

This is a good faith assessment of monitoring requirements for the above-referenced public water system for calendar year 2023 and may not include additional sampling required during the year due to special circumstances. If you have questions or disagree with the assessment, please contact the appropriate personnel at (813) 470-5700. Monitoring schedules are subject to change, at any time, based on results of analyses or other factors. This chart shall not relieve any person from any requirement of Florida law.

**It is important for you to provide this information to your operator and/or sampler:**

- It is strongly recommended that testing be conducted early in the monitoring period to allow time for retests due to possible sampling or lab errors. Annual and triennial sampling should be completed by 9/30/2023 to provide time for revisions, re-tests, and/or corrections.
- Test results must be submitted to DEP within the first ten days following the end of the required monitoring period, or the first ten days following the month in which the sample results were received, whichever time is the shortest. Failure to comply may result in enforcement.



# FLORIDA DEPARTMENT OF Environmental Protection

**Ron DeSantis**  
Governor

**Jeanette Nuñez**  
Lt. Governor

**Shawn Hamilton**  
Secretary

Southwest District Office  
13051 North Telecom Parkway #101  
Temple Terrace, Florida 33637-0926

# Meter	PLANT NAME 6277059	Last 5-Year Meter Calibration Date:	Recalibrate before:
WH-1	WEST HERNANDO	11/2022	11/2027
WH-2	WEST HERNANDO	10/2022	10/2027
WH-3	WEST HERNANDO	10/2022	10/2027
WH-4	WEST HERNANDO	10/2022	10/2027
WH-5	WEST HERNANDO	10/2022	10/2027
RH-1	ROYAL HIGHLANDS	09/2022	12/2027
SW-1	SOUTHWEST HERNANDO	10/2022	10/2027
SW-2	SOUTHWEST HERNANDO	10/2022	10/2027
SW-3	SOUTHWEST HERNANDO	10/2022	10/2027
SW-4	SOUTHWEST HERNANDO	05/2022	05/2027
SW-5	SOUTHWEST HERNANDO	05/2022	05/2027
SW-6	SOUTHWEST HERNANDO	05/2022	05/2027
SW-7	SOUTHWEST HERNANDO	05/2022	05/2027
KI-3	KILLIAN	09/2022	09/2027
KI-4	KILLIAN	08/2022	08/2027
AB-1	ANTELOPE	08/2022	08/2027
AB-2	ANTELOPE	08/2022	08/2027
LD-1	LINDEN & DEER STREET	05/2022	05/2027
LD-2	LINDEN & DEER STREET	03/2022	03/2027
LD-3	LINDEN & DEER STREET	08/2022	08/2027
JA-1	JAMAICA	07/2022	07/2027
JA-2	JAMAICA	06/2022	06/2027
CK-1	CARTEE & KEYSVILLE	08/2022	08/2027
CK-2	CARTEE & KEYSVILLE	08/2022	08/2027
CK-3	CARTEE & KEYSVILLE	08/2022	08/2027
EL-1	ELDRIDGE	03/2022	03/2027



# FLORIDA DEPARTMENT OF Environmental Protection

**Ron DeSantis**  
Governor

**Jeanette Nuñez**  
Lt. Governor

**Shawn Hamilton**  
Secretary

Southwest District Office  
13051 North Telecom Parkway #101  
Temple Terrace, Florida 33637-0926

EL-4	ELDRIDGE	03/2022	03/2027
GR-1	GRETNA	03/2022	03/2027
GR-2	GRETNA	03/2022	03/2027
GR-3	GRETNA	03/2022	03/2027
HR-1	HEXAM ROAD	05/2022	05/2027
HR-2	HEXAM ROAD	05/2022	05/2027



# FLORIDA DEPARTMENT OF Environmental Protection

Southwest District Office  
13051 North Telecom Parkway #101  
Temple Terrace, Florida 33637-0926

**Ron DeSantis**  
Governor

**Jeanette Nuñez**  
Lt. Governor

**Shawn Hamilton**  
Secretary



# FLORIDA DEPARTMENT OF Environmental Protection

**Ron DeSantis**  
Governor

**Jeanette Nuñez**  
Lt. Governor

**Shawn Hamilton**  
Secretary

Southwest District Office  
13051 North Telecom Parkway #101  
Temple Terrace, Florida 33637-0926

## 2023 Chemical Monitoring for Community Systems

System Name: Hernando County Util- East

PWS-ID No. 6277060

MONITORING & REPORTS- Systemwide	DUE	COMMENTS
Distribution Microbiological ("Bacteriological")	Monthly	8 Distribution Samples per month. Disinfectant residuals must be reported.
Raw Water Microbiological ("Bacteriological")	Monthly	Sample each non 4-log approved well monthly.
Stage II Disinfection Byproducts (DBPs) <i>Total Trihalomethanes &amp; Haloacetic Acids (5)</i>	2023	Sample according to approved Stage 2 D/DBPR Monitoring Plan.
Asbestos	2029	Certification or results due every nine years. Use Form 62-555.900(10), F.A.C.
Lead & Copper	June - Sept 2023	Sample from sites approved on the Lead and Copper Sampling Plan every three years.
Water Quality Parameters (WQP)	June - Sept 2023	Sample from sites approved on the Lead & Copper Sampling Plan annually.
Consumer Confidence Report (CCR) & CCR Certification of Delivery	July 1, 2023	CCR must be delivered by July 1, 2021. The CCR Certification of Delivery must be submitted to the Department by August 10, 2021. Use Form 62-555.900(alternate 19), F.A.C.
Cross-Connection Control Annual Report	March 31, 2023	Complete and submit DEP form 62-555.900(13).
Meter(s) Calibration	Last Calibration: See Table below	Pursuant to 62-555.350(2) F.A.C. requires that water systems maintain and calibrate master meters in accordance to manufacturer specifications at no less than interval of every 5 years.

MONITORING & REPORTS Ridge Manor West WTP#1	DUE	COMMENTS	
Nitrate and Nitrite	2023	Sample at each POE every year. *	
Primary Inorganics	2023	Sample at each POE every three years.	
Secondaries	2023	Sample at each POE every three years.	
Radiologicals	Gross Alpha	2026	Sample at each POE every three, six or nine years.
	Uranium	2023	Sample at each POE every three, six or nine years.
	Radium-226	2026	Sample at each POE every three, six or nine years.
	Radium-228	2026	Sample at each POE every three, six or nine years.
Volatile Organic Contaminants (VOCs)	2023	Sample at each POE every three years.	
Synthetic Organic Contaminants (SOCs)	2 Quarters in 2023	Sample at each POE every three years, or submit SOC reduced monitoring waiver, if applicable. Use Form 62-560.545(2), F.A.C.	



# FLORIDA DEPARTMENT OF Environmental Protection

**Ron DeSantis**  
Governor

**Jeanette Nuñez**  
Lt. Governor

**Shawn Hamilton**  
Secretary

Southwest District Office  
13051 North Telecom Parkway #101  
Temple Terrace, Florida 33637-0926

MONITORING & REPORTS Ridge Manor South WTP#3		DUE	COMMENTS
Nitrate and Nitrite		2023	Sample at each POE every year. *
Primary Inorganics		2023	Sample at each POE every three years.
Secondaries		2023	Sample at each POE every three years.
Radiologicals	Gross Alpha	2026	Sample at each POE every three, six or nine years.
	Uranium	2023	Sample at each POE every three, six or nine years.
	Radium-226	2026	Sample at each POE every three, six or nine years.
	Radium-228	2026	Sample at each POE every three, six or nine years.
Volatile Organic Contaminants (VOCs)		2023	Sample at each POE every three years.
Synthetic Organic Contaminants (SOCs)		2 Quarters in 2023	Sample at each POE every three years, or submit SOC reduced monitoring waiver, if applicable. Use Form 62-560.545(2), F.A.C.

MONITORING & REPORTS Lockhart Support Well (East Hernando) WTP#5		DUE	COMMENTS
Nitrate and Nitrite		2023	Sample at each POE every year. *
Primary Inorganics		2023	Sample at each POE every three years.
Secondaries		2023	Sample at each POE every three years.
Radiologicals	Gross Alpha	2026	Sample at each POE every three, six or nine years.
	Uranium	2023	Sample at each POE every three, six or nine years.
	Radium-226	2023	Sample at each POE every three, six or nine years.
	Radium-228	2023	Sample at each POE every three, six or nine years.
Volatile Organic Contaminants (VOCs)		2023	Sample at each POE every three years.
Toluene (2991)		April-June 2023	Sample at each POE during Quarter indicated for three years (2021,2022 & 2023).
Synthetic Organic Contaminants (SOCs)		2 Quarters in 2023	Sample at each POE every three years, or submit SOC reduced monitoring waiver, if applicable. Use Form 62-560.545(2), F.A.C.



# FLORIDA DEPARTMENT OF Environmental Protection

**Ron DeSantis**  
Governor

**Jeanette Nuñez**  
Lt. Governor

**Shawn Hamilton**  
Secretary

Southwest District Office  
13051 North Telecom Parkway #101  
Temple Terrace, Florida 33637-0926

MONITORING & REPORTS Hill-N-Dale WTP#7		DUE	COMMENTS
Nitrate and Nitrite		2022	Sample at each POE every year. *
Primary Inorganics		2023	Sample at each POE every three years.
Secondaries		2023	Sample at each POE every three years.
Radiologicals	Gross Alpha	2026	Sample at each POE every three, six or nine years.
	Uranium	2026	Sample at each POE every three, six or nine years.
	Radium-226	2023	Sample at each POE every three, six or nine years.
	Radium-228	2023	Sample at each POE every three, six or nine years.
Volatile Organic Contaminants (VOCs)		2023	Sample at each POE every three years.
Synthetic Organic Contaminants (SOCs)		2 Quarters in 2023	Sample at each POE every three years, or submit SOC reduced monitoring waiver, if applicable. Use Form 62-560.545(2), F.A.C.

MONITORING & REPORTS Rolling Acres WTP#5		DUE	COMMENTS
Nitrate and Nitrite		2023	Sample at each POE every year. *
Primary Inorganics		2023	Sample at each POE every three years.
Secondaries		2023	Sample at each POE every three years.
Radiologicals	Gross Alpha	2026	Sample at each POE every three, six or nine years.
	Uranium	2026	Sample at each POE every three, six or nine years.
	Radium-226	2026	Sample at each POE every three, six or nine years.
	Radium-228	2026	Sample at each POE every three, six or nine years.
Volatile Organic Contaminants (VOCs)		2023	Sample at each POE every three years.
Toluene (2991)		April-June 2023	Sample at each POE during Quarter indicated for three years (2021,2022 & 2023).
Synthetic Organic Contaminants (SOCs)		2 Quarters in 2023	Sample at each POE every three years, or submit SOC reduced monitoring waiver, if applicable. Use Form 62-560.545(2), F.A.C.

\*POE = Point of entry to the distribution system. Sample at each POE that is representative of each source after treatment.



# FLORIDA DEPARTMENT OF Environmental Protection

**Ron DeSantis**  
Governor

**Jeanette Nuñez**  
Lt. Governor

**Shawn Hamilton**  
Secretary

Southwest District Office  
13051 North Telecom Parkway #101  
Temple Terrace, Florida 33637-0926

PLANT #	PLANT NAME	LAST CALIBRATION DATE	NEXT 5-CALIBRATION DUE
RM-West	RIDGE MANOR WEST #1	05/2022	05/2027
RM-South	RIDGE MANOR SOUTH	09/2022	09/2027
LH-1	EAST HERNANDO (LOCKHART)	08/2022	08/2027
HD-1	HILL N DALE	09/2022	09/2027
HD-2	HILL N DALE	09/2022	09/2027
RA-1	ROLLING ACRES PLANT	05/2022	05/2027

This is a good faith assessment of monitoring requirements for the above-referenced public water system for calendar year 2023 and may not include additional sampling required during the year due to special circumstances. If you have questions or disagree with the assessment, please contact the appropriate personnel at (813) 470-5700. Monitoring schedules are subject to change, at any time, based on results of analyses or other factors. This chart shall not relieve any person from any requirement of Florida law.

**It is important for you to provide this information to your operator and/or sampler:**

- **It is strongly recommended that testing be conducted early in the monitoring period to allow time for retests due to possible sampling or lab errors. Annual and triennial sampling should be completed by 9/30/2023 to provide time for revisions, retests, and/or corrections.**
- **Test results must be submitted to DEP within the first ten days following the end of the required monitoring period, or the first ten days following the month in which the sample results were received, whichever time is the shortest. Failure to comply may result in enforcement action.**



# FLORIDA DEPARTMENT OF Environmental Protection

**Ron DeSantis**  
Governor

**Jeanette Nuñez**  
Lt. Governor

**Shawn Hamilton**  
Secretary

Southwest District Office  
13051 North Telecom Parkway #101  
Temple Terrace, Florida 33637-0926

## 2023 Chemical Monitoring for NTNC

Water System: World Woods Golf Club

PWS-ID No. 6277063

MONITORING & REPORTS		DUE	COMMENTS
Raw Water Microbiological ("Bacteriological")		Quarterly	1 Raw Water Sample per well.
Distribution Microbiological ("Bacteriological")		Quarterly	1 Distribution Sample per quarter. Disinfectant residuals must be reported.
Nitrate and Nitrite		2023	Sample at each POE every year. *
Primary Inorganics		2025	Sample at each POE every three years.
Radiologicals	Gross Alpha	Waived	Sample at each POE every quarterly, six, nine years, or Waived use of Grandfather Data (date of sample)
	Uranium	Waived	Sample at each POE every quarterly, six, nine years, or Waived use of Grandfather Data (date of sample)
	Radium-226	Waived	Sample at each POE every quarterly, six, nine years, or Waived use of Grandfather Data (date of sample)
	Radium-228	Waived	Sample at each POE every quarterly, six, nine years, or Waived use of Grandfather Data (date of sample)
Volatile Organic Contaminants (VOCs)		2025	Sample at each POE every three years.
Synthetic Organic Contaminants (SOCs)		2025	Sample at each POE every three years, or submit SOC reduced monitoring waiver, if applicable. Use Form 62-560.545(2), F.A.C.
Stage II Disinfection Byproducts (DBPs) <i>Total Trihalomethanes &amp; Haloacetic Acids (5)</i>		July-Sept. 2025	Sample according to approved Stage 2 D/DBPR Monitoring Plan.
Asbestos		2031	Certification or results due every nine years. Use Form 62-555.900(10), F.A.C.
Lead & Copper		June - Sept 2025	Sample from sites approved on the Lead and Copper Sampling Plan every three years.
Tank(s) Inspection & cleaning: 10,000 gal. HST & 110,000 gal. GST		Last 5-year Inspection: 2020/02 & 2020/09	Pursuant to 62-555.350(2) F.A.C. all finished drinking water storage tanks with access manholes shall be inspected and cleaned at a maximum interval of every 5 years.
Meter(s) Calibration		Due: 2028	Pursuant to 62-555.350(2) F.A.C. requires that water systems maintain and calibrate master meters in accordance to manufacturer specifications at no less than interval of every 5 years.

\*POE = Point of entry to the distribution system. Sample at each POE that is representative of each source after treatment.

This is a good faith assessment of monitoring requirements for the above-referenced public water system for calendar year 2023 and may not include additional sampling required during the year due to special circumstances. If you have questions or disagree with the assessment, please contact the appropriate personnel at (813) 470-5700. Monitoring schedules are subject to change, at any time, based on results of analyses or other factors. This chart shall not relieve any person from any requirement of Florida law.

**It is important for you to provide this information to your operator and/or sampler:**

- **It is strongly recommended that testing be conducted early in the monitoring period to allow time for retests due to possible sampling or lab errors. Annual and triennial sampling should be completed by 9/30/2023 to provide time for revisions, re-tests, and/or corrections.**
- **Test results must be submitted to DEP within the first ten days following the end of the required monitoring period, or the first ten days following the month in which the sample results were received, whichever time is the shortest. Failure to comply may result in enforcement action**



# FLORIDA DEPARTMENT OF Environmental Protection

**Ron DeSantis**  
Governor

**Jeanette Nuñez**  
Lt. Governor

**Shawn Hamilton**  
Secretary

Southwest District Office  
13051 North Telecom Parkway #101  
Temple Terrace, Florida 33637-0926

## 2023 Chemical Monitoring for Community Systems

System Name: Hernando County Utilities – Seville

PWS-ID No. 6277064

MONITORING & REPORTS		DUE	COMMENTS
Raw Water Microbiological (“Bacteriological”)		Monthly	1 Raw Water Sample per well.
Distribution Microbiological (“Bacteriological”)		Monthly	1 Distribution Samples per month. Disinfectant residuals must be reported.
Nitrate and Nitrite		2023	Sample at each POE every year.*
Primary Inorganics		2024	Sample at each POE every three years.
Secondaries		2024	Sample at each POE every three years.
Radiologicals	Gross Alpha	2024	Sample at each POE every three, six or nine years.
	Uranium	2024	Sample at each POE every three, six or nine years.
	Radium-226	2024	Sample at each POE every three, six or nine years.
	Radium-228	2024	Sample at each POE every three, six or nine years.
Volatile Organic Contaminants (VOCs)		2024	Sample at each POE every three years.
Synthetic Organic Contaminants (SOCs)		2024	Sample at each POE every three years, or submit SOC reduced monitoring waiver, if applicable. Use Form 62-560.545(2), F.A.C.
Stage II Disinfection Byproducts (DBPs) <i>Total Trihalomethanes &amp; Haloacetic Acids (5)</i>		July - Sept 2024	Sample according to approved Stage 2 D/DBPR Monitoring Plan.
Asbestos		2029	Certification or results due every nine years. Use Form 62-555.900(10), F.A.C.
Lead & Copper		June-September 2024	Sample from sites approved on the Lead and Copper Sampling Plan every three years.
Consumer Confidence Report (CCR) & CCR Certification of Delivery		2023	CCR must be delivered by July 1, 2022. The CCR Certification of Delivery must be submitted to the Department by August 10, 2022. Use Form 62-555.900(alternate 19), F.A.C.
Tank(s) Inspection & cleaning: 10,000 gal. HST & 750,000 gal. GST		Due: 01/2025 & 06/2025	Pursuant to 62-555.350(2) F.A.C. all finished drinking water storage tanks with access manholes shall be inspected and cleaned at a maximum interval of every 5 years.

\*POE = Point of entry to the distribution system. Sample at each POE that is representative of each source after treatment.

This is a good faith assessment of monitoring requirements for the above-referenced public water system for calendar year 2023 and may not include additional sampling required during the year due to special circumstances. If you have questions or disagree with the assessment, please contact the appropriate personnel at (813) 470-5700. Monitoring schedules are subject to change, at any time, based on results of analyses or other factors. This chart shall not relieve any person from any requirement of Florida law.

**It is important for you to provide this information to your operator and/or sampler:**

- **It is strongly recommended that testing be conducted early in the monitoring period to allow time for retests due to possible sampling or lab errors. Annual and triennial sampling should be completed by 9/30/2023 to provide time for revisions, re-tests, and/or corrections.**
- **Test results must be submitted to DEP within the first ten days following the end of the required monitoring period, or the first ten days following the month in which the sample results were received, whichever time is the shortest. Failure to comply may result in enforcement action.**



# FLORIDA DEPARTMENT OF Environmental Protection

**Ron DeSantis**  
Governor

**Jeanette Nuñez**  
Lt. Governor

**Shawn Hamilton**  
Secretary

Southwest District Office  
13051 North Telecom Parkway #101  
Temple Terrace, Florida 33637-0926

## 2023 Chemical Monitoring for NTNC

Water System: The Challenge Program

PWS-ID No. 6277083

MONITORING & REPORTS		DUE	COMMENTS
Raw Water Microbiological ("Bacteriological")		Quarterly	1 Raw Water Sample per well.
Distribution Microbiological ("Bacteriological")		Quarterly	1 Distribution Sample per quarter. Disinfectant residuals must be reported.
Nitrate and Nitrite		2023	Sample at each POE every year. *
Primary Inorganics		2025	Sample at each POE every three years.
Radiologicals	Gross Alpha	Waived until Dec 31, 2025	Sample at each POE every quarterly, six, nine years, or Waived use of Grandfather Data (date of sample)
	Uranium	Waived until Dec 31, 2025	Sample at each POE every quarterly, six, nine years, or Waived use of Grandfather Data (date of sample)
	Radium-226	Waived until Dec 31, 2025	Sample at each POE every quarterly, six, nine years, or Waived use of Grandfather Data (date of sample)
	Radium-228	Waived until Dec 31, 2025	Sample at each POE every quarterly, six, nine years, or Waived use of Grandfather Data (date of sample)
Volatile Organic Contaminants (VOCs)		2025	Sample at each POE every three years.
Synthetic Organic Contaminants (SOCs)		2025	Sample at each POE every three years, or submit SOC reduced monitoring waiver, if applicable. Use Form 62-560.545(2), F.A.C.
Stage II Disinfection Byproducts (DBPs) <i>Total Trihalomethanes &amp; Haloacetic Acids (5)</i>		July-Sept 2023	Sample according to approved Stage 2 D/DBPR Monitoring Plan.
Asbestos		2031	Certification or results due every nine years. Use Form 62-555.900(10), F.A.C.
Lead & Copper		June - Sept 2025	Sample from sites approved on the Lead and Copper Sampling Plan every three years.

\*POE = Point of entry to the distribution system. Sample at each POE that is representative of each source after treatment.

This is a good faith assessment of monitoring requirements for the above-referenced public water system for calendar year 2023 and may not include additional sampling required during the year due to special circumstances. If you have questions or disagree with the assessment, please contact the appropriate personnel at (813) 470-5700. Monitoring schedules are subject to change, at any time, based on results of analyses or other factors. This chart shall not relieve any person from any requirement of Florida law.

**It is important for you to provide this information to your operator and/or sampler:**

- **It is strongly recommended that testing be conducted early in the monitoring period to allow time for retests due to possible sampling or lab errors. Annual and triennial sampling should be completed by 9/30/2023 to provide time for revisions, retests, and/or corrections.**
- **Test results must be submitted to DEP within the first ten days following the end of the required monitoring period, or the first ten days following the month in which the sample results were received, whichever time is the shortest. Failure to comply may result in enforcement action.**



# FLORIDA DEPARTMENT OF Environmental Protection

**Ron DeSantis**  
Governor

**Jeanette Nuñez**  
Lt. Governor

**Shawn Hamilton**  
Secretary

Southwest District Office  
13051 North Telecom Parkway #101  
Temple Terrace, Florida 33637-0926

## 2023 Chemical Monitoring for NTNC

Water System: Holy Trinity Seminary and Chapel

PWS-ID No. 6277099

MONITORING & REPORTS		DUE	COMMENTS
Raw Water Microbiological ("Bacteriological")		Quarterly	1 Raw Water Sample per well.
Distribution Microbiological ("Bacteriological")		Quarterly	1 Distribution Sample per quarter. Disinfectant residuals must be reported.
Nitrate and Nitrite		2023	Sample at each POE every year. *
Primary Inorganics		2025	Sample at each POE every three years.
Radiologicals	Gross Alpha	2025	Sample at each POE every quarterly, six, nine years, or Waived use of Grandfather Data (date of sample)
	Uranium	2025	Sample at each POE every quarterly, six, nine years, or Waived use of Grandfather Data (date of sample)
	Radium-226	2025	Sample at each POE every quarterly, six, nine years, or Waived use of Grandfather Data (date of sample)
	Radium-228	2025	Sample at each POE every quarterly, six, nine years, or Waived use of Grandfather Data (date of sample)
Volatile Organic Contaminants (VOCs)		2025	Sample at each POE every three years.
Dichloromethane		Quarterly	
Synthetic Organic Contaminants (SOCs)		2025	Sample at each POE every three years, or submit SOC reduced monitoring waiver, if applicable. Use Form 62-560.545(2), F.A.C.
Stage II Disinfection Byproducts (DBPs) <i>Total Trihalomethanes &amp; Haloacetic Acids (5)</i>		July-Sept. 2024	Sample according to approved Stage 2 D/DBPR Monitoring Plan.
Asbestos		2031	Certification or results due every nine years. Use Form 62-555.900(10), F.A.C.
Lead & Copper		June - Sept 2025	Sample from sites approved on the Lead and Copper Sampling Plan every three years.
Flow Meter Calibration		Due	Pursuant to 62-555.350(2) F.A.C. requires that water systems maintain and calibrate master meters in accordance to manufacturer specifications at no less than interval of every 5 years.
Tank(s) Inspection & cleaning		Due : 08/2025	Pursuant to 62-555.350(2) F.A.C. all finished drinking water storage tanks with access manholes shall be inspected and cleaned at a maximum interval of every 5 years.

\*POE = Point of entry to the distribution system. Sample at each POE that is representative of each source after treatment.

This is a good faith assessment of monitoring requirements for the above-referenced public water system for calendar year 2023 and may not include additional sampling required during the year due to special circumstances. If you have questions or disagree with the assessment, please contact the appropriate personnel at (813) 470-5700. Monitoring schedules are subject to change, at any time, based on results of analyses or other factors. This chart shall not relieve any person from any requirement of Florida law.

**It is important for you to provide this information to your operator and/or sampler:**

- **It is strongly recommended that testing be conducted early in the monitoring period to allow time for retests due to possible sampling or lab errors. Annual and triennial sampling should be completed by 9/30/2023 to provide time for revisions, re-tests, and/or corrections.**
- **Test results must be submitted to DEP within the first ten days following the end of the required monitoring period, or the first ten days following the month in which the sample results were received, whichever time is the shortest. Failure to comply may result in enforcement action. 2021 Chemical Monitoring for NTNC**



# FLORIDA DEPARTMENT OF Environmental Protection

**Ron DeSantis**  
Governor

**Jeanette Nuñez**  
Lt. Governor

**Shawn Hamilton**  
Secretary

Southwest District Office  
13051 North Telecom Parkway #101  
Temple Terrace, Florida 33637-0926

## 2023 Chemical Monitoring for NTNC

Water System: Massey Services Inc

PWS-ID No. 6277100

MONITORING & REPORTS		DUE	COMMENTS
Raw Water Microbiological ("Bacteriological")		Quarterly	1 Raw Water Sample per well.
Distribution Microbiological ("Bacteriological")		Quarterly	1 Distribution Sample per quarter. Disinfectant residuals must be reported.
Nitrate and Nitrite		2023	Sample at each POE every year. *
Primary Inorganics		2025	Sample at each POE every three years.
Radiologicals	Gross Alpha	2025	Sample at each POE every quarterly, six, nine years, or Waived use of Grandfather Data (date of sample)
	Uranium	2025	Sample at each POE every quarterly, six, nine years, or Waived use of Grandfather Data (date of sample)
	Radium-226	2025	Sample at each POE every quarterly, six, nine years, or Waived use of Grandfather Data (date of sample)
	Radium-228	2025	Sample at each POE every quarterly, six, nine years, or Waived use of Grandfather Data (date of sample)
Volatile Organic Contaminants (VOCs)		2025	Sample at each POE every three years.
Synthetic Organic Contaminants (SOCs)		2025	Sample at each POE every three years, or submit SOC reduced monitoring waiver, if applicable. Use Form 62-560.545(2), F.A.C.
Stage II Disinfection Byproducts (DBPs) <i>Total Trihalomethanes &amp; Haloacetic Acids (5)</i>		July-Sept. 2025	Sample according to approved Stage 2 D/DBPR Monitoring Plan.
Asbestos		2025	Certification or results due every nine years. Use Form 62-555.900(10), F.A.C.
Lead & Copper		June - Sept 2025	Sample from sites approved on the Lead and Copper Sampling Plan every three years.
Meter(s) Calibration		Due: 02/2025	Pursuant to 62-555.350(2) F.A.C. requires that water systems maintain and calibrate master meters in accordance to manufacturer specifications at no less than interval of every 5 years.
Tank(s) Inspection & Cleaning		N/A- No hatch	Pursuant to 62-555.350(2) F.A.C. all finished drinking water storage tanks with access manholes shall be inspected and cleaned at a maximum interval of every 5 years.

\*POE = Point of entry to the distribution system. Sample at each POE that is representative of each source after treatment.

This is a good faith assessment of monitoring requirements for the above-referenced public water system for calendar year 2023 and may not include additional sampling required during the year due to special circumstances. If you have questions or disagree with the assessment, please contact the appropriate personnel at (813) 470-5700. Monitoring schedules are subject to change, at any time, based on results of analyses or other factors. This chart shall not relieve any person from any requirement of Florida law.

**It is important for you to provide this information to your operator and/or sampler:**

- **It is strongly recommended that testing be conducted early in the monitoring period to allow time for retests due to possible sampling or lab errors. Annual and triennial sampling should be completed by 9/30/2023 to provide time for revisions, retests, and/or corrections.**

**Test results must be submitted to DEP within the first ten days following the end of the required monitoring period, or the first ten days following the month in which the sample results were received, whichever time is the shortest. Failure to comply may result in enforcement action.**