

Southwest District Office 13051 North Telecom Parkway #101 Temple Terrace, Florida 33637-0926 Jeanette Nuñez Lt. Governor

Shawn Hamilton Secretary

2023 Chemical Monitoring for Community Systems

Belleair Water Plant			PWS-ID No. 6520135
MONITORING & REPORTS		DUE	COMMENTS
Microbiological ("Ba	acteriological")	Monthly	6 Distribution samples per month. Disinfectant residuals must be reported.
Nitrate and Nitrite		2023	Sample at each POE every year. *
Primary Inorganics		2023	Sample at each POE every three years.
Secondaries		2023	Sample at each POE every three years.
Radiologicals	Gross Alpha	2026	Sample at each POE every three, six or nine years.
	Uranium	2029	Sample at each POE every three, six or nine years.
	Radium-226	2026	Sample at each POE every three, six or nine years.
	Radium-228	2026	Sample at each POE every three, six or nine years.
Volatile Organic Co	ntaminants (VOCs)	2023	Sample at each POE every three years.
Synthetic Organic Contaminants (SOCs)		2 Quarters in 2023	Sample at each POE every three years, or submit SOC reduced monitoring waiver, if applicable. Use Form 62-560 .545(2), F.A.C.
Stage II Disinfection Byproducts (DBPs) Total Trihalomethanes & Haloacetic Acids (5)		Quarterly 2023	Sample according to approved Stage 2 D/DBPR Moni toring Plan.
Asbestos		2029	Certification or results due every nine years. Use Form 62-555.900(10), F.A.C.
Lead & Copper		June – Sept 2023	Sample from sites approved on the Lead and Copper Sampling Plan every three years.
Consumer Confidence Report (CCR) & CCR Certification of Delivery		July 1, 2023	CCR must be delivered by July 1, 2023. The CCR Certification of Delivery must be submitted to the Department by August 10, 2023. Use Form 62-555.900(alternate 19), F.A.C.
Tank(s) Inspection & cleaning		Due: December 2024	Pursuant to 62-555.350(2) F.A.C. all finished drinking water storage tanks with access manholes shall be inspected and cleaned at a maximum interval of every 5 years.
Meter(s) Calibration		Due: <b>July 2022 &amp;</b> October 2024	Pursuant to 62-555.350(2) F.A.C. requires that water systems maintain and calibrate master meters in accordance to manufacturer specifications at no less than interval of every 5 years.

\*POE = Point of entry to the distribution system. Sample at each POE that is representative of each source after treatment.

This is a good faith assessment of monitoring requirements for the above-referenced public water system for calendar year 2023 and may not include additional sampling required during the year due to special circumstances. If you have questions or disagree with the assessment, please contact the appropriate personnel at (813) 470-5700. Monitoring schedules are subject to change, at any time, based on results of analyses or other factors. This chart shall not relieve any person from any requirement of Florida law.

- It is strongly recommended that testing be conducted early in the monitoring period to allow time for retests due to possible sampling or lab errors. Annual and triennial sampling should be completed by <u>9/30/2023</u> to provide time for revisions, re-tests, and/or corrections.
- > Test results must be submitted to DEP within the first ten days following the end of the required monitoring period, or the first ten days following the month in which the sample results were received, whichever time is the shortest. Failure to comply may result in enforcement action.



**~**1

# FLORIDA DEPARTMENT OF Environmental Protection

Southwest District Office 13051 North Telecom Parkway #101 Temple Terrace, Florida 33637-0926 Jeanette Nuñez Lt. Governor

Shawn Hamilton Secretary

2023 Chemical Monitoring for Community Systems

Clearwater Water System (Systemwide)		PWS-ID No. 6520336
MONITORING & REPORTS	DUE	COMMENTS
Microbiological ("Bacteriological")	Monthly	100 Distribution samples per month. Disinfectant residuals must be reported.
Stage II Disinfection Byproducts (DBPs) Total Trihalomethanes & Haloacetic Acids (5)	Quarterly 2023	Sample according to approved Stage 2 D/DBPR Monitoring Plan.
Asbestos	2029	Certification or results due every nine years. Use Form 62-555.900(10), F.A.C.
Lead & Copper	June-September 2023	Sample from sites approved on the Lead and Copper Sampling Plan every three years.
Water Quality Parameters (WQP)	June-September 2023	Sample from sites approved on the Lead and Copper Sampling Plan every three years.
Cross-Connection Control Annual Report	March 31, 2023	Complete and submit DEP form 62-555.900(13).
Consumer Confidence Report (CCR) & CCR Certification of Delivery	July 1, 2023	CCR must be delivered by July 1, 2023. The CCR Certification of Delivery must be submitted to the Department by August 10, 2023. Use Form 62-555.900(alternate 19), F.A.C.

### Clearwater Water System (Palmetto Street WTP #1)

MONITORING & REPORTS		DUE	COMMENTS
Nitrate and Nitrit	re -	2023	Sample at POE every year. *
Primary Inorganics		2023	Sample at each POE every three years.
Secondaries		2023	Sample at each POE every three years.
Radiologicals	Gross Alpha	2026	Sample at each POE every three, six or nine years.
	Uranium	2029	Sample at each POE every three, six or nine years.
	Radium-226	2026	Sample at each POE every three, six or nine years.
	Radium-228	2026	Sample at each POE every three, six or nine years.
Volatile Organic Contaminants (VOCs)		2023	Sample at each POE every three years.
Cis-1,2-Dichloroethylene (2380)		2023	Sample at each POE every year. *
Toluene (2991)		2023	Sample at each POE every year. *
Synthetic Organic Contaminants (SOCs)		2 Quarters in 2023	Sample at each POE every three years, or submit SOC reduced monitoring waiver, if applicable. Use Form 62-560.545(2), F.A.C.



Southwest District Office 13051 North Telecom Parkway #101 Temple Terrace, Florida 33637-0926 Jeanette Nuñez Lt. Governor

Shawn Hamilton Secretary

### Clearwater Water System (US 19 WTP #2)

MONITORING & REPORTS		DUE	COMMENTS
Nitrate and Nitrite		2023	Sample at POE every year. *
Primary Inorganic	Primary Inorganics		Sample at each POE every three years.
Secondaries	Secondaries		Sample at each POE every three years.
Radiologicals	Gross Alpha	2029	Sample at each POE every three, six or nine years.
	Uranium	2029	Sample at each POE every three, six or nine years.
	Radium-226	2029	Sample at each POE every three, six or nine years.
	Radium-228	2029	Sample at each POE every three, six or nine years.
Volatile Organic Contaminants (VOCs)		2023	Sample at each POE every three years.
Synthetic Organic Contaminants (SOCs)		2 Quarters in 2023	Sample at each POE every three years, or submit SOC reduced monitoring waiver, if applicable. Use Form 62-560.545(2), F.A.C.

### Clearwater Water System (SR 580 WTP #3)

MONITORING & REPORTS		DUE	COMMENTS
Nitrate and Nitrite		2023	Sample at POE every year. *
Primary Inorganics		2023	Sample at each POE every three years.
Secondaries		2023	Sample at each POE every three years.
Radiologicals	Gross Alpha	2029	Sample at each POE every three, six or nine years.
	Uranium	2029	Sample at each POE every three, six or nine years.
	Radium-226	2026	Sample at each POE every three, six or nine years.
	Radium-228	2026	Sample at each POE every three, six or nine years.
Volatile Organic Contaminants (VOCs)		2023	Sample at each POE every three years.
Toluene (2991)		2023	Sample at POE every year. *
Synthetic Organic Contaminants (SOCs)		2 Quarters in 2023	Sample at each POE every three years, or submit SOC reduced monitoring waiver, if applicable. Use Form 62-560.545(2), F.A.C.

\*POE = Point of entry to the distribution system. Sample at each POE that is representative of each source after treatment.



Southwest District Office 13051 North Telecom Parkway #101 Temple Terrace, Florida 33637-0926 Jeanette Nuñez Lt. Governor

Shawn Hamilton Secretary

This is a good faith assessment of monitoring requirements for the above-referenced public water system for calendar year 2023 and may not include additional sampling required during the year due to special circumstances. If you have questions or disagree with the assessment, please contact the appropriate personnel at (813) 470-5700. Monitoring schedules are subject to change, at any time, based on results of analyses or other factors. This chart shall not relieve any person from any requirement of Florida law.

- It is strongly recommended that testing be conducted early in the monitoring period to allow time for retests due to possible sampling or lab errors. Annual and triennial sampling should be completed by <u>9/30/2023</u> to provide time for revisions, retests, and/or corrections.
- > Test results must be submitted to DEP within the first ten days following the end of the required monitoring period, or the first ten days following the month in which the sample results were received, whichever time is the shortest. Failure to comply may result in enforcement action.



Southwest District Office 13051 North Telecom Parkway #101 Temple Terrace, Florida 33637-0926 Jeanette Nuñez Lt. Governor

Shawn Hamilton Secretary

2023 Chemical Monitoring for Community Systems

Dunedin Water System			PWS-ID No. 6520486
MONITORING & REPORTS		DUE	COMMENTS
Microbiological ("Bacteriological")		Monthly	50 Distribution samples per month. Disinfectant residuals must be reported.
Nitrate and Nitrite		2023	Sample at each POE every year. *
Primary Inorganics		2023	Sample at each POE every three years.
Secondaries		2023	Sample at each POE every three years.
Radiologicals	Gross Alpha	2029	Sample at each POE every three, six or nine years.
	Uranium	2029	Sample at each POE every three, six or nine years.
	Radium-226	2029	Sample at each POE every three, six or nine years.
	Radium-228	2029	Sample at each POE every three, six or nine years.
Volatile Organic Co	ntaminants (VOCs)	2023	Sample at each POE every three years.
Synthetic Organic C	Synthetic Organic Contaminants (SOCs)		Sample at each POE every three years, or submit SOC reduced monitoring waiver, if applicable. Use Form 62-560.545(2), F.A.C.
Stage II Disinfection Byproducts (DBPs) Total Trihalomethanes & Haloacetic Acids (5)		Quarterly 2023	Sample according to approved Stage 2 D/DBPR Monitoring Plan.
Asbestos			Certification or results due every nine years. Use Form 62-555.900(10), F.A.C.
Lead & Copper		June – Sept 2023	Sample from sites approved on the Lead and Copper Sampling Plan every three years.
Cross-Connection Control Annual Report (2019)		March 31, 2023	Complete and submit DEP form 62-555.900(13).
Consumer Confidence Report (CCR) & CCR Certification of Delivery		July 1, 2023	CCR must be delivered by July 1, 2023. The CCR Certification of Delivery must be submitted to the Department by August 10, 2023. Use Form 62-555.900(alternate 19), F.A.C.
Tank(s) Inspection & cleaning		Due: November 2024	Pursuant to 62-555.350(2) F.A.C. all finished drinking water storage tanks with access manholes shall be inspected and cleaned at a maximum interval of every 5 years.

\*POE = Point of entry to the distribution system. Sample at each POE that is representative of each source after treatment.

This is a good faith assessment of monitoring requirements for the above-referenced public water system for calendar year 2023 and may not include additional sampling required during the year due to special circumstances. If you have questions or disagree with the assessment, please contact the appropriate personnel at (813) 470-5700. Monitoring schedules are subject to change, at any time, based on results of analyses or other factors. This chart shall not relieve any person from any requirement of Florida law.

- It is strongly recommended that testing be conducted early in the monitoring period to allow time for retests due to possible sampling or lab errors. Annual and triennial sampling should be completed by <u>9/30/2023</u> to provide time for revisions, re-tests, and/or corrections.
- > Test results must be submitted to DEP within the first ten days following the end of the required monitoring period, or the first ten days following the month in which the sample results were received, whichever time is the shortest. Failure to comply may result in enforcement action.



Southwest District Office 13051 North Telecom Parkway #101 Temple Terrace, Florida 33637-0926 Jeanette Nuñez Lt. Governor

Shawn Hamilton Secretary

### 2023 Chemical Monitoring for Community Systems

Gulfport Water System		PWS-ID No. 6520705
MONITORING & REPORTS	DUE	COMMENTS
Microbiological ("Bacteriological")	Monthly	10 Distribution samples per month. Disinfectant residuals must be reported.
Stage II Disinfection Byproducts (DBPs) Total Trihalomethanes & Haloacetic Acids (5)	Quarterly 2023	Sample according to approved Stage 2 D/DBPR Monitoring Plan.
Asbestos	2029	Certification or results due every nine years. Use Form 62-555.900(10), F.A.C.
Lead & Copper	June-September 2023	Sample from sites approved on the Lead and Copper Sampling Plan every three years.
Cross-Connection Control Annual Report (2019)	March 31, 2023	Complete and submit DEP form 62-555.900(13).
Consumer Confidence Report (CCR) & CCR Certification of Delivery	July 1, 2023	CCR must be delivered by July 1, 2023. The CCR Certification of Delivery must be submitted to the Department by August 10, 2023. Use Form 62-555.900(alternate 19), F.A.C.

This is a good faith assessment of monitoring requirements for the above-referenced public water system for calendar year 2023 and may not include additional sampling required during the year due to special circumstances. If you have questions or disagree with the assessment, please contact the appropriate personnel at (813) 470-5700. Monitoring schedules are subject to change, at any time, based on results of analyses or other factors. This chart shall not relieve any person from any requirement of Florida law.

- It is strongly recommended that testing be conducted early in the monitoring period to allow time for retests due to possible sampling or lab errors. Annual and triennial sampling should be completed by <u>9/30/2023</u> to provide time for revisions, retests, and/or corrections.
- > Test results must be submitted to DEP within the first ten days following the end of the required monitoring period, or the first ten days following the month in which the sample results were received, whichever time is the shortest. Failure to comply may result in enforcement action.



**Southwest District Office** 13051 North Telecom Parkway #101 Temple Terrace, Florida 33637-0926 **Ron DeSantis** Governor

**Jeanette Nuñez** Lt. Governor

**Shawn Hamilton** Secretary

2023 Chemical Monitoring for Community	
Systems	

/stems
--------

Lake Tarpon			PWS-ID No. 6521000
MONITORING & REPORTS		DUE	COMMENTS
Microbiological ("Ba	acteriological")	Monthly	One Raw sample per well. Two Distribution samples per month. Disinfectant residuals must be reported.
Nitrate and Nitrite		2023	Sample at each POE every year. *
Primary Inorganics		2024	Sample at each POE every three years.
Secondaries		2024	Sample at each POE every three years.
Radiologicals	Gross Alpha	2024	Sample at each POE every three, six or nine years.
	Uranium	2027	Sample at each POE every three, six or nine years.
	Radium-226	2027	Sample at each POE every three, six or nine years.
	Radium-228	2027	Sample at each POE every three, six or nine years.
Volatile Organic Con	ntaminants (VOCs)	2024	Sample at each POE every three years.
Synthetic Organic Contaminants (SOCs)		2024	Sample at each POE every three years, or submit SOC reduced monitoring waiver, if applicable. Use Form 62-560.545(2), F.A.C.
Stage II Disinfection Byproducts (DBPs) Total Trihalomethanes & Haloacetic Acids (5)		July-September 2023	Sample according to approved Stage 2 D/DBPR Monitoring Plan.
Asbestos		2029	Certification or results due every nine years. Use Form 62-555.900(10), F.A.C.
Lead & Copper		June – Sept 2024	Sample from sites approved on the Lead and Copper Sampling Plan every three years.
Consumer Confidence Report (CCR) & CCR Certification of Delivery		July 1, 2023	CCR must be delivered by July 1, 2023. The CCR Certification of Delivery must be submitted to the Department by August 10, 2023. Use Form 62-555.900(alternate 19), F.A.C.
Tank(s) Inspection & cleaning		Due: January 2025	Pursuant to 62-555.350(2) F.A.C. all finished drinking water storage tanks with access manholes shall be inspected and cleaned at a maximum interval of every 5 years.
Meter(s) Calibration		Due: January 2025	Pursuant to 62-555.350(2) F.A.C. requires that water systems maintain and calibrate master meters in accordance to manufacturer specifications at no less than interval of every 5 years.

\*POE = Point of entry to the distribution system. Sample at each POE that is representative of each source after treatment.

This is a good faith assessment of monitoring requirements for the above-referenced public water system for calendar year 2023 and may not include additional sampling required during the year due to special circumstances. If you have questions or disagree with the assessment, please contact the appropriate personnel at (813) 470-5700. Monitoring schedules are subject to change, at any time, based on results of analyses or other factors. This chart shall not relieve any person from any requirement of Florida law.

- ⊳ It is strongly recommended that testing be conducted early in the monitoring period to allow time for retests due to possible sampling or lab errors. Annual and triennial sampling should be completed by 9/30/2023 to provide time for revisions, re-tests, and/or corrections.
- Test results must be submitted to DEP within the first ten days following the end of the required monitoring period, or the first ten days following the ≻ month in which the sample results were received, whichever time is the shortest. Failure to comply may result in enforcement action.



Southwest District Office 13051 North Telecom Parkway #101 Temple Terrace, Florida 33637-0926 Jeanette Nuñez Lt. Governor

Shawn Hamilton Secretary

2023 Chemical Monitoring for Community Systems

Pinellas County Utilities			PWS-ID No. 6521405
<b>MONITORING &amp; REPORTS</b>		DUE	COMMENTS
Microbiological ("Bacteriological")		Monthly	210 Distribution samples per month. Disinfectant residuals must be reported.
Nitrate and Nitrite		2023	Sample at each POE every year. *
Primary Inorganics		2023	Sample at each POE every three years.
Secondaries		2023	Sample at each POE every three years.
Radiologicals	Gross Alpha	2026	Sample at each POE every three, six or nine years.
	Uranium	2029	Sample at each POE every three, six or nine years.
	Radium-226	2026	Sample at each POE every three, six or nine years.
	Radium-228	2026	Sample at each POE every three, six or nine years.
Volatile Organic Co	ntaminants (VOCs)	2023	Sample at each POE every three years.
Synthetic Organic C	Contaminants (SOCs)	2 Quarters in 2023	Sample at each POE every three years, or submit SOC reduced monitoring waiver, if applicable. Use Form 62-560.545(2), F.A.C.
Stage II Disinfection Byproducts (DBPs) Total Trihalomethanes & Haloacetic Acids (5)		Quarterly 2023	Sample according to approved Stage 2 D/DBPR Monitoring Plan.
Asbestos		2029	Certification or results due every nine years. Use Form 62-555.900(10), F.A.C.
Lead & Copper		June – Sept 2023	Sample from sites approved on the Lead and Copper Sampling Plan every three years.
Water Quality Parameters (WQPs)		June – Sept 2023	Sample from sites approved on the Lead and Copper Sampling Plan every three years.
Cross Connection Control Annual Report (2019)		March 31, 2023	Complete and submit DEP form 62-555.900(13).
Consumer Confidence Report (CCR) & CCR Certification of Delivery		July 1, 2023	CCR must be delivered by July 1, 2023. The CCR Certification of Delivery must be submitted to the Department by August 10, 2023. Use Form 62-555.900(alternate 19), F.A.C.
Tank(s) Inspection & cleaning		Past Due: August 2022 (580 ST SW), January 2023 (Gulf Beach & Keller)	Pursuant to 62-555.350(2) F.A.C. all finished drinking water storage tanks with access manholes shall be inspected and cleaned at a maximum interval of every 5 years.

\*POE = Point of entry to the distribution system. Sample at each POE that is representative of each source after treatment.

This is a good faith assessment of monitoring requirements for the above-referenced public water system for calendar year 2023 and may not include additional sampling required during the year due to special circumstances. If you have questions or disagree with the assessment, please contact the appropriate personnel at (813) 470-5700. Monitoring schedules are subject to change, at any time, based on results of analyses or other factors. This chart shall not relieve any person from any requirement of Florida law.

- It is strongly recommended that testing be conducted early in the monitoring period to allow time for retests due to possible sampling or lab errors. Annual and triennial sampling should be completed by <u>9/30/2023</u> to provide time for revisions, re-tests, and/or corrections.
- > Test results must be submitted to DEP within the first ten days following the end of the required monitoring period, or the first ten days following the month in which the sample results were received, whichever time is the shortest. Failure to comply may result in enforcement action.



Southwest District Office 13051 North Telecom Parkway #101 Temple Terrace, Florida 33637-0926 Jeanette Nuñez Lt. Governor

Shawn Hamilton Secretary

### 2023 Chemical Monitoring for Community Systems

Pinellas Park Water Department		PWS-ID No. 6521406	
MONITORING & REPORTS	DUE	COMMENTS	
Microbiological ("Bacteriological")	Monthly	50 Distribution samples per month. Disinfectant residuals must be reported.	
Stage II Disinfection Byproducts (DBPs) Total Trihalomethanes & Haloacetic Acids (5)	Quarterly 2023	Sample according to approved Stage 2 D/DBPR Monitoring Plan.	
Asbestos	2029	Certification or results due every nine years. Use Form 62-555.900(10), F.A.C.	
Lead & Copper	June-September 2023	Sample from sites approved on the Lead and Copper Sampling Plan every three years.	
Cross-Connection Control Annual Report (2019)	March 31, 2023	Complete and submit DEP form 62-555.900(13).	
Consumer Confidence Report (CCR) & CCR Certification of Delivery	July 1, 2023	CCR must be delivered by July 1, 2023. The CCR Certification of Delivery must be submitted to the Department by August 10, 2023. Use Form 62-555.900(alternate 19), F.A.C.	
Tank(s) Inspection & cleaning	Due: <b>March 2027</b>	Pursuant to 62-555.350(2) F.A.C. all finished drinking water storage tanks with access manholes shall be inspected and cleaned at a maximum interval of every 5 years.	

This is a good faith assessment of monitoring requirements for the above-referenced public water system for calendar year 2023 and may not include additional sampling required during the year due to special circumstances. If you have questions or disagree with the assessment, please contact the appropriate personnel at (813) 470-5700. Monitoring schedules are subject to change, at any time, based on results of analyses or other factors. This chart shall not relieve any person from any requirement of Florida law.

- It is strongly recommended that testing be conducted early in the monitoring period to allow time for retests due to possible sampling or lab errors. Annual and triennial sampling should be completed by <u>9/30/2023</u> to provide time for revisions, retests, and/or corrections.
- > Test results must be submitted to DEP within the first ten days following the end of the required monitoring period, or the first ten days following the month in which the sample results were received, whichever time is the shortest. Failure to comply may result in enforcement action.



Southwest District Office 13051 North Telecom Parkway #101 Temple Terrace, Florida 33637-0926 Jeanette Nuñez Lt. Governor

Shawn Hamilton Secretary

2023 Chemical Monitoring for Community Systems

Oldsmar Water System			PWS-ID No. 6521417
MONITORING & REPORTS		DUE	COMMENTS
Microbiological ("Bacteriological")		Monthly	15 Distribution samples per month. Disinfectant residuals must be reported.
Nitrate and Nitrite		2023	Sample at each POE every year. *
Primary Inorganics		2023	Sample at each POE every three years.
Secondaries		2023	Sample at each POE every three years.
Radiologicals	Gross Alpha	2023	Sample at each POE every three, six or nine years.
	Uranium	2023	Sample at each POE every three, six or nine years.
	Radium-226	2029	Sample at each POE every three, six or nine years.
	Radium-228	2029	Sample at each POE every three, six or nine years.
Volatile Organic Co	ntaminants (VOCs)	2023	Sample at each POE every three years.
Synthetic Organic C	Synthetic Organic Contaminants (SOCs)		Sample at each POE every three years, or submit SOC reduced monitoring waiver, if applicable. Use Form 62-560.545(2), F.A.C.
Stage II Disinfection Total Trihalomethane	Byproducts (DBPs) s & Haloacetic Acids (5)	July-Sept 2023	Sample according to approved Stage 2 D/DBPR Monitoring Plan.
Asbestos		2029	Certification or results due every nine years. Use Form 62-555.900(10), F.A.C.
Lead & Copper		June – Sept 2023	Sample from sites approved on the Lead and Copper Sampling Plan every three years.
Cross Connection Control Annual Report (2019)		March 31, 2023	Complete and submit DEP form 62-555.900(13).
Consumer Confidence Report (CCR) & CCR Certification of Delivery		July 1, 2023	CCR must be delivered by July 1, 2023. The CCR Certification of Delivery must be submitted to the Department by August 10, 2023. Use Form 62-555.900(alternate 19), F.A.C.
Tank(s) Inspection & cleaning		Past Due: <b>October</b> 2022 (Tank 1), June 2024 (GST 2)	Pursuant to 62-555.350(2) F.A.C. all finished drinking water storage tanks with access manholes shall be inspected and cleaned at a maximum interval of every 5 years.
Meter(s) Calibration		Due: <b>May 2023</b>	Pursuant to 62-555.350(2) F.A.C. requires that water systems maintain and calibrate master meters in accordance to manufacturer specifications at no less than interval of every 5 years.

\*POE = Point of entry to the distribution system. Sample at each POE that is representative of each source after treatment.

This is a good faith assessment of monitoring requirements for the above-referenced public water system for calendar year 2023 and may not include additional sampling required during the year due to special circumstances. If you have questions or disagree with the assessment, please contact the appropriate personnel at (813) 470-5700. Monitoring schedules are subject to change, at any time, based on results of analyses or other factors. This chart shall not relieve any person from any requirement of Florida law.

- > It is strongly recommended that testing be conducted early in the monitoring period to allow time for retests due to possible sampling or lab errors. Annual and triennial sampling should be completed by <u>9/30/2023</u> to provide time for revisions, re-tests, and/or corrections.
- > Test results must be submitted to DEP within the first ten days following the end of the required monitoring period, or the first ten days following the month in which the sample results were received, whichever time is the shortest. Failure to comply may result in enforcement action.



Southwest District Office 13051 North Telecom Parkway #101 Temple Terrace, Florida 33637-0926 Jeanette Nuñez Lt. Governor

Shawn Hamilton Secretary

### 2023 Chemical Monitoring for Community Systems

Safety Harbor Water Department		PWS-ID No. 6521576	
MONITORING & REPORTS	DUE	COMMENTS	
Microbiological ("Bacteriological")	Monthly	15 Distribution samples per month. Disinfectant residuals must be reported.	
Stage II Disinfection Byproducts (DBPs) Total Trihalomethanes & Haloacetic Acids (5)	Quarterly 2023	Sample according to approved Stage 2 D/DBPR Monitoring Plan.	
Asbestos	2029	Certification or results due every nine years. Use Form 62-555.900(10), F.A.C.	
Lead & Copper	June-September 2023	Sample from sites approved on the Lead and Copper Sampling Plan every three years.	
Cross-Connection Control Annual Report (2019)	March 31, 2023	Complete and submit DEP form 62-555.900(13).	
Consumer Confidence Report (CCR) & CCR Certification of Delivery	July 1, 2023	CCR must be delivered by July 1, 2023. The CCR Certification of Delivery must be submitted to the Department by August 10, 2023. Use Form 62-555.900(alternate 19), F.A.C.	

This is a good faith assessment of monitoring requirements for the above-referenced public water system for calendar year 2023 and may not include additional sampling required during the year due to special circumstances. If you have questions or disagree with the assessment, please contact the appropriate personnel at (813) 470-5700. Monitoring schedules are subject to change, at any time, based on results of analyses or other factors. This chart shall not relieve any person from any requirement of Florida law.

- It is strongly recommended that testing be conducted early in the monitoring period to allow time for retests due to possible sampling or lab errors. Annual and triennial sampling should be completed by <u>9/30/2023</u> to provide time for revisions, retests, and/or corrections.
- > Test results must be submitted to DEP within the first ten days following the end of the required monitoring period, or the first ten days following the month in which the sample results were received, whichever time is the shortest. Failure to comply may result in enforcement action.



Southwest District Office 13051 North Telecom Parkway #101 Temple Terrace, Florida 33637-0926 Jeanette Nuñez Lt. Governor

Shawn Hamilton Secretary

2023 Chemical Monitoring for Community Systems

City of St. Petersbu			PWS-ID No. 6521715
MONITORING & REPORTS		DUE	COMMENTS
Microbiological ("Bacteriological")		Monthly	180 Distribution samples per month. Disinfectant residuals must be reported.
Nitrate and Nitrite		2023	Sample at each POE every year. *
Primary Inorganics		2023	Sample at each POE every three years.
Secondaries		2023	Sample at each POE every three years.
Radiologicals	Gross Alpha	2029	Sample at each POE every three, six or nine years.
	Uranium	2026	Sample at each POE every three, six or nine years.
	Radium-226	2026	Sample at each POE every three, six or nine years.
	Radium-228	2026	Sample at each POE every three, six or nine years.
Volatile Organic Co	ntaminants (VOCs)	2023	Sample at each POE every three years.
Synthetic Organic Contaminants (SOCs)		2 Quarters in 2023	Sample at each POE every three years, or submit SOC reduced monitoring waiver, if applicable. Use Form 62-560.545(2), F.A.C.
Stage II Disinfection Byproducts (DBPs) Total Trihalomethanes & Haloacetic Acids (5)		Quarterly 2023	Sample according to approved Stage 2 D/DBPR Monitoring Plan.
Asbestos		2029	Certification or results due every nine years. Use Form 62-555.900(10), F.A.C.
Lead & Copper		June – Sept 2023	Sample from sites approved on the Lead and Copper Sampling Plan every three years.
Water Quality Parameters (WQPs)		June – Sept 2023	Sample from sites approved on the Lead and Copper Sampling Plan every three years.
Cross Connection Control Annual Report (2022)		March 31, 2023	Complete and submit DEP form 62-555.900(13).
Consumer Confidence Report (CCR) & CCR Certification of Delivery		July 1, 2023	CCR must be delivered by July 1, 2023. The CCR Certification of Delivery must be submitted to the Department by August 10, 2023. Use Form 62-555.900(alternate 19), F.A.C.

\*POE = Point of entry to the distribution system. Sample at each POE that is representative of each source after treatment.

This is a good faith assessment of monitoring requirements for the above-referenced public water system for calendar year 2023 and may not include additional sampling required during the year due to special circumstances. If you have questions or disagree with the assessment, please contact the appropriate personnel at (813) 470-5700. Monitoring schedules are subject to change, at any time, based on results of analyses or other factors. This chart shall not relieve any person from any requirement of Florida law.

- It is strongly recommended that testing be conducted early in the monitoring period to allow time for retests due to possible sampling or lab errors. Annual and triennial sampling should be completed by <u>9/30/2023</u> to provide time for revisions, re-tests, and/or corrections.
- > Test results must be submitted to DEP within the first ten days following the end of the required monitoring period, or the first ten days following the month in which the sample results were received, whichever time is the shortest. Failure to comply may result in enforcement action.



# FLORIDA DEPARTMENT OF Environmental Protection

Southwest District Office 13051 North Telecom Parkway #101 Temple Terrace, Florida 33637-0926 Jeanette Nuñez Lt. Governor

Shawn Hamilton Secretary

2023 Chemical Monitoring for Community Systems

Tarpon Springs Water System (Systemwide)		PWS-ID No. 6521784
MONITORING & REPORTS	DUE	COMMENTS
Microbiological ("Bacteriological")	Monthly	30 Distribution samples per month. Disinfectant residuals must be reported.
Stage II Disinfection Byproducts (DBPs) Total Trihalomethanes & Haloacetic Acids (5)	Quarterly 2023	Sample according to approved Stage 2 D/DBPR Monitoring Plan.
Asbestos	2029	Certification or results due every nine years. Use Form 62-555.900(10), F.A.C.
Lead & Copper	June-September 2025	Sample from sites approved on the Lead and Copper Sampling Plan every three years.
Water Quality Parameters (WQP)	June-September 2025	Sample from sites approved on the Lead and Copper Sampling Plan every three years.
Cross-Connection Control Annual Report	March 31, 2023	Complete and submit DEP form 62-555.900(13).
Consumer Confidence Report (CCR) & CCR Certification of Delivery	July 1, 2023	CCR must be delivered by July 1, 2023. The CCR Certification of Delivery must be submitted to the Department by August 10, 2023. Use Form 62-555.900(alternate 19), F.A.C.

### **Tarpon Springs Water System (RO WTP)**

MONITORING & REPORTS		DUE	COMMENTS
Nitrate and Nitrite		2023	Sample at each POE every year. *
Primary Inorganics		2023	Sample at each POE every three years.
Secondaries		2023	Sample at each POE every three years.
Radiologicals	Gross Alpha	2029	Sample at each POE every three, six or nine years.
	Uranium	2029	Sample at each POE every three, six or nine years.
	Radium-226	2029	Sample at each POE every three, six or nine years.
	Radium-228	2029	Sample at each POE every three, six or nine years.
Volatile Organic Contaminants (VOCs)		2023	Sample at each POE every three years.
Total Xylene (2955)		2023	Sample at each POE every year. *
Synthetic Organic Contaminants (SOCs)		2 Quarters in 2023	Sample at each POE every three years, or submit SOC reduced monitoring waiver, if applicable. Use Form 62-560.545(2), F.A.C.
Tank(s) Inspection & cleaning		Due: March 2025	Pursuant to 62-555.350(2) F.A.C. all finished drinking water storage tanks with access manholes shall be inspected and cleaned at a maximum interval of every 5 years.



Southwest District Office 13051 North Telecom Parkway #101 Temple Terrace, Florida 33637-0926 Jeanette Nuñez Lt. Governor

Shawn Hamilton Secretary

### Tarpon Springs Water System (Grosse WTP)

MONITORING & REPORTS		DUE	COMMENTS
Nitrate and Nitrite		2023	Sample at POE every year. *
Primary Inorganics		2023	Sample at each POE every three years.
Secondaries		2023	Sample at each POE every three years.
Radiologicals	Gross Alpha	2026	Sample at each POE every three, six or nine years.
	Uranium	2026	Sample at each POE every three, six or nine years.
	Radium-226	2026	Sample at each POE every three, six or nine years.
	Radium-228	2026	Sample at each POE every three, six or nine years.
Volatile Organic Contaminants (VOCs)		2023	Sample at each POE every three years.
Synthetic Organic Contaminants (SOCs)		2 Quarters in 2023	Sample at each POE every three years, or submit SOC reduced monitoring waiver, if applicable. Use Form 62-560.545(2), F.A.C.
Tank(s) Inspection & cleaning		Due: April 2023	Pursuant to 62-555.350(2) F.A.C. all finished drinking water storage tanks with access manholes shall be inspected and cleaned at a maximum interval of every 5 years.

### **Tarpon Springs Water System (Tarpon WTP)**

MONITORING & REPORTS		DUE	COMMENTS
Nitrate and Nitrite		2023	Sample at POE every year. *
Primary Inorganics		2023	Sample at each POE every three years.
Secondaries		2023	Sample at each POE every three years.
Radiologicals	Gross Alpha	2026	Sample at each POE every three, six or nine years.
	Uranium	2026	Sample at each POE every three, six or nine years.
	Radium-226	2023	Sample at each POE every three, six or nine years.
	Radium-228	2023	Sample at each POE every three, six or nine years.
Volatile Organic Contaminants (VOCs)		2023	Sample at each POE every three years.
Synthetic Organic Contaminants (SOCs)		2 Quarters in 2023	Sample at each POE every three years, or submit SOC reduced monitoring waiver, if applicable. Use Form 62-560.545(2), F.A.C.
Tank(s) Inspection & cleaning		Due: April 2023	Pursuant to 62-555.350(2) F.A.C. all finished drinking water storage tanks with access manholes shall be inspected and cleaned at a maximum interval of every 5 years.

\*POE = Point of entry to the distribution system. Sample at each POE that is representative of each source after treatment.



Southwest District Office 13051 North Telecom Parkway #101 Temple Terrace, Florida 33637-0926 Jeanette Nuñez Lt. Governor

Shawn Hamilton Secretary

This is a good faith assessment of monitoring requirements for the above-referenced public water system for calendar year 2023 and may not include additional sampling required during the year due to special circumstances. If you have questions or disagree with the assessment, please contact the appropriate personnel at (813) 470-5700. Monitoring schedules are subject to change, at any time, based on results of analyses or other factors. This chart shall not relieve any person from any requirement of Florida law.

- It is strongly recommended that testing be conducted early in the monitoring period to allow time for retests due to possible sampling or lab errors. Annual and triennial sampling should be completed by <u>9/30/2023</u> to provide time for revisions, retests, and/or corrections.
- > Test results must be submitted to DEP within the first ten days following the end of the required monitoring period, or the first ten days following the month in which the sample results were received, whichever time is the shortest. Failure to comply may result in enforcement action.



Southwest District Office 13051 North Telecom Parkway #101 Temple Terrace, Florida 33637-0926 Jeanette Nuñez Lt. Governor

Shawn Hamilton Secretary

### 2023 Chemical Monitoring for Community Systems

Innisbrook Resort and Golf Club		PWS-ID No. 6524777	
<b>MONITORING &amp; REPORTS</b>	DUE	COMMENTS	
Microbiological ("Bacteriological")	Monthly	Two Distribution samples per month. Disinfectant residuals must be reported.	
Stage II Disinfection Byproducts (DBPs)	Quarterly	Sample according to approved Stage 2 D/DBPR Monitoring	
Total Trihalomethanes & Haloacetic Acids (5)	2023	Plan.	
Asbestos	2029	Certification or results due every nine years. Use Form 62-555.900(10), F.A.C.	
Lead & Copper	June-September 2024	Sample from sites approved on the Lead and Copper Sampling Plan every three years.	
Consumer Confidence Report (CCR) & CCR Certification of Delivery	July 1, 2023	CCR must be delivered by July 1, 2023. The CCR Certification of Delivery must be submitted to the Department by August 10, 2023. Use Form 62-555.900(alternate 19), F.A.C.	

This is a good faith assessment of monitoring requirements for the above-referenced public water system for calendar year 2023 and may not include additional sampling required during the year due to special circumstances. If you have questions or disagree with the assessment, please contact the appropriate personnel at (813) 470-5700. Monitoring schedules are subject to change, at any time, based on results of analyses or other factors. This chart shall not relieve any person from any requirement of Florida law.

- It is strongly recommended that testing be conducted early in the monitoring period to allow time for retests due to possible sampling or lab errors. Annual and triennial sampling should be completed by <u>9/30/2023</u> to provide time for revisions, retests, and/or corrections.
- > Test results must be submitted to DEP within the first ten days following the end of the required monitoring period, or the first ten days following the month in which the sample results were received, whichever time is the shortest. Failure to comply may result in enforcement action.