



FLORIDA DEPARTMENT OF Environmental Protection

Ron DeSantis
Governor

Jeanette Nuñez
Lt. Governor

Shawn Hamilton
Secretary

Southwest District Office
13051 North Telecom Parkway #101
Temple Terrace, Florida 33637-0926

2023 Chemical Monitoring for Community Systems

System Name: Backwater Heights

PWS-ID No. 6090099

MONITORING & REPORTS		DUE		COMMENTS
Raw Water Microbiological ("Bacteriological")		Monthly	Monthly	1 Raw Water Sample per well.
Distribution Microbiological ("Bacteriological")		Monthly	Monthly	1 Distribution Samples per month. Disinfectant residuals must be reported.
Nitrate and Nitrite		2023	2023	Sample at each POE every year.*
Primary Inorganics		2024	2024	Sample at each POE every three years.
Secondaries		2024	2024	Sample at each POE every three years.
Radiologicals	Gross Alpha	2027	2027	Sample at each POE every three, six or nine years.
	Uranium	2027	2027	Sample at each POE every three, six or nine years.
	Radium-226	2027	2027	Sample at each POE every three, six or nine years.
	Radium-228	2027	2027	Sample at each POE every three, six or nine years.
Volatile Organic Contaminants (VOCs)		2024	2024	Sample at each POE every three years.
Synthetic Organic Contaminants (SOCs)		2024	2024	Sample at each POE every three years, or submit SOC reduced monitoring waiver, if applicable. Use Form 62-560.545(2), F.A.C.
Stage II Disinfection Byproducts (DBPs) <i>Total Trihalomethanes & Haloacetic Acids (5)</i>		Jul-Sept. 2024		Sample according to approved Stage 2 D/DBPR Monitoring Plan.
Asbestos		2023		Certification or results due every nine years. Use Form 62-555.900(10), F.A.C.
Lead & Copper		June - Sept 2024		Sample from sites approved on the Lead and Copper Sampling Plan every three years.
Consumer Confidence Report (CCR) & CCR Certification of Delivery		July 1, 2023		CCR must be delivered by July 1, 2023. The CCR Certification of Delivery must be submitted to the Department by August 10, 2023. Use Form 62-555.900(alternate 19), F.A.C.
Tank(s) Inspection & cleaning		Last 5-year Inspection: 2018		Pursuant to 62-555.350(2) F.A.C. all finished drinking water storage tanks with access manholes shall be inspected and cleaned at a maximum interval of every 5 years.

*POE = Point of entry to the distribution system. Sample at each POE that is representative of each source after treatment.

This is a good faith assessment of monitoring requirements for the above-referenced public water system for calendar year 2023 and may not include additional sampling required during the year due to special circumstances. If you have questions or disagree with the assessment, please contact the appropriate personnel at (813) 470-5700. Monitoring schedules are subject to change, at any time, based on results of analyses or other factors. This chart shall not relieve any person from any requirement of Florida law.

It is important for you to provide this information to your operator and/or sampler:

- It is strongly recommended that testing be conducted early in the monitoring period to allow time for retests due to possible sampling or lab errors. Annual and triennial sampling should be completed by 9/30/2023 to provide time for revisions, re-tests, and/or corrections.
- Test results must be submitted to DEP within the first ten days following the end of the required monitoring period, or the first ten days following the month in which the sample results were received, whichever time is the shortest. Failure to comply may result in enforcement action.



FLORIDA DEPARTMENT OF Environmental Protection

Ron DeSantis
Governor

Jeanette Nuñez
Lt. Governor

Shawn Hamilton
Secretary

Southwest District Office
13051 North Telecom Parkway #101
Temple Terrace, Florida 33637-0926

2023 Chemical Monitoring for Community Systems

System Name: Beverly Hills/ Rolling Oaks Subdivision

PWS-ID No. 6090150

MONITORING & REPORTS	DUE	COMMENTS
Microbiological ("Bacteriological")	Monthly	Disinfectant residuals must be reported.
Stage II Disinfection Byproducts (DBPs) <i>Total Trihalomethanes & Haloacetic Acids (5)</i>	Jul. -Sept. 2023	Sample according to approved Stage 2 D/DBPR Monitoring Plan.
Asbestos	2029	Certification or results due every nine years. Use Form 62-555.900(10), F.A.C.
Lead & Copper	June - Sept 2023	Sample from sites approved on the Lead and Copper Sampling Plan every three years.
Consumer Confidence Report (CCR) & CCR Certification of Delivery	July 1, 2023	CCR must be delivered by July 1, 2023. The CCR Certification of Delivery must be submitted to the Department by August 10, 2023. Use Form 62-555.900(alternate 19), F.A.C.
Tank(s) Inspection & Cleaning		
1)	April 2024	Pursuant to 62-555.350(2) F.A.C. all finished drinking water storage tanks with access manholes shall be inspected and cleaned at a maximum interval of every 5 years.
2)	April 2024	
Meter(s) Calibration	2025	Pursuant to 62-555.350(2) F.A.C. requires that water systems maintain and calibrate master meters in accordance to manufacturer specifications at no less than interval of every 5 years.

PWS Name: Well No. 1 WTP

MONITORING & REPORTS	DUE	COMMENTS	
Nitrate and Nitrite	2023	Sample at each POE every year. *	
Primary Inorganics	2023	Sample at each POE every three years.	
Secondaries	2023	Sample at each POE every three years.	
Radiologicals	Gross Alpha	2029	Sample at each POE every three, six or nine years.
	Uranium	2029	Sample at each POE every three, six or nine years.
	Radium-226	2029	Sample at each POE every three, six or nine years.
	Radium-228	2029	Sample at each POE every three, six or nine years.
Volatile Organic Contaminants (VOCs)	2023	Sample at each POE every three, six or nine years.	
Synthetic Organic Contaminants (SOCs)	2 Quarters in 2023	Sample at each POE every three years, or submit SOC reduced monitoring waiver, if applicable. Use Form 62-560.545(2), F.A.C.	



FLORIDA DEPARTMENT OF Environmental Protection

Ron DeSantis
Governor

Jeanette Nuñez
Lt. Governor

Shawn Hamilton
Secretary

Southwest District Office
13051 North Telecom Parkway #101
Temple Terrace, Florida 33637-0926

PWS Name Well: No. 2 WTP

MONITORING & REPORTS		DUE	COMMENTS
Nitrate and Nitrite		2023	Sample at each POE every year. *
Primary Inorganics		2023	Sample at each POE every three years.
Secondaries		2023	Sample at each POE every three years.
Radiologicals	Gross Alpha	2029	Sample at each POE every three, six or nine years.
	Uranium	2029	Sample at each POE every three, six or nine years.
	Radium-226	2029	Sample at each POE every three, six or nine years.
	Radium-228	2029	Sample at each POE every three, six or nine years.
Volatile Organic Contaminants (VOCs)		2023	Sample at each POE every three, six or nine years.
Synthetic Organic Contaminants (SOCs)		2 Quarters in 2023	Sample at each POE every three years, or submit SOC reduced monitoring waiver, if applicable. Use Form 62-560.545(2), F.A.C.

PWS Name: Well No. 4

MONITORING & REPORTS		DUE	COMMENTS
Nitrate and Nitrite		2023	Sample at each POE every year. *
Primary Inorganics		2023	Sample at each POE every three years.
Secondaries		2023	Sample at each POE every three years.
Radiologicals	Gross Alpha	2029	Sample at each POE every three, six or nine years.
	Uranium	2029	Sample at each POE every three, six or nine years.
	Radium-226	2029	Sample at each POE every three, six or nine years.
	Radium-228	2029	Sample at each POE every three, six or nine years.
Volatile Organic Contaminants (VOCs)		2023	Sample at each POE every three, six or nine years.
Synthetic Organic Contaminants (SOCs)		2 Quarters in 2023	Sample at each POE every three years, or submit SOC reduced monitoring waiver, if applicable. Use Form 62-560.545(2), F.A.C.



FLORIDA DEPARTMENT OF Environmental Protection

Ron DeSantis
Governor

Jeanette Nuñez
Lt. Governor

Shawn Hamilton
Secretary

Southwest District Office
13051 North Telecom Parkway #101
Temple Terrace, Florida 33637-0926

PWS Name: Well No. 5 WTP

MONITORING & REPORTS		DUE	COMMENTS
Nitrate and Nitrite		2023	Sample at each POE every year. *
Primary Inorganics		2023	Sample at each POE every three years.
Secondaries		2023	Sample at each POE every three years.
Radiologicals	Gross Alpha	2029	Sample at each POE every three, six or nine years.
	Uranium	2029	Sample at each POE every three, six or nine years.
	Radium-226	2029	Sample at each POE every three, six or nine years.
	Radium-228	2029	Sample at each POE every three, six or nine years.
Volatile Organic Contaminants (VOCs)		2023	Sample at each POE every three, six or nine years.
Synthetic Organic Contaminants (SOCs)		2 Quarters in 2023	Sample at each POE every three years, or submit SOC reduced monitoring waiver, if applicable. Use Form 62-560.545(2), F.A.C.

PWS Name: Well No. 6 WTP

MONITORING & REPORTS		DUE	COMMENTS
Nitrate and Nitrite		2023	Sample at each POE every year. *
Primary Inorganics		2023	Sample at each POE every three years.
Secondaries		2023	Sample at each POE every three years.
Radiologicals	Gross Alpha	2029	Sample at each POE every three, six or nine years.
	Uranium	2029	Sample at each POE every three, six or nine years.
	Radium-226	2029	Sample at each POE every three, six or nine years.
	Radium-228	2029	Sample at each POE every three, six or nine years.
Volatile Organic Contaminants (VOCs)		2023	Sample at each POE every three, six or nine years.
Synthetic Organic Contaminants (SOCs)		2 Quarters in 2023	Sample at each POE every three years, or submit SOC reduced monitoring waiver, if applicable. Use Form 62-560.545(2), F.A.C.



FLORIDA DEPARTMENT OF Environmental Protection

Ron DeSantis
Governor

Jeanette Nuñez
Lt. Governor

Shawn Hamilton
Secretary

Southwest District Office
13051 North Telecom Parkway #101
Temple Terrace, Florida 33637-0926

PWS Name: Well No. 7 WTP

MONITORING & REPORTS		DUE	COMMENTS
Nitrate and Nitrite		2023	Sample at each POE every year. *
Primary Inorganics		2023	Sample at each POE every three years.
Secondaries		2023	Sample at each POE every three years.
Radiologicals	Gross Alpha	2029	Sample at each POE every three, six or nine years.
	Uranium	2029	Sample at each POE every three, six or nine years.
	Radium-226	2029	Sample at each POE every three, six or nine years.
	Radium-228	2029	Sample at each POE every three, six or nine years.
Volatile Organic Contaminants (VOCs)		2023	Sample at each POE every three, six or nine years.
Synthetic Organic Contaminants (SOCs)		2 Quarters in 2023	Sample at each POE every three years, or submit SOC reduced monitoring waiver, if applicable. Use Form 62-560.545(2), F.A.C.

PWS Name: Well No. 8 WTP

MONITORING & REPORTS		DUE	COMMENTS
Nitrate and Nitrite		2023	Sample at each POE every year. *
Primary Inorganics		2023	Sample at each POE every three years.
Secondaries		2023	Sample at each POE every three years.
Radiologicals	Gross Alpha	2029	Sample at each POE every three, six or nine years.
	Uranium	2029	Sample at each POE every three, six or nine years.
	Radium-226	2029	Sample at each POE every three, six or nine years.
	Radium-228	2029	Sample at each POE every three, six or nine years.
Volatile Organic Contaminants (VOCs)		2023	Sample at each POE every three, six or nine years.
Synthetic Organic Contaminants (SOCs)		2 Quarters in 2023	Sample at each POE every three years, or submit SOC reduced monitoring waiver, if applicable. Use Form 62-560.545(2), F.A.C.

PWS Name: Well No.9 WTP



FLORIDA DEPARTMENT OF Environmental Protection

Ron DeSantis
Governor

Jeanette Nuñez
Lt. Governor

Shawn Hamilton
Secretary

Southwest District Office
13051 North Telecom Parkway #101
Temple Terrace, Florida 33637-0926

MONITORING & REPORTS		DUE	COMMENTS
Nitrate and Nitrite		2023	Sample at each POE every year. *
Primary Inorganics		2023	Sample at each POE every three years.
Secondaries		2023	Sample at each POE every three years.
Radiologicals	Gross Alpha	2029	Sample at each POE every three, six or nine years.
	Uranium	2029	Sample at each POE every three, six or nine years.
	Radium-226	2029	Sample at each POE every three, six or nine years.
	Radium-228	2029	Sample at each POE every three, six or nine years.
Volatile Organic Contaminants (VOCs)		2023	Sample at each POE every three, six or nine years.
Synthetic Organic Contaminants (SOCs)		2 Quarters in 2023	Sample at each POE every three years, or submit SOC reduced monitoring waiver, if applicable. Use Form 62-560.545(2), F.A.C.

PWS Name: Well No. 10 WTP

MONITORING & REPORTS		DUE	COMMENTS
Nitrate and Nitrite		2023	Sample at each POE every year. *
Primary Inorganics		2023	Sample at each POE every three years.
Secondaries		2023	Sample at each POE every three years.
Radiologicals	Gross Alpha	2029	Sample at each POE every three, six or nine years.
	Uranium	2029	Sample at each POE every three, six or nine years.
	Radium-226	2029	Sample at each POE every three, six or nine years.
	Radium-228	2029	Sample at each POE every three, six or nine years.
Volatile Organic Contaminants (VOCs)		2023	Sample at each POE every three, six or nine years.
Synthetic Organic Contaminants (SOCs)		2 Quarters in 2023	Sample at each POE every three years, or submit SOC reduced monitoring waiver, if applicable. Use Form 62-560.545(2), F.A.C.

*POE = Point of entry to the distribution system. Sample at each POE that is representative of each source after treatment.

This is a good faith assessment of monitoring requirements for the above-referenced public water system for calendar year 2023 and may not include additional sampling required during the year due to special circumstances. If you have questions or disagree with the assessment, please contact the appropriate personnel at (813) 470-5700. Monitoring schedules are subject to change, at any time, based on results of analyses or other factors. This chart shall not relieve any person from any requirement of Florida law.



FLORIDA DEPARTMENT OF Environmental Protection

Southwest District Office
13051 North Telecom Parkway #101
Temple Terrace, Florida 33637-0926

Ron DeSantis
Governor

Jeanette Nuñez
Lt. Governor

Shawn Hamilton
Secretary

It is important for you to provide this information to your operator and/or sampler:

- It is strongly recommended that testing be conducted early in the monitoring period to allow time for retests due to possible sampling or lab errors. Annual and triennial sampling should be completed by 9/30/2023 to provide time for revisions, retests, and/or corrections.
- Test results must be submitted to DEP within the first ten days following the end of the required monitoring period, or the first ten days following the month in which the sample results were received, whichever time is the shortest. Failure to comply may result in enforcement action.



FLORIDA DEPARTMENT OF Environmental Protection

Ron DeSantis
Governor

Jeanette Nuñez
Lt. Governor

Shawn Hamilton
Secretary

Southwest District Office
13051 North Telecom Parkway #101
Temple Terrace, Florida 33637-0926

2023 Chemical Monitoring for Community Systems

Big Pine Acres

PWS-ID No. 6090156

MONITORING & REPORTS		DUE	COMMENTS
Raw Water Microbiological ("Bacteriological")		Monthly	1 Raw Water Sample per well.
Distribution Microbiological ("Bacteriological")		Monthly	1 Distribution Samples per month. Disinfectant residuals must be reported.
Nitrate and Nitrite		2023	Sample at each POE every year.*
Primary Inorganics		2024	Sample at each POE every three years.
Secondaries		2024	Sample at each POE every three years.
Radiologicals	Gross Alpha	2027	Sample at each POE every three, six or nine years.
	Uranium	2027	Sample at each POE every three, six or nine years.
	Radium-226	2027	Sample at each POE every three, six or nine years.
	Radium-228	2027	Sample at each POE every three, six or nine years.
Volatile Organic Contaminants (VOCs)		2024	Sample at each POE every three years.
Synthetic Organic Contaminants (SOCs)		2024	Sample at each POE every three years, or submit SOC reduced monitoring waiver, if applicable. Use Form 62-560.545(2), F.A.C.
Stage II Disinfection Byproducts (DBPs) <i>Total Trihalomethanes & Haloacetic Acids (5)</i>		July-Sept. 2024	Sample according to approved Stage 2 D/DBPR Monitoring Plan.
Asbestos		2029	Certification or results due every nine years. Use Form 62-555.900(10), F.A.C.
Lead & Copper		June-Sept. 2024	Sample from sites approved on the Lead and Copper Sampling Plan every three years.
Consumer Confidence Report (CCR) & CCR Certification of Delivery		July 1, 2023	CCR must be delivered by July 1, 2023. The CCR Certification of Delivery must be submitted to the Department by August 10, 2023. Use Form 62-555.900(alternate 19), F.A.C.

*POE = Point of entry to the distribution system. Sample at each POE that is representative of each source after treatment.

This is a good faith assessment of monitoring requirements for the above-referenced public water system for calendar year 2023 and may not include additional sampling required during the year due to special circumstances. If you have questions or disagree with the assessment, please contact the appropriate personnel at (813) 470-5700. Monitoring schedules are subject to change, at any time, based on results of analyses or other factors. This chart shall not relieve any person from any requirement of Florida law.

It is important for you to provide this information to your operator and/or sampler:

- **It is strongly recommended that testing be conducted early in the monitoring period to allow time for retests due to possible sampling or lab errors. Annual and triennial sampling should be completed by 9/30/2023 to provide time for revisions, re-tests, and/or corrections.**
- **Test results must be submitted to DEP within the first ten days following the end of the required monitoring period, or the first ten days following the month in which the sample results were received, whichever time is the shortest. Failure to comply may result in enforcement action.**



FLORIDA DEPARTMENT OF Environmental Protection

Ron DeSantis
Governor

Jeanette Nuñez
Lt. Governor

Shawn Hamilton
Secretary

Southwest District Office
13051 North Telecom Parkway #101
Temple Terrace, Florida 33637-0926

2023 Chemical Monitoring for NTNC

Water System: Camp-E-Nini-Hassee

PWS-ID No. 6090234

MONITORING & REPORTS		DUE	COMMENTS
Raw Water Microbiological ("Bacteriological")		Quarterly	1 Raw Water Sample per well.
Distribution Microbiological ("Bacteriological")		Quarterly	1 Distribution Sample per quarter. Disinfectant residuals must be reported.
Nitrate and Nitrite		2023	Sample at each POE every year. *
Primary Inorganics		2025	Sample at each POE every three years.
Radiologicals	Gross Alpha	2025	Sample at each POE every quarterly, six, nine years, or Waived use of Grandfather Data (date of sample)
	Uranium	2025	Sample at each POE every quarterly, six, nine years, or Waived use of Grandfather Data (date of sample)
	Radium-226	2025	Sample at each POE every quarterly, six, nine years, or Waived use of Grandfather Data (date of sample)
	Radium-228	2025	Sample at each POE every quarterly, six, nine years, or Waived use of Grandfather Data (date of sample)
Volatile Organic Contaminants (VOCs)		2025	Sample at each POE every three years.
Synthetic Organic Contaminants (SOCs)		2025	Sample at each POE every three years, or submit SOC reduced monitoring waiver, if applicable. Use Form 62-560.545(2), F.A.C.
Stage II Disinfection Byproducts (DBPs) <i>Total Trihalomethanes & Haloacetic Acids (5)</i>		2025	Sample according to approved Stage 2 D/DBPR Monitoring Plan.
Asbestos		2031	Certification or results due every nine years. Use Form 62-555.900(10), F.A.C.
Lead & Copper		June - Sept 2025	Sample from sites approved on the Lead and Copper Sampling Plan every three years.
Tank(s) Inspection & cleaning		Due every 5 years	Pursuant to 62-555.350(2) F.A.C. all finished drinking water storage tanks with access manholes shall be inspected and cleaned at a maximum interval of every 5 years.
Meter(s) Calibration		Due every 5 years	Pursuant to 62-555.350(2) F.A.C. requires that water systems maintain and calibrate master meters in accordance to manufacturer specifications at no less than interval of every 5 years.

*POE = Point of entry to the distribution system. Sample at each POE that is representative of each source after treatment.

This is a good faith assessment of monitoring requirements for the above-referenced public water system for calendar year 2023 and may not include additional sampling required during the year due to special circumstances. If you have questions or disagree with the assessment, please contact the appropriate personnel at (813) 470-5700. Monitoring schedules are subject to change, at any time, based on results of analyses or other factors. This chart shall not relieve any person from any requirement of Florida law.

It is important for you to provide this information to your operator and/or sampler:

- **It is strongly recommended that testing be conducted early in the monitoring period to allow time for retests due to possible sampling or lab errors. Annual and triennial sampling should be completed by 9/30/2023 to provide time for revisions, re-tests, and/or corrections.**
- **Test results must be submitted to DEP within the first ten days following the end of the required monitoring period, or the first ten days following the month in which the sample results were received, whichever time is the shortest. Failure to comply may result in enforcement action.**



FLORIDA DEPARTMENT OF Environmental Protection

Ron DeSantis
Governor

Jeanette Nuñez
Lt. Governor

Shawn Hamilton
Secretary

Southwest District Office
13051 North Telecom Parkway #101
Temple Terrace, Florida 33637-0926

2023 Chemical Monitoring for Community Systems

System Name: Castle Lake Park

PWS-ID No. 6090267

MONITORING & REPORTS		DUE	COMMENTS
Distribution Microbiological ("Bacteriological")		Monthly	1 Distribution Samples per month. Disinfectant residuals must be reported.
Nitrate and Nitrite		2023	Sample at each POE every year.*
Primary Inorganics		2024	Sample at each POE every three years.
Secondaries		2024	Sample at each POE every three years.
Radiologicals	Gross Alpha	2025	Sample at each POE every three, six or nine years.
	Uranium	2025	Sample at each POE every three, six or nine years.
	Radium-226	2025	Sample at each POE every three, six or nine years.
	Radium-228	2025	Sample at each POE every three, six or nine years.
Volatile Organic Contaminants (VOCs)		2024	Sample at each POE every three years.
Synthetic Organic Contaminants (SOCs)		2024	Sample at each POE every three years, or submit SOC reduced monitoring waiver, if applicable. Use Form 62-560.545(2), F.A.C.
Stage II Disinfection Byproducts (DBPs) <i>Total Trihalomethanes & Haloacetic Acids (5)</i>		Jul-Sept. 2024	Sample according to approved Stage 2 D/DBPR Monitoring Plan.
Asbestos		2030	Certification or results due every nine years. Use Form 62-555.900(10), F.A.C.
Lead & Copper		June - Sept 2024	Sample from sites approved on the Lead and Copper Sampling Plan every three years.
Consumer Confidence Report (CCR) & CCR Certification of Delivery		July 1, 2023	CCR must be delivered by July 1, 2023. The CCR Certification of Delivery must be submitted to the Department by August 10, 2023. Use Form 62-555.900(alternate 19), F.A.C.

*POE = Point of entry to the distribution system. Sample at each POE that is representative of each source after treatment.

This is a good faith assessment of monitoring requirements for the above-referenced public water system for calendar year 2023 and may not include additional sampling required during the year due to special circumstances. If you have questions or disagree with the assessment, please contact the appropriate personnel at (813) 470-5700. Monitoring schedules are subject to change, at any time, based on results of analyses or other factors. This chart shall not relieve any person from any requirement of Florida law.

It is important for you to provide this information to your operator and/or sampler:

- **It is strongly recommended that testing be conducted early in the monitoring period to allow time for retests due to possible sampling or lab errors. Annual and triennial sampling should be completed by 9/30/2023 to provide time for revisions, re-tests, and/or corrections.**
- **Test results must be submitted to DEP within the first ten days following the end of the required monitoring period, or the first ten days following the month in which the sample results were received, whichever time is the shortest. Failure to comply may result in enforcement action.**



FLORIDA DEPARTMENT OF Environmental Protection

Ron DeSantis
Governor

Jeanette Nuñez
Lt. Governor

Shawn Hamilton
Secretary

Southwest District Office
13051 North Telecom Parkway #101
Temple Terrace, Florida 33637-0926

2023 Chemical Monitoring for Community Systems

System Name: Citrus Springs

PWS-ID No. 6090312

MONITORING & REPORTS	DUE	COMMENTS
Microbiological ("Bacteriological")	Monthly	Disinfectant residuals must be reported.
Stage II Disinfection Byproducts (DBPs) <i>Total Trihalomethanes & Haloacetic Acids (5)</i>	Jul. - Sept. 2023	Sample according to approved Stage 2 D/DBPR Monitoring Plan.
Asbestos	2029	Certification or results due every nine years. Use Form 62-555.900(10), F.A.C.
Lead & Copper	Jun. - Sept. 2023	Sample from sites approved on the Lead and Copper Sampling Plan every three years.
Consumer Confidence Report (CCR) & CCR Certification of Delivery	July 1, 2022	CCR must be delivered by July 1, 2023. The CCR Certification of Delivery must be submitted to the Department by August 10, 2023.
Cross Connection Control Annual Report	March 31, 2023	Complete and submit DEP form 62-555.900(13).

PWS Name: Well No. 2 WTP

MONITORING & REPORTS	DUE	COMMENTS	
Nitrate and Nitrite	2023	Sample at each POE every year. *	
Primary Inorganics	2023	Sample at each POE every three years.	
Secondaries	2023	Sample at each POE every three years.	
Radiologicals	Gross Alpha	2029	Sample at each POE every three, six or nine years.
	Uranium	2029	Sample at each POE every three, six or nine years.
	Radium-226	2029	Sample at each POE every three, six or nine years.
	Radium-228	2029	Sample at each POE every three, six or nine years.
Volatile Organic Contaminants (VOCs)	2023	Sample at each POE every three years.	
Synthetic Organic Contaminants (SOCs)	2023	Sample at each POE every three years, or submit SOC reduced monitoring waiver, if applicable. Use Form 62-560.545(2), F.A.C.	

PWS Name: Well No. 3 WTP

MONITORING & REPORTS		DUE	COMMENTS
Nitrate and Nitrite		2023	Sample at each POE every year. *
Primary Inorganics		2023	Sample at each POE every three years.
Secondaries		2023	Sample at each POE every three years.
Radiologicals	Gross Alpha	2029	Sample at each POE every three, six or nine years.
	Uranium	2029	Sample at each POE every three, six or nine years.
	Radium-226	2029	Sample at each POE every three, six or nine years.
	Radium-228	2029	Sample at each POE every three, six or nine years.
Volatile Organic Contaminants (VOCs)		2023	Sample at each POE every three years.
Synthetic Organic Contaminants (SOCs)		2023	Sample at each POE every three years, or submit SOC reduced monitoring waiver, if applicable. Use Form 62-560.545(2), F.A.C.

PWS Name: Well No. 7 WTP

MONITORING & REPORTS		DUE	COMMENTS
Nitrate and Nitrite		2023	Sample at each POE every year. *
Primary Inorganics		2023	Sample at each POE every three years.
Secondaries		2023	Sample at each POE every three years.
Radiologicals	Gross Alpha	2029	Sample at each POE every three, six or nine years.
	Uranium	2029	Sample at each POE every three, six or nine years.
	Radium-226	2029	Sample at each POE every three, six or nine years.
	Radium-228	2029	Sample at each POE every three, six or nine years.
Volatile Organic Contaminants (VOCs)		2023	Sample at each POE every three years.
Synthetic Organic Contaminants (SOCs)		2023	Sample at each POE every three years, or submit SOC reduced monitoring waiver, if applicable. Use Form 62-560.545(2), F.A.C.

PWS Name: Well No. 8 WTP

MONITORING & REPORTS		DUE	COMMENTS
Nitrate and Nitrite		2023	Sample at each POE every year. *
Primary Inorganics		2023	Sample at each POE every three years.
Secondaries		2023	Sample at each POE every three years.
Radiologicals	Gross Alpha	2029	Sample at each POE every three, six or nine years.
	Uranium	2029	Sample at each POE every three, six or nine years.
	Radium-226	2029	Sample at each POE every three, six or nine years.
	Radium-228	2029	Sample at each POE every three, six or nine years.
Volatile Organic Contaminants (VOCs)		2023	Sample at each POE every three years.
Synthetic Organic Contaminants (SOCs)		2023	Sample at each POE every three years, or submit SOC reduced monitoring waiver, if applicable. Use Form 62-560.545(2), F.A.C.

PWS Name: Pine Ridge No. 1 WTP

MONITORING & REPORTS		DUE	COMMENTS
Nitrate and Nitrite		2023	Sample at each POE every year. *
Primary Inorganics		2023	Sample at each POE every three years.
Secondaries		2023	Sample at each POE every three years.
Radiologicals	Gross Alpha	2026	Sample at each POE every three, six or nine years.
	Uranium	2029	Sample at each POE every three, six or nine years.
	Radium-226	2029	Sample at each POE every three, six or nine years.
	Radium-228	2029	Sample at each POE every three, six or nine years.
Volatile Organic Contaminants (VOCs)		2023	Sample at each POE every three years.
Synthetic Organic Contaminants (SOCs)		2023	Sample at each POE every three years, or submit SOC reduced monitoring waiver, if applicable. Use Form 62-560.545(2), F.A.C.

PWS Name: Pine Ridge No. 5 WTP

MONITORING & REPORTS		DUE	COMMENTS
Nitrate and Nitrite		2023	Sample at each POE every year. *
Primary Inorganics		2023	Sample at each POE every three years.
Secondaries		2023	Sample at each POE every three years.
Radiologicals	Gross Alpha	2029	Sample at each POE every three, six or nine years.
	Uranium	2029	Sample at each POE every three, six or nine years.
	Radium-226	2029	Sample at each POE every three, six or nine years.
	Radium-228	2029	Sample at each POE every three, six or nine years.
Volatile Organic Contaminants (VOCs)		2023	Sample at each POE every three years.
Synthetic Organic Contaminants (SOCs)		2023	Sample at each POE every three years, or submit SOC reduced monitoring waiver, if applicable. Use Form 62-560.545(2), F.A.C.

*POE = Point of entry to the distribution system. Sample at each POE that is representative of each source after treatment.

This is a good faith assessment of monitoring requirements for the above-referenced public water system for calendar year 2023 and may not include additional sampling required during the year due to special circumstances. If you have questions or disagree with the assessment, please contact the appropriate personnel at (813) 470-5700. Monitoring schedules are subject to change, at any time, based on results of analyses or other factors. This chart shall not relieve any person from any requirement of Florida law.

It is important for you to provide this information to your operator and/or sampler:

- **It is strongly recommended that testing be conducted early in the monitoring period to allow time for retests due to possible sampling or lab errors. Annual and triennial sampling should be completed by 9/30/2023 to provide time for revisions, retests, and/or corrections.**
- **Test results must be submitted to DEP within the first ten days following the end of the required monitoring period, or the first ten days following the month in which the sample results were received, whichever time is the shortest. Failure to comply may result in enforcement action.**



FLORIDA DEPARTMENT OF Environmental Protection

Ron DeSantis
Governor

Jeanette Nuñez
Lt. Governor

Shawn Hamilton
Secretary

Southwest District Office
13051 North Telecom Parkway #101
Temple Terrace, Florida 33637-0926

2023 Chemical Monitoring for Community Systems

System Name: City of Crystal River

PWS-ID No. 6090317

MONITORING & REPORTS		DUE	COMMENTS
Microbiological ("Bacteriological")		Monthly	Disinfectant residuals must be reported.
Nitrate and Nitrite		2023	Sample at each POE every year. *
Primary Inorganics		2023	Sample at each POE every three years.
Secondaries		2023	Sample at each POE every three years.
Radiologicals	Gross Alpha	2029	Sample at each POE every three, six or nine years.
	Uranium	2029	Sample at each POE every three, six or nine years.
	Radium-226	2029	Sample at each POE every three, six or nine years.
	Radium-228	2029	Sample at each POE every three, six or nine years.
Volatile Organic Contaminants (VOCs)		2023	Sample at each POE every three years.
Synthetic Organic Contaminants (SOCs)		2 Quarters in 2023	Sample at each POE every three years, or submit SOC reduced monitoring waiver, if applicable. Use Form 62-560.545(2), F.A.C.
Stage II Disinfection Byproducts (DBPs) <i>Total Trihalomethanes & Haloacetic Acids (5)</i>		Jul. - Sept. 2022	Sample according to approved Stage 2 D/DBPR Monitoring Plan.
Asbestos		2029	Certification or results due every nine years. Use Form 62-555.900(10), F.A.C.
Lead & Copper		June - Sept 2023	Sample from sites approved on the Lead and Copper Sampling Plan every three years.
Consumer Confidence Report (CCR) & CCR Certification of Delivery		July 1, 2023	CCR must be delivered by July 1, 2022. The CCR Certification of Delivery must be submitted to the Department by August 10, 2023. Use Form 62-555.900(alternate 19), F.A.C.
Tank(s) Inspection & Cleaning		December 2024	Pursuant to 62-555.350(2) F.A.C. all finished drinking water storage tanks with access manholes shall be inspected and cleaned at a maximum interval of every 5 years.
Meter(s) Calibration		2025	Pursuant to 62-555.350(2) F.A.C. requires that water systems maintain and calibrate master meters in accordance to manufacturer specifications at no less than interval of every 5 years.

*POE = Point of entry to the distribution system. Sample at each POE that is representative of each source after treatment.

This is a good faith assessment of monitoring requirements for the above-referenced public water system for calendar year 2023 and may not include additional sampling required during the year due to special circumstances. If you have questions or disagree with the assessment, please contact the appropriate personnel at (813) 470-5700. Monitoring schedules are subject to change, at any time, based on results of analyses or other factors. This chart shall not relieve any person from any requirement of Florida law.

It is important for you to provide this information to your operator and/or sampler:

- **It is strongly recommended that testing be conducted early in the monitoring period to allow time for retests due to possible sampling or lab errors. Annual and triennial sampling should be completed by 9/30/2023 to provide time for revisions, re-tests, and/or corrections.**
- **Test results must be submitted to DEP within the first ten days following the end of the required monitoring period, or the first ten days following the month in which the sample results were received, whichever time is the shortest. Failure to comply may result in enforcement action.**



FLORIDA DEPARTMENT OF Environmental Protection

Ron DeSantis
Governor

Jeanette Nuñez
Lt. Governor

Shawn Hamilton
Secretary

Southwest District Office
13051 North Telecom Parkway #101
Temple Terrace, Florida 33637-0926

2023 Chemical Monitoring for Community Systems

System Name: Crystal Acres MHP

PWS-ID No. 6090411

MONITORING & REPORTS		DUE	COMMENTS
Raw Water Microbiological ("Bacteriological")		Monthly	1 Raw Water Sample per well.
Distribution Microbiological ("Bacteriological")		Monthly	1 Distribution Samples per month. Disinfectant residuals must be reported.
Nitrate and Nitrite		2023	Sample at each POE every year.*
Primary Inorganics		2024	Sample at each POE every three years.
Secondaries		2024	Sample at each POE every three years.
Radiologicals	Gross Alpha	2027	Sample at each POE every three, six or nine years.
	Uranium	2027	Sample at each POE every three, six or nine years.
	Radium-226	2027	Sample at each POE every three, six or nine years.
	Radium-228	2027	Sample at each POE every three, six or nine years.
Volatile Organic Contaminants (VOCs)		2024	Sample at each POE every three years.
Synthetic Organic Contaminants (SOCs)		2024	Sample at each POE every three years, or submit SOC reduced monitoring waiver, if applicable. Use Form 62-560.545(2), F.A.C.
Stage II Disinfection Byproducts (DBPs) <i>Total Trihalomethanes & Haloacetic Acids (5)</i>		Jul.-Sept. 2024	Sample according to approved Stage 2 D/DBPR Monitoring Plan.
Asbestos		2030	Certification or results due every nine years. Use Form 62-555.900(10), F.A.C.
Lead & Copper		June - Sept 2024	Sample from sites approved on the Lead and Copper Sampling Plan every three years.
Consumer Confidence Report (CCR) & CCR Certification of Delivery		July 1, 2023	CCR must be delivered by July 1, 2023. The CCR Certification of Delivery must be submitted to the Department by August 10, 2023. Use Form 62-555.900(alternate 19), F.A.C.

*POE = Point of entry to the distribution system. Sample at each POE that is representative of each source after treatment.

This is a good faith assessment of monitoring requirements for the above-referenced public water system for calendar year 2023 and may not include additional sampling required during the year due to special circumstances. If you have questions or disagree with the assessment, please contact the appropriate personnel at (813) 470-5700. Monitoring schedules are subject to change, at any time, based on results of analyses or other factors. This chart shall not relieve any person from any requirement of Florida law.

It is important for you to provide this information to your operator and/or sampler:

- **It is strongly recommended that testing be conducted early in the monitoring period to allow time for retests due to possible sampling or lab errors. Annual and triennial sampling should be completed by 9/30/2023 to provide time for revisions, re-tests, and/or corrections.**
- **Test results must be submitted to DEP within the first ten days following the end of the required monitoring period, or the first ten days following the month in which the sample results were received, whichever time is the shortest. Failure to comply may result in enforcement action.**



FLORIDA DEPARTMENT OF Environmental Protection

Ron DeSantis
Governor

Jeanette Nuñez
Lt. Governor

Shawn Hamilton
Secretary

Southwest District Office
13051 North Telecom Parkway #101
Temple Terrace, Florida 33637-0926

2023 Chemical Monitoring for Community Systems

System Name: Ellsworth Point

PWS-ID No. 6090523

MONITORING & REPORTS		DUE	COMMENTS
Raw Water Microbiological ("Bacteriological")		Monthly	1 Raw Water Sample per well.
Distribution Microbiological ("Bacteriological")		Monthly	1 Distribution Samples per month. Disinfectant residuals must be reported.
Nitrate and Nitrite		2023	Sample at each POE every year.*
Primary Inorganics		2024	Sample at each POE every three years.
Secondaries		2024	Sample at each POE every three years.
Radiologicals	Gross Alpha	2030	Sample at each POE every three, six or nine years.
	Uranium	2030	Sample at each POE every three, six or nine years.
	Radium-226	2030	Sample at each POE every three, six or nine years.
	Radium-228	2030	Sample at each POE every three, six or nine years.
Volatile Organic Contaminants (VOCs)		2024	Sample at each POE every three years.
Synthetic Organic Contaminants (SOCs)		2024	Sample at each POE every three years, or submit SOC reduced monitoring waiver, if applicable. Use Form 62-560.545(2), F.A.C.
Stage II Disinfection Byproducts (DBPs) <i>Total Trihalomethanes & Haloacetic Acids (5)</i>		Jul-Sept. 2024	Sample according to approved Stage 2 D/DBPR Monitoring Plan.
Asbestos		2030	Certification or results due every nine years. Use Form 62-555.900(10), F.A.C.
Lead & Copper		June - Sept 2024	Sample from sites approved on the Lead and Copper Sampling Plan every three years.
Consumer Confidence Report (CCR) & CCR Certification of Delivery		July 1, 2023	CCR must be delivered by July 1, 2023. The CCR Certification of Delivery must be submitted to the Department by August 10, 2023. Use Form 62-555.900(alternate 19), F.A.C.
Tank(s) Inspection & cleaning		Last 5-year Inspection: 2018	Pursuant to 62-555.350(2) F.A.C. all finished drinking water storage tanks with access manholes shall be inspected and cleaned at a maximum interval of every 5 years.
Meter(s) Calibration		Due Every 5 Years	Pursuant to 62-555.350(2) F.A.C. requires that water systems maintain and calibrate master meters in accordance to manufacturer specifications at no less than interval of every 5 years.

*POE = Point of entry to the distribution system. Sample at each POE that is representative of each source after treatment.

This is a good faith assessment of monitoring requirements for the above-referenced public water system for calendar year 2023 and may not include additional sampling required during the year due to special circumstances. If you have questions or disagree with the assessment, please contact the appropriate personnel at (813) 470-5700. Monitoring schedules are subject to change, at any time, based on results of analyses or other factors. This chart shall not relieve any person from any requirement of Florida law.

It is important for you to provide this information to your operator and/or sampler:

- **It is strongly recommended that testing be conducted early in the monitoring period to allow time for retests due to possible sampling or lab errors. Annual and triennial sampling should be completed by 9/30/2023 to provide time for revisions, re-tests, and/or corrections.**
- **Test results must be submitted to DEP within the first ten days following the end of the required monitoring period, or the first ten days following the month in which the sample results were received, whichever time is the shortest. Failure to comply may result in enforcement action.**



FLORIDA DEPARTMENT OF Environmental Protection

Ron DeSantis
Governor

Jeanette Nuñez
Lt. Governor

Shawn Hamilton
Secretary

Southwest District Office
13051 North Telecom Parkway #101
Temple Terrace, Florida 33637-0926

2023 Chemical Monitoring for Community Systems

System Name: Oasis MHP

PWS-ID No. 6090532

MONITORING & REPORTS		DUE	COMMENTS
Raw Water Microbiological ("Bacteriological")		Monthly	1 Raw Water Sample per well.
Distribution Microbiological ("Bacteriological")		Monthly	1 Distribution Samples per month. Disinfectant residuals must be reported.
Nitrate and Nitrite		2023	Sample at each POE every year.*
Primary Inorganics		2024	Sample at each POE every three years.
Secondaries		2024	Sample at each POE every three years.
Radiologicals	Gross Alpha	2027	Sample at each POE every three, six or nine years.
	Uranium	2027	Sample at each POE every three, six or nine years.
	Radium-226	2027	Sample at each POE every three, six or nine years.
	Radium-228	2027	Sample at each POE every three, six or nine years.
Volatile Organic Contaminants (VOCs)		2024	Sample at each POE every three years.
Synthetic Organic Contaminants (SOCs)		2024	Sample at each POE every three years, or submit SOC reduced monitoring waiver, if applicable. Use Form 62-560.545(2), F.A.C.
Stage II Disinfection Byproducts (DBPs) <i>Total Trihalomethanes & Haloacetic Acids (5)</i>		Jul-Sept. 2024	Sample according to approved Stage 2 D/DBPR Monitoring Plan.
Asbestos		2030	Certification or results due every nine years. Use Form 62-555.900(10), F.A.C.
Lead & Copper		June - Sept 2024	Sample from sites approved on the Lead and Copper Sampling Plan every three years.
Consumer Confidence Report (CCR) & CCR Certification of Delivery		July 1, 2023	CCR must be delivered by July 1, 2023. The CCR Certification of Delivery must be submitted to the Department by August 10, 2023. Use Form 62-555.900(alternate 19), F.A.C.

*POE = Point of entry to the distribution system. Sample at each POE that is representative of each source after treatment.

This is a good faith assessment of monitoring requirements for the above-referenced public water system for calendar year 2023 and may not include additional sampling required during the year due to special circumstances. If you have questions or disagree with the assessment, please contact the appropriate personnel at (813) 470-5700. Monitoring schedules are subject to change, at any time, based on results of analyses or other factors. This chart shall not relieve any person from any requirement of Florida law.

It is important for you to provide this information to your operator and/or sampler:

- **It is strongly recommended that testing be conducted early in the monitoring period to allow time for retests due to possible sampling or lab errors. Annual and triennial sampling should be completed by 9/30/2023 to provide time for revisions, re-tests, and/or corrections.**
- **Test results must be submitted to DEP within the first ten days following the end of the required monitoring period, or the first ten days following the month in which the sample results were received, whichever time is the shortest. Failure to comply may result in enforcement action.**



FLORIDA DEPARTMENT OF Environmental Protection

Ron DeSantis
Governor

Jeanette Nuñez
Lt. Governor

Shawn Hamilton
Secretary

Southwest District Office
13051 North Telecom Parkway #101
Temple Terrace, Florida 33637-0926

2023 Chemical Monitoring for Community Systems

System Name: Evanridge MHP

PWS-ID No. 6090541

MONITORING & REPORTS		DUE	COMMENTS
Raw Water Microbiological ("Bacteriological")		Monthly	1 Raw Water Sample per well.
Distribution Microbiological ("Bacteriological")		Monthly	1 Distribution Samples per month. Disinfectant residuals must be reported.
Nitrate and Nitrite		2023	Sample at each POE every year.*
Primary Inorganics		2024	Sample at each POE every three years.
Secondaries		2024	Sample at each POE every three years.
Radiologicals	Gross Alpha	2027	Sample at each POE every three, six or nine years.
	Uranium	2027	Sample at each POE every three, six or nine years.
	Radium-226	2030	Sample at each POE every three, six or nine years.
	Radium-228	2030	Sample at each POE every three, six or nine years.
Volatile Organic Contaminants (VOCs)		2024	Sample at each POE every three years.
Synthetic Organic Contaminants (SOCs)		2024	Sample at each POE every three years, or submit SOC reduced monitoring waiver, if applicable. Use Form 62-560.545(2), F.A.C.
Stage II Disinfection Byproducts (DBPs) <i>Total Trihalomethanes & Haloacetic Acids (5)</i>		Jul-Sept. 2024	Sample according to approved Stage 2 D/DBPR Monitoring Plan.
Asbestos		2030	Certification or results due every nine years. Use Form 62-555.900(10), F.A.C.
Lead & Copper		June - Sept 2024	Sample from sites approved on the Lead and Copper Sampling Plan every three years.
Consumer Confidence Report (CCR) & CCR Certification of Delivery		July 1, 2023	CCR must be delivered by July 1, 2023. The CCR Certification of Delivery must be submitted to the Department by August 10, 2023. Use Form 62-555.900(alternate 19), F.A.C.

*POE = Point of entry to the distribution system. Sample at each POE that is representative of each source after treatment.

This is a good faith assessment of monitoring requirements for the above-referenced public water system for calendar year 2023 and may not include additional sampling required during the year due to special circumstances. If you have questions or disagree with the assessment, please contact the appropriate personnel at (813) 470-5700. Monitoring schedules are subject to change, at any time, based on results of analyses or other factors. This chart shall not relieve any person from any requirement of Florida law.

It is important for you to provide this information to your operator and/or sampler:

- **It is strongly recommended that testing be conducted early in the monitoring period to allow time for retests due to possible sampling or lab errors. Annual and triennial sampling should be completed by 9/30/2023 to provide time for revisions, re-tests, and/or corrections.**
- **Test results must be submitted to DEP within the first ten days following the end of the required monitoring period, or the first ten days following the month in which the sample results were received, whichever time is the shortest. Failure to comply may result in enforcement action.**



FLORIDA DEPARTMENT OF Environmental Protection

Ron DeSantis
Governor

Jeanette Nuñez
Lt. Governor

Shawn Hamilton
Secretary

Southwest District Office
13051 North Telecom Parkway #101
Temple Terrace, Florida 33637-0926

2023 Chemical Monitoring for Community Systems

System: Floral City Water Association – Systemwide

PWS-ID No. 6090588

MONITORING & REPORTS	DUE	COMMENTS
Microbiological (“Bacteriological”)	Monthly	Disinfectant residuals must be reported.
Stage II Disinfection Byproducts (DBPs) <i>Total Trihalomethanes & Haloacetic Acids (5)</i>	July-Sept. 2023	Sample according to approved Stage 2 D/DBPR Monitoring Plan.
Asbestos	2029	Certification or results due every nine years. Use Form 62-555.900(10), F.A.C.
Lead & Copper	June-Sept. 2023	Sample from sites approved on the Lead and Copper Sampling Plan every three years.
Consumer Confidence Report (CCR) & CCR Certification of Delivery	July 1, 2023	CCR must be delivered by July 1, 2023. The CCR Certification of Delivery must be submitted to the Department by August 10, 2023.

*POE = Point of entry to the distribution system. Sample at each POE that is representative of each source after treatment.

Floral City Water Association – Plant # 1

PWS-ID No. 609-0588

MONITORING & REPORTS	DUE	COMMENTS	
Nitrate and Nitrite	2023	Sample at each POE every year. *	
Primary Inorganics	2023	Sample at each POE every three years.	
Secondaries	2023	Sample at each POE every three years.	
Radiologicals	Gross Alpha	2026	Sample at each POE every three, six or nine years.
	Uranium	2026	Sample at each POE every three, six or nine years.
	Radium-226	2026	Sample at each POE every three, six or nine years.
	Radium-228	2026	Sample at each POE every three, six or nine years.
Volatile Organic Contaminants (VOCs)	2023	Sample at each POE every three years.	
Synthetic Organic Contaminants (SOCs)	2 quarters in 2023	Sample at each POE every three years, or submit SOC reduced monitoring waiver, if applicable. Use Form 62-560.545(2), F.A.C.	

*POE = Point of entry to the distribution system. Sample at each POE that is representative of each source after treatment.

MONITORING & REPORTS		DUE	COMMENTS
Nitrate and Nitrite		2023	Sample at each POE every year. *
Primary Inorganics		2023	Sample at each POE every three years.
Secondaries		2023	Sample at each POE every three years.
Radiologicals	Gross Alpha	2026	Sample at each POE every three, six or nine years.
	Uranium	2026	Sample at each POE every three, six or nine years.
	Radium-226	2026	Sample at each POE every three, six or nine years.
	Radium-228	2026	Sample at each POE every three, six or nine years.
Volatile Organic Contaminants (VOCs)		2023	Sample at each POE every three years.
Synthetic Organic Contaminants (SOCs)		2 quarters in 2023	Sample at each POE every three years, or submit SOC reduced monitoring waiver, if applicable. Use Form 62-560.545(2), F.A.C.

*POE = Point of entry to the distribution system. Sample at each POE that is representative of each source after treatment.

This is a good faith assessment of monitoring requirements for the above-referenced public water system for calendar year 2023 and may not include additional sampling required during the year due to special circumstances. If you have questions or disagree with the assessment, please contact the appropriate personnel at (813) 470-5700. Monitoring schedules are subject to change, at any time, based on results of analyses or other factors. This chart shall not relieve any person from any requirement of Florida law.

It is important for you to provide this information to your operator and/or sampler:

- **It is strongly recommended that testing be conducted early in the monitoring period to allow time for retests due to possible sampling or lab errors. Annual and triennial sampling should be completed by 9/30/2023 to provide time for revisions, retests, and/or corrections.**
- **Test results must be submitted to DEP within the first ten days following the end of the required monitoring period, or the first ten days following the month in which the sample results were received, whichever time is the shortest. Failure to comply may result in enforcement action.**



FLORIDA DEPARTMENT OF Environmental Protection

Ron DeSantis
Governor

Jeanette Nuñez
Lt. Governor

Shawn Hamilton
Secretary

Southwest District Office
13051 North Telecom Parkway #101
Temple Terrace, Florida 33637-0926

2023 Chemical Monitoring for Community Systems

System Name: Ft. Cooper Mobile Home Community

PWS-ID No. 6090609

MONITORING & REPORTS		DUE	COMMENTS
Raw Water Microbiological ("Bacteriological")		Monthly	1 Raw Water Sample per well.
Distribution Microbiological ("Bacteriological")		Monthly	1 Distribution Samples per month. Disinfectant residuals must be reported.
Nitrate and Nitrite		2023	Sample at each POE every year.*
Primary Inorganics		2024	Sample at each POE every three years.
Secondaries		2024	Sample at each POE every three years.
Radiologicals	Gross Alpha	2027	Sample at each POE every three, six or nine years.
	Uranium	2027	Sample at each POE every three, six or nine years.
	Radium-226	2027	Sample at each POE every three, six or nine years.
	Radium-228	2027	Sample at each POE every three, six or nine years.
Volatile Organic Contaminants (VOCs)		2024	Sample at each POE every three years.
Synthetic Organic Contaminants (SOCs)		2024	Sample at each POE every three years, or submit SOC reduced monitoring waiver, if applicable. Use Form 62-560.545(2), F.A.C.
Stage II Disinfection Byproducts (DBPs) <i>Total Trihalomethanes & Haloacetic Acids (5)</i>		Jul-Sept. 2024	Sample according to approved Stage 2 D/DBPR Monitoring Plan.
Asbestos		2030	Certification or results due every nine years. Use Form 62-555.900(10), F.A.C.
Lead & Copper		June - Sept 2024	Sample from sites approved on the Lead and Copper Sampling Plan every three years.
Consumer Confidence Report (CCR) & CCR Certification of Delivery		July 1, 2023	CCR must be delivered by July 1, 2023. The CCR Certification of Delivery must be submitted to the Department by August 10, 2023. Use Form 62-555.900(alternate 19), F.A.C.
Tank(s) Inspection & cleaning		Last 5-year Inspection: April 2021	Pursuant to 62-555.350(2) F.A.C. all finished drinking water storage tanks with access manholes shall be inspected and cleaned at a maximum interval of every 5 years.
Meter(s) Calibration		Due every 5 years	Pursuant to 62-555.350(2) F.A.C. requires that water systems maintain and calibrate master meters in accordance to manufacturer specifications at no less than interval of every 5 years.

*POE = Point of entry to the distribution system. Sample at each POE that is representative of each source after treatment.

This is a good faith assessment of monitoring requirements for the above-referenced public water system for calendar year 2023 and may not include additional sampling required during the year due to special circumstances. If you have questions or disagree with the assessment, please contact the appropriate personnel at (813) 470-5700. Monitoring schedules are subject to change, at any time, based on results of analyses or other factors. This chart shall not relieve any person from any requirement of Florida law.

It is important for you to provide this information to your operator and/or sampler:

- **It is strongly recommended that testing be conducted early in the monitoring period to allow time for retests due to possible sampling or lab errors. Annual and triennial sampling should be completed by 9/30/2023 to provide time for revisions, re-tests, and/or corrections.**
- **Test results must be submitted to DEP within the first ten days following the end of the required monitoring period, or the first ten days following the month in which the sample results were received, whichever time is the shortest. Failure to comply may result in enforcement action.**



FLORIDA DEPARTMENT OF Environmental Protection

Ron DeSantis
Governor

Jeanette Nuñez
Lt. Governor

Shawn Hamilton
Secretary

Southwest District Office
13051 North Telecom Parkway #101
Temple Terrace, Florida 33637-0926

2023 Chemical Monitoring for NTNC

Water Systems: Sunny Day Plaza

PWS-ID No. 6090624

MONITORING & REPORTS		DUE	COMMENTS
Raw Water Microbiological ("Bacteriological")		Quarterly	1 Raw Water Sample per well.
Distribution Microbiological ("Bacteriological")		Quarterly	1 Distribution Sample per quarter. Disinfectant residuals must be reported.
Nitrate and Nitrite		2023	Sample at each POE every year.*
Primary Inorganics		2023	Sample at each POE every three years.
Radiologicals	Gross Alpha	Waived	Sample at each POE every quarterly, six, nine years, or Waived use of Grandfather Data (date of sample)
	Uranium	Waived	Sample at each POE every quarterly, six, nine years, or Waived use of Grandfather Data (date of sample)
	Radium-226	Waived	Sample at each POE every quarterly, six, nine years, or Waived use of Grandfather Data (date of sample)
	Radium-228	Waived	Sample at each POE every quarterly, six, nine years, or Waived use of Grandfather Data (date of sample)
Volatile Organic Contaminants (VOCs)		2025	Sample at each POE every three years.
Synthetic Organic Contaminants (SOCs)		2025	Sample at each POE every three years, or submit SOC reduced monitoring waiver, if applicable. Use Form 62-560.545(2), F.A.C.
Stage II Disinfection Byproducts (DBPs) <i>Total Trihalomethanes & Haloacetic Acids (5)</i>		July-Sept. 2023	Sample according to approved Stage 2 D/DBPR Monitoring Plan.
Asbestos		2029	Certification or results due every nine years. Use Form 62-555.900(10), F.A.C.
Lead & Copper		June-Sept. 2025	Sample from sites approved on the Lead and Copper Sampling Plan every three years.

*POE = Point of entry to the distribution system. Sample at each POE that is representative of each source after treatment.

This is a good faith assessment of monitoring requirements for the above-referenced public water system for calendar year 2023 and may not include additional sampling required during the year due to special circumstances. If you have questions or disagree with the assessment, please contact the appropriate personnel at (813) 470-5700. Monitoring schedules are subject to change, at any time, based on results of analyses or other factors. This chart shall not relieve any person from any requirement of Florida law.

It is important for you to provide this information to your operator and/or sampler:

- **It is strongly recommended that testing be conducted early in the monitoring period to allow time for retests due to possible sampling or lab errors. Annual and triennial sampling should be completed by 9/30/2023 to provide time for revisions, retests, and/or corrections.**
- **Test results must be submitted to DEP within the first ten days following the end of the required monitoring period, or the first ten days following the month in which the sample results were received, whichever time is the shortest. Failure to comply may result in enforcement action.**



FLORIDA DEPARTMENT OF Environmental Protection

Ron DeSantis
Governor

Jeanette Nuñez
Lt. Governor

Shawn Hamilton
Secretary

Southwest District Office
13051 North Telecom Parkway #101
Temple Terrace, Florida 33637-0926

2023 Chemical Monitoring for Community Systems

System Name: Golden Terrace

PWS-ID No. 6090674

MONITORING & REPORTS	DUE	COMMENTS
Distribution Microbiological ("Bacteriological")	Monthly	1 Distribution Samples per month. Disinfectant residuals must be reported.
Stage II Disinfection Byproducts (DBPs) <i>Total Trihalomethanes & Haloacetic Acids (5)</i>	Jul. - Sept. 2024	Sample according to approved Stage 2 D/DBPR Monitoring Plan.
Asbestos	2030	Certification or results due every nine years. Use Form 62-555.900(10), F.A.C.
Lead & Copper	Jun. - Sept. 2024	Sample from sites approved on the Lead and Copper Sampling Plan every three years.
Consumer Confidence Report (CCR) & CCR Certification of Delivery	July 1, 2023	CCR must be delivered by July 1, 2022. The CCR Certification of Delivery must be submitted to the Department by August 10, 2022. Use Form 62-555.900(alternate 19), F.A.C.

*POE = Point of entry to the distribution system. Sample at each POE that is representative of each source after treatment.

This is a good faith assessment of monitoring requirements for the above-referenced public water system for calendar year 2023 and may not include additional sampling required during the year due to special circumstances. If you have questions or disagree with the assessment, please contact the appropriate personnel at (813) 470-5700. Monitoring schedules are subject to change, at any time, based on results of analyses or other factors. This chart shall not relieve any person from any requirement of Florida law.

It is important for you to provide this information to your operator and/or sampler:

- **It is strongly recommended that testing be conducted early in the monitoring period to allow time for retests due to possible sampling or lab errors. Annual and triennial sampling should be completed by 9/30/2023 to provide time for revisions, re-tests, and/or corrections.**
- **Test results must be submitted to DEP within the first ten days following the end of the required monitoring period, or the first ten days following the month in which the sample results were received, whichever time is the shortest. Failure to comply may result in enforcement action.**



FLORIDA DEPARTMENT OF Environmental Protection

Ron DeSantis
Governor

Jeanette Nuñez
Lt. Governor

Shawn Hamilton
Secretary

Southwest District Office
13051 North Telecom Parkway #101
Temple Terrace, Florida 33637-0926

2023 Chemical Monitoring for Community Systems

System Name: Harbor Lights Mobile Resort

PWS-ID No. 6090729

MONITORING & REPORTS		DUE	COMMENTS
Raw Water Microbiological ("Bacteriological")		Monthly	1 Raw Water Sample per well.
Distribution Microbiological ("Bacteriological")		Monthly	1 Distribution Samples per month. Disinfectant residuals must be reported.
Nitrate and Nitrite		2023	Sample at each POE every year.*
Primary Inorganics		2024	Sample at each POE every three years.
Secondaries		2024	Sample at each POE every three years.
Radiologicals	Gross Alpha	2025	Sample at each POE every three, six or nine years.
	Uranium	2025	Sample at each POE every three, six or nine years.
	Radium-226	2024	Sample at each POE every three, six or nine years.
	Radium-228	2024	Sample at each POE every three, six or nine years.
Volatile Organic Contaminants (VOCs)		2024	Sample at each POE every three years.
Synthetic Organic Contaminants (SOCs)		2024	Sample at each POE every three years, or submit SOC reduced monitoring waiver, if applicable. Use Form 62-560.545(2), F.A.C.
Stage II Disinfection Byproducts (DBPs) <i>Total Trihalomethanes & Haloacetic Acids (5)</i>		Jul-Sept. 2024	Sample according to approved Stage 2 D/DBPR Monitoring Plan.
Asbestos		2030	Certification or results due every nine years. Use Form 62-555.900(10), F.A.C.
Lead & Copper		June - Sept 2024	Sample from sites approved on the Lead and Copper Sampling Plan every three years.
Consumer Confidence Report (CCR) & CCR Certification of Delivery		July 1, 2023	CCR must be delivered by July 1, 2023. The CCR Certification of Delivery must be submitted to the Department by August 10, 2023. Use Form 62-555.900(alternate 19), F.A.C.

*POE = Point of entry to the distribution system. Sample at each POE that is representative of each source after treatment.

This is a good faith assessment of monitoring requirements for the above-referenced public water system for calendar year 2023 and may not include additional sampling required during the year due to special circumstances. If you have questions or disagree with the assessment, please contact the appropriate personnel at (813) 470-5700. Monitoring schedules are subject to change, at any time, based on results of analyses or other factors. This chart shall not relieve any person from any requirement of Florida law.

It is important for you to provide this information to your operator and/or sampler:

- **It is strongly recommended that testing be conducted early in the monitoring period to allow time for retests due to possible sampling or lab errors. Annual and triennial sampling should be completed by 9/30/2023 to provide time for revisions, re-tests, and/or corrections.**
- **Test results must be submitted to DEP within the first ten days following the end of the required monitoring period, or the first ten days following the month in which the sample results were received, whichever time is the shortest. Failure to comply may result in enforcement action.**



FLORIDA DEPARTMENT OF Environmental Protection

Ron DeSantis
Governor

Jeanette Nuñez
Lt. Governor

Shawn Hamilton
Secretary

Southwest District Office
13051 North Telecom Parkway #101
Temple Terrace, Florida 33637-0926

2022 Chemical Monitoring for Community Systems

Water System: Homosassa Special Water District (Systemwide)

PWS-ID No. 6090828

MONITORING & REPORTS	DUE	COMMENTS
Microbiological ("Bacteriological")	Monthly	Disinfectant residuals must be reported.
Stage II Disinfection Byproducts (DBPs) <i>Total Trihalomethanes & Haloacetic Acids (5)</i>	July-Sept. 2023	Sample according to approved Stage 2 D/DBPR Monitoring Plan.
Asbestos	2029	Certification or results due every nine years. Use Form 62-555.900(10), F.A.C.
Lead & Copper	June-Sept. 2023	Sample from sites approved on the Lead and Copper Sampling Plan every three years.
Consumer Confidence Report (CCR) & CCR Certification of Delivery	July 1, 2023	CCR must be delivered by July 1, 2022. The CCR Certification of Delivery must be submitted to the Department by August 10, 2022. Use Form 62-555.900(alternate 19), F.A.C.

*POE = Point of entry to the distribution system. Sample at each POE that is representative of each source after treatment.

Water System: Bradshaw WTP

PWS-ID No. 6090828

MONITORING & REPORTS	DUE	COMMENTS	
Nitrate and Nitrite	2023	Sample at each POE every year. *	
Primary Inorganics	2023	Sample at each POE every three years.	
Secondaries	2023	Sample at each POE every three years.	
Radiologicals	Gross Alpha	2023	Sample at each POE every three, six or nine years.
	Uranium	2023	Sample at each POE every three, six or nine years.
	Radium-226	2023	Sample at each POE every three, six or nine years.
	Radium-228	2023	Sample at each POE every three, six or nine years.
Volatile Organic Contaminants (VOCs)	2023	Sample at each POE every three years.	
Synthetic Organic Contaminants (SOCs)	2 quarters in 2023	Sample at each POE every three years, or submit SOC reduced monitoring waiver, if applicable. Use Form 62-560.545(2), F.A.C.	

*POE = Point of entry to the distribution system. Sample at each POE that is representative of each source after treatment.



FLORIDA DEPARTMENT OF Environmental Protection

Ron DeSantis
Governor

Jeanette Nuñez
Lt. Governor

Shawn Hamilton
Secretary

Southwest District Office
13051 North Telecom Parkway #101
Temple Terrace, Florida 33637-0926

Water System: Norin WTP

PWS-ID No. 6090828

MONITORING & REPORTS		DUE	COMMENTS
Nitrate and Nitrite		2023	Sample at each POE every year. *
Primary Inorganics		2023	Sample at each POE every three years.
Secondaries		2023	Sample at each POE every three years.
Radiologicals	Gross Alpha	2023	Sample at each POE every three, six or nine years.
	Uranium	2023	Sample at each POE every three, six or nine years.
	Radium-226	2023	Sample at each POE every three, six or nine years.
	Radium-228	2023	Sample at each POE every three, six or nine years.
Volatile Organic Contaminants (VOCs)		2023	Sample at each POE every three years.
Synthetic Organic Contaminants (SOCs)		2 quarters in 2023	Sample at each POE every three years, or submit SOC reduced monitoring waiver, if applicable. Use Form 62-560.545(2), F.A.C.

*POE = Point of entry to the distribution system. Sample at each POE that is representative of each source after treatment.

Peach System: Peach Orchard WTP

PWS-ID No. 6090828

MONITORING & REPORTS		DUE	COMMENTS
Nitrate and Nitrite		2023	Sample at each POE every year. *
Primary Inorganics		2023	Sample at each POE every three years.
Secondaries		2023	Sample at each POE every three years.
Radiologicals	Gross Alpha	2023	Sample at each POE every three, six or nine years.
	Uranium	2023	Sample at each POE every three, six or nine years.
	Radium-226	2023	Sample at each POE every three, six or nine years.
	Radium-228	2023	Sample at each POE every three, six or nine years.
Volatile Organic Contaminants (VOCs)		2023	Sample at each POE every three years.
Synthetic Organic Contaminants (SOCs)		2 quarters in 2023	Sample at each POE every three years, or submit SOC reduced monitoring waiver, if applicable. Use Form 62-560.545(2), F.A.C.

*POE = Point of entry to the distribution system. Sample at each POE that is representative of each source after treatment.

This is a good faith assessment of monitoring requirements for the above-referenced public water system for calendar year 2023 and may not include additional sampling required during the year due to special circumstances. If you have questions or disagree with the assessment, please contact the appropriate personnel at (813) 470-5700. Monitoring schedules are subject to change, at any time, based on results of analyses or other factors. This chart shall not relieve any person from any requirement of Florida law.

It is important for you to provide this information to your operator and/or sampler:



FLORIDA DEPARTMENT OF Environmental Protection

Southwest District Office
13051 North Telecom Parkway #101
Temple Terrace, Florida 33637-0926

Ron DeSantis
Governor

Jeanette Nuñez
Lt. Governor

Shawn Hamilton
Secretary

- It is strongly recommended that testing be conducted early in the monitoring period to allow time for retests due to possible sampling or lab errors. Annual and triennial sampling should be completed by 9/30/2023 to provide time for revisions, re-tests, and/or corrections.
- Test results must be submitted to DEP within the first ten days following the end of the required monitoring period, or the first ten days following the month in which the sample results were received, whichever time is the shortest. Failure to comply may result in enforcement action.



FLORIDA DEPARTMENT OF Environmental Protection

Ron DeSantis
Governor

Jeanette Nuñez
Lt. Governor

Shawn Hamilton
Secretary

Southwest District Office
13051 North Telecom Parkway #101
Temple Terrace, Florida 33637-0926

2023 Chemical Monitoring for Community Systems

System Name: City of Inverness

PWS-ID No. 6090861

MONITORING & REPORTS		DUE	COMMENTS
Microbiological ("Bacteriological")		Monthly	Disinfectant residuals must be reported.
Nitrate and Nitrite		2023	Sample at each POE every year. *
Primary Inorganics		2023	Sample at each POE every three years.
Secondaries		2023	Sample at each POE every three years.
Radiologicals	Gross Alpha	2029	Sample at each POE every three, six or nine years.
	Uranium	2029	Sample at each POE every three, six or nine years.
	Radium-226	2029	Sample at each POE every three, six or nine years.
	Radium-228	2029	Sample at each POE every three, six or nine years.
Volatile Organic Contaminants (VOCs)		2023	Sample at each POE every three years.
Synthetic Organic Contaminants (SOCs)		2 Quarters in 2023	Sample at each POE every three years, or submit SOC reduced monitoring waiver, if applicable. Use Form 62-560.545(2), F.A.C.
Stage II Disinfection Byproducts (DBPs) <i>Total Trihalomethanes & Haloacetic Acids (5)</i>		Jul. - Sept. 2023	Sample according to approved Stage 2 D/DBPR Monitoring Plan.
Asbestos		2029	Certification or results due every nine years. Use Form 62-555.900(10), F.A.C.
Lead & Copper		June - Sept 2023	Sample from sites approved on the Lead and Copper Sampling Plan every three years.
Consumer Confidence Report (CCR) & CCR Certification of Delivery		July 1, 2023	CCR must be delivered by July 1, 2022. The CCR Certification of Delivery must be submitted to the Department by August 10, 2023. Use Form 62-555.900(alternate 19), F.A.C.
Tank(s) Inspection & cleaning		February 2025	Pursuant to 62-555.350(2) F.A.C. all finished drinking water storage tanks with access manholes shall be inspected and cleaned at a maximum interval of every 5 years.
Meter(s) Calibration		2025	Pursuant to 62-555.350(2) F.A.C. requires that water systems maintain and calibrate master meters in accordance to manufacturer specifications at no less than interval of every 5 years.

*POE = Point of entry to the distribution system. Sample at each POE that is representative of each source after treatment.

This is a good faith assessment of monitoring requirements for the above-referenced public water system for calendar year 2023 and may not include additional sampling required during the year due to special circumstances. If you have questions or disagree with the assessment, please contact the appropriate personnel at (813) 470-5700. Monitoring schedules are subject to change, at any time, based on results of analyses or other factors. This chart shall not relieve any person from any requirement of Florida law.

It is important for you to provide this information to your operator and/or sampler:

- **It is strongly recommended that testing be conducted early in the monitoring period to allow time for retests due to possible sampling or lab errors. Annual and triennial sampling should be completed by 9/30/2023 to provide time for revisions, re-tests, and/or corrections.**
- **Test results must be submitted to DEP within the first ten days following the end of the required monitoring period, or the first ten days following the month in which the sample results were received, whichever time is the shortest. Failure to comply may result in enforcement action.**



FLORIDA DEPARTMENT OF Environmental Protection

Ron DeSantis
Governor

Jeanette Nuñez
Lt. Governor

Shawn Hamilton
Secretary

Southwest District Office
13051 North Telecom Parkway #101
Temple Terrace, Florida 33637-0926

2023 Chemical Monitoring for Community Systems

System Name: Inverness Park

PWS-ID No. 6090875

MONITORING & REPORTS		DUE	COMMENTS
Raw Water Microbiological ("Bacteriological")		Monthly	1 Raw Water Sample per well.
Distribution Microbiological ("Bacteriological")		Monthly	1 Distribution Samples per month. Disinfectant residuals must be reported.
Nitrate and Nitrite		2023	Sample at each POE every year.*
Primary Inorganics		2024	Sample at each POE every three years.
Secondaries		2024	Sample at each POE every three years.
Radiologicals	Gross Alpha	2027	Sample at each POE every three, six or nine years.
	Uranium	2027	Sample at each POE every three, six or nine years.
	Radium-226	2027	Sample at each POE every three, six or nine years.
	Radium-228	2027	Sample at each POE every three, six or nine years.
Volatile Organic Contaminants (VOCs)		2024	Sample at each POE every three years.
Synthetic Organic Contaminants (SOCs)		2024	Sample at each POE every three years, or submit SOC reduced monitoring waiver, if applicable. Use Form 62-560.545(2), F.A.C.
Stage II Disinfection Byproducts (DBPs) <i>Total Trihalomethanes & Haloacetic Acids (5)</i>		Jul-Sept. 2024	Sample according to approved Stage 2 D/DBPR Monitoring Plan.
Asbestos		2030	Certification or results due every nine years. Use Form 62-555.900(10), F.A.C.
Lead & Copper		June - Sept 2024	Sample from sites approved on the Lead and Copper Sampling Plan every three years.
Consumer Confidence Report (CCR) & CCR Certification of Delivery		July 1, 2023	CCR must be delivered by July 1, 2023. The CCR Certification of Delivery must be submitted to the Department by August 10, 2023. Use Form 62-555.900(alternate 19), F.A.C.
Tank(s) Inspection & cleaning		Last 5-year Inspection: 2018	Pursuant to 62-555.350(2) F.A.C. all finished drinking water storage tanks with access manholes shall be inspected and cleaned at a maximum interval of every 5 years.
Meter(s) Calibration		Due every 5 years	Pursuant to 62-555.350(2) F.A.C. requires that water systems maintain and calibrate master meters in accordance to manufacturer specifications at no less than interval of every 5 years.

*POE = Point of entry to the distribution system. Sample at each POE that is representative of each source after treatment.

This is a good faith assessment of monitoring requirements for the above-referenced public water system for calendar year 2023 and may not include additional sampling required during the year due to special circumstances. If you have questions or disagree with the assessment, please contact the appropriate personnel at (813) 470-5700. Monitoring schedules are subject to change, at any time, based on results of analyses or other factors. This chart shall not relieve any person from any requirement of Florida law.

It is important for you to provide this information to your operator and/or sampler:

- **It is strongly recommended that testing be conducted early in the monitoring period to allow time for retests due to possible sampling or lab errors. Annual and triennial sampling should be completed by 9/30/2023 to provide time for revisions, re-tests, and/or corrections.**
- **Test results must be submitted to DEP within the first ten days following the end of the required monitoring period, or the first ten days following the month in which the sample results were received, whichever time is the shortest. Failure to comply may result in enforcement action.**



FLORIDA DEPARTMENT OF Environmental Protection

Ron DeSantis
Governor

Jeanette Nuñez
Lt. Governor

Noah Valenstein
Secretary

Southwest District Office
13051 North Telecom Parkway #101
Temple Terrace, Florida 33637-0926

2023 Chemical Monitoring for Community Systems

Croft Bay Villages

PWS-ID No. 6090898

MONITORING & REPORTS		DUE	COMMENTS
Raw Water Microbiological ("Bacteriological")		Monthly	1 Raw Water Sample per well.
Distribution Microbiological ("Bacteriological")		Monthly	1 Distribution Samples per month. Disinfectant residuals must be reported.
Nitrate and Nitrite		2023	Sample at each POE every year.*
Primary Inorganics		2024	Sample at each POE every three years.
Secondaries		2024	Sample at each POE every three years.
Radiologicals	Gross Alpha	2027	Sample at each POE every three, six or nine years.
	Uranium	2024	Sample at each POE every three, six or nine years.
	Radium-226	2027	Sample at each POE every three, six or nine years.
	Radium-228	2027	Sample at each POE every three, six or nine years.
Volatile Organic Contaminants (VOCs)		2024	Sample at each POE every three years.
Synthetic Organic Contaminants (SOCs)		2024	Sample at each POE every three years, or submit SOC reduced monitoring waiver, if applicable. Use Form 62-560.545(2), F.A.C.
Stage II Disinfection Byproducts (DBPs) <i>Total Trihalomethanes & Haloacetic Acids (5)</i>		July-Sept. 2024	Sample according to approved Stage 2 D/DBPR Monitoring Plan.
Asbestos		2029	Certification or results due every nine years. Use Form 62-555.900(10), F.A.C.
Lead & Copper		June-Sept 2024	Sample from sites approved on the Lead and Copper Sampling Plan every three years.
Consumer Confidence Report (CCR) & CCR Certification of Delivery		July 1, 2023	CCR must be delivered by July 1, 2023. The CCR Certification of Delivery must be submitted to the Department by August 10, 2023.

*POE = Point of entry to the distribution system. Sample at each POE that is representative of each source after treatment.

This is a good faith assessment of monitoring requirements for the above-referenced public water system for calendar year 2023 and may not include additional sampling required during the year due to special circumstances. If you have questions or disagree with the assessment, please contact the appropriate personnel at (813) 470-5700. Monitoring schedules are subject to change, at any time, based on results of analyses or other factors. This chart shall not relieve any person from any requirement of Florida law.

It is important for you to provide this information to your operator and/or sampler:

- **It is strongly recommended that testing be conducted early in the monitoring period to allow time for retests due to possible sampling or lab errors. Annual and triennial sampling should be completed by 9/30/2023 to provide time for revisions, re-tests, and/or corrections.**
- **Test results must be submitted to DEP within the first ten days following the end of the required monitoring period, or the first ten days following the month in which the sample results were received, whichever time is the shortest. Failure to comply may result in enforcement action.**



FLORIDA DEPARTMENT OF Environmental Protection

Ron DeSantis
Governor

Jeanette Nuñez
Lt. Governor

Shawn Hamilton
Secretary

Southwest District Office
13051 North Telecom Parkway #101
Temple Terrace, Florida 33637-0926

2023 Chemical Monitoring for Community Systems

Meadow Dr. S.

PWS-ID No. 6091178

MONITORING & REPORTS		DUE	COMMENTS
Raw Water Microbiological ("Bacteriological")		Monthly	1 Raw Water Sample per well.
Distribution Microbiological ("Bacteriological")		Monthly	1 Distribution Samples per month. Disinfectant residuals must be reported.
Nitrate and Nitrite		2023	Sample at each POE every year.*
Primary Inorganics		2024	Sample at each POE every three years.
Secondaries		2024	Sample at each POE every three years.
Radiologicals	Gross Alpha	2024	Sample at each POE every three, six or nine years.
	Uranium	2024	Sample at each POE every three, six or nine years.
	Radium-226	2027	Sample at each POE every three, six or nine years.
	Radium-228	2027	Sample at each POE every three, six or nine years.
Volatile Organic Contaminants (VOCs)		2024	Sample at each POE every three years.
Synthetic Organic Contaminants (SOCs)		2024	Sample at each POE every three years, or submit SOC reduced monitoring waiver, if applicable. Use Form 62-560.545(2), F.A.C.
Stage II Disinfection Byproducts (DBPs) <i>Total Trihalomethanes & Haloacetic Acids (5)</i>		July - Sept. 2024	Sample according to approved Stage 2 D/DBPR Monitoring Plan.
Asbestos		2029	Certification or results due every nine years. Use Form 62-555.900(10), F.A.C.
Lead & Copper		June-Sept. 2024	Sample from sites approved on the Lead and Copper Sampling Plan every three years.
Consumer Confidence Report (CCR) & CCR Certification of Delivery		July 1, 2023	CCR must be delivered by July 1, 2023. The CCR Certification of Delivery must be submitted to the Department by August 10, 2023.

*POE = Point of entry to the distribution system. Sample at each POE that is representative of each source after treatment.

This is a good faith assessment of monitoring requirements for the above-referenced public water system for calendar year 2023 and may not include additional sampling required during the year due to special circumstances. If you have questions or disagree with the assessment, please contact the appropriate personnel at (813) 470-5700. Monitoring schedules are subject to change, at any time, based on results of analyses or other factors. This chart shall not relieve any person from any requirement of Florida law.

It is important for you to provide this information to your operator and/or sampler:

- **It is strongly recommended that testing be conducted early in the monitoring period to allow time for retests due to possible sampling or lab errors. Annual and triennial sampling should be completed by 9/30/2023 to provide time for revisions, re-tests, and/or corrections.**
- **Test results must be submitted to DEP within the first ten days following the end of the required monitoring period, or the first ten days following the month in which the sample results were received, whichever time is the shortest. Failure to comply may result in enforcement action.**



FLORIDA DEPARTMENT OF Environmental Protection

Ron DeSantis
Governor

Jeanette Nuñez
Lt. Governor

Shawn Hamilton
Secretary

Southwest District Office
13051 North Telecom Parkway #101
Temple Terrace, Florida 33637-0926

2022 Chemical Monitoring for Community Systems

System Name: Oak Forest

PWS-ID No. 6091274

MONITORING & REPORTS		DUE	COMMENTS
Raw Water Microbiological ("Bacteriological")		Monthly	1 Raw Water Sample per well.
Distribution Microbiological ("Bacteriological")		Monthly	1 Distribution Samples per month. Disinfectant residuals must be reported.
Nitrate and Nitrite		2023	Sample at each POE every year.*
Primary Inorganics		2024	Sample at each POE every three years.
Secondaries		2024	Sample at each POE every three years.
Radiologicals	Gross Alpha	2027	Sample at each POE every three, six or nine years.
	Uranium	2027	Sample at each POE every three, six or nine years.
	Radium-226	2027	Sample at each POE every three, six or nine years.
	Radium-228	2027	Sample at each POE every three, six or nine years.
Volatile Organic Contaminants (VOCs)		2024	Sample at each POE every three years.
Synthetic Organic Contaminants (SOCs)		2024	Sample at each POE every three years, or submit SOC reduced monitoring waiver, if applicable. Use Form 62-560.545(2), F.A.C.
Stage II Disinfection Byproducts (DBPs) <i>Total Trihalomethanes & Haloacetic Acids (5)</i>		Jul. - Sept. 2024	Sample according to approved Stage 2 D/DBPR Monitoring Plan.
Asbestos		2030	Certification or results due every nine years. Use Form 62-555.900(10), F.A.C.
Lead & Copper		Jun. - Sept. 2024	Sample from sites approved on the Lead and Copper Sampling Plan every three years.
Consumer Confidence Report (CCR) & CCR Certification of Delivery		July 1, 2023	CCR must be delivered by July 1, 2023. The CCR Certification of Delivery must be submitted to the Department by August 10, 2023.

*POE = Point of entry to the distribution system. Sample at each POE that is representative of each source after treatment.

This is a good faith assessment of monitoring requirements for the above-referenced public water system for calendar year 2023 and may not include additional sampling required during the year due to special circumstances. If you have questions or disagree with the assessment, please contact the appropriate personnel at (813) 470-5700. Monitoring schedules are subject to change, at any time, based on results of analyses or other factors. This chart shall not relieve any person from any requirement of Florida law.

It is important for you to provide this information to your operator and/or sampler:

- **It is strongly recommended that testing be conducted early in the monitoring period to allow time for retests due to possible sampling or lab errors. Annual and triennial sampling should be completed by 9/30/2023 to provide time for revisions, re-tests, and/or corrections.**
- **Test results must be submitted to DEP within the first ten days following the end of the required monitoring period, or the first ten days following the month in which the sample results were received, whichever time is the shortest. Failure to comply may result in enforcement action.**



FLORIDA DEPARTMENT OF Environmental Protection

Ron DeSantis
Governor

Jeanette Nuñez
Lt. Governor

Shawn Hamilton
Secretary

Southwest District Office
13051 North Telecom Parkway #101
Temple Terrace, Florida 33637-0926

2023 Chemical Monitoring for Community

Systems Water system: Ozello Water Association

PWS-ID No. 6091322

MONITORING & REPORTS	DUE	COMMENTS
Microbiological ("Bacteriological")	Monthly	Disinfectant residuals must be reported.
Stage II Disinfection Byproducts (DBPs) <i>Total Trihalomethanes & Haloacetic Acids (5)</i>	July-Sept. 2023	Sample according to approved Stage 2 D/DBPR Monitoring Plan.
Asbestos	2029	Certification or results due every nine years. Use Form 62-555.900(10), F.A.C.
Lead & Copper	June-Sept 2023	Sample from sites approved on the Lead and Copper Sampling Plan every three years.
Consumer Confidence Report (CCR) & CCR Certification of Delivery	July 1, 2023	CCR must be delivered by July 1, 2023. The CCR Certification of Delivery must be submitted to the Department by August 10, 2023.

*POE = Point of entry to the distribution system. Sample at each POE that is representative of each source after treatment.

This is a good faith assessment of monitoring requirements for the above-referenced public water system for calendar year 2023 and may not include additional sampling required during the year due to special circumstances. If you have questions or disagree with the assessment, please contact the appropriate personnel at (813) 470-5700. Monitoring schedules are subject to change, at any time, based on results of analyses or other factors. This chart shall not relieve any person from any requirement of Florida law.

It is important for you to provide this information to your operator and/or sampler:

- It is strongly recommended that testing be conducted early in the monitoring period to allow time for retests due to possible sampling or lab errors. Annual and triennial sampling should be completed by 9/30/2023 to provide time for revisions, retests, and/or corrections.
- Test results must be submitted to DEP within the first ten days following the end of the required monitoring period, or the first ten days following the month in which the sample results were received, whichever time is the shortest. Failure to comply may result in enforcement action.



FLORIDA DEPARTMENT OF Environmental Protection

Ron DeSantis
Governor

Jeanette Nuñez
Lt. Governor

Shawn Hamilton
Secretary

Southwest District Office
13051 North Telecom Parkway #101
Temple Terrace, Florida 33637-0926

2023 Chemical Monitoring for Community Systems

System Name: Point O' Woods

PWS-ID No. 6091422

MONITORING & REPORTS		DUE	COMMENTS
Raw Water Microbiological ("Bacteriological")		Monthly	1 Raw Water Sample per well.
Distribution Microbiological ("Bacteriological")		Monthly	1 Distribution Samples per month. Disinfectant residuals must be reported.
Nitrate and Nitrite		2023	Sample at each POE every year.*
Primary Inorganics		2024	Sample at each POE every three years.
Secondaries		2024	Sample at each POE every three years.
Radiologicals	Gross Alpha	2024	Sample at each POE every three, six or nine years.
	Uranium	2027	Sample at each POE every three, six or nine years.
	Radium-226	2027	Sample at each POE every three, six or nine years.
	Radium-228	2027	Sample at each POE every three, six or nine years.
Volatile Organic Contaminants (VOCs)		2024	Sample at each POE every three years.
Synthetic Organic Contaminants (SOCs)		2024	Sample at each POE every three years, or submit SOC reduced monitoring waiver, if applicable. Use Form 62-560.545(2), F.A.C.
Stage II Disinfection Byproducts (DBPs) <i>Total Trihalomethanes & Haloacetic Acids (5)</i>		Quarterly	Sample according to approved Stage 2 D/DBPR Monitoring Plan.
Asbestos		2030	Certification or results due every nine years. Use Form 62-555.900(10), F.A.C.
Lead & Copper		Jun. - Sept. 2024	Sample from sites approved on the Lead and Copper Sampling Plan every three years.
Consumer Confidence Report (CCR) & CCR Certification of Delivery		July 1, 2023	CCR must be delivered by July 1, 2023. The CCR Certification of Delivery must be submitted to the Department by August 10, 2023.

*POE = Point of entry to the distribution system. Sample at each POE that is representative of each source after treatment.

This is a good faith assessment of monitoring requirements for the above-referenced public water system for calendar year 2023 and may not include additional sampling required during the year due to special circumstances. If you have questions or disagree with the assessment, please contact the appropriate personnel at (813) 470-5700. Monitoring schedules are subject to change, at any time, based on results of analyses or other factors. This chart shall not relieve any person from any requirement of Florida law.

It is important for you to provide this information to your operator and/or sampler:

- **It is strongly recommended that testing be conducted early in the monitoring period to allow time for retests due to possible sampling or lab errors. Annual and triennial sampling should be completed by 9/30/2023 to provide time for revisions, re-tests, and/or corrections.**
- **Test results must be submitted to DEP within the first ten days following the end of the required monitoring period, or the first ten days following the month in which the sample results were received, whichever time is the shortest. Failure to comply may result in enforcement action.**



FLORIDA DEPARTMENT OF Environmental Protection

Ron DeSantis
Governor

Jeanette Nuñez
Lt. Governor

Shawn Hamilton
Secretary

Southwest District Office
13051 North Telecom Parkway #101
Temple Terrace, Florida 33637-0926

2023 Chemical Monitoring for NTNC

Water Systems: Lake Rousseau Resort

PWS-ID No. 6091516

MONITORING & REPORTS		DUE	COMMENTS
Raw Water Microbiological ("Bacteriological")		Quarterly	1 Raw Water Sample per well.
Distribution Microbiological ("Bacteriological")		Quarterly	1 Distribution Sample per quarter. Disinfectant residuals must be reported.
Nitrate and Nitrite		2023	Sample at each POE every year.*
Primary Inorganics		2025	Sample at each POE every three years.
Radiologicals	Gross Alpha	Waived	Sample at each POE every quarterly, six, nine years, or Waived use of Grandfather Data (date of sample)
	Uranium	2027	Sample at each POE every quarterly, six, nine years, or Waived use of Grandfather Data (date of sample)
	Radium-226/288	2027	Sample at each POE every quarterly, six, nine years, or Waived use of Grandfather Data (date of sample)
Volatile Organic Contaminants (VOCs)		2025	Sample at each POE every three years.
Synthetic Organic Contaminants (SOCs)		2025	Sample at each POE every three years, or submit SOC reduced monitoring waiver, if applicable. Use Form 62-560.545(2), F.A.C.
Stage II Disinfection Byproducts (DBPs) <i>Total Trihalomethanes & Haloacetic Acids (5)</i>		July-Sept. 2023	Sample according to approved Stage 2 D/DBPR Monitoring Plan.
Asbestos		2029	Certification or results due every nine years. Use Form 62-555.900(10), F.A.C.
Lead & Copper		June-Sept. 2025	Sample from sites approved on the Lead and Copper Sampling Plan every three years.

*POE = Point of entry to the distribution system. Sample at each POE that is representative of each source after treatment.

This is a good faith assessment of monitoring requirements for the above-referenced public water system for calendar year 2023 and may not include additional sampling required during the year due to special circumstances. If you have questions or disagree with the assessment, please contact the appropriate personnel at (813) 470-5700. Monitoring schedules are subject to change, at any time, based on results of analyses or other factors. This chart shall not relieve any person from any requirement of Florida law.

It is important for you to provide this information to your operator and/or sampler:

- **It is strongly recommended that testing be conducted early in the monitoring period to allow time for retests due to possible sampling or lab errors. Annual and triennial sampling should be completed by 9/30/2023 to provide time for revisions, retests, and/or corrections.**
- **Test results must be submitted to DEP within the first ten days following the end of the required monitoring period, or the first ten days following the month in which the sample results were received, whichever time is the shortest. Failure to comply may result in enforcement action.**



FLORIDA DEPARTMENT OF Environmental Protection

Ron DeSantis
Governor

Jeanette Nuñez
Lt. Governor

Shawn Hamilton
Secretary

Southwest District Office
13051 North Telecom Parkway #101
Temple Terrace, Florida 33637-0926

2023 Chemical Monitoring for Community Systems

System Name: Royal Oaks Homeowner's Association

PWS-ID No. 6091554

MONITORING & REPORTS		DUE	COMMENTS
Raw Water Microbiological ("Bacteriological")		Monthly	1 Raw Water Sample per well.
Distribution Microbiological ("Bacteriological")		Monthly	1 Distribution Samples per month. Disinfectant residuals must be reported.
Nitrate and Nitrite		2023	Sample at each POE every year.*
Primary Inorganics		2024	Sample at each POE every three years.
Secondaries		2024	Sample at each POE every three years.
Radiologicals	Gross Alpha	2024	Sample at each POE every three, six or nine years.
	Uranium	2024	Sample at each POE every three, six or nine years.
	Radium-226	2027	Sample at each POE every three, six or nine years.
	Radium-228	2027	Sample at each POE every three, six or nine years.
Volatile Organic Contaminants (VOCs)		2024	Sample at each POE every three years.
Synthetic Organic Contaminants (SOCs)		2024	Sample at each POE every three years, or submit SOC reduced monitoring waiver, if applicable. Use Form 62-560.545(2), F.A.C.
Stage II Disinfection Byproducts (DBPs) <i>Total Trihalomethanes & Haloacetic Acids (5)</i>		Jul-Sept. 2024	Sample according to approved Stage 2 D/DBPR Monitoring Plan.
Asbestos		2030	Certification or results due every nine years. Use Form 62-555.900(10), F.A.C.
Lead & Copper		June - Sept 2024	Sample from sites approved on the Lead and Copper Sampling Plan every three years.
Consumer Confidence Report (CCR) & CCR Certification of Delivery		July 1, 2023	CCR must be delivered by July 1, 2023. The CCR Certification of Delivery must be submitted to the Department by August 10, 2023. Use Form 62-555.900(alternate 19), F.A.C.
Tank(s) Inspection & cleaning		2023	Pursuant to 62-555.350(2) F.A.C. all finished drinking water storage tanks with access manholes shall be inspected and cleaned at a maximum interval of every 5 years.
Meter(s) Calibration		2023	Pursuant to 62-555.350(2) F.A.C. requires that water systems maintain and calibrate master meters in accordance to manufacturer specifications at no less than interval of every 5 years.

*POE = Point of entry to the distribution system. Sample at each POE that is representative of each source after treatment.

This is a good faith assessment of monitoring requirements for the above-referenced public water system for calendar year 2023 and may not include additional sampling required during the year due to special circumstances. If you have questions or disagree with the assessment, please contact the appropriate personnel at (813) 470-5700. Monitoring schedules are subject to change, at any time, based on results of analyses or other factors. This chart shall not relieve any person from any requirement of Florida law.

It is important for you to provide this information to your operator and/or sampler:

- **It is strongly recommended that testing be conducted early in the monitoring period to allow time for retests due to possible sampling or lab errors. Annual and triennial sampling should be completed by 9/30/2023 to provide time for revisions, re-tests, and/or corrections.**
- **Test results must be submitted to DEP within the first ten days following the end of the required monitoring period, or the first ten days following the month in which the sample results were received, whichever time is the shortest. Failure to comply may result in enforcement action.**



FLORIDA DEPARTMENT OF Environmental Protection

Ron DeSantis
Governor

Jeanette Nuñez
Lt. Governor

Shawn Hamilton
Secretary

Southwest District Office
13051 North Telecom Parkway #101
Temple Terrace, Florida 33637-0926

2023 Chemical Monitoring for Community Systems

System Name: South Dunnellon Water Association

PWS-ID No. 6091672

MONITORING & REPORTS		DUE	COMMENTS
Raw Water Microbiological ("Bacteriological")		Monthly	1 Raw Water Sample per well.
Distribution Microbiological ("Bacteriological")		Monthly	1 Distribution Samples per month. Disinfectant residuals must be reported.
Nitrate and Nitrite		2023	Sample at each POE every year.*
Primary Inorganics		2024	Sample at each POE every three years.
Secondaries		2024	Sample at each POE every three years.
Radiologicals	Gross Alpha	2030	Sample at each POE every three, six or nine years.
	Uranium	2030	Sample at each POE every three, six or nine years.
	Radium-226	2030	Sample at each POE every three, six or nine years.
	Radium-228	2030	Sample at each POE every three, six or nine years.
Volatile Organic Contaminants (VOCs)		2024	Sample at each POE every three years.
Synthetic Organic Contaminants (SOCs)		2024	Sample at each POE every three years, or submit SOC reduced monitoring waiver, if applicable. Use Form 62-560.545(2), F.A.C.
Stage II Disinfection Byproducts (DBPs) <i>Total Trihalomethanes & Haloacetic Acids (5)</i>		Jul-Sept. 2024	Sample according to approved Stage 2 D/DBPR Monitoring Plan.
Asbestos		2030	Certification or results due every nine years. Use Form 62-555.900(10), F.A.C.
Lead & Copper		June - Sept 2024	Sample from sites approved on the Lead and Copper Sampling Plan every three years.
Consumer Confidence Report (CCR) & CCR Certification of Delivery		July 1, 2023	CCR must be delivered by July 1, 2023. The CCR Certification of Delivery must be submitted to the Department by August 10, 2023. Use Form 62-555.900(alternate 19), F.A.C.
Tank(s) Inspection & cleaning		2025	Pursuant to 62-555.350(2) F.A.C. all finished drinking water storage tanks with access manholes shall be inspected and cleaned at a maximum interval of every 5 years.
Meter(s) Calibration		Last Calibration: Due every 5 Years	Pursuant to 62-555.350(2) F.A.C. requires that water systems maintain and calibrate master meters in accordance to manufacturer specifications at no less than interval of every 5 years.

*POE = Point of entry to the distribution system. Sample at each POE that is representative of each source after treatment.

This is a good faith assessment of monitoring requirements for the above-referenced public water system for calendar year 2023 and may not include additional sampling required during the year due to special circumstances. If you have questions or disagree with the assessment, please contact the appropriate personnel at (813) 470-5700. Monitoring schedules are subject to change, at any time, based on results of analyses or other factors. This chart shall not relieve any person from any requirement of Florida law.

It is important for you to provide this information to your operator and/or sampler:

- **It is strongly recommended that testing be conducted early in the monitoring period to allow time for retests due to possible sampling or lab errors. Annual and triennial sampling should be completed by 9/30/2023 to provide time for revisions, re-tests, and/or corrections.**
- **Test results must be submitted to DEP within the first ten days following the end of the required monitoring period, or the first ten days following the month in which the sample results were received, whichever time is the shortest. Failure to comply may result in enforcement action.**



FLORIDA DEPARTMENT OF Environmental Protection

Ron DeSantis
Governor

Jeanette Nuñez
Lt. Governor

Shawn Hamilton
Secretary

Southwest District Office
13051 North Telecom Parkway #101
Temple Terrace, Florida 33637-0926

2023 Chemical Monitoring for Community Systems

System Name: Sugarmill Woods

PWS-ID No. 6091735

MONITORING & REPORTS	DUE	COMMENTS
Microbiological ("Bacteriological")	Monthly	Disinfectant residuals must be reported.
Stage II Disinfection Byproducts (DBPs) <i>Total Trihalomethanes & Haloacetic Acids (5)</i>	Jul. - Sept. 2023	Sample according to approved Stage 2 D/DBPR Monitoring Plan.
Asbestos	2029	Certification or results due every nine years. Use Form 62-555.900(10), F.A.C.
Lead & Copper	Jun. - Sept. 2023	Sample from sites approved on the Lead and Copper Sampling Plan every three years.
Consumer Confidence Report (CCR) & CCR Certification of Delivery	July 1, 2023	CCR must be delivered by July 1, 2023. The CCR Certification of Delivery must be submitted to the Department by August 10, 2023.
Cross Connection Control Annual Report	March 31, 2023	Complete and submit DEP form 62-555.900(13).

PWS Name: Plant 2 WTP

MONITORING & REPORTS	DUE	COMMENTS	
Nitrate and Nitrite	2023	Sample at each POE every year. *	
Primary Inorganics	2023	Sample at each POE every three years.	
Secondaries	2023	Sample at each POE every three years.	
Radiologicals	Gross Alpha	2029	Sample at each POE every three, six or nine years.
	Uranium	2029	Sample at each POE every three, six or nine years.
	Radium-226	2029	Sample at each POE every three, six or nine years.
	Radium-228	2029	Sample at each POE every three, six or nine years.
Volatile Organic Contaminants (VOCs)	2023	Sample at each POE every three years.	
Toluene (VOC)	Apr. - Jun. 2023	Sample at POE annually.	
Synthetic Organic Contaminants (SOCs)	2023	Sample at each POE every three years, or submit SOC reduced monitoring waiver, if applicable. Use Form 62-560.545(2), F.A.C.	

PWS Name: Plant #3 WTP

MONITORING & REPORTS		DUE	COMMENTS
Nitrate and Nitrite		2023	Sample at each POE every year. *
Primary Inorganics		2023	Sample at each POE every three years.
Secondaries		2023	Sample at each POE every three years.
Radiologicals	Gross Alpha	2029	Sample at each POE every three, six or nine years.
	Uranium	2029	Sample at each POE every three, six or nine years.
	Radium-226	2029	Sample at each POE every three, six or nine years.
	Radium-228	2029	Sample at each POE every three, six or nine years.
Volatile Organic Contaminants (VOCs)		2023	Sample at each POE every three years.
Toluene (VOC)		Apr. - Jun. 2023	Sample at POE annually.
Synthetic Organic Contaminants (SOCs)		2023	Sample at each POE every three years, or submit SOC reduced monitoring waiver, if applicable. Use Form 62-560.545(2), F.A.C.

*POE = Point of entry to the distribution system. Sample at each POE that is representative of each source after treatment.

This is a good faith assessment of monitoring requirements for the above-referenced public water system for calendar year 2023 and may not include additional sampling required during the year due to special circumstances. If you have questions or disagree with the assessment, please contact the appropriate personnel at (813) 470-5700. Monitoring schedules are subject to change, at any time, based on results of analyses or other factors. This chart shall not relieve any person from any requirement of Florida law.

It is important for you to provide this information to your operator and/or sampler:

- **It is strongly recommended that testing be conducted early in the monitoring period to allow time for retests due to possible sampling or lab errors. Annual and triennial sampling should be completed by 9/30/2023 to provide time for revisions, retests, and/or corrections.**
- **Test results must be submitted to DEP within the first ten days following the end of the required monitoring period, or the first ten days following the month in which the sample results were received, whichever time is the shortest. Failure to comply may result in enforcement action.**



FLORIDA DEPARTMENT OF Environmental Protection

Ron DeSantis
Governor

Jeanette Nuñez
Lt. Governor

Shawn Hamilton
Secretary

Southwest District Office
13051 North Telecom Parkway #101
Temple Terrace, Florida 33637-0926

2023 Chemical Monitoring for Community Systems

System Name: Thunderbird MHP

PWS-ID No. 6091816

MONITORING & REPORTS		DUE	COMMENTS
Raw Water Microbiological ("Bacteriological")		Monthly	1 Raw Water Sample per well.
Distribution Microbiological ("Bacteriological")		Monthly	1 Distribution Samples per month. Disinfectant residuals must be reported.
Nitrate and Nitrite		2023	Sample at each POE every year.*
Primary Inorganics		2024	Sample at each POE every three years.
Secondaries		2024	Sample at each POE every three years.
Radiologicals	Gross Alpha	2030	Sample at each POE every three, six or nine years.
	Uranium	2030	Sample at each POE every three, six or nine years.
	Radium-226	2030	Sample at each POE every three, six or nine years.
	Radium-228	2030	Sample at each POE every three, six or nine years.
Volatile Organic Contaminants (VOCs)		2024	Sample at each POE every three years.
Synthetic Organic Contaminants (SOCs)		2024	Sample at each POE every three years, or submit SOC reduced monitoring waiver, if applicable. Use Form 62-560.545(2), F.A.C.
Stage II Disinfection Byproducts (DBPs) <i>Total Trihalomethanes & Haloacetic Acids (5)</i>		Jul.-Sept. 2024	Sample according to approved Stage 2 D/DBPR Monitoring Plan.
Asbestos		2030	Certification or results due every nine years. Use Form 62-555.900(10), F.A.C.
Lead & Copper		June - Sept 2024	Sample from sites approved on the Lead and Copper Sampling Plan every three years.
Consumer Confidence Report (CCR) & CCR Certification of Delivery		July 1, 2023	CCR must be delivered by July 1, 2023. The CCR Certification of Delivery must be submitted to the Department by August 10, 2023. Use Form 62-555.900(alternate 19), F.A.C.

*POE = Point of entry to the distribution system. Sample at each POE that is representative of each source after treatment.

This is a good faith assessment of monitoring requirements for the above-referenced public water system for calendar year 2023 and may not include additional sampling required during the year due to special circumstances. If you have questions or disagree with the assessment, please contact the appropriate personnel at (813) 470-5700. Monitoring schedules are subject to change, at any time, based on results of analyses or other factors. This chart shall not relieve any person from any requirement of Florida law.

It is important for you to provide this information to your operator and/or sampler:

- **It is strongly recommended that testing be conducted early in the monitoring period to allow time for retests due to possible sampling or lab errors. Annual and triennial sampling should be completed by 9/30/2023 to provide time for revisions, re-tests, and/or corrections.**
- **Test results must be submitted to DEP within the first ten days following the end of the required monitoring period, or the first ten days following the month in which the sample results were received, whichever time is the shortest. Failure to comply may result in enforcement action.**



FLORIDA DEPARTMENT OF Environmental Protection

Ron DeSantis
Governor

Jeanette Nuñez
Lt. Governor

Shawn Hamilton
Secretary

Southwest District Office
13051 North Telecom Parkway #101
Temple Terrace, Florida 33637-0926

2023 Chemical Monitoring for Community Systems

System Name: Suncoast MHP

PWS-ID No. 6091876

MONITORING & REPORTS		DUE	COMMENTS
Raw Water Microbiological ("Bacteriological")		Monthly	1 Raw Water Sample per well.
Distribution Microbiological ("Bacteriological")		Monthly	1 Distribution Samples per month. Disinfectant residuals must be reported.
Nitrate and Nitrite		2023	Sample at each POE every year.*
Primary Inorganics		2024	Sample at each POE every three years.
Secondaries		2024	Sample at each POE every three years.
Radiologicals	Gross Alpha	2024	Sample at each POE every three, six or nine years.
	Uranium	2024	Sample at each POE every three, six or nine years.
	Radium-226	2024	Sample at each POE every three, six or nine years.
	Radium-228	2024	Sample at each POE every three, six or nine years.
Volatile Organic Contaminants (VOCs)		2024	Sample at each POE every three years.
Synthetic Organic Contaminants (SOCs)		2024	Sample at each POE every three years, or submit SOC reduced monitoring waiver, if applicable. Use Form 62-560.545(2), F.A.C.
Stage II Disinfection Byproducts (DBPs) <i>Total Trihalomethanes & Haloacetic Acids (5)</i>		Jul-Sept. 2024	Sample according to approved Stage 2 D/DBPR Monitoring Plan.
Asbestos		2030	Certification or results due every nine years. Use Form 62-555.900(10), F.A.C.
Lead & Copper		June - Sept 2024	Sample from sites approved on the Lead and Copper Sampling Plan every three years.
Consumer Confidence Report (CCR) & CCR Certification of Delivery		July 1, 2023	CCR must be delivered by July 1, 2023. The CCR Certification of Delivery must be submitted to the Department by August 10, 2023. Use Form 62-555.900(alternate 19), F.A.C.
Tank(s) Inspection & cleaning		Last 5-year Inspection: 2023	Pursuant to 62-555.350(2) F.A.C. all finished drinking water storage tanks with access manholes shall be inspected and cleaned at a maximum interval of every 5 years.
Meter(s) Calibration		Last Calibration: Due every 5 years	Pursuant to 62-555.350(2) F.A.C. requires that water systems maintain and calibrate master meters in accordance to manufacturer specifications at no less than interval of every 5 years.

*POE = Point of entry to the distribution system. Sample at each POE that is representative of each source after treatment.

This is a good faith assessment of monitoring requirements for the above-referenced public water system for calendar year 2023 and may not include additional sampling required during the year due to special circumstances. If you have questions or disagree with the assessment, please contact the appropriate personnel at (813) 470-5700. Monitoring schedules are subject to change, at any time, based on results of analyses or other factors. This chart shall not relieve any person from any requirement of Florida law.

It is important for you to provide this information to your operator and/or sampler:

- **It is strongly recommended that testing be conducted early in the monitoring period to allow time for retests due to possible sampling or lab errors. Annual and triennial sampling should be completed by 9/30/2023 to provide time for revisions, re-tests, and/or corrections.**
- **Test results must be submitted to DEP within the first ten days following the end of the required monitoring period, or the first ten days following the month in which the sample results were received, whichever time is the shortest. Failure to comply may result in enforcement action.**



FLORIDA DEPARTMENT OF Environmental Protection

Ron DeSantis
Governor

Jeanette Nuñez
Lt. Governor

Shawn Hamilton
Secretary

Southwest District Office
13051 North Telecom Parkway #101
Temple Terrace, Florida 33637-0926

2023 Chemical Monitoring for NTNC

Water Systems Bayfront Health Seven River

PWS-ID No. 6092186

MONITORING & REPORTS		DUE	COMMENTS
Raw Water Microbiological ("Bacteriological")		Quarterly	1 Raw Water Sample per well.
Distribution Microbiological ("Bacteriological")		Quarterly	1 Distribution Sample per quarter. Disinfectant residuals must be reported.
Nitrate and Nitrite		2023	Sample at each POE every year.*
Primary Inorganics		2025	Sample at each POE every three years.
Radiologicals	Gross Alpha	Waived	Sample at each POE every quarterly, six, nine years, or Waived use of Grandfather Data (date of sample)
	Uranium	2025	Sample at each POE every quarterly, six, nine years, or Waived use of Grandfather Data (date of sample)
	Radium-226	Waived	Sample at each POE every quarterly, six, nine years, or Waived use of Grandfather Data (date of sample)
	Radium-228	Waived	Sample at each POE every quarterly, six, nine years, or Waived use of Grandfather Data (date of sample)
Volatile Organic Contaminants (VOCs)		2025	Sample at each POE every three years.
Synthetic Organic Contaminants (SOCs)		2025	Sample at each POE every three years, or submit SOC reduced monitoring waiver, if applicable. Use Form 62-560.545(2), F.A.C.
Stage II Disinfection Byproducts (DBPs) <i>Total Trihalomethanes & Haloacetic Acids (5)</i>		July-Sept. 2023	Sample according to approved Stage 2 D/DBPR Monitoring Plan.
Asbestos		2029	Certification or results due every nine years. Use Form 62-555.900(10), F.A.C.
Lead & Copper		June-Sept. 2024	Sample from sites approved on the Lead and Copper Sampling Plan every three years.

*POE = Point of entry to the distribution system. Sample at each POE that is representative of each source after treatment.

This is a good faith assessment of monitoring requirements for the above-referenced public water system for calendar year 2023 and may not include additional sampling required during the year due to special circumstances. If you have questions or disagree with the assessment, please contact the appropriate personnel at (813) 470-5700. Monitoring schedules are subject to change, at any time, based on results of analyses or other factors. This chart shall not relieve any person from any requirement of Florida law.

It is important for you to provide this information to your operator and/or sampler:

- **It is strongly recommended that testing be conducted early in the monitoring period to allow time for retests due to possible sampling or lab errors. Annual and triennial sampling should be completed by 9/30/2023 to provide time for revisions, retests, and/or corrections.**
- **Test results must be submitted to DEP within the first ten days following the end of the required monitoring period, or the first ten days following the month in which the sample results were received, whichever time is the shortest. Failure to comply may result in enforcement action.**



FLORIDA DEPARTMENT OF Environmental Protection

Ron DeSantis
Governor

Jeanette Nuñez
Lt. Governor

Shawn Hamilton
Secretary

Southwest District Office
13051 North Telecom Parkway #101
Temple Terrace, Florida 33637-0926

2023 Chemical Monitoring for Community Systems

System Name: Spring Gardens

PWS-ID No. 6092199

MONITORING & REPORTS	DUE	COMMENTS
Distribution Microbiological ("Bacteriological")	Monthly	1 Distribution Samples per month. Disinfectant residuals must be reported.
Stage II Disinfection Byproducts (DBPs) Total Trihalomethanes & Haloacetic Acids (5)	Jul-Sept. 2024	Sample according to approved Stage 2 D/DBPR Monitoring Plan.
Asbestos	2030	Certification or results due every nine years. Use Form 62-555.900(10), F.A.C.
Lead & Copper	June - Sept 2024	Sample from sites approved on the Lead and Copper Sampling Plan every three years.
Consumer Confidence Report (CCR) & CCR Certification of Delivery	July 1, 2023	CCR must be delivered by July 1, 2023. The CCR Certification of Delivery must be submitted to the Department by August 10, 2023. Use Form 62-555.900(alternate 19), F.A.C.

*POE = Point of entry to the distribution system. Sample at each POE that is representative of each source after treatment.

This is a good faith assessment of monitoring requirements for the above-referenced public water system for calendar year 2023 and may not include additional sampling required during the year due to special circumstances. If you have questions or disagree with the assessment, please contact the appropriate personnel at (813) 470-5700. Monitoring schedules are subject to change, at any time, based on results of analyses or other factors. This chart shall not relieve any person from any requirement of Florida law.

It is important for you to provide this information to your operator and/or sampler:

- **It is strongly recommended that testing be conducted early in the monitoring period to allow time for retests due to possible sampling or lab errors. Annual and triennial sampling should be completed by 9/30/2023 to provide time for revisions, re-tests, and/or corrections.**
- **Test results must be submitted to DEP within the first ten days following the end of the required monitoring period, or the first ten days following the month in which the sample results were received, whichever time is the shortest. Failure to comply may result in enforcement action.**



FLORIDA DEPARTMENT OF Environmental Protection

Ron DeSantis
Governor

Jeanette Nuñez
Lt. Governor

Shawn Hamilton
Secretary

Southwest District Office
13051 North Telecom Parkway #101
Temple Terrace, Florida 33637-0926

2023 Chemical Monitoring for Community Systems

Cedar Lake Estate

PWS-ID No. 6092326

MONITORING & REPORTS		DUE	COMMENTS
Raw Water Microbiological ("Bacteriological")		Monthly	1 Raw Water Sample per well.
Distribution Microbiological ("Bacteriological")		Monthly	1 Distribution Samples per month. Disinfectant residuals must be reported.
Nitrate and Nitrite		2023	Sample at each POE every year.*
Primary Inorganics		2024	Sample at each POE every three years.
Secondaries		2024	Sample at each POE every three years.
Radiologicals	Gross Alpha	2024	Sample at each POE every three, six or nine years.
	Uranium	2030	Sample at each POE every three, six or nine years.
	Radium-226	2027	Sample at each POE every three, six or nine years.
	Radium-228	2027	Sample at each POE every three, six or nine years.
Volatile Organic Contaminants (VOCs)		2024	Sample at each POE every three years.
Synthetic Organic Contaminants (SOCs)		2024	Sample at each POE every three years, or submit SOC reduced monitoring waiver, if applicable. Use Form 62-560.545(2), F.A.C.
Stage II Disinfection Byproducts (DBPs) <i>Total Trihalomethanes & Haloacetic Acids (5)</i>		July-Sept. 2024	Sample according to approved Stage 2 D/DBPR Monitoring Plan.
Asbestos		2029	Certification or results due every nine years. Use Form 62-555.900(10), F.A.C.
Lead & Copper		June-Sept. 2024	Sample from sites approved on the Lead and Copper Sampling Plan every three years.
Consumer Confidence Report (CCR) & CCR Certification of Delivery		July 1, 2023	CCR must be delivered by July 1, 2023. The CCR Certification of Delivery must be submitted to the Department by August 10, 2023.

*POE = Point of entry to the distribution system. Sample at each POE that is representative of each source after treatment.

This is a good faith assessment of monitoring requirements for the above-referenced public water system for calendar year 2023 and may not include additional sampling required during the year due to special circumstances. If you have questions or disagree with the assessment, please contact the appropriate personnel at (813) 470-5700. Monitoring schedules are subject to change, at any time, based on results of analyses or other factors. This chart shall not relieve any person from any requirement of Florida law.

It is important for you to provide this information to your operator and/or sampler:

- **It is strongly recommended that testing be conducted early in the monitoring period to allow time for retests due to possible sampling or lab errors. Annual and triennial sampling should be completed by 9/30/2023 to provide time for revisions, re-tests, and/or corrections.**
- **Test results must be submitted to DEP within the first ten days following the end of the required monitoring period, or the first ten days following the month in which the sample results were received, whichever time is the shortest. Failure to comply may result in enforcement action.**



FLORIDA DEPARTMENT OF Environmental Protection

Ron DeSantis
Governor

Jeanette Nuñez
Lt. Governor

Shawn Hamilton
Secretary

Southwest District Office
13051 North Telecom Parkway #101
Temple Terrace, Florida 33637-0926

2023 Chemical Monitoring for Community Systems

Forest Hills Division

PWS-ID No. 6092327

MONITORING & REPORTS	DUE	COMMENTS
Raw Water Microbiological ("Bacteriological")	Monthly	1 Raw Water Sample per well.
Distribution Microbiological ("Bacteriological")	Monthly	1 Distribution Samples per month. Disinfectant residuals must be reported.
Stage II Disinfection Byproducts (DBPs) <i>Total Trihalomethanes & Haloacetic Acids (5)</i>	July-Sept. 2024	Sample according to approved Stage 2 D/DBPR Monitoring Plan.
Asbestos	2029	Certification or results due every nine years. Use Form 62-555.900(10), F.A.C.
Lead & Copper	June-Sept. 2024	Sample from sites approved on the Lead and Copper Sampling Plan every three years.
Consumer Confidence Report (CCR) & CCR Certification of Delivery	July 1, 2023	CCR must be delivered by July 1, 2023. The CCR Certification of Delivery must be submitted to the Department by August 10, 2023.

*POE = Point of entry to the distribution system. Sample at each POE that is representative of each source after treatment.

This is a good faith assessment of monitoring requirements for the above-referenced public water system for calendar year 2023 and may not include additional sampling required during the year due to special circumstances. If you have questions or disagree with the assessment, please contact the appropriate personnel at (813) 470-5700. Monitoring schedules are subject to change, at any time, based on results of analyses or other factors. This chart shall not relieve any person from any requirement of Florida law.

It is important for you to provide this information to your operator and/or sampler:

- **It is strongly recommended that testing be conducted early in the monitoring period to allow time for retests due to possible sampling or lab errors. Annual and triennial sampling should be completed by 9/30/2023 to provide time for revisions, re-tests, and/or corrections.**
- **Test results must be submitted to DEP within the first ten days following the end of the required monitoring period, or the first ten days following the month in which the sample results were received, whichever time is the shortest. Failure to comply may result in enforcement action.**



FLORIDA DEPARTMENT OF Environmental Protection

Ron DeSantis
Governor

Jeanette Nuñez
Lt. Governor

Shawn Hamilton
Secretary

Southwest District Office
13051 North Telecom Parkway #101
Temple Terrace, Florida 33637-0926

2023 Chemical Monitoring for Community Systems

System Name: Aurora Acres

PWS-ID No. 6092331

MONITORING & REPORTS		DUE	COMMENTS
Raw Water Microbiological ("Bacteriological")		Monthly	1 Raw Water Sample per well.
Distribution Microbiological ("Bacteriological")		Monthly	1 Distribution Samples per month. Disinfectant residuals must be reported.
Nitrate and Nitrite		2023	Sample at each POE every year.*
Primary Inorganics		2024	Sample at each POE every three years.
Secondaries		2024	Sample at each POE every three years.
Radiologicals	Gross Alpha	2030	Sample at each POE every three, six or nine years.
	Uranium	2030	Sample at each POE every three, six or nine years.
	Radium-226	2030	Sample at each POE every three, six or nine years.
	Radium-228	2030	Sample at each POE every three, six or nine years.
Volatile Organic Contaminants (VOCs)		2024	Sample at each POE every three years.
Synthetic Organic Contaminants (SOCs)		2024	Sample at each POE every three years, or submit SOC reduced monitoring waiver, if applicable. Use Form 62-560.545(2), F.A.C.
Stage II Disinfection Byproducts (DBPs) <i>Total Trihalomethanes & Haloacetic Acids (5)</i>		Jul-Sept. 2023	Sample according to approved Stage 2 D/DBPR Monitoring Plan.
Asbestos		2030	Certification or results due every nine years. Use Form 62-555.900(10), F.A.C.
Lead & Copper		June - Sept 2024	Sample from sites approved on the Lead and Copper Sampling Plan every three years.
Consumer Confidence Report (CCR) & CCR Certification of Delivery		July 1, 2023	CCR must be delivered by July 1, 2023. The CCR Certification of Delivery must be submitted to the Department by August 10, 2023. Use Form 62-555.900(alternate 19), F.A.C.
Tank(s) Inspection & cleaning		2026	Pursuant to 62-555.350(2) F.A.C. all finished drinking water storage tanks with access manholes shall be inspected and cleaned at a maximum interval of every 5 years.
Meter(s) Calibration		Last Calibration: Due every 5 years	Pursuant to 62-555.350(2) F.A.C. requires that water systems maintain and calibrate master meters in accordance to manufacturer specifications at no less than interval of every 5 years.

*POE = Point of entry to the distribution system. Sample at each POE that is representative of each source after treatment.

This is a good faith assessment of monitoring requirements for the above-referenced public water system for calendar year 2023 and may not include additional sampling required during the year due to special circumstances. If you have questions or disagree with the assessment, please contact the appropriate personnel at (813) 470-5700. Monitoring schedules are subject to change, at any time, based on results of analyses or other factors. This chart shall not relieve any person from any requirement of Florida law.

It is important for you to provide this information to your operator and/or sampler:

- **It is strongly recommended that testing be conducted early in the monitoring period to allow time for retests due to possible sampling or lab errors. Annual and triennial sampling should be completed by 9/30/2023 to provide time for revisions, re-tests, and/or corrections.**
- **Test results must be submitted to DEP within the first ten days following the end of the required monitoring period, or the first ten days following the month in which the sample results were received, whichever time is the shortest. Failure to comply may result in enforcement action.**



FLORIDA DEPARTMENT OF Environmental Protection

Ron DeSantis
Governor

Jeanette Nuñez
Lt. Governor

Shawn Hamilton
Secretary

Southwest District Office
13051 North Telecom Parkway #101
Temple Terrace, Florida 33637-0926

2023 Chemical Monitoring for Community Systems

System Name: Sandy Oaks RV and MHP

PWS-ID No. 6092334

MONITORING & REPORTS		DUE	COMMENTS
Raw Water Microbiological ("Bacteriological")		Monthly	1 Raw Water Sample per well.
Distribution Microbiological ("Bacteriological")		Monthly	1 Distribution Samples per month. Disinfectant residuals must be reported.
Nitrate and Nitrite		2023	Sample at each POE every year.*
Primary Inorganics		2024	Sample at each POE every three years.
Secondaries		2024	Sample at each POE every three years.
Radiologicals	Gross Alpha	2027	Sample at each POE every three, six or nine years.
	Uranium	2027	Sample at each POE every three, six or nine years.
	Radium-226	2027	Sample at each POE every three, six or nine years.
	Radium-228	2027	Sample at each POE every three, six or nine years.
Volatile Organic Contaminants (VOCs)		2024	Sample at each POE every three years.
Synthetic Organic Contaminants (SOCs)		2024	Sample at each POE every three years, or submit SOC reduced monitoring waiver, if applicable. Use Form 62-560.545(2), F.A.C.
Stage II Disinfection Byproducts (DBPs) <i>Total Trihalomethanes & Haloacetic Acids (5)</i>		Jul-Sept. 2024	Sample according to approved Stage 2 D/DBPR Monitoring Plan.
Asbestos		2030	Certification or results due every nine years. Use Form 62-555.900(10), F.A.C.
Lead & Copper		June - Sept 2024	Sample from sites approved on the Lead and Copper Sampling Plan every three years.
Consumer Confidence Report (CCR) & CCR Certification of Delivery		July 1, 2023	CCR must be delivered by July 1, 2023. The CCR Certification of Delivery must be submitted to the Department by August 10, 2023. Use Form 62-555.900(alternate 19), F.A.C.
Tank(s) Inspection & cleaning		2023	Pursuant to 62-555.350(2) F.A.C. all finished drinking water storage tanks with access manholes shall be inspected and cleaned at a maximum interval of every 5 years.
Meter(s) Calibration		Due every 5 years	Pursuant to 62-555.350(2) F.A.C. requires that water systems maintain and calibrate master meters in accordance to manufacturer specifications at no less than interval of every 5 years.

*POE = Point of entry to the distribution system. Sample at each POE that is representative of each source after treatment.

This is a good faith assessment of monitoring requirements for the above-referenced public water system for calendar year 2023 and may not include additional sampling required during the year due to special circumstances. If you have questions or disagree with the assessment, please contact the appropriate personnel at (813) 470-5700. Monitoring schedules are subject to change, at any time, based on results of analyses or other factors. This chart shall not relieve any person from any requirement of Florida law.

It is important for you to provide this information to your operator and/or sampler:

- **It is strongly recommended that testing be conducted early in the monitoring period to allow time for retests due to possible sampling or lab errors. Annual and triennial sampling should be completed by 9/30/2023 to provide time for revisions, re-tests, and/or corrections.**
- **Test results must be submitted to DEP within the first ten days following the end of the required monitoring period, or the first ten days following the month in which the sample results were received, whichever time is the shortest. Failure to comply may result in enforcement action.**



FLORIDA DEPARTMENT OF Environmental Protection

Ron DeSantis
Governor

Jeanette Nuñez
Lt. Governor

Shawn Hamilton
Secretary

Southwest District Office
13051 North Telecom Parkway #101
Temple Terrace, Florida 33637-0926

2023 Chemical Monitoring for Community Systems

Meadow Wood Subdivision

PWS-ID No. 6092338

MONITORING & REPORTS		DUE	COMMENTS
Raw Water Microbiological ("Bacteriological")		Monthly	1 Raw Water Sample per well.
Distribution Microbiological ("Bacteriological")		Monthly	1 Distribution Samples per month. Disinfectant residuals must be reported.
Nitrate and Nitrite		2023	Sample at each POE every year.*
Primary Inorganics		2024	Sample at each POE every three years.
Secondaries		2024	Sample at each POE every three years.
Radiologicals	Gross Alpha	2027	Sample at each POE every three, six or nine years.
	Uranium	2024	Sample at each POE every three, six or nine years.
	Radium-226	2024	Sample at each POE every three, six or nine years.
	Radium-228	2024	Sample at each POE every three, six or nine years.
Volatile Organic Contaminants (VOCs)		2024	Sample at each POE every three years.
Synthetic Organic Contaminants (SOCs)		2024	Sample at each POE every three years, or submit SOC reduced monitoring waiver, if applicable. Use Form 62-560.545(2), F.A.C.
Stage II Disinfection Byproducts (DBPs) <i>Total Trihalomethanes & Haloacetic Acids (5)</i>		July-Sept. 2024	Sample according to approved Stage 2 D/DBPR Monitoring Plan.
Asbestos		2029	Certification or results due every nine years. Use Form 62-555.900(10), F.A.C.
Lead & Copper		June-Sept. 2024	Sample from sites approved on the Lead and Copper Sampling Plan every three years.
Consumer Confidence Report (CCR) & CCR Certification of Delivery		July 1, 2023	CCR must be delivered by July 1, 2023. The CCR Certification of Delivery must be submitted to the Department by August 10, 2023.

*POE = Point of entry to the distribution system. Sample at each POE that is representative of each source after treatment.

This is a good faith assessment of monitoring requirements for the above-referenced public water system for calendar year 2023 and may not include additional sampling required during the year due to special circumstances. If you have questions or disagree with the assessment, please contact the appropriate personnel at (813) 470-5700. Monitoring schedules are subject to change, at any time, based on results of analyses or other factors. This chart shall not relieve any person from any requirement of Florida law.

It is important for you to provide this information to your operator and/or sampler:

- **It is strongly recommended that testing be conducted early in the monitoring period to allow time for retests due to possible sampling or lab errors. Annual and triennial sampling should be completed by 9/30/2023 to provide time for revisions, re-tests, and/or corrections.**
- **Test results must be submitted to DEP within the first ten days following the end of the required monitoring period, or the first ten days following the month in which the sample results were received, whichever time is the shortest. Failure to comply may result in enforcement action.**



FLORIDA DEPARTMENT OF Environmental Protection

Ron DeSantis
Governor

Jeanette Nuñez
Lt. Governor

Shawn Hamilton
Secretary

Southwest District Office
13051 North Telecom Parkway #101
Temple Terrace, Florida 33637-0926

2023 Chemical Monitoring for Community Systems

System Name: The Meadows

PWS-ID No. 6094480

MONITORING & REPORTS	DUE	COMMENTS
Distribution Microbiological ("Bacteriological")	Monthly	1 Distribution Samples per month. Disinfectant residuals must be reported.
Stage II Disinfection Byproducts (DBPs) <i>Total Trihalomethanes & Haloacetic Acids (5)</i>	Jul. - Sept. 2024	Sample according to approved Stage 2 D/DBPR Monitoring Plan.
Asbestos	2030	Certification or results due every nine years. Use Form 62-555.900(10), F.A.C.
Lead & Copper	Jun. - Sept. 2024	Sample from sites approved on the Lead and Copper Sampling Plan every three years.
Consumer Confidence Report (CCR) & CCR Certification of Delivery	July 1, 2023	CCR must be delivered by July 1, 2023. The CCR Certification of Delivery must be submitted to the Department by August 10, 2023.

*POE = Point of entry to the distribution system. Sample at each POE that is representative of each source after treatment.

This is a good faith assessment of monitoring requirements for the above-referenced public water system for calendar year 2023 and may not include additional sampling required during the year due to special circumstances. If you have questions or disagree with the assessment, please contact the appropriate personnel at (813) 470-5700. Monitoring schedules are subject to change, at any time, based on results of analyses or other factors. This chart shall not relieve any person from any requirement of Florida law.

It is important for you to provide this information to your operator and/or sampler:

- **It is strongly recommended that testing be conducted early in the monitoring period to allow time for retests due to possible sampling or lab errors. Annual and triennial sampling should be completed by 9/30/2023 to provide time for revisions, re-tests, and/or corrections.**
- **Test results must be submitted to DEP within the first ten days following the end of the required monitoring period, or the first ten days following the month in which the sample results were received, whichever time is the shortest. Failure to comply may result in enforcement action.**



FLORIDA DEPARTMENT OF Environmental Protection

Ron DeSantis
Governor

Jeanette Nuñez
Lt. Governor

Shawn Hamilton
Secretary

Southwest District Office
13051 North Telecom Parkway #101
Temple Terrace, Florida 33637-0926

2023 Chemical Monitoring for Community Systems

Springhorn Water

PWS-ID No.6094523

MONITORING & REPORTS		DUE	COMMENTS
Raw Water Microbiological ("Bacteriological")		Monthly	1 Raw Water Sample per well.
Distribution Microbiological ("Bacteriological")		Monthly	1 Distribution Samples per month. Disinfectant residuals must be reported.
Nitrate and Nitrite		2023	Sample at each POE every year.*
Primary Inorganics		2024	Sample at each POE every three years.
Secondaries		2024	Sample at each POE every three years.
Radiologicals	Gross Alpha	2027	Sample at each POE every three, six or nine years.
	Uranium	2024	Sample at each POE every three, six or nine years.
	Radium-226	2024	Sample at each POE every three, six or nine years.
	Radium-228	2024	Sample at each POE every three, six or nine years.
Volatile Organic Contaminants (VOCs)		2024	Sample at each POE every three years.
Synthetic Organic Contaminants (SOCs)		2024	Sample at each POE every three years, or submit SOC reduced monitoring waiver, if applicable. Use Form 62-560.545(2), F.A.C.
Stage II Disinfection Byproducts (DBPs) <i>Total Trihalomethanes & Haloacetic Acids (5)</i>		July-Sept. 2024	Sample according to approved Stage 2 D/DBPR Monitoring Plan.
Asbestos		2029	Certification or results due every nine years. Use Form 62-555.900(10), F.A.C.
Lead & Copper		June-Sept. 2024	Sample from sites approved on the Lead and Copper Sampling Plan every three years.
Consumer Confidence Report (CCR) & CCR Certification of Delivery		July 1, 2023	CCR must be delivered by July 1, 2023. The CCR Certification of Delivery must be submitted to the Department by August 10, 2023.

*POE = Point of entry to the distribution system. Sample at each POE that is representative of each source after treatment.

This is a good faith assessment of monitoring requirements for the above-referenced public water system for calendar year 2023 and may not include additional sampling required during the year due to special circumstances. If you have questions or disagree with the assessment, please contact the appropriate personnel at (813) 470-5700. Monitoring schedules are subject to change, at any time, based on results of analyses or other factors. This chart shall not relieve any person from any requirement of Florida law.

It is important for you to provide this information to your operator and/or sampler:

- **It is strongly recommended that testing be conducted early in the monitoring period to allow time for retests due to possible sampling or lab errors. Annual and triennial sampling should be completed by 9/30/2023 to provide time for revisions, re-tests, and/or corrections.**
- **Test results must be submitted to DEP within the first ten days following the end of the required monitoring period, or the first ten days following the month in which the sample results were received, whichever time is the shortest. Failure to comply may result in enforcement action.**



FLORIDA DEPARTMENT OF Environmental Protection

Ron DeSantis
Governor

Jeanette Nuñez
Lt. Governor

Shawn Hamilton
Secretary

Southwest District Office
13051 North Telecom Parkway #101
Temple Terrace, Florida 33637-0926

2023 Chemical Monitoring for Community Systems

West Citrus Utilities

PWS-ID No. 6094656

MONITORING & REPORTS		DUE	COMMENTS
Raw Water Microbiological ("Bacteriological")		Monthly	1 Raw Water Sample per well.
Distribution Microbiological ("Bacteriological")		Monthly	1 Distribution Samples per month. Disinfectant residuals must be reported.
Nitrate and Nitrite		2023	Sample at each POE every year.*
Primary Inorganics		2024	Sample at each POE every three years.
Secondaries		2024	Sample at each POE every three years.
Radiologicals	Gross Alpha	2027	Sample at each POE every three, six or nine years.
	Uranium	2027	Sample at each POE every three, six or nine years.
	Radium-226	2027	Sample at each POE every three, six or nine years.
	Radium-228	2027	Sample at each POE every three, six or nine years.
Volatile Organic Contaminants (VOCs)		2024	Sample at each POE every three years.
Synthetic Organic Contaminants (SOCs)		2024	Sample at each POE every three years, or submit SOC reduced monitoring waiver, if applicable. Use Form 62-560.545(2), F.A.C.
Stage II Disinfection Byproducts (DBPs) <i>Total Trihalomethanes & Haloacetic Acids (5)</i>		July-Sept. 2024	Sample according to approved Stage 2 D/DBPR Monitoring Plan.
Asbestos		2029	Certification or results due every nine years. Use Form 62-555.900(10), F.A.C.
Lead & Copper		June-Sept. 2024	Sample from sites approved on the Lead and Copper Sampling Plan every three years.
Consumer Confidence Report (CCR) & CCR Certification of Delivery		July 1, 2023	CCR must be delivered by July 1, 2023. The CCR Certification of Delivery must be submitted to the Department by August 10, 2023.

*POE = Point of entry to the distribution system. Sample at each POE that is representative of each source after treatment.

This is a good faith assessment of monitoring requirements for the above-referenced public water system for calendar year 2023 and may not include additional sampling required during the year due to special circumstances. If you have questions or disagree with the assessment, please contact the appropriate personnel at (813) 470-5700. Monitoring schedules are subject to change, at any time, based on results of analyses or other factors. This chart shall not relieve any person from any requirement of Florida law.

It is important for you to provide this information to your operator and/or sampler:

- **It is strongly recommended that testing be conducted early in the monitoring period to allow time for retests due to possible sampling or lab errors. Annual and triennial sampling should be completed by 9/30/2023 to provide time for revisions, re-tests, and/or corrections.**
- **Test results must be submitted to DEP within the first ten days following the end of the required monitoring period, or the first ten days following the month in which the sample results were received, whichever time is the shortest. Failure to comply may result in enforcement action.**



FLORIDA DEPARTMENT OF Environmental Protection

Ron DeSantis
Governor

Jeanette Nuñez
Lt. Governor

Shawn Hamilton
Secretary

Southwest District Office
13051 North Telecom Parkway #101
Temple Terrace, Florida 33637-0926

2023 Chemical Monitoring for Community Systems

Constate Utilities

PWS-ID No. 6094773

MONITORING & REPORTS		DUE	COMMENTS
Raw Water Microbiological ("Bacteriological")		Monthly	1 Raw Water Sample per well.
Distribution Microbiological ("Bacteriological")		Monthly	1 Distribution Samples per month. Disinfectant residuals must be reported.
Nitrate and Nitrite		2023	Sample at each POE every year.*
Primary Inorganics		2024	Sample at each POE every three years.
Secondaries		2024	Sample at each POE every three years.
Radiologicals	Gross Alpha	2027	Sample at each POE every three, six or nine years.
	Uranium	2027	Sample at each POE every three, six or nine years.
	Radium-226	2027	Sample at each POE every three, six or nine years.
	Radium-228	2027	Sample at each POE every three, six or nine years.
Volatile Organic Contaminants (VOCs)		2024	Sample at each POE every three years.
Synthetic Organic Contaminants (SOCs)		2024	Sample at each POE every three years, or submit SOC reduced monitoring waiver, if applicable. Use Form 62-560.545(2), F.A.C.
Stage II Disinfection Byproducts (DBPs) <i>Total Trihalomethanes & Haloacetic Acids (5)</i>		July-Sept. 2023	Sample according to approved Stage 2 D/DBPR Monitoring Plan.
Asbestos		2029	Certification or results due every nine years. Use Form 62-555.900(10), F.A.C.
Lead & Copper		June-Sept. 2024	Sample from sites approved on the Lead and Copper Sampling Plan every three years.
Consumer Confidence Report (CCR) & CCR Certification of Delivery		July 1, 2023	CCR must be delivered by July 1, 2023. The CCR Certification of Delivery must be submitted to the Department by August 10, 2023.

*POE = Point of entry to the distribution system. Sample at each POE that is representative of each source after treatment.

This is a good faith assessment of monitoring requirements for the above-referenced public water system for calendar year 2023 and may not include additional sampling required during the year due to special circumstances. If you have questions or disagree with the assessment, please contact the appropriate personnel at (813) 470-5700. Monitoring schedules are subject to change, at any time, based on results of analyses or other factors. This chart shall not relieve any person from any requirement of Florida law.

It is important for you to provide this information to your operator and/or sampler:

- **It is strongly recommended that testing be conducted early in the monitoring period to allow time for retests due to possible sampling or lab errors. Annual and triennial sampling should be completed by 9/30/2023 to provide time for revisions, re-tests, and/or corrections.**
- **Test results must be submitted to DEP within the first ten days following the end of the required monitoring period, or the first ten days following the month in which the sample results were received, whichever time is the shortest. Failure to comply may result in enforcement action.**



FLORIDA DEPARTMENT OF Environmental Protection

Ron DeSantis
Governor

Jeanette Nuñez
Lt. Governor

Shawn Hamilton
Secretary

Southwest District Office
13051 North Telecom Parkway #101
Temple Terrace, Florida 33637-0926

2023 Chemical Monitoring for Community Systems

System Name: Greenbriar I

PWS-ID No. 6094871

MONITORING & REPORTS		DUE	COMMENTS
Raw Water Microbiological ("Bacteriological")		Monthly	1 Raw Water Sample per well.
Distribution Microbiological ("Bacteriological")		Monthly	1 Distribution Samples per month. Disinfectant residuals must be reported.
Nitrate and Nitrite		2023	Sample at each POE every year.*
Primary Inorganics		2024	Sample at each POE every three years.
Secondaries		2024	Sample at each POE every three years.
Radiologicals	Gross Alpha	2027	Sample at each POE every three, six or nine years.
	Uranium	2027	Sample at each POE every three, six or nine years.
	Radium-226	2027	Sample at each POE every three, six or nine years.
	Radium-228	2027	Sample at each POE every three, six or nine years.
Volatile Organic Contaminants (VOCs)		2024	Sample at each POE every three years.
Synthetic Organic Contaminants (SOCs)		2024	Sample at each POE every three years, or submit SOC reduced monitoring waiver, if applicable. Use Form 62-560.545(2), F.A.C.
Stage II Disinfection Byproducts (DBPs) <i>Total Trihalomethanes & Haloacetic Acids (5)</i>		Jul-Sept. 2024	Sample according to approved Stage 2 D/DBPR Monitoring Plan.
Asbestos		2030	Certification or results due every nine years. Use Form 62-555.900(10), F.A.C.
Lead & Copper		June - Sept 2024	Sample from sites approved on the Lead and Copper Sampling Plan every three years.
Consumer Confidence Report (CCR) & CCR Certification of Delivery		July 1, 2023	CCR must be delivered by July 1, 2023. The CCR Certification of Delivery must be submitted to the Department by August 10, 2023. Use Form 62-555.900(alternate 19), F.A.C.

*POE = Point of entry to the distribution system. Sample at each POE that is representative of each source after treatment.

This is a good faith assessment of monitoring requirements for the above-referenced public water system for calendar year 2023 and may not include additional sampling required during the year due to special circumstances. If you have questions or disagree with the assessment, please contact the appropriate personnel at (813) 470-5700. Monitoring schedules are subject to change, at any time, based on results of analyses or other factors. This chart shall not relieve any person from any requirement of Florida law.

It is important for you to provide this information to your operator and/or sampler:

- **It is strongly recommended that testing be conducted early in the monitoring period to allow time for retests due to possible sampling or lab errors. Annual and triennial sampling should be completed by 9/30/2023 to provide time for revisions, re-tests, and/or corrections.**
- **Test results must be submitted to DEP within the first ten days following the end of the required monitoring period, or the first ten days following the month in which the sample results were received, whichever time is the shortest. Failure to comply may result in enforcement action.**



FLORIDA DEPARTMENT OF Environmental Protection

Ron DeSantis
Governor

Jeanette Nuñez
Lt. Governor

Shawn Hamilton
Secretary

Southwest District Office
13051 North Telecom Parkway #101
Temple Terrace, Florida 33637-0926

2023 Chemical Monitoring for Community Systems

Pinewood Subdivision

PWS-ID No. 6094874

MONITORING & REPORTS		DUE	COMMENTS
Raw Water Microbiological ("Bacteriological")		Monthly	1 Raw Water Sample per well.
Distribution Microbiological ("Bacteriological")		Monthly	1 Distribution Samples per month. Disinfectant residuals must be reported.
Nitrate and Nitrite		2023	Sample at each POE every year.*
Primary Inorganics		2024	Sample at each POE every three years.
Secondaries		2024	Sample at each POE every three years.
Radiologicals	Gross Alpha	2027	Sample at each POE every three, six or nine years.
	Uranium	2024	Sample at each POE every three, six or nine years.
	Radium-226	2024	Sample at each POE every three, six or nine years.
	Radium-228	2024	Sample at each POE every three, six or nine years.
Volatile Organic Contaminants (VOCs)		2024	Sample at each POE every three years.
Synthetic Organic Contaminants (SOCs)		2024	Sample at each POE every three years, or submit SOC reduced monitoring waiver, if applicable. Use Form 62-560.545(2), F.A.C.
Stage II Disinfection Byproducts (DBPs) <i>Total Trihalomethanes & Haloacetic Acids (5)</i>		July-Sept. 2024	Sample according to approved Stage 2 D/DBPR Monitoring Plan.
Asbestos		2029	Certification or results due every nine years. Use Form 62-555.900(10), F.A.C.
Lead & Copper		June-Sept. 2024	Sample from sites approved on the Lead and Copper Sampling Plan every three years.
Consumer Confidence Report (CCR) & CCR Certification of Delivery		July 1, 2023	CCR must be delivered by July 1, 2023. The CCR Certification of Delivery must be submitted to the Department by August 10, 2023.

*POE = Point of entry to the distribution system. Sample at each POE that is representative of each source after treatment.

This is a good faith assessment of monitoring requirements for the above-referenced public water system for calendar year 2023 and may not include additional sampling required during the year due to special circumstances. If you have questions or disagree with the assessment, please contact the appropriate personnel at (813) 470-5700. Monitoring schedules are subject to change, at any time, based on results of analyses or other factors. This chart shall not relieve any person from any requirement of Florida law.

It is important for you to provide this information to your operator and/or sampler:

- **It is strongly recommended that testing be conducted early in the monitoring period to allow time for retests due to possible sampling or lab errors. Annual and triennial sampling should be completed by 9/30/2023 to provide time for revisions, re-tests, and/or corrections.**
- **Test results must be submitted to DEP within the first ten days following the end of the required monitoring period, or the first ten days following the month in which the sample results were received, whichever time is the shortest. Failure to comply may result in enforcement action.**



FLORIDA DEPARTMENT OF Environmental Protection

Ron DeSantis
Governor

Jeanette Nuñez
Lt. Governor

Shawn Hamilton
Secretary

Southwest District Office
13051 North Telecom Parkway #101
Temple Terrace, Florida 33637-0926

2023 Chemical Monitoring for Community Systems

System Name: Dunnellon Hills Water System

PWS-ID No. 6094875

MONITORING & REPORTS		DUE	COMMENTS
Raw Water Microbiological ("Bacteriological")		Monthly	1 Raw Water Sample per well.
Distribution Microbiological ("Bacteriological")		Monthly	1 Distribution Samples per month. Disinfectant residuals must be reported.
Nitrate and Nitrite		2023	Sample at each POE every year.*
Primary Inorganics		2024	Sample at each POE every three years.
Secondaries		2024	Sample at each POE every three years.
Radiologicals	Gross Alpha	2027	Sample at each POE every three, six or nine years.
	Uranium	2027	Sample at each POE every three, six or nine years.
	Radium-226	2027	Sample at each POE every three, six or nine years.
	Radium-228	2027	Sample at each POE every three, six or nine years.
Volatile Organic Contaminants (VOCs)		2024	Sample at each POE every three years.
Synthetic Organic Contaminants (SOCs)		2024	Sample at each POE every three years, or submit SOC reduced monitoring waiver, if applicable. Use Form 62-560.545(2), F.A.C.
Stage II Disinfection Byproducts (DBPs) <i>Total Trihalomethanes & Haloacetic Acids (5)</i>		Jul. - Sept. 2024	Sample according to approved Stage 2 D/DBPR Monitoring Plan.
Asbestos		2030	Certification or results due every nine years. Use Form 62-555.900(10), F.A.C.
Lead & Copper		June - Sept 2024	Sample from sites approved on the Lead and Copper Sampling Plan every three years.
Consumer Confidence Report (CCR) & CCR Certification of Delivery		July 1, 2023	CCR must be delivered by July 1, 2023. The CCR Certification of Delivery must be submitted to the Department by August 10, 2023. Use Form 62-555.900(alternate 19), F.A.C.
Tank(s) Inspection & cleaning		Due every 5 years	Pursuant to 62-555.350(2) F.A.C. all finished drinking water storage tanks with access manholes shall be inspected and cleaned at a maximum interval of every 5 years.
Meter(s) Calibration		Due Every 5 Years	Pursuant to 62-555.350(2) F.A.C. requires that water systems maintain and calibrate master meters in accordance to manufacturer specifications at no less than interval of every 5 years.

*POE = Point of entry to the distribution system. Sample at each POE that is representative of each source after treatment.

This is a good faith assessment of monitoring requirements for the above-referenced public water system for calendar year 2023 and may not include additional sampling required during the year due to special circumstances. If you have questions or disagree with the assessment, please contact the appropriate personnel at (813) 470-5700. Monitoring schedules are subject to change, at any time, based on results of analyses or other factors. This chart shall not relieve any person from any requirement of Florida law.

It is important for you to provide this information to your operator and/or sampler:

- **It is strongly recommended that testing be conducted early in the monitoring period to allow time for retests due to possible sampling or lab errors. Annual and triennial sampling should be completed by 9/30/2023 to provide time for revisions, re-tests, and/or corrections.**
- **Test results must be submitted to DEP within the first ten days following the end of the required monitoring period, or the first ten days following the month in which the sample results were received, whichever time is the shortest. Failure to comply may result in enforcement action.**



FLORIDA DEPARTMENT OF Environmental Protection

Ron DeSantis
Governor

Jeanette Nuñez
Lt. Governor

Shawn Hamilton
Secretary

Southwest District Office
13051 North Telecom Parkway #101
Temple Terrace, Florida 33637-0926

2023 Chemical Monitoring for NTNC

Water Systems: Executive Center Condo Association

PWS-ID No. 6094883

MONITORING & REPORTS		DUE	COMMENTS
Raw Water Microbiological ("Bacteriological")		Quarterly	1 Raw Water Sample per well.
Distribution Microbiological ("Bacteriological")		Quarterly	1 Distribution Sample per quarter. Disinfectant residuals must be reported.
Nitrate and Nitrite		2023	Sample at each POE every year.*
Primary Inorganics		2025	Sample at each POE every three years.
Radiologicals	Gross Alpha	Waived	Sample at each POE every quarterly, six, nine years, or Waived use of Grandfather Data (date of sample)
	Uranium	Waived	Sample at each POE every quarterly, six, nine years, or Waived use of Grandfather Data (date of sample)
	Radium-226	Waived	Sample at each POE every quarterly, six, nine years, or Waived use of Grandfather Data (date of sample)
	Radium-228	Waived	Sample at each POE every quarterly, six, nine years, or Waived use of Grandfather Data (date of sample)
Volatile Organic Contaminants (VOCs)		2025	Sample at each POE every three years.
Synthetic Organic Contaminants (SOCs)		2025	Sample at each POE every three years, or submit SOC reduced monitoring waiver, if applicable. Use Form 62-560.545(2), F.A.C.
Stage II Disinfection Byproducts (DBPs) <i>Total Trihalomethanes & Haloacetic Acids (5)</i>		July - Sept. 2023	Sample according to approved Stage 2 D/DBPR Monitoring Plan.
Asbestos		2031	Certification or results due every nine years. Use Form 62-555.900(10), F.A.C.
Lead & Copper		June - Sept. 2025	Sample from sites approved on the Lead and Copper Sampling Plan every three years.

*POE = Point of entry to the distribution system. Sample at each POE that is representative of each source after treatment.

This is a good faith assessment of monitoring requirements for the above-referenced public water system for calendar year 2023 and may not include additional sampling required during the year due to special circumstances. If you have questions or disagree with the assessment, please contact the appropriate personnel at (813) 470-5700. Monitoring schedules are subject to change, at any time, based on results of analyses or other factors. This chart shall not relieve any person from any requirement of Florida law.

It is important for you to provide this information to your operator and/or sampler:

- **It is strongly recommended that testing be conducted early in the monitoring period to allow time for retests due to possible sampling or lab errors. Annual and triennial sampling should be completed by 9/30/2023 to provide time for revisions, retests, and/or corrections.**
- **Test results must be submitted to DEP within the first ten days following the end of the required monitoring period, or the first ten days following the month in which the sample results were received, whichever time is the shortest. Failure to comply may result in enforcement action.**



FLORIDA DEPARTMENT OF Environmental Protection

Ron DeSantis
Governor

Jeanette Nuñez
Lt. Governor

Shawn Hamilton
Secretary

Southwest District Office
13051 North Telecom Parkway #101
Temple Terrace, Florida 33637-0926

2023 Chemical Monitoring for Community Systems

System Name: Walden Woods Mobile Home Community

PWS-ID No. 6094892

MONITORING & REPORTS		DUE	COMMENTS
Raw Water Microbiological ("Bacteriological")		Monthly	1 Raw Water Sample per well.
Distribution Microbiological ("Bacteriological")		Monthly	1 Distribution Samples per month. Disinfectant residuals must be reported.
Nitrate and Nitrite		2023	Sample at each POE every year.*
Primary Inorganics		2024	Sample at each POE every three years.
Secondaries		2024	Sample at each POE every three years.
Radiologicals	Gross Alpha	2027	Sample at each POE every three, six or nine years.
	Uranium	2027	Sample at each POE every three, six or nine years.
	Radium-226	2027	Sample at each POE every three, six or nine years.
	Radium-228	2027	Sample at each POE every three, six or nine years.
Volatile Organic Contaminants (VOCs)		2024	Sample at each POE every three years.
Synthetic Organic Contaminants (SOCs)		2024	Sample at each POE every three years, or submit SOC reduced monitoring waiver, if applicable. Use Form 62-560.545(2), F.A.C.
Stage II Disinfection Byproducts (DBPs) <i>Total Trihalomethanes & Haloacetic Acids (5)</i>		Jul. - Sept. 2024	Sample according to approved Stage 2 D/DBPR Monitoring Plan.
Asbestos		2031	Certification or results due every nine years. Use Form 62-555.900(10), F.A.C.
Lead & Copper		June - Sept 2024	Sample from sites approved on the Lead and Copper Sampling Plan every three years.
Consumer Confidence Report (CCR) & CCR Certification of Delivery		July 1, 2023	CCR must be delivered by July 1, 2023. The CCR Certification of Delivery must be submitted to the Department by August 10, 2023. Use Form 62-555.900(alternate 19), F.A.C.
Tank(s) Inspection & cleaning		2025	Pursuant to 62-555.350(2) F.A.C. all finished drinking water storage tanks with access manholes shall be inspected and cleaned at a maximum interval of every 5 years.
Meter(s) Calibration		2025	Pursuant to 62-555.350(2) F.A.C. requires that water systems maintain and calibrate master meters in accordance to manufacturer specifications at no less than interval of every 5 years.

*POE = Point of entry to the distribution system. Sample at each POE that is representative of each source after treatment.

This is a good faith assessment of monitoring requirements for the above-referenced public water system for calendar year 2023 and may not include additional sampling required during the year due to special circumstances. If you have questions or disagree with the assessment, please contact the appropriate personnel at (813) 470-5700. Monitoring schedules are subject to change, at any time, based on results of analyses or other factors. This chart shall not relieve any person from any requirement of Florida law.

It is important for you to provide this information to your operator and/or sampler:

- **It is strongly recommended that testing be conducted early in the monitoring period to allow time for retests due to possible sampling or lab errors. Annual and triennial sampling should be completed by 9/30/2023 to provide time for revisions, re-tests, and/or corrections.**
- **Test results must be submitted to DEP within the first ten days following the end of the required monitoring period, or the first ten days following the month in which the sample results were received, whichever time is the shortest. Failure to comply may result in enforcement action.**



FLORIDA DEPARTMENT OF Environmental Protection

Ron DeSantis
Governor

Jeanette Nuñez
Lt. Governor

Shawn Hamilton
Secretary

Southwest District Office
13051 North Telecom Parkway #101
Temple Terrace, Florida 33637-0926

2023 Chemical Monitoring for Community Systems

System Name: Lucky Hills

PWS-ID No. 6094899

MONITORING & REPORTS		DUE	COMMENTS
Raw Water Microbiological ("Bacteriological")		Monthly	1 Raw Water Sample per well.
Distribution Microbiological ("Bacteriological")		Monthly	1 Distribution Samples per month. Disinfectant residuals must be reported.
Nitrate and Nitrite		2023	Sample at each POE every year.*
Primary Inorganics		2024	Sample at each POE every three years.
Secondaries		2024	Sample at each POE every three years.
Radiologicals	Gross Alpha	2027	Sample at each POE every three, six or nine years.
	Uranium	2027	Sample at each POE every three, six or nine years.
	Radium-226	2027	Sample at each POE every three, six or nine years.
	Radium-228	2027	Sample at each POE every three, six or nine years.
Volatile Organic Contaminants (VOCs)		2024	Sample at each POE every three years.
Synthetic Organic Contaminants (SOCs)		2024	Sample at each POE every three years, or submit SOC reduced monitoring waiver, if applicable. Use Form 62-560.545(2), F.A.C.
Stage II Disinfection Byproducts (DBPs) <i>Total Trihalomethanes & Haloacetic Acids (5)</i>		Jul. - Sept. 2024	Sample according to approved Stage 2 D/DBPR Monitoring Plan.
Asbestos		2030	Certification or results due every nine years. Use Form 62-555.900(10), F.A.C.
Lead & Copper		June - Sept 2024	Sample from sites approved on the Lead and Copper Sampling Plan every three years.
Consumer Confidence Report (CCR) & CCR Certification of Delivery		July 1, 2023	CCR must be delivered by July 1, 2023. The CCR Certification of Delivery must be submitted to the Department by August 10, 2023. Use Form 62-555.900(alternate 19), F.A.C.
Tank(s) Inspection & cleaning		Due every 5 years	Pursuant to 62-555.350(2) F.A.C. all finished drinking water storage tanks with access manholes shall be inspected and cleaned at a maximum interval of every 5 years.
Meter(s) Calibration		Due every 5 years	Pursuant to 62-555.350(2) F.A.C. requires that water systems maintain and calibrate master meters in accordance to manufacturer specifications at no less than interval of every 5 years.

*POE = Point of entry to the distribution system. Sample at each POE that is representative of each source after treatment.

This is a good faith assessment of monitoring requirements for the above-referenced public water system for calendar year 2023 and may not include additional sampling required during the year due to special circumstances. If you have questions or disagree with the assessment, please contact the appropriate personnel at (813) 470-5700. Monitoring schedules are subject to change, at any time, based on results of analyses or other factors. This chart shall not relieve any person from any requirement of Florida law.

It is important for you to provide this information to your operator and/or sampler:

- **It is strongly recommended that testing be conducted early in the monitoring period to allow time for retests due to possible sampling or lab errors. Annual and triennial sampling should be completed by 9/30/2023 to provide time for revisions, re-tests, and/or corrections.**
- **Test results must be submitted to DEP within the first ten days following the end of the required monitoring period, or the first ten days following the month in which the sample results were received, whichever time is the shortest. Failure to comply may result in enforcement action.**



FLORIDA DEPARTMENT OF Environmental Protection

Ron DeSantis
Governor

Jeanette Nuñez
Lt. Governor

Shawn Hamilton
Secretary

Southwest District Office
13051 North Telecom Parkway #101
Temple Terrace, Florida 33637-0926

2023 Chemical Monitoring for NTNC

Water System: Pleasant Grove Manor

PWS-ID No. 6094900

MONITORING & REPORTS		DUE	COMMENTS
Raw Water Microbiological ("Bacteriological")		Quarterly	1 Raw Water Sample per well.
Distribution Microbiological ("Bacteriological")		Quarterly	1 Distribution Sample per quarter. Disinfectant residuals must be reported.
Nitrate and Nitrite		2023	Sample at each POE every year. *
Primary Inorganics		2025	Sample at each POE every three years.
Radiologicals	Gross Alpha	2028	Sample at each POE every quarterly, six, nine years, or Waived use of Grandfather Data (date of sample)
	Uranium	2028	Sample at each POE every quarterly, six, nine years, or Waived use of Grandfather Data (date of sample)
	Radium-226	2028	Sample at each POE every quarterly, six, nine years, or Waived use of Grandfather Data (date of sample)
	Radium-228	2028	Sample at each POE every quarterly, six, nine years, or Waived use of Grandfather Data (date of sample)
Volatile Organic Contaminants (VOCs)		2025	Sample at each POE every three years.
Synthetic Organic Contaminants (SOCs)		2025	Sample at each POE every three years, or submit SOC reduced monitoring waiver, if applicable. Use Form 62-560.545(2), F.A.C.
Stage II Disinfection Byproducts (DBPs) <i>Total Trihalomethanes & Haloacetic Acids (5)</i>		Jul.-Sept. 2025	Sample according to approved Stage 2 D/DBPR Monitoring Plan.
Asbestos		2031	Certification or results due every nine years. Use Form 62-555.900(10), F.A.C.
Lead & Copper		June - Sept 2025	Sample from sites approved on the Lead and Copper Sampling Plan every three years.
Tank(s) Inspection & cleaning		Due every 5 years	Pursuant to 62-555.350(2) F.A.C. all finished drinking water storage tanks with access manholes shall be inspected and cleaned at a maximum interval of every 5 years.
Meter(s) Calibration		Due every 5 years	Pursuant to 62-555.350(2) F.A.C. requires that water systems maintain and calibrate master meters in accordance to manufacturer specifications at no less than interval of every 5 years.

*POE = Point of entry to the distribution system. Sample at each POE that is representative of each source after treatment.

This is a good faith assessment of monitoring requirements for the above-referenced public water system for calendar year 2023 and may not include additional sampling required during the year due to special circumstances. If you have questions or disagree with the assessment, please contact the appropriate personnel at (813) 470-5700. Monitoring schedules are subject to change, at any time, based on results of analyses or other factors. This chart shall not relieve any person from any requirement of Florida law.

It is important for you to provide this information to your operator and/or sampler:

- **It is strongly recommended that testing be conducted early in the monitoring period to allow time for retests due to possible sampling or lab errors. Annual and triennial sampling should be completed by 9/30/2023 to provide time for revisions, re-tests, and/or corrections.**
- **Test results must be submitted to DEP within the first ten days following the end of the required monitoring period, or the first ten days following the month in which the sample results were received, whichever time is the shortest. Failure to comply may result in enforcement action.**



FLORIDA DEPARTMENT OF Environmental Protection

Ron DeSantis
Governor

Jeanette Nuñez
Lt. Governor

Shawn Hamilton
Secretary

Southwest District Office
13051 North Telecom Parkway #101
Temple Terrace, Florida 33637-0926

2023 Chemical Monitoring for NTNC

Water System: Regis Apartments

PWS-ID No. 6094904

MONITORING & REPORTS		DUE	COMMENTS
Raw Water Microbiological ("Bacteriological")		Quarterly	1 Raw Water Sample per well.
Distribution Microbiological ("Bacteriological")		Quarterly	1 Distribution Sample per quarter. Disinfectant residuals must be reported.
Nitrate and Nitrite		2023	Sample at each POE every year. *
Primary Inorganics		2025	Sample at each POE every three years.
Radiologicals	Gross Alpha	2028	Sample at each POE every quarterly, six, nine years, or Waived use of Grandfather Data (date of sample)
	Uranium	2028	Sample at each POE every quarterly, six, nine years, or Waived use of Grandfather Data (date of sample)
	Radium-226	2028	Sample at each POE every quarterly, six, nine years, or Waived use of Grandfather Data (date of sample)
	Radium-228	2028	Sample at each POE every quarterly, six, nine years, or Waived use of Grandfather Data (date of sample)
Volatile Organic Contaminants (VOCs)		2025	Sample at each POE every three years.
Synthetic Organic Contaminants (SOCs)		2025	Sample at each POE every three years, or submit SOC reduced monitoring waiver, if applicable. Use Form 62-560.545(2), F.A.C.
Stage II Disinfection Byproducts (DBPs) <i>Total Trihalomethanes & Haloacetic Acids (5)</i>		Jul.-Sept. 2025	Sample according to approved Stage 2 D/DBPR Monitoring Plan.
Asbestos		2031	Certification or results due every nine years. Use Form 62-555.900(10), F.A.C.
Lead & Copper		June - Sept 2025	Sample from sites approved on the Lead and Copper Sampling Plan every three years.
Tank(s) Inspection & cleaning		2023	Pursuant to 62-555.350(2) F.A.C. all finished drinking water storage tanks with access manholes shall be inspected and cleaned at a maximum interval of every 5 years.
Meter(s) Calibration		Due every 5 years	Pursuant to 62-555.350(2) F.A.C. requires that water systems maintain and calibrate master meters in accordance to manufacturer specifications at no less than interval of every 5 years.

*POE = Point of entry to the distribution system. Sample at each POE that is representative of each source after treatment.

This is a good faith assessment of monitoring requirements for the above-referenced public water system for calendar year 2023 and may not include additional sampling required during the year due to special circumstances. If you have questions or disagree with the assessment, please contact the appropriate personnel at (813) 470-5700. Monitoring schedules are subject to change, at any time, based on results of analyses or other factors. This chart shall not relieve any person from any requirement of Florida law.

It is important for you to provide this information to your operator and/or sampler:

- **It is strongly recommended that testing be conducted early in the monitoring period to allow time for retests due to possible sampling or lab errors. Annual and triennial sampling should be completed by 9/30/2023 to provide time for revisions, re-tests, and/or corrections.**
- **Test results must be submitted to DEP within the first ten days following the end of the required monitoring period, or the first ten days following the month in which the sample results were received, whichever time is the shortest. Failure to comply may result in enforcement action.**



FLORIDA DEPARTMENT OF Environmental Protection

Ron DeSantis
Governor

Jeanette Nuñez
Lt. Governor

Shawn Hamilton
Secretary

Southwest District Office
13051 North Telecom Parkway #101
Temple Terrace, Florida 33637-0926

2023 Chemical Monitoring for NTNC

Water Systems Ark Angels Daycare

PWS-ID No. 6094907

MONITORING & REPORTS		DUE	COMMENTS
Raw Water Microbiological ("Bacteriological")		Quarterly	1 Raw Water Sample per well.
Distribution Microbiological ("Bacteriological")		Quarterly	1 Distribution Sample per quarter. Disinfectant residuals must be reported.
Nitrate and Nitrite		2023	Sample at each POE every year.*
Primary Inorganics		2025	Sample at each POE every three years.
Radiologicals	Gross Alpha	Waived	Sample at each POE every quarterly, six, nine years, or Waived use of Grandfather Data (date of sample)
	Uranium	Waived	Sample at each POE every quarterly, six, nine years, or Waived use of Grandfather Data (date of sample)
	Radium-226	Waived	Sample at each POE every quarterly, six, nine years, or Waived use of Grandfather Data (date of sample)
	Radium-228	Waived	Sample at each POE every quarterly, six, nine years, or Waived use of Grandfather Data (date of sample)
Volatile Organic Contaminants (VOCs)		2025	Sample at each POE every three years.
Synthetic Organic Contaminants (SOCs)		2025	Sample at each POE every three years, or submit SOC reduced monitoring waiver, if applicable. Use Form 62-560.545(2), F.A.C.
Stage II Disinfection Byproducts (DBPs) <i>Total Trihalomethanes & Haloacetic Acids (5)</i>		July-Sept 2023	Sample according to approved Stage 2 D/DBPR Monitoring Plan.
Asbestos		2029	Certification or results due every nine years. Use Form 62-555.900(10), F.A.C.
Lead & Copper		June to Sept. 2024	Sample from sites approved on the Lead and Copper Sampling Plan every three years.

*POE = Point of entry to the distribution system. Sample at each POE that is representative of each source after treatment.

This is a good faith assessment of monitoring requirements for the above-referenced public water system for calendar year 2023 and may not include additional sampling required during the year due to special circumstances. If you have questions or disagree with the assessment, please contact the appropriate personnel at (813) 470-5700. Monitoring schedules are subject to change, at any time, based on results of analyses or other factors. This chart shall not relieve any person from any requirement of Florida law.

It is important for you to provide this information to your operator and/or sampler:

- **It is strongly recommended that testing be conducted early in the monitoring period to allow time for retests due to possible sampling or lab errors. Annual and triennial sampling should be completed by 9/30/2023 to provide time for revisions, retests, and/or corrections.**
- **Test results must be submitted to DEP within the first ten days following the end of the required monitoring period, or the first ten days following the month in which the sample results were received, whichever time is the shortest. Failure to comply may result in enforcement action.**



FLORIDA DEPARTMENT OF Environmental Protection

Ron DeSantis
Governor

Jeanette Nuñez
Lt. Governor

Shawn Hamilton
Secretary

Southwest District Office
13051 North Telecom Parkway #101
Temple Terrace, Florida 33637-0926

2023 Chemical Monitoring for Community Systems

Crystal Pointe

PWS-ID No. 6094928

MONITORING & REPORTS		DUE	COMMENTS
Raw Water Microbiological ("Bacteriological")		Monthly	1 Raw Water Sample per well.
Distribution Microbiological ("Bacteriological")		Monthly	1 Distribution Samples per month. Disinfectant residuals must be reported.
Nitrate and Nitrite		2023	Sample at each POE every year.*
Primary Inorganics		2024	Sample at each POE every three years.
Secondaries		2024	Sample at each POE every three years.
Radiologicals	Gross Alpha	2024	Sample at each POE every three, six or nine years.
	Uranium	2024	Sample at each POE every three, six or nine years.
	Radium-226	2024	Sample at each POE every three, six or nine years.
	Radium-228	2024	Sample at each POE every three, six or nine years.
Volatile Organic Contaminants (VOCs)		2024	Sample at each POE every three years.
Synthetic Organic Contaminants (SOCs)		2024	Sample at each POE every three years, or submit SOC reduced monitoring waiver, if applicable. Use Form 62-560.545(2), F.A.C.
Stage II Disinfection Byproducts (DBPs) <i>Total Trihalomethanes & Haloacetic Acids (5)</i>		July-Sept. 2024	Sample according to approved Stage 2 D/DBPR Monitoring Plan.
Asbestos		2029	Certification or results due every nine years. Use Form 62-555.900(10), F.A.C.
Lead & Copper		June-Sept. 2024	Sample from sites approved on the Lead and Copper Sampling Plan every three years.
Consumer Confidence Report (CCR) & CCR Certification of Delivery		July 1, 2023	CCR must be delivered by July 1, 2023. The CCR Certification of Delivery must be submitted to the Department by August 10, 2023.

*POE = Point of entry to the distribution system. Sample at each POE that is representative of each source after treatment.

This is a good faith assessment of monitoring requirements for the above-referenced public water system for calendar year 2023 and may not include additional sampling required during the year due to special circumstances. If you have questions or disagree with the assessment, please contact the appropriate personnel at (813) 470-5700. Monitoring schedules are subject to change, at any time, based on results of analyses or other factors. This chart shall not relieve any person from any requirement of Florida law.

It is important for you to provide this information to your operator and/or sampler:

- **It is strongly recommended that testing be conducted early in the monitoring period to allow time for retests due to possible sampling or lab errors. Annual and triennial sampling should be completed by 9/30/2023 to provide time for revisions, re-tests, and/or corrections.**
- **Test results must be submitted to DEP within the first ten days following the end of the required monitoring period, or the first ten days following the month in which the sample results were received, whichever time is the shortest. Failure to comply may result in enforcement action.**



FLORIDA DEPARTMENT OF Environmental Protection

Ron DeSantis
Governor

Jeanette Nuñez
Lt. Governor

Shawn Hamilton
Secretary

Southwest District Office
13051 North Telecom Parkway #101
Temple Terrace, Florida 33637-0926

2023 Chemical Monitoring for Community Systems

System Name: Water Oaks

PWS-ID No. 6094933

MONITORING & REPORTS		DUE	COMMENTS
Raw Water Microbiological ("Bacteriological")		Monthly	1 Raw Water Sample per well.
Distribution Microbiological ("Bacteriological")		Monthly	1 Distribution Samples per month. Disinfectant residuals must be reported.
Nitrate and Nitrite		2023	Sample at each POE every year.*
Primary Inorganics		2024	Sample at each POE every three years.
Secondaries		2024	Sample at each POE every three years.
Radiologicals	Gross Alpha	2027	Sample at each POE every three, six or nine years.
	Uranium	2027	Sample at each POE every three, six or nine years.
	Radium-226	2027	Sample at each POE every three, six or nine years.
	Radium-228	2027	Sample at each POE every three, six or nine years.
Volatile Organic Contaminants (VOCs)		2024	Sample at each POE every three years.
Synthetic Organic Contaminants (SOCs)		2024	Sample at each POE every three years, or submit SOC reduced monitoring waiver, if applicable. Use Form 62-560.545(2), F.A.C.
Stage II Disinfection Byproducts (DBPs) <i>Total Trihalomethanes & Haloacetic Acids (5)</i>		Jul. - Sept. 2024	Sample according to approved Stage 2 D/DBPR Monitoring Plan.
Asbestos		2030	Certification or results due every nine years. Use Form 62-555.900(10), F.A.C.
Lead & Copper		Jun. - Sept. 2024	Sample from sites approved on the Lead and Copper Sampling Plan every three years.
Consumer Confidence Report (CCR) & CCR Certification of Delivery		July 1, 2023	CCR must be delivered by July 1, 2023. The CCR Certification of Delivery must be submitted to the Department by August 10, 2023.

*POE = Point of entry to the distribution system. Sample at each POE that is representative of each source after treatment.

This is a good faith assessment of monitoring requirements for the above-referenced public water system for calendar year 2023 and may not include additional sampling required during the year due to special circumstances. If you have questions or disagree with the assessment, please contact the appropriate personnel at (813) 470-5700. Monitoring schedules are subject to change, at any time, based on results of analyses or other factors. This chart shall not relieve any person from any requirement of Florida law.

It is important for you to provide this information to your operator and/or sampler:

- **It is strongly recommended that testing be conducted early in the monitoring period to allow time for retests due to possible sampling or lab errors. Annual and triennial sampling should be completed by 9/30/2023 to provide time for revisions, re-tests, and/or corrections.**
- **Test results must be submitted to DEP within the first ten days following the end of the required monitoring period, or the first ten days following the month in which the sample results were received, whichever time is the shortest. Failure to comply may result in enforcement action.**



FLORIDA DEPARTMENT OF Environmental Protection

Ron DeSantis
Governor

Jeanette Nuñez
Lt. Governor

Shawn Hamilton
Secretary

Southwest District Office
13051 North Telecom Parkway #101
Temple Terrace, Florida 33637-0926

2023 Chemical Monitoring for Community

Pine Valley

Systems PWS-ID No. 6094934

MONITORING & REPORTS		DUE	COMMENTS
Raw Water Microbiological ("Bacteriological")		Monthly	1 Raw Water Sample per well.
Distribution Microbiological ("Bacteriological")		Monthly	1 Distribution Samples per month. Disinfectant residuals must be reported.
Nitrate and Nitrite		2023	Sample at each POE every year.*
Primary Inorganics		2024	Sample at each POE every three years.
Secondaries		2024	Sample at each POE every three years.
Radiologicals	Gross Alpha	2027	Sample at each POE every three, six or nine years.
	Uranium	2027	Sample at each POE every three, six or nine years.
	Radium-226	2027	Sample at each POE every three, six or nine years.
	Radium-228	2027	Sample at each POE every three, six or nine years.
Volatile Organic Contaminants (VOCs)		2024	Sample at each POE every three years.
Synthetic Organic Contaminants (SOCs)		2024	Sample at each POE every three years, or submit SOC reduced monitoring waiver, if applicable. Use Form 62-560.545(2), F.A.C.
Stage II Disinfection Byproducts (DBPs) <i>Total Trihalomethanes & Haloacetic Acids (5)</i>		July-Sept. 2024	Sample according to approved Stage 2 D/DBPR Monitoring Plan.
Asbestos		2029	Certification or results due every nine years. Use Form 62-555.900(10), F.A.C.
Lead & Copper		June-Sept. 2024	Sample from sites approved on the Lead and Copper Sampling Plan every three years.
Consumer Confidence Report (CCR) & CCR Certification of Delivery		July 1, 2023	CCR must be delivered by July 1, 2023. The CCR Certification of Delivery must be submitted to the Department by August 10, 2023.

*POE = Point of entry to the distribution system. Sample at each POE that is representative of each source after treatment.

This is a good faith assessment of monitoring requirements for the above-referenced public water system for calendar year 2023 and may not include additional sampling required during the year due to special circumstances. If you have questions or disagree with the assessment, please contact the appropriate personnel at (813) 470-5700. Monitoring schedules are subject to change, at any time, based on results of analyses or other factors. This chart shall not relieve any person from any requirement of Florida law.

It is important for you to provide this information to your operator and/or sampler:

- **It is strongly recommended that testing be conducted early in the monitoring period to allow time for retests due to possible sampling or lab errors. Annual and triennial sampling should be completed by 9/30/2023 to provide time for revisions, re-tests, and/or corrections.**
- **Test results must be submitted to DEP within the first ten days following the end of the required monitoring period, or the first ten days following the month in which the sample results were received, whichever time is the shortest. Failure to comply may result in enforcement action.**



FLORIDA DEPARTMENT OF Environmental Protection

Ron DeSantis
Governor

Jeanette Nuñez
Lt. Governor

Shawn Hamilton
Secretary

Southwest District Office
13051 North Telecom Parkway #101
Temple Terrace, Florida 33637-0926

2023 Chemical Monitoring for Community Systems

System Name: Charles A. Black

PWS-ID No. 6094948

MONITORING & REPORTS	DUE	COMMENTS
Microbiological ("Bacteriological")	Monthly	Disinfectant residuals must be reported.
Stage II Disinfection Byproducts (DBPs) <i>Total Trihalomethanes & Haloacetic Acids (5)</i>	July - Sept. 2023	Sample according to approved Stage 2 D/DBPR Monitoring Plan.
Asbestos	2029	Certification or results due every nine years. Use Form 62-555.900(10), F.A.C.
Lead & Copper	June - Sept. 2023	Sample from sites approved on the Lead and Copper Sampling Plan every three years.
Consumer Confidence Report (CCR) & CCR Certification of Delivery	July 1, 2023	CCR must be delivered by July 1, 2023. The CCR Certification of Delivery must be submitted to the Department by August 10, 2021. Use Form 62-555.900(alternate 19), F.A.C.
Cross Connection Control Annual Report	March 31, 2023	Complete and submit DEP form 62-555.900(13).

PWS Name: CAB I WTP

MONITORING & REPORTS	DUE	COMMENTS	
Nitrate and Nitrite	2023	Sample at each POE every year. *	
Primary Inorganics	2023	Sample at each POE every three years.	
Secondaries	2023	Sample at each POE every three years.	
Radiologicals	Gross Alpha	2030	Sample at each POE every three, six or nine years.
	Uranium	2030	Sample at each POE every three, six or nine years.
	Radium-226	2030	Sample at each POE every three, six or nine years.
	Radium-228	2030	Sample at each POE every three, six or nine years.
Volatile Organic Contaminants (VOCs)	2023	Sample at each POE every three years.	
Synthetic Organic Contaminants (SOCs)	2023	Sample at each POE every three years, or submit SOC reduced monitoring waiver, if applicable. Use Form 62-560.545(2), F.A.C.	

PWS Name: CAB II WTP

MONITORING & REPORTS		DUE	COMMENTS
Nitrate and Nitrite		2023	Sample at each POE every year. *
Primary Inorganics		2023	Sample at each POE every three years.
Secondaries		2023	Sample at each POE every three years.
Radiologicals	Gross Alpha	2030	Sample at each POE every three, six or nine years.
	Uranium	2030	Sample at each POE every three, six or nine years.
	Radium-226	2030	Sample at each POE every three, six or nine years.
	Radium-228	2030	Sample at each POE every three, six or nine years.
Volatile Organic Contaminants (VOCs)		2023	Sample at each POE every three years.
Synthetic Organic Contaminants (SOCs)		2023	Sample at each POE every three years, or submit SOC reduced monitoring waiver, if applicable. Use Form 62-560.545(2), F.A.C.

PWS Name: Lecanto WTP

MONITORING & REPORTS		DUE	COMMENTS
Nitrate and Nitrite		2023	Sample at each POE every year. *
Primary Inorganics		2023	Sample at each POE every three years.
Secondaries		2023	Sample at each POE every three years.
Radiologicals	Gross Alpha	2030	Sample at each POE every three, six or nine years.
	Uranium	2030	Sample at each POE every three, six or nine years.
	Radium-226	2030	Sample at each POE every three, six or nine years.
	Radium-228	2030	Sample at each POE every three, six or nine years.
Volatile Organic Contaminants (VOCs)		2023	Sample at each POE every three years.
Total Xylenes (VOC)		2023	Sample at POE annually.
Toluene (VOC)		April - June 2023	Sample at POE quarterly.
Synthetic Organic Contaminants (SOCs)		2023	Sample at each POE every three years, or submit SOC reduced monitoring waiver, if applicable. Use Form 62-560.545(2), F.A.C.

*POE = Point of entry to the distribution system. Sample at each POE that is representative of each source after treatment.

This is a good faith assessment of monitoring requirements for the above-referenced public water system for calendar year 2023 and may not include additional sampling required during the year due to special circumstances. If you have questions or disagree with the assessment, please contact the appropriate personnel at (813) 470-5700. Monitoring schedules are subject to change, at any time, based on results of analyses or other factors. This chart shall not relieve any person from any requirement of Florida law.

It is important for you to provide this information to your operator and/or sampler:

- **It is strongly recommended that testing be conducted early in the monitoring period to allow time for retests due to possible sampling or lab errors. Annual and triennial sampling should be completed by 9/30/2023 to provide time for revisions, retests, and/or corrections.**

- **Test results must be submitted to DEP within the first ten days following the end of the required monitoring period, or the first ten days following the month in which the sample results were received, whichever time is the shortest. Failure to comply may result in enforcement action.**



FLORIDA DEPARTMENT OF Environmental Protection

Ron DeSantis
Governor

Jeanette Nuñez
Lt. Governor

Shawn Hamilton
Secretary

Southwest District Office
13051 North Telecom Parkway #101
Temple Terrace, Florida 33637-0926

2023 Chemical Monitoring for Community Systems

System Name: Gospel Island Estates

PWS-ID No. 6094953

MONITORING & REPORTS		DUE	COMMENTS
Raw Water Microbiological ("Bacteriological")		Monthly	1 Raw Water Sample per well.
Distribution Microbiological ("Bacteriological")		Monthly	1 Distribution Samples per month. Disinfectant residuals must be reported.
Nitrate and Nitrite		2023	Sample at each POE every year.*
Primary Inorganics		2024	Sample at each POE every three years.
Secondaries		2024	Sample at each POE every three years.
Radiologicals	Gross Alpha	2030	Sample at each POE every three, six or nine years.
	Uranium	2024	Sample at each POE every three, six or nine years.
	Radium-226	2024	Sample at each POE every three, six or nine years.
	Radium-228	2024	Sample at each POE every three, six or nine years.
Volatile Organic Contaminants (VOCs)		2024	Sample at each POE every three years.
Synthetic Organic Contaminants (SOCs)		2024	Sample at each POE every three years, or submit SOC reduced monitoring waiver, if applicable. Use Form 62-560.545(2), F.A.C.
Dalapon (SOC)		2023	Sample at POE annually.
Stage II Disinfection Byproducts (DBPs) <i>Total Trihalomethanes & Haloacetic Acids (5)</i>		Jul. - Sept. 2023	Sample according to approved Stage 2 D/DBPR Monitoring Plan.
Asbestos		2030	Certification or results due every nine years. Use Form 62-555.900(10), F.A.C.
Lead & Copper		Jun. - Sept. 2024	Sample from sites approved on the Lead and Copper Sampling Plan every three years.
Consumer Confidence Report (CCR) & CCR Certification of Delivery		July 1, 2023	CCR must be delivered by July 1, 2023. The CCR Certification of Delivery must be submitted to the Department by August 10, 2023.

*POE = Point of entry to the distribution system. Sample at each POE that is representative of each source after treatment.

This is a good faith assessment of monitoring requirements for the above-referenced public water system for calendar year 2023 and may not include additional sampling required during the year due to special circumstances. If you have questions or disagree with the assessment, please contact the appropriate personnel at (813) 470-5700. Monitoring schedules are subject to change, at any time, based on results of analyses or other factors. This chart shall not relieve any person from any requirement of Florida law.

It is important for you to provide this information to your operator and/or sampler:

- **It is strongly recommended that testing be conducted early in the monitoring period to allow time for retests due to possible sampling or lab errors. Annual and triennial sampling should be completed by 9/30/2023 to provide time for revisions, re-tests, and/or corrections.**
- **Test results must be submitted to DEP within the first ten days following the end of the required monitoring period, or the first ten days following the month in which the sample results were received, whichever time is the shortest. Failure to comply may result in enforcement action.**



FLORIDA DEPARTMENT OF Environmental Protection

Ron DeSantis
Governor

Jeanette Nuñez
Lt. Governor

Shawn Hamilton
Secretary

Southwest District Office
13051 North Telecom Parkway #101
Temple Terrace, Florida 33637-0926

2023 Chemical Monitoring for NTNC

Water System: Crystal River North

PWS-ID No. 6094956

MONITORING & REPORTS		DUE	COMMENTS
Raw Water Microbiological ("Bacteriological")		Quarterly	1 Raw Water Sample per well.
Distribution Microbiological ("Bacteriological")		Quarterly	1 Distribution Sample per quarter. Disinfectant residuals must be reported.
Nitrate and Nitrite		2023	Sample at each POE every year. *
Primary Inorganics		2025	Sample at each POE every three years.
Radiologicals	Gross Alpha	2037	Sample at each POE every quarterly, six, nine years, or Waived use of Grandfather Data (date of sample)
	Uranium	2037	Sample at each POE every quarterly, six, nine years, or Waived use of Grandfather Data (date of sample)
	Radium-226	2037	Sample at each POE every quarterly, six, nine years, or Waived use of Grandfather Data (date of sample)
	Radium-228	2037	Sample at each POE every quarterly, six, nine years, or Waived use of Grandfather Data (date of sample)
Volatile Organic Contaminants (VOCs)		2025	Sample at each POE every three years.
Synthetic Organic Contaminants (SOCs)		2025	Sample at each POE every three years, or submit SOC reduced monitoring waiver, if applicable. Use Form 62-560.545(2), F.A.C.
Stage II Disinfection Byproducts (DBPs) <i>Total Trihalomethanes & Haloacetic Acids (5)</i>		Jul.-Sept. 2025	Sample according to approved Stage 2 D/DBPR Monitoring Plan.
Asbestos		2028	Certification or results due every nine years. Use Form 62-555.900(10), F.A.C.
Lead & Copper		June - Sept 2025	Sample from sites approved on the Lead and Copper Sampling Plan every three years.
Tank(s) Inspection & cleaning		2025	Pursuant to 62-555.350(2) F.A.C. all finished drinking water storage tanks with access manholes shall be inspected and cleaned at a maximum interval of every 5 years.
Meter(s) Calibration		Due every 5 years	Pursuant to 62-555.350(2) F.A.C. requires that water systems maintain and calibrate master meters in accordance to manufacturer specifications at no less than interval of every 5 years.

*POE = Point of entry to the distribution system. Sample at each POE that is representative of each source after treatment.

This is a good faith assessment of monitoring requirements for the above-referenced public water system for calendar year 2023 and may not include additional sampling required during the year due to special circumstances. If you have questions or disagree with the assessment, please contact the appropriate personnel at (813) 470-5700. Monitoring schedules are subject to change, at any time, based on results of analyses or other factors. This chart shall not relieve any person from any requirement of Florida law.

It is important for you to provide this information to your operator and/or sampler:

- **It is strongly recommended that testing be conducted early in the monitoring period to allow time for retests due to possible sampling or lab errors. Annual and triennial sampling should be completed by 9/30/2023 to provide time for revisions, re-tests, and/or corrections.**
- **Test results must be submitted to DEP within the first ten days following the end of the required monitoring period, or the first ten days following the month in which the sample results were received, whichever time is the shortest. Failure to comply may result in enforcement action.**



FLORIDA DEPARTMENT OF Environmental Protection

Ron DeSantis
Governor

Jeanette Nuñez
Lt. Governor

Shawn Hamilton
Secretary

Southwest District Office
13051 North Telecom Parkway #101
Temple Terrace, Florida 33637-0926

2023 Chemical Monitoring for Community Systems

Kenwood North

PWS-ID No. 6094957

MONITORING & REPORTS		DUE	COMMENTS
Raw Water Microbiological ("Bacteriological")		Monthly	1 Raw Water Sample per well.
Distribution Microbiological ("Bacteriological")		Monthly	1 Distribution Samples per month. Disinfectant residuals must be reported.
Nitrate and Nitrite		2023	Sample at each POE every year.*
Primary Inorganics		2024	Sample at each POE every three years.
Secondaries		2024	Sample at each POE every three years.
Radiologicals	Gross Alpha	2027	Sample at each POE every three, six or nine years.
	Uranium	2027	Sample at each POE every three, six or nine years.
	Radium-226	2027	Sample at each POE every three, six or nine years.
	Radium-228	2027	Sample at each POE every three, six or nine years.
Volatile Organic Contaminants (VOCs)		2024	Sample at each POE every three years.
Synthetic Organic Contaminants (SOCs)		2024	Sample at each POE every three years, or submit SOC reduced monitoring waiver, if applicable. Use Form 62-560.545(2), F.A.C.
Stage II Disinfection Byproducts (DBPs) <i>Total Trihalomethanes & Haloacetic Acids (5)</i>		July-Sept. 2024	Sample according to approved Stage 2 D/DBPR Monitoring Plan.
Asbestos		2029	Certification or results due every nine years. Use Form 62-555.900(10), F.A.C.
Lead & Copper		June-Sept. 2024	Sample from sites approved on the Lead and Copper Sampling Plan every three years.
Consumer Confidence Report (CCR) & CCR Certification of Delivery		July 1, 2023	CCR must be delivered by July 1, 2023. The CCR Certification of Delivery must be submitted to the Department by August 10, 2023.

*POE = Point of entry to the distribution system. Sample at each POE that is representative of each source after treatment.

This is a good faith assessment of monitoring requirements for the above-referenced public water system for calendar year 2023 and may not include additional sampling required during the year due to special circumstances. If you have questions or disagree with the assessment, please contact the appropriate personnel at (813) 470-5700. Monitoring schedules are subject to change, at any time, based on results of analyses or other factors. This chart shall not relieve any person from any requirement of Florida law.

It is important for you to provide this information to your operator and/or sampler:

- **It is strongly recommended that testing be conducted early in the monitoring period to allow time for retests due to possible sampling or lab errors. Annual and triennial sampling should be completed by 9/30/2023 to provide time for revisions, re-tests, and/or corrections.**
- **Test results must be submitted to DEP within the first ten days following the end of the required monitoring period, or the first ten days following the month in which the sample results were received, whichever time is the shortest. Failure to comply may result in enforcement action.**



FLORIDA DEPARTMENT OF Environmental Protection

Ron DeSantis
Governor

Jeanette Nuñez
Lt. Governor

Shawn Hamilton
Secretary

Southwest District Office
13051 North Telecom Parkway #101
Temple Terrace, Florida 33637-0926

2023 Chemical Monitoring for NTNC

Water System: Citrus Park Apartments

PWS-ID No. 6094966

MONITORING & REPORTS		DUE	COMMENTS
Raw Water Microbiological ("Bacteriological")		Quarterly	1 Raw Water Sample per well.
Distribution Microbiological ("Bacteriological")		Quarterly	1 Distribution Sample per quarter. Disinfectant residuals must be reported.
Nitrate and Nitrite		2023	Sample at each POE every year. *
Primary Inorganics		2025	Sample at each POE every three years.
Radiologicals	Gross Alpha	2028	Sample at each POE every quarterly, six, nine years, or Waived use of Grandfather Data (date of sample)
	Uranium	2028	Sample at each POE every quarterly, six, nine years, or Waived use of Grandfather Data (date of sample)
	Radium-226	2028	Sample at each POE every quarterly, six, nine years, or Waived use of Grandfather Data (date of sample)
	Radium-228	2028	Sample at each POE every quarterly, six, nine years, or Waived use of Grandfather Data (date of sample)
Volatile Organic Contaminants (VOCs)		2025	Sample at each POE every three years.
Synthetic Organic Contaminants (SOCs)		2025	Sample at each POE every three years, or submit SOC reduced monitoring waiver, if applicable. Use Form 62-560.545(2), F.A.C.
Stage II Disinfection Byproducts (DBPs) <i>Total Trihalomethanes & Haloacetic Acids (5)</i>		Jul.-Sept. 2025	Sample according to approved Stage 2 D/DBPR Monitoring Plan.
Asbestos		2028	Certification or results due every nine years. Use Form 62-555.900(10), F.A.C.
Lead & Copper		June - Sept 2025	Sample from sites approved on the Lead and Copper Sampling Plan every three years.
Tank(s) Inspection & cleaning		Due Every 5 Years	Pursuant to 62-555.350(2) F.A.C. all finished drinking water storage tanks with access manholes shall be inspected and cleaned at a maximum interval of every 5 years.
Meter(s) Calibration		Due Every 5 Years	Pursuant to 62-555.350(2) F.A.C. requires that water systems maintain and calibrate master meters in accordance to manufacturer specifications at no less than interval of every 5 years.

*POE = Point of entry to the distribution system. Sample at each POE that is representative of each source after treatment.

This is a good faith assessment of monitoring requirements for the above-referenced public water system for calendar year 2023 and may not include additional sampling required during the year due to special circumstances. If you have questions or disagree with the assessment, please contact the appropriate personnel at (813) 470-5700. Monitoring schedules are subject to change, at any time, based on results of analyses or other factors. This chart shall not relieve any person from any requirement of Florida law.

It is important for you to provide this information to your operator and/or sampler:

- **It is strongly recommended that testing be conducted early in the monitoring period to allow time for retests due to possible sampling or lab errors. Annual and triennial sampling should be completed by 9/30/2023 to provide time for revisions, re-tests, and/or corrections.**
- **Test results must be submitted to DEP within the first ten days following the end of the required monitoring period, or the first ten days following the month in which the sample results were received, whichever time is the shortest. Failure to comply may result in enforcement action.**



FLORIDA DEPARTMENT OF Environmental Protection

Ron DeSantis
Governor

Jeanette Nuñez
Lt. Governor

Shawn Hamilton
Secretary

Southwest District Office
13051 North Telecom Parkway #101
Temple Terrace, Florida 33637-0926

2023 Chemical Monitoring for Community Systems

System Name: Oak pond Adult Mobile Home Estates

PWS-ID No. 6094970

MONITORING & REPORTS		DUE	COMMENTS
Raw Water Microbiological ("Bacteriological")		Monthly	1 Raw Water Sample per well.
Distribution Microbiological ("Bacteriological")		Monthly	1 Distribution Samples per month. Disinfectant residuals must be reported.
Nitrate and Nitrite		2023	Sample at each POE every year.*
Primary Inorganics		2024	Sample at each POE every three years.
Secondaries		2024	Sample at each POE every three years.
Radiologicals	Gross Alpha	2027	Sample at each POE every three, six or nine years.
	Uranium	2027	Sample at each POE every three, six or nine years.
	Radium-226	2027	Sample at each POE every three, six or nine years.
	Radium-228	2027	Sample at each POE every three, six or nine years.
Volatile Organic Contaminants (VOCs)		2024	Sample at each POE every three years.
Synthetic Organic Contaminants (SOCs)		2024	Sample at each POE every three years, or submit SOC reduced monitoring waiver, if applicable. Use Form 62-560.545(2), F.A.C.
Stage II Disinfection Byproducts (DBPs) <i>Total Trihalomethanes & Haloacetic Acids (5)</i>		Jul. - Sept. 2024	Sample according to approved Stage 2 D/DBPR Monitoring Plan.
Asbestos		2030	Certification or results due every nine years. Use Form 62-555.900(10), F.A.C.
Lead & Copper		June - Sept 2024	Sample from sites approved on the Lead and Copper Sampling Plan every three years.
Consumer Confidence Report (CCR) & CCR Certification of Delivery		July 1, 2023	CCR must be delivered by July 1, 2023. The CCR Certification of Delivery must be submitted to the Department by August 10, 2023. Use Form 62-555.900(alternate 19), F.A.C.
Tank(s) Inspection & cleaning		2027	Pursuant to 62-555.350(2) F.A.C. all finished drinking water storage tanks with access manholes shall be inspected and cleaned at a maximum interval of every 5 years.
Meter(s) Calibration		Due every 5 years	Pursuant to 62-555.350(2) F.A.C. requires that water systems maintain and calibrate master meters in accordance to manufacturer specifications at no less than interval of every 5 years.

*POE = Point of entry to the distribution system. Sample at each POE that is representative of each source after treatment.

This is a good faith assessment of monitoring requirements for the above-referenced public water system for calendar year 2023 and may not include additional sampling required during the year due to special circumstances. If you have questions or disagree with the assessment, please contact the appropriate personnel at (813) 470-5700. Monitoring schedules are subject to change, at any time, based on results of analyses or other factors. This chart shall not relieve any person from any requirement of Florida law.

It is important for you to provide this information to your operator and/or sampler:

- **It is strongly recommended that testing be conducted early in the monitoring period to allow time for retests due to possible sampling or lab errors. Annual and triennial sampling should be completed by 9/30/2023 to provide time for revisions, re-tests, and/or corrections.**
- **Test results must be submitted to DEP within the first ten days following the end of the required monitoring period, or the first ten days following the month in which the sample results were received, whichever time is the shortest. Failure to comply may result in enforcement action.**



FLORIDA DEPARTMENT OF Environmental Protection

Ron DeSantis
Governor

Jeanette Nuñez
Lt. Governor

Shawn Hamilton
Secretary

Southwest District Office
13051 North Telecom Parkway #101
Temple Terrace, Florida 33637-0926

2023 Chemical Monitoring for Community Systems

System Name: Ventura Village

PWS-ID No. 6094994

MONITORING & REPORTS		DUE	COMMENTS
Raw Water Microbiological ("Bacteriological")		Monthly	1 Raw Water Sample per well.
Distribution Microbiological ("Bacteriological")		Monthly	1 Distribution Samples per month. Disinfectant residuals must be reported.
Nitrate and Nitrite		2023	Sample at each POE every year.*
Primary Inorganics		2024	Sample at each POE every three years.
Secondaries		2024	Sample at each POE every three years.
Radiologicals	Gross Alpha	2024	Sample at each POE every three, six or nine years.
	Uranium	2024	Sample at each POE every three, six or nine years.
	Radium-226	2025	Sample at each POE every three, six or nine years.
	Radium-228	2025	Sample at each POE every three, six or nine years.
Volatile Organic Contaminants (VOCs)		2024	Sample at each POE every three years.
Synthetic Organic Contaminants (SOCs)		2024	Sample at each POE every three years, or submit SOC reduced monitoring waiver, if applicable. Use Form 62-560.545(2), F.A.C.
Stage II Disinfection Byproducts (DBPs) <i>Total Trihalomethanes & Haloacetic Acids (5)</i>		Quarterly	Sample according to approved Stage 2 D/DBPR Monitoring Plan.
Asbestos		2030	Certification or results due every nine years. Use Form 62-555.900(10), F.A.C.
Lead & Copper		June - Sept 2024	Sample from sites approved on the Lead and Copper Sampling Plan every three years.
Consumer Confidence Report (CCR) & CCR Certification of Delivery		July 1, 2023	CCR must be delivered by July 1, 2023. The CCR Certification of Delivery must be submitted to the Department by August 10, 2023. Use Form 62-555.900(alternate 19), F.A.C.
Tank(s) Inspection & cleaning		2025	Pursuant to 62-555.350(2) F.A.C. all finished drinking water storage tanks with access manholes shall be inspected and cleaned at a maximum interval of every 5 years.
Meter(s) Calibration		Due every 5 Years	Pursuant to 62-555.350(2) F.A.C. requires that water systems maintain and calibrate master meters in accordance to manufacturer specifications at no less than interval of every 5 years.

*POE = Point of entry to the distribution system. Sample at each POE that is representative of each source after treatment.

This is a good faith assessment of monitoring requirements for the above-referenced public water system for calendar year 2023 and may not include additional sampling required during the year due to special circumstances. If you have questions or disagree with the assessment, please contact the appropriate personnel at (813) 470-5700. Monitoring schedules are subject to change, at any time, based on results of analyses or other factors. This chart shall not relieve any person from any requirement of Florida law.

It is important for you to provide this information to your operator and/or sampler:

- **It is strongly recommended that testing be conducted early in the monitoring period to allow time for retests due to possible sampling or lab errors. Annual and triennial sampling should be completed by 9/30/2023 to provide time for revisions, re-tests, and/or corrections.**
- **Test results must be submitted to DEP within the first ten days following the end of the required monitoring period, or the first ten days following the month in which the sample results were received, whichever time is the shortest. Failure to comply may result in enforcement action.**



FLORIDA DEPARTMENT OF Environmental Protection

Ron DeSantis
Governor

Jeanette Nuñez
Lt. Governor

Shawn Hamilton
Secretary

Southwest District Office
13051 North Telecom Parkway #101
Temple Terrace, Florida 33637-0926

2023 Chemical Monitoring for NTNC

Water Systems: Noah's Nursery

PWS-ID No. 6094999

MONITORING & REPORTS		DUE	COMMENTS
Raw Water Microbiological ("Bacteriological")		Quarterly	1 Raw Water Sample per well.
Distribution Microbiological ("Bacteriological")		Quarterly	1 Distribution Sample per quarter. Disinfectant residuals must be reported.
Nitrate and Nitrite		2023	Sample at each POE every year.*
Primary Inorganics		2025	Sample at each POE every three years.
Radiologicals	Gross Alpha	Waived	Sample at each POE every quarterly, six, nine years, or Waived use of Grandfather Data (date of sample)
	Uranium	Waived	Sample at each POE every quarterly, six, nine years, or Waived use of Grandfather Data (date of sample)
	Radium-226	Waived	Sample at each POE every quarterly, six, nine years, or Waived use of Grandfather Data (date of sample)
	Radium-228	Waived	Sample at each POE every quarterly, six, nine years, or Waived use of Grandfather Data (date of sample)
Volatile Organic Contaminants (VOCs)		2025	Sample at each POE every three years.
Synthetic Organic Contaminants (SOCs)		2023	Sample at each POE every three years, or submit SOC reduced monitoring waiver, if applicable. Use Form 62-560.545(2), F.A.C.
Stage II Disinfection Byproducts (DBPs) <i>Total Trihalomethanes & Haloacetic Acids (5)</i>		July-Sept. 2023	Sample according to approved Stage 2 D/DBPR Monitoring Plan.
Asbestos		2029	Certification or results due every nine years. Use Form 62-555.900(10), F.A.C.
Lead & Copper		June-Sept. 2025	Sample from sites approved on the Lead and Copper Sampling Plan every three years.

*POE = Point of entry to the distribution system. Sample at each POE that is representative of each source after treatment.

This is a good faith assessment of monitoring requirements for the above-referenced public water system for calendar year 2023 and may not include additional sampling required during the year due to special circumstances. If you have questions or disagree with the assessment, please contact the appropriate personnel at (813) 470-5700. Monitoring schedules are subject to change, at any time, based on results of analyses or other factors. This chart shall not relieve any person from any requirement of Florida law.

It is important for you to provide this information to your operator and/or sampler:

- **It is strongly recommended that testing be conducted early in the monitoring period to allow time for retests due to possible sampling or lab errors. Annual and triennial sampling should be completed by 9/30/2023 to provide time for revisions, retests, and/or corrections.**
- **Test results must be submitted to DEP within the first ten days following the end of the required monitoring period, or the first ten days following the month in which the sample results were received, whichever time is the shortest. Failure to comply may result in enforcement action.**



FLORIDA DEPARTMENT OF Environmental Protection

Ron DeSantis
Governor

Jeanette Nuñez
Lt. Governor

Shawn Hamilton
Secretary

Southwest District Office
13051 North Telecom Parkway #101
Temple Terrace, Florida 33637-0926

2023 Chemical Monitoring for Community Systems

System Name: Tarawood of Floral City

PWS-ID No. 6095036

MONITORING & REPORTS		DUE	COMMENTS
Raw Water Microbiological ("Bacteriological")		Monthly	1 Raw Water Sample per well.
Distribution Microbiological ("Bacteriological")		Monthly	1 Distribution Samples per month. Disinfectant residuals must be reported.
Nitrate and Nitrite		2023	Sample at each POE every year.*
Primary Inorganics		2024	Sample at each POE every three years.
Secondaries		2024	Sample at each POE every three years.
Radiologicals	Gross Alpha	2024	Sample at each POE every three, six or nine years.
	Uranium	2024	Sample at each POE every three, six or nine years.
	Radium-226	2024	Sample at each POE every three, six or nine years.
	Radium-228	2024	Sample at each POE every three, six or nine years.
Volatile Organic Contaminants (VOCs)		2024	Sample at each POE every three years.
Synthetic Organic Contaminants (SOCs)		2024	Sample at each POE every three years, or submit SOC reduced monitoring waiver, if applicable. Use Form 62-560.545(2), F.A.C.
Stage II Disinfection Byproducts (DBPs) <i>Total Trihalomethanes & Haloacetic Acids (5)</i>		Jul. - Sept. 2024	Sample according to approved Stage 2 D/DBPR Monitoring Plan.
Asbestos		2030	Certification or results due every nine years. Use Form 62-555.900(10), F.A.C.
Lead & Copper		June - Sept 2024	Sample from sites approved on the Lead and Copper Sampling Plan every three years.
Consumer Confidence Report (CCR) & CCR Certification of Delivery		July 1, 2023	CCR must be delivered by July 1, 2023. The CCR Certification of Delivery must be submitted to the Department by August 10, 2023. Use Form 62-555.900(alternate 19), F.A.C.
Tank(s) Inspection & cleaning		2025	Pursuant to 62-555.350(2) F.A.C. all finished drinking water storage tanks with access manholes shall be inspected and cleaned at a maximum interval of every 5 years.
Meter(s) Calibration		Due every 5 years	Pursuant to 62-555.350(2) F.A.C. requires that water systems maintain and calibrate master meters in accordance to manufacturer specifications at no less than interval of every 5 years.

*POE = Point of entry to the distribution system. Sample at each POE that is representative of each source after treatment.

This is a good faith assessment of monitoring requirements for the above-referenced public water system for calendar year 2023 and may not include additional sampling required during the year due to special circumstances. If you have questions or disagree with the assessment, please contact the appropriate personnel at (813) 470-5700. Monitoring schedules are subject to change, at any time, based on results of analyses or other factors. This chart shall not relieve any person from any requirement of Florida law.

It is important for you to provide this information to your operator and/or sampler:

- **It is strongly recommended that testing be conducted early in the monitoring period to allow time for retests due to possible sampling or lab errors. Annual and triennial sampling should be completed by 9/30/2023 to provide time for revisions, re-tests, and/or corrections.**
- **Test results must be submitted to DEP within the first ten days following the end of the required monitoring period, or the first ten days following the month in which the sample results were received, whichever time is the shortest. Failure to comply may result in enforcement action.**



FLORIDA DEPARTMENT OF Environmental Protection

Ron DeSantis
Governor

Jeanette Nuñez
Lt. Governor

Shawn Hamilton
Secretary

Southwest District Office
13051 North Telecom Parkway #101
Temple Terrace, Florida 33637-0926

2023 Chemical Monitoring for NTNC

Water Systems: Shamrock Industrial Park

PWS-ID No. 6095044

MONITORING & REPORTS		DUE	COMMENTS
Raw Water Microbiological ("Bacteriological")		Quarterly	1 Raw Water Sample per well.
Distribution Microbiological ("Bacteriological")		Quarterly	1 Distribution Sample per quarter. Disinfectant residuals must be reported.
Nitrate and Nitrite		2023	Sample at each POE every year.*
Primary Inorganics		2025	Sample at each POE every three years.
Radiologicals	Gross Alpha	Waived	Sample at each POE every quarterly, six, nine years, or Waived use of Grandfather Data (date of sample)
	Uranium	Waived	Sample at each POE every quarterly, six, nine years, or Waived use of Grandfather Data (date of sample)
	Radium-226	Waived	Sample at each POE every quarterly, six, nine years, or Waived use of Grandfather Data (date of sample)
	Radium-228	Waived	Sample at each POE every quarterly, six, nine years, or Waived use of Grandfather Data (date of sample)
Volatile Organic Contaminants (VOCs)		2025	Sample at each POE every three years.
Synthetic Organic Contaminants (SOCs)		2025	Sample at each POE every three years, or submit SOC reduced monitoring waiver, if applicable. Use Form 62-560.545(2), F.A.C.
Stage II Disinfection Byproducts (DBPs) <i>Total Trihalomethanes & Haloacetic Acids (5)</i>		July-Sept. 2023	Sample according to approved Stage 2 D/DBPR Monitoring Plan.
Asbestos		2029	Certification or results due every nine years. Use Form 62-555.900(10), F.A.C.
Lead & Copper		Jun-Sept. 2025	Sample from sites approved on the Lead and Copper Sampling Plan every three years.

*POE = Point of entry to the distribution system. Sample at each POE that is representative of each source after treatment.

This is a good faith assessment of monitoring requirements for the above-referenced public water system for calendar year 2023 and may not include additional sampling required during the year due to special circumstances. If you have questions or disagree with the assessment, please contact the appropriate personnel at (813) 470-5700. Monitoring schedules are subject to change, at any time, based on results of analyses or other factors. This chart shall not relieve any person from any requirement of Florida law.

It is important for you to provide this information to your operator and/or sampler:

- **It is strongly recommended that testing be conducted early in the monitoring period to allow time for retests due to possible sampling or lab errors. Annual and triennial sampling should be completed by 9/30/2023 to provide time for revisions, retests, and/or corrections.**
- **Test results must be submitted to DEP within the first ten days following the end of the required monitoring period, or the first ten days following the month in which the sample results were received, whichever time is the shortest. Failure to comply may result in enforcement action.**



FLORIDA DEPARTMENT OF Environmental Protection

Ron DeSantis
Governor

Jeanette Nuñez
Lt. Governor

Shawn Hamilton
Secretary

Southwest District Office
13051 North Telecom Parkway #101
Temple Terrace, Florida 33637-0926

2023 Chemical Monitoring for Community Systems

Cinnamon Ridge Utilities II

PWS-ID No. 6095046

MONITORING & REPORTS		DUE	COMMENTS
Raw Water Microbiological ("Bacteriological")		Monthly	1 Raw Water Sample per well.
Distribution Microbiological ("Bacteriological")		Monthly	1 Distribution Samples per month. Disinfectant residuals must be reported.
Nitrate and Nitrite		2023	Sample at each POE every year.*
Primary Inorganics		2024	Sample at each POE every three years.
Secondaries		2024	Sample at each POE every three years.
Radiologicals	Gross Alpha	2027	Sample at each POE every three, six or nine years.
	Uranium	2027	Sample at each POE every three, six or nine years.
	Radium-226	2027	Sample at each POE every three, six or nine years.
	Radium-228	2027	Sample at each POE every three, six or nine years.
Volatile Organic Contaminants (VOCs)		2024	Sample at each POE every three years.
Synthetic Organic Contaminants (SOCs)		2024	Sample at each POE every three years, or submit SOC reduced monitoring waiver, if applicable. Use Form 62-560.545(2), F.A.C.
Stage II Disinfection Byproducts (DBPs) <i>Total Trihalomethanes & Haloacetic Acids (5)</i>		July-Sept. 2023	Sample according to approved Stage 2 D/DBPR Monitoring Plan.
Asbestos		2029	Certification or results due every nine years. Use Form 62-555.900(10), F.A.C.
Lead & Copper		June-Sept. 2024	Sample from sites approved on the Lead and Copper Sampling Plan every three years.
Consumer Confidence Report (CCR) & CCR Certification of Delivery		July 1, 2023	CCR must be delivered by July 1, 2023. The CCR Certification of Delivery must be submitted to the Department by August 10, 2023.

*POE = Point of entry to the distribution system. Sample at each POE that is representative of each source after treatment.

This is a good faith assessment of monitoring requirements for the above-referenced public water system for calendar year 2023 and may not include additional sampling required during the year due to special circumstances. If you have questions or disagree with the assessment, please contact the appropriate personnel at (813) 470-5700. Monitoring schedules are subject to change, at any time, based on results of analyses or other factors. This chart shall not relieve any person from any requirement of Florida law.

It is important for you to provide this information to your operator and/or sampler:

- **It is strongly recommended that testing be conducted early in the monitoring period to allow time for retests due to possible sampling or lab errors. Annual and triennial sampling should be completed by 9/30/2023 to provide time for revisions, re-tests, and/or corrections.**
- **Test results must be submitted to DEP within the first ten days following the end of the required monitoring period, or the first ten days following the month in which the sample results were received, whichever time is the shortest. Failure to comply may result in enforcement action.**



FLORIDA DEPARTMENT OF Environmental Protection

Ron DeSantis
Governor

Jeanette Nuñez
Lt. Governor

Shawn Hamilton
Secretary

Southwest District Office
13051 North Telecom Parkway #101
Temple Terrace, Florida 33637-0926

2023 Chemical Monitoring for Community Systems

PWS: Nature Coast Landings

PWS-ID No.6095050

MONITORING & REPORTS		DUE	COMMENTS
Raw Water Microbiological ("Bacteriological")		Monthly	1 Raw Water Sample per well.
Distribution Microbiological ("Bacteriological")		Monthly	1 Distribution Samples per month. Disinfectant residuals must be reported.
Nitrate and Nitrite		2023	Sample at each POE every year.*
Primary Inorganics		2024	Sample at each POE every three years.
Secondaries		2024	Sample at each POE every three years.
Radiologicals	Gross Alpha	2027	Sample at each POE every three, six or nine years.
	Uranium	2027	Sample at each POE every three, six or nine years.
	Radium-226	2027	Sample at each POE every three, six or nine years.
	Radium-228	2027	Sample at each POE every three, six or nine years.
Volatile Organic Contaminants (VOCs)		2024	Sample at each POE every three years.
Synthetic Organic Contaminants (SOCs)		2024	Sample at each POE every three years, or submit SOC reduced monitoring waiver, if applicable. Use Form 62-560.545(2), F.A.C.
Stage II Disinfection Byproducts (DBPs) <i>Total Trihalomethanes & Haloacetic Acids (5)</i>		Quarterly	Sample according to approved Stage 2 D/DBPR Monitoring Plan.
Asbestos		2030	Certification or results due every nine years. Use Form 62-555.900(10), F.A.C.
Lead & Copper		June-Sept. 2024	Sample from sites approved on the Lead and Copper Sampling Plan every three years.
Consumer Confidence Report (CCR) & CCR Certification of Delivery		July 1, 2023	CCR must be delivered by July 1, 2023. The CCR Certification of Delivery must be submitted to the Department by August 10, 2023.

*POE = Point of entry to the distribution system. Sample at each POE that is representative of each source after treatment.

This is a good faith assessment of monitoring requirements for the above-referenced public water system for calendar year 2023 and may not include additional sampling required during the year due to special circumstances. If you have questions or disagree with the assessment, please contact the appropriate personnel at (813) 470-5700. Monitoring schedules are subject to change, at any time, based on results of analyses or other factors. This chart shall not relieve any person from any requirement of Florida law.

It is important for you to provide this information to your operator and/or sampler:

- **It is strongly recommended that testing be conducted early in the monitoring period to allow time for retests due to possible sampling or lab errors. Annual and triennial sampling should be completed by 9/30/2023 to provide time for revisions, re-tests, and/or corrections.**
- **Test results must be submitted to DEP within the first ten days following the end of the required monitoring period, or the first ten days following the month in which the sample results were received, whichever time is the shortest. Failure to comply may result in enforcement action.**



FLORIDA DEPARTMENT OF Environmental Protection

Ron DeSantis
Governor

Jeanette Nuñez
Lt. Governor

Shawn Hamilton
Secretary

Southwest District Office
13051 North Telecom Parkway #101
Temple Terrace, Florida 33637-0926

2023 Chemical Monitoring for NTNC

Water Systems: Crystal River United Methodist Church

PWS-ID No. 6095055

MONITORING & REPORTS		DUE	COMMENTS
Raw Water Microbiological ("Bacteriological")		Quarterly	1 Raw Water Sample per well.
Distribution Microbiological ("Bacteriological")		Quarterly	1 Distribution Sample per quarter. Disinfectant residuals must be reported.
Nitrate and Nitrite		2023	Sample at each POE every year.*
Primary Inorganics		2025	Sample at each POE every three years.
Radiologicals	Gross Alpha	Waived	Sample at each POE every quarterly, six, nine years, or Waived use of Grandfather Data (date of sample)
	Uranium	Waived	Sample at each POE every quarterly, six, nine years, or Waived use of Grandfather Data (date of sample)
	Radium-226	2025	Sample at each POE every quarterly, six, nine years, or Waived use of Grandfather Data (date of sample)
	Radium-228	2025	Sample at each POE every quarterly, six, nine years, or Waived use of Grandfather Data (date of sample)
Volatile Organic Contaminants (VOCs)		2025	Sample at each POE every three years.
Synthetic Organic Contaminants (SOCs)		2025	Sample at each POE every three years, or submit SOC reduced monitoring waiver, if applicable. Use Form 62-560.545(2), F.A.C.
Stage II Disinfection Byproducts (DBPs) <i>Total Trihalomethanes & Haloacetic Acids (5)</i>		July-Sept 2023	Sample according to approved Stage 2 D/DBPR Monitoring Plan.
Asbestos		2029	Certification or results due every nine years. Use Form 62-555.900(10), F.A.C.
Lead & Copper		Jan.-June 2023 July-Dec. 2023	Sample Lead and Copper as determined by the Action Level Exceedance criteria sent to the facility and sample quarterly for WQP.

*POE = Point of entry to the distribution system. Sample at each POE that is representative of each source after treatment.

This is a good faith assessment of monitoring requirements for the above-referenced public water system for calendar year 2023 and may not include additional sampling required during the year due to special circumstances. If you have questions or disagree with the assessment, please contact the appropriate personnel at (813) 470-5700. Monitoring schedules are subject to change, at any time, based on results of analyses or other factors. This chart shall not relieve any person from any requirement of Florida law.

It is important for you to provide this information to your operator and/or sampler:

- **It is strongly recommended that testing be conducted early in the monitoring period to allow time for retests due to possible sampling or lab errors. Annual and triennial sampling should be completed by 9/30/2023 to provide time for revisions, retests, and/or corrections.**

- **Test results must be submitted to DEP within the first ten days following the end of the required monitoring period, or the first ten days following the month in which the sample results were received, whichever time is the shortest. Failure to comply may result in enforcement action.**



FLORIDA DEPARTMENT OF Environmental Protection

Ron DeSantis
Governor

Jeanette Nuñez
Lt. Governor

Shawn Hamilton
Secretary

Southwest District Office
13051 North Telecom Parkway #101
Temple Terrace, Florida 33637-0926

2023 Chemical Monitoring for NTNC

Water System: Janack Plaza

PWS-ID No. 6095077

MONITORING & REPORTS		DUE	COMMENTS
Raw Water Microbiological ("Bacteriological")		Quarterly	1 Raw Water Sample per well.
Distribution Microbiological ("Bacteriological")		Quarterly	1 Distribution Sample per quarter. Disinfectant residuals must be reported.
Nitrate and Nitrite		2023	Sample at each POE every year. *
Primary Inorganics		2025	Sample at each POE every three years.
Radiologicals	Gross Alpha	Waived	Sample at each POE every quarterly, six, nine years, or Waived use of Grandfather Data (date of sample)
	Uranium	Waived	Sample at each POE every quarterly, six, nine years, or Waived use of Grandfather Data (date of sample)
	Radium-226	Waived	Sample at each POE every quarterly, six, nine years, or Waived use of Grandfather Data (date of sample)
	Radium-228	Waived	Sample at each POE every quarterly, six, nine years, or Waived use of Grandfather Data (date of sample)
Volatile Organic Contaminants (VOCs)		2025	Sample at each POE every three years.
Synthetic Organic Contaminants (SOCs)		2025	Sample at each POE every three years, or submit SOC reduced monitoring waiver, if applicable. Use Form 62-560.545(2), F.A.C.
Stage II Disinfection Byproducts (DBPs) <i>Total Trihalomethanes & Haloacetic Acids (5)</i>		July - Sept 2025	Sample according to approved Stage 2 D/DBPR Monitoring Plan.
Asbestos		2031	Certification or results due every nine years. Use Form 62-555.900(10), F.A.C.
Lead & Copper		June - Sept 2025	Sample from sites approved on the Lead and Copper Sampling Plan every three years.
Tank(s) Inspection & cleaning		Due 2023	Pursuant to 62-555.350(2) F.A.C. all finished drinking water storage tanks with access manholes shall be inspected and cleaned at a maximum interval of every 5 years.
Meter(s) Calibration		Every 5- years	Pursuant to 62-555.350(2) F.A.C. requires that water systems maintain and calibrate master meters in accordance to manufacturer specifications at no less than interval of every 5 years.

*POE = Point of entry to the distribution system. Sample at each POE that is representative of each source after treatment.

This is a good faith assessment of monitoring requirements for the above-referenced public water system for calendar year 2023 and may not include additional sampling required during the year due to special circumstances. If you have questions or disagree with the assessment, please contact the appropriate personnel at (813) 470-5700. Monitoring schedules are subject to change, at any time, based on results of analyses or other factors. This chart shall not relieve any person from any requirement of Florida law.

It is important for you to provide this information to your operator and/or sampler:

- **It is strongly recommended that testing be conducted early in the monitoring period to allow time for retests due to possible sampling or lab errors. Annual and triennial sampling should be completed by 9/30/2023 to provide time for revisions, re-tests, and/or corrections.**
- **Test results must be submitted to DEP within the first ten days following the end of the required monitoring period, or the first ten days following the month in which the sample results were received, whichever time is the shortest. Failure to comply may result in enforcement action.**



FLORIDA DEPARTMENT OF Environmental Protection

Ron DeSantis
Governor

Jeanette Nuñez
Lt. Governor

Shawn Hamilton
Secretary

Southwest District Office
13051 North Telecom Parkway #101
Temple Terrace, Florida 33637-0926

2023 Chemical Monitoring for NTNC

Water System: Seven River Professional Center

PWS-ID No. 6095083

MONITORING & REPORTS		DUE	COMMENTS
Raw Water Microbiological ("Bacteriological")		Quarterly	1 Raw Water Sample per well.
Distribution Microbiological ("Bacteriological")		Quarterly	1 Distribution Sample per quarter. Disinfectant residuals must be reported.
Nitrate and Nitrite		2023	Sample at each POE every year. *
Primary Inorganics		2025	Sample at each POE every three years.
Radiologicals	Gross Alpha	2024	Sample at each POE every quarterly, six, nine years, or Waived use of Grandfather Data (date of sample)
	Uranium	2024	Sample at each POE every quarterly, six, nine years, or Waived use of Grandfather Data (date of sample)
	Radium-226	2024	Sample at each POE every quarterly, six, nine years, or Waived use of Grandfather Data (date of sample)
	Radium-228	2024	Sample at each POE every quarterly, six, nine years, or Waived use of Grandfather Data (date of sample)
Volatile Organic Contaminants (VOCs)		2025	Sample at each POE every three years.
Synthetic Organic Contaminants (SOCs)		2025	Sample at each POE every three years, or submit SOC reduced monitoring waiver, if applicable. Use Form 62-560.545(2), F.A.C.
Stage II Disinfection Byproducts (DBPs) <i>Total Trihalomethanes & Haloacetic Acids (5)</i>		Jul.-Sept. 2025	Sample according to approved Stage 2 D/DBPR Monitoring Plan.
Asbestos		2028	Certification or results due every nine years. Use Form 62-555.900(10), F.A.C.
Lead & Copper		June - Sept 2025	Sample from sites approved on the Lead and Copper Sampling Plan every three years.
Tank(s) Inspection & cleaning		Due Every 5 Years	Pursuant to 62-555.350(2) F.A.C. all finished drinking water storage tanks with access manholes shall be inspected and cleaned at a maximum interval of every 5 years.
Meter(s) Calibration		Due Every 5 Years	Pursuant to 62-555.350(2) F.A.C. requires that water systems maintain and calibrate master meters in accordance to manufacturer specifications at no less than interval of every 5 years.

*POE = Point of entry to the distribution system. Sample at each POE that is representative of each source after treatment.

This is a good faith assessment of monitoring requirements for the above-referenced public water system for calendar year 2023 and may not include additional sampling required during the year due to special circumstances. If you have questions or disagree with the assessment, please contact the appropriate personnel at (813) 470-5700. Monitoring schedules are subject to change, at any time, based on results of analyses or other factors. This chart shall not relieve any person from any requirement of Florida law.

It is important for you to provide this information to your operator and/or sampler:

- **It is strongly recommended that testing be conducted early in the monitoring period to allow time for retests due to possible sampling or lab errors. Annual and triennial sampling should be completed by 9/30/2023 to provide time for revisions, re-tests, and/or corrections.**
- **Test results must be submitted to DEP within the first ten days following the end of the required monitoring period, or the first ten days following the month in which the sample results were received, whichever time is the shortest. Failure to comply may result in enforcement action.**



FLORIDA DEPARTMENT OF Environmental Protection

Ron DeSantis
Governor

Jeanette Nuñez
Lt. Governor

Shawn Hamilton
Secretary

Southwest District Office
13051 North Telecom Parkway #101
Temple Terrace, Florida 33637-0926

2023 Chemical Monitoring for NTNC

Water System: Solid Rock Church of God

PWS-ID No. 6095085

MONITORING & REPORTS		DUE	COMMENTS
Raw Water Microbiological ("Bacteriological")		Quarterly	1 Raw Water Sample per well.
Distribution Microbiological ("Bacteriological")		Quarterly	1 Distribution Sample per quarter. Disinfectant residuals must be reported.
Nitrate and Nitrite		2023	Sample at each POE every year. *
Primary Inorganics		2025	Sample at each POE every three years.
Radiologicals	Gross Alpha	2028	Sample at each POE every quarterly, six, nine years, or Waived use of Grandfather Data (date of sample)
	Uranium	2028	Sample at each POE every quarterly, six, nine years, or Waived use of Grandfather Data (date of sample)
	Radium-226	2028	Sample at each POE every quarterly, six, nine years, or Waived use of Grandfather Data (date of sample)
	Radium-228	2028	Sample at each POE every quarterly, six, nine years, or Waived use of Grandfather Data (date of sample)
Volatile Organic Contaminants (VOCs)		2025	Sample at each POE every three years.
Synthetic Organic Contaminants (SOCs)		2025	Sample at each POE every three years, or submit SOC reduced monitoring waiver, if applicable. Use Form 62-560.545(2), F.A.C.
Stage II Disinfection Byproducts (DBPs) <i>Total Trihalomethanes & Haloacetic Acids (5)</i>		Jul.-Sept. 2023	Sample according to approved Stage 2 D/DBPR Monitoring Plan.
Asbestos		2028	Certification or results due every nine years. Use Form 62-555.900(10), F.A.C.
Lead & Copper		June - Sept 2025	Sample from sites approved on the Lead and Copper Sampling Plan every three years.

*POE = Point of entry to the distribution system. Sample at each POE that is representative of each source after treatment.

This is a good faith assessment of monitoring requirements for the above-referenced public water system for calendar year 2023 and may not include additional sampling required during the year due to special circumstances. If you have questions or disagree with the assessment, please contact the appropriate personnel at (813) 470-5700. Monitoring schedules are subject to change, at any time, based on results of analyses or other factors. This chart shall not relieve any person from any requirement of Florida law.

It is important for you to provide this information to your operator and/or sampler:

- **It is strongly recommended that testing be conducted early in the monitoring period to allow time for retests due to possible sampling or lab errors. Annual and triennial sampling should be completed by 9/30/2023 to provide time for revisions, re-tests, and/or corrections.**
- **Test results must be submitted to DEP within the first ten days following the end of the required monitoring period, or the first ten days following the month in which the sample results were received, whichever time is the shortest. Failure to comply may result in enforcement action.**



FLORIDA DEPARTMENT OF Environmental Protection

Ron DeSantis
Governor

Jeanette Nuñez
Lt. Governor

Shawn Hamilton
Secretary

Southwest District Office
13051 North Telecom Parkway #101
Temple Terrace, Florida 33637-0926

2023 Chemical Monitoring for NTNC

Water System: Duke Energy Combined Cycle WTP

PWS-ID No. 6095093

MONITORING & REPORTS		DUE	COMMENTS
Raw Water Microbiological ("Bacteriological")		Quarterly	1 Raw Water Sample per well.
Distribution Microbiological ("Bacteriological")		Quarterly	1 Distribution Sample per quarter. Disinfectant residuals must be reported.
Nitrate and Nitrite		2023	Sample at each POE every year. *
Primary Inorganics		2025	Sample at each POE every three years.
Radiologicals	Gross Alpha	2037	Sample at each POE every quarterly, six, nine years, or Waived use of Grandfather Data (date of sample)
	Uranium	2037	Sample at each POE every quarterly, six, nine years, or Waived use of Grandfather Data (date of sample)
	Radium-226	2037	Sample at each POE every quarterly, six, nine years, or Waived use of Grandfather Data (date of sample)
	Radium-228	2037	Sample at each POE every quarterly, six, nine years, or Waived use of Grandfather Data (date of sample)
Volatile Organic Contaminants (VOCs)		2025	Sample at each POE every three years.
Synthetic Organic Contaminants (SOCs)		2025	Sample at each POE every three years, or submit SOC reduced monitoring waiver, if applicable. Use Form 62-560.545(2), F.A.C.
Stage II Disinfection Byproducts (DBPs) <i>Total Trihalomethanes & Haloacetic Acids (5)</i>		Jul.-Sept. 2025	Sample according to approved Stage 2 D/DBPR Monitoring Plan.
Asbestos		2025	Certification or results due every nine years. Use Form 62-555.900(10), F.A.C.
Lead & Copper		June - Sept 2025	Sample from sites approved on the Lead and Copper Sampling Plan every three years.
Tank(s) Inspection & cleaning		2028	Pursuant to 62-555.350(2) F.A.C. all finished drinking water storage tanks with access manholes shall be inspected and cleaned at a maximum interval of every 5 years.
Meter(s) Calibration		Due Every 5 Years	Pursuant to 62-555.350(2) F.A.C. requires that water systems maintain and calibrate master meters in accordance to manufacturer specifications at no less than interval of every 5 years.

*POE = Point of entry to the distribution system. Sample at each POE that is representative of each source after treatment.

This is a good faith assessment of monitoring requirements for the above-referenced public water system for calendar year 2023 and may not include additional sampling required during the year due to special circumstances. If you have questions or disagree with the assessment, please contact the appropriate personnel at (813) 470-5700. Monitoring schedules are subject to change, at any time, based on results of analyses or other factors. This chart shall not relieve any person from any requirement of Florida law.

It is important for you to provide this information to your operator and/or sampler:

- **It is strongly recommended that testing be conducted early in the monitoring period to allow time for retests due to possible sampling or lab errors. Annual and triennial sampling should be completed by 9/30/2023 to provide time for revisions, re-tests, and/or corrections.**
- **Test results must be submitted to DEP within the first ten days following the end of the required monitoring period, or the first ten days following the month in which the sample results were received, whichever time is the shortest. Failure to comply may result in enforcement action.**