

Ron DeSantis Governor

Jeanette Nuñez Lt. Governor

Noah Valenstein Secretary

Southwest District Office 13051 North Telecom Parkway #101 Temple Terrace, Florida 33637-0926

2019 Chemical Monitoring for Community Systems

System Name: Big Tree Mobile Home & RV Village PWS-ID No. 6270009

System Name: Big Tree Mobile Home & RV			PWS-ID No. 62/0009
	NG & REPORTS	DUE	COMMENTS
Raw Water Microbiological ("Bacteriological")		Monthly	1 Raw Water Sample per well.
Distribution Microb ("Bacteriological")	iological	Monthly	1 Distribution Samples per month. Disinfectant residuals must be reported.
Nitrate and Nitrite		2019	Sample at each POE every year.*
Primary Inorganics		2021	Sample at each POE every three years.
Secondaries		2021	Sample at each POE every three years.
Radiologicals	Gross Alpha	2027	Sample at each POE every three, six or nine years.
	Uranium	2024	Sample at each POE every three, six or nine years.
	Radium-226	2027	Sample at each POE every three, six or nine years.
	Radium-228	2027	Sample at each POE every three, six or nine years.
Volatile Organic Co	ntaminants (VOCs)	2021	Sample at each POE every three years.
Synthetic Organic C	ontaminants (SOCs)	2021	Sample at each POE every three years, or submit SOC reduced monitoring waiver, if applicable. Use Form 62-560.545(2), F.A.C.
Stage II Disinfection Total Trihalomethanes	Byproducts (DBPs) S & Haloacetic Acids (5)	July-Sept. 2021	Sample according to approved Stage 2 D/DBPR Monitoring Plan.
Asbestos		2021	Certification or results due every nine years. Use Form 62-555.900(10), F.A.C.
Lead & Copper		June-Sept. 2021	Sample from sites approved on the Lead and Copper Sampling Plan every three years.
Consumer Confidence Report (CCR) & CCR Certification of Delivery		July 1, 2019	CCR must be delivered by July 1, 2019. The CCR Certification of Delivery must be submitted to the Department by August 10, 2019. Use Form 62-555.900(alternate 19), F.A.C.

<sup>\*</sup>POE = Point of entry to the distribution system. Sample at each POE that is representative of each source after treatment.

This is a good faith assessment of monitoring requirements for the above-referenced public water system for calendar year 2019 and may not include additional sampling required during the year due to special circumstances. If you have questions or disagree with the assessment, please contact the appropriate personnel at (813) 470-5700. Monitoring schedules are subject to change, at any time, based on results of analyses or other factors. This chart shall not relieve any person from any requirement of Florida law.

- > It is strongly recommended that testing be conducted early in the monitoring period to allow time for retests due to possible sampling or lab errors. Annual and triennial sampling should be completed by 9/30/2019 to provide time for revisions, re-tests, and/or corrections.
- > Test results must be submitted to DEP within the first ten days following the end of the required monitoring period, or the first ten days following the month in which the sample results were received, whichever time is the shortest. Failure to comply may result in enforcement action.



Ron DeSantis Governor

Jeanette Nuñez Lt. Governor

Noah Valenstein Secretary

Southwest District Office 13051 North Telecom Parkway #101 Temple Terrace, Florida 33637-0926

2019 Chemical Monitoring for Community Systems

System Name: Camp-A-Wyle Lake Resort PWS-ID No. 6270246

	NG & REPORTS	DUE	COMMENTS
Raw Water Microbi ("Bacteriological")	ological	Monthly	1 Raw Water Sample per well.
Distribution Microbiological ("Bacteriological")		Monthly	1 Distribution Samples per month. Disinfectant residuals must be reported.
Nitrate and Nitrite		2019	Sample at each POE every year.*
Primary Inorganics		2021	Sample at each POE every three years.
Secondaries		2021	Sample at each POE every three years.
Radiologicals	Gross Alpha	2021	Sample at each POE every three, six or nine years.
	Uranium	2021	Sample at each POE every three, six or nine years.
	Radium-226	2021	Sample at each POE every three, six or nine years.
	Radium-228	2021	Sample at each POE every three, six or nine years.
Volatile Organic Co	ontaminants (VOCs)	2021	Sample at each POE every three years.
Synthetic Organic Contaminants (SOCs)		2021	Sample at each POE every three years, or submit SOC reduced monitoring waiver, if applicable. Use Form 62-560.545(2), F.A.C.
	n Byproducts (DBPs) es & Haloacetic Acids (5)	July-Sept. 2021	Sample according to approved Stage 2 D/DBPR Monitoring Plan.
Asbestos		2021	Certification or results due every nine years. Use Form 62-555.900(10), F.A.C.
Lead & Copper		June-Sept. 2021	Sample from sites approved on the Lead and Copper Sampling Plan every three years.
Consumer Confidence Report (CCR) & CCR Certification of Delivery		July 1, 2019	CCR must be delivered by July 1, 2019. The CCR Certification of Delivery must be submitted to the Department by August 10, 2019. Use Form 62-555.900(alternate 19), F.A.C.

<sup>\*</sup>POE = Point of entry to the distribution system. Sample at each POE that is representative of each source after treatment.

This is a good faith assessment of monitoring requirements for the above-referenced public water system for calendar year 2019 and may not include additional sampling required during the year due to special circumstances. If you have questions or disagree with the assessment, please contact the appropriate personnel at (813) 470-5700. Monitoring schedules are subject to change, at any time, based on results of analyses or other factors. This chart shall not relieve any person from any requirement of Florida law.

- > It is strongly recommended that testing be conducted early in the monitoring period to allow time for retests due to possible sampling or lab errors. Annual and triennial sampling should be completed by 9/30/2019 to provide time for revisions, re-tests, and/or corrections.
- > Test results must be submitted to DEP within the first ten days following the end of the required monitoring period, or the first ten days following the month in which the sample results were received, whichever time is the shortest. Failure to comply may result in enforcement action.



Southwest District Office 13051 North Telecom Parkway #101 Temple Terrace, Florida 33637-0926 Ron DeSantis Governor

Jeanette Nuñez Lt. Governor

Noah Valenstein Secretary

2019 Chemical Monitoring for Community Systems

Cedar Lane PWS-ID No. 627-0269

MONITORI	NG & REPORTS	DUE	COMMENTS
Raw Water Microbiological ("Bacteriological")		Monthly	1 Raw Water Sample per well.
Distribution Microb ("Bacteriological")	piological	Monthly	1 Distribution Samples per month. Disinfectant residuals must be reported.
Nitrate and Nitrite		2019	Sample at each POE every year. *
Primary Inorganics		2021	Sample at each POE every three years.
Secondaries		2021	Sample at each POE every three years.
Radiologicals	Gross Alpha	2024	Sample at each POE every three, six or nine years.
	Uranium	2027	Sample at each POE every three, six or nine years.
	Radium-226	2027	Sample at each POE every three, six or nine years.
	Radium-228	2027	Sample at each POE every three, six or nine years.
Volatile Organic Co	ontaminants (VOCs)	2021	Sample at each POE every three years.
Synthetic Organic Contaminants (SOCs)		2021	Sample at each POE every three years, or submit SOC reduced monitoring waiver, if applicable. Use Form 62-560.545(2), F.A.C.
	Byproducts (DBPs)	July - Sept	Sample according to approved Stage 2 D/DBPR Monitoring
Total Trihalomethane	s & Haloacetic Acids (5)	2021	Plan. Certification or results due every nine years.
Asbestos		2021	Use Form 62-555.900(10), F.A.C.
Lead & Copper		June – Sept 2021	Sample from sites approved on the Lead and Copper Sampling Plan every three years.
Consumer Confidence Report (CCR) & CCR Certification of Delivery		July 1, 2019	CCR must be delivered by July 1, 2019. The CCR Certification of Delivery must be submitted to the Department by August 10, 2019. Use Form 62-555.900(alternate 19), F.A.C.

<sup>\*</sup>POE = Point of entry to the distribution system. Sample at each POE that is representative of each source after treatment.

This is a good faith assessment of monitoring requirements for the above-referenced public water system for calendar year 2019 and may not include additional sampling required during the year due to special circumstances. If you have questions or disagree with the assessment, please contact the appropriate personnel at (813) 470-5700. Monitoring schedules are subject to change, at any time, based on results of analyses or other factors. This chart shall not relieve any person from any requirement of Florida law.

- > It is strongly recommended that testing be conducted early in the monitoring period to allow time for retests due to possible sampling or lab errors. Annual and triennial sampling should be completed by 9/30/2019 to provide time for revisions, re-tests, and/or corrections.
- > Test results must be submitted to DEP within the first ten days following the end of the required monitoring period, or the first ten days following the month in which the sample results were received, whichever time is the shortest. Failure to comply may result in enforcement action.



Southwest District Office 13051 North Telecom Parkway #101 Temple Terrace, Florida 33637-0926 Ron DeSantis Governor

Jeanette Nuñez Lt. Governor

Noah Valenstein Secretary

2019 Chemical Monitoring for Community Systems

Hernando County Utilities – Dogwood Estates

PWS-ID No. 627-0468

Hernando County Othities – Dogwood Estates			F W S-ID INO. 027-0408
MONITOR	ING & REPORTS	DUE	COMMENTS
Raw Water Microbiological ("Bacteriological")		Monthly	1 Raw Water Sample per well.
Distribution Microbiological ("Bacteriological")		Monthly	1 Distribution Samples per month. Disinfectant residuals must be reported.
Nitrate and Nitrite		2019	Sample at each POE every year. *
Primary Inorganics		2021	Sample at each POE every three years.
Secondaries		2021	Sample at each POE every three years.
Radiologicals	Gross Alpha	2027	Sample at each POE every three, six or nine years.
	Uranium	2027	Sample at each POE every three, six or nine years.
	Radium-226	2027	Sample at each POE every three, six or nine years.
	Radium-228	2027	Sample at each POE every three, six or nine years.
Volatile Organic Co	ontaminants (VOCs)	2021	Sample at each POE every three years.
Synthetic Organic Contaminants (SOCs)		2021	Sample at each POE every three years, or submit SOC reduced monitoring waiver, if applicable. Use Form 62-560.545(2), F.A.C.
	n Byproducts (DBPs)	July – Sept	Sample according to approved Stage 2 D/DBPR Monitoring
Total Trihalomethanes & Haloacetic Acids (5)  Asbestos		2019 2021	Plan.  Certification or results due every nine years. Use Form 62-555.900(10), F.A.C.
Lead & Copper		June – Sept 2021	Sample from sites approved on the Lead and Copper Sampling Plan every three years.
Consumer Confidence Report (CCR) & CCR Certification of Delivery		July 1, 2019	CCR must be delivered by July 1, 2019. The CCR Certification of Delivery must be submitted to the Department by August 10, 2019. Use Form 62-555.900(alternate 19), F.A.C.

<sup>\*</sup>POE = Point of entry to the distribution system. Sample at each POE that is representative of each source after treatment.

This is a good faith assessment of monitoring requirements for the above-referenced public water system for calendar year 2019 and may not include additional sampling required during the year due to special circumstances. If you have questions or disagree with the assessment, please contact the appropriate personnel at (813) 470-5700. Monitoring schedules are subject to change, at any time, based on results of analyses or other factors. This chart shall not relieve any person from any requirement of Florida law.

- > It is strongly recommended that testing be conducted early in the monitoring period to allow time for retests due to possible sampling or lab errors. Annual and triennial sampling should be completed by 9/30/2019 to provide time for revisions, re-tests, and/or corrections.
- > Test results must be submitted to DEP within the first ten days following the end of the required monitoring period, or the first ten days following the month in which the sample results were received, whichever time is the shortest. Failure to comply may result in enforcement action.



Southwest District Office 13051 North Telecom Parkway #101 Temple Terrace, Florida 33637-0926 Ron DeSantis Governor

Jeanette Nuñez Lt. Governor

Noah Valenstein Secretary

2019 Chemical Monitoring for NTNC

Water Systems Eden Christian School

PWS-ID No. 6270507

J	NG & REPORTS	DUE	COMMENTS
Raw Water Microbiological ("Bacteriological")		Quarterly	1 Raw Water Sample per well.
Distribution Microbiological ("Bacteriological")		Quarterly	1 Distribution Sample per quarter. Disinfectant residuals must be reported.
Nitrate and Nitrit	e	2019	Sample at each POE every year.*
Primary Inorganio	es	2019	Sample at each POE every three years.
Radiologicals	Gross Alpha	Waived	Sample at each POE every quarterly, six, nine years, or Waived use of Grandfather Data (date of sample)
	Uranium	Waived	Sample at each POE every quarterly, six, nine years, or Waived use of Grandfather Data (date of sample)
	Radium-226	Waived	Sample at each POE every quarterly, six, nine years, or Waived use of Grandfather Data (date of sample)
	Radium-228	Waived	Sample at each POE every quarterly, six, nine years, or Waived use of Grandfather Data (date of sample)
Volatile Organic (	Contaminants (VOCs)	2019	Sample at each POE every three years.
Synthetic Organic Contaminants (SOCs)		2019	Sample at each POE every three years, or submit SOC reduced monitoring waiver, if applicable. Use Form 62-560.545(2), F.A.C.
Stage II Disinfection Byproducts (DBPs) Total Trihalomethanes & Haloacetic Acids (5)		July-Sept. 2019	Sample according to approved Stage 2 D/DBPR Monitoring Plan.
Asbestos		2022	Certification or results due every nine years. Use Form 62-555.900(10), F.A.C.
Lead & Copper		June-Sept. 2019	Sample from sites approved on the Lead and Copper Sampling Plan every three years.

<sup>\*</sup>POE = Point of entry to the distribution system. Sample at each POE that is representative of each source after treatment.

This is a good faith assessment of monitoring requirements for the above-referenced public water system for calendar year 2019 and may not include additional sampling required during the year due to special circumstances. If you have questions or disagree with the assessment, please contact the appropriate personnel at (813) 470-5700. Monitoring schedules are subject to change, at any time, based on results of analyses or other factors. This chart shall not relieve any person from any requirement of Florida law.

- It is strongly recommended that testing be conducted early in the monitoring period to allow time for retests due to possible sampling or lab errors. Annual and triennial sampling should be completed by <u>9/30/2019</u> to provide time for revisions, retests, and/or corrections.
- > Test results must be submitted to DEP within the first ten days following the end of the required monitoring period, or the first ten days following the month in which the sample results were received, whichever time is the shortest. Failure to comply may result in enforcement action.



Jeanette Nuñez

Lt. Governor

**Ron DeSantis** 

Governor

**Noah Valenstein** Secretary

Southwest District Office 13051 North Telecom Parkway #101 Temple Terrace, Florida 33637-0926

2019 Chemical Monitoring for NTNC

Water Systems CEMEX Corporation

PWS-ID No. 6270598

MONITORI	NG & REPORTS	DUE	COMMENTS
Raw Water Microbiological ("Bacteriological")		Quarterly	1 Raw Water Sample per well.
Distribution Microbiological ("Bacteriological")		Quarterly	1 Distribution Sample per quarter. Disinfectant residuals must be reported.
Nitrate and Nitrit	e	2019	Sample at each POE every year.*
Primary Inorganio	es	2019	Sample at each POE every three years.
Radiologicals	Gross Alpha	Waived	Waived – historical data relieves system of future testing (use of Grandfather Data)
	Uranium	Waived	Waived – historical data relieves system of future testing (use of Grandfather Data)
	Radium-226	Waived	Waived – historical data relieves system of future testing (use of Grandfather Data)
	Radium-228	Waived	Waived – historical data relieves system of future testing (use of Grandfather Data)
Volatile Organic (	Contaminants (VOCs)	2019	Sample at each POE every three years.
Synthetic Organic Contaminants (SOCs)		2019	Sample at each POE every three years, or submit SOC reduced monitoring waiver, if applicable. Use Form 62-560.545(2), F.A.C.
Stage II Disinfection Byproducts (DBPs) Total Trihalomethanes & Haloacetic Acids (5)		July-Sept. 2019	Sample according to approved Stage 2 D/DBPR Monitoring Plan.
Asbestos		2020	Certification or results due every nine years. Use Form 62-555.900(10), F.A.C.
Lead & Copper		JuneSept. 2019	Sample from sites approved on the Lead and Copper Sampling Plan every three years.

<sup>\*</sup>POE = Point of entry to the distribution system. Sample at each POE that is representative of each source after treatment.

This is a good faith assessment of monitoring requirements for the above-referenced public water system for calendar year 2019 and may not include additional sampling required during the year due to special circumstances. If you have questions or disagree with the assessment, please contact the appropriate personnel at (813) 470-5700. Monitoring schedules are subject to change, at any time, based on results of analyses or other factors. This chart shall not relieve any person from any requirement of Florida law.

- > It is strongly recommended that testing be conducted early in the monitoring period to allow time for retests due to possible sampling or lab errors. Annual and triennial sampling should be completed by <u>9/30/2019</u> to provide time for revisions, retests, and/or corrections.
- > Test results must be submitted to DEP within the first ten days following the end of the required monitoring period, or the first ten days following the month in which the sample results were received, whichever time is the shortest. Failure to comply may result in enforcement action.



**Jeanette Nuñez** 

Lt. Governor

**Ron DeSantis** 

Governor

**Noah Valenstein** Secretary

**Southwest District Office** 13051 North Telecom Parkway #101 Temple Terrace, Florida 33637-0926

2019 Chemical Monitoring for NTNC

Water Systems Hidden Valley Camporound PWS-ID No. 6270766

Water Systems Hidden Valley Campground			PWS-ID No. 62/0/66
MONITORI	NG & REPORTS	DUE	COMMENTS
Raw Water Microbiological ("Bacteriological")		Quarterly	1 Raw Water Sample per well.
Distribution Microbiological ("Bacteriological")		Quarterly	1 Distribution Sample per quarter. Disinfectant residuals must be reported.
Nitrate and Nitrite	e	2019	Sample at each POE every year.*
Primary Inorganio	CS	2019	Sample at each POE every three years.
Radiologicals	Gross Alpha	Waived	Waived – historical data relieves system of future testing (use of Grandfather Data)
	Uranium	2025	Sample at each POE every three years.
	Radium-226	2022	Sample at each POE every three years.
	Radium-228	2022	Sample at each POE every three years.
Volatile Organic O	Contaminants (VOCs)	2019	Sample at each POE every three years.
Synthetic Organic Contaminants (SOCs)		2019	Sample at each POE every three years, or submit SOC reduced monitoring waiver, if applicable. Use Form 62-560.545(2), F.A.C.
Stage II Disinfection Byproducts (DBPs) Total Trihalomethanes & Haloacetic Acids (5)		July-Sept. 2019	Sample according to approved Stage 2 D/DBPR Monitoring Plan.
Asbestos		2020	Certification or results due every nine years. Use Form 62-555.900(10), F.A.C.
Lead & Copper		JuneSept. 2019	Sample from sites approved on the Lead and Copper Sampling Plan every three years.

<sup>\*</sup>POE = Point of entry to the distribution system. Sample at each POE that is representative of each source after treatment.

This is a good faith assessment of monitoring requirements for the above-referenced public water system for calendar year 2019 and may not include additional sampling required during the year due to special circumstances. If you have questions or disagree with the assessment, please contact the appropriate personnel at (813) 470-5700. Monitoring schedules are subject to change, at any time, based on results of analyses or other factors. This chart shall not relieve any person from any requirement of Florida law.

- It is strongly recommended that testing be conducted early in the monitoring period to allow time for retests due to possible sampling or lab errors. Annual and triennial sampling should be completed by 9/30/2019 to provide time for revisions, retests, and/or corrections.
- Test results must be submitted to DEP within the first ten days following the end of the required monitoring period, or the first ten days following the month in which the sample results were received, whichever time is the shortest. Failure to comply may result in enforcement action.



**Jeanette Nuñez** 

Lt. Governor

**Ron DeSantis** 

Governor

**Noah Valenstein** Secretary

**Southwest District Office** 13051 North Telecom Parkway #101 Temple Terrace, Florida 33637-0926

2019 Chemical Monitoring for Community Systems

System Name: Imperial Estates PWS-ID No. 6270851

System Name: Imperial Estates			P W S-ID No. 02/0631
MONITORI	NG & REPORTS	DUE	COMMENTS
Raw Water Microbiological ("Bacteriological")		Monthly	1 Raw Water Sample per well.
Distribution Microb ("Bacteriological")	piological	Monthly	1 Distribution Samples per month. Disinfectant residuals must be reported.
Nitrate and Nitrite		2019	Sample at each POE every year.*
Primary Inorganics		2021	Sample at each POE every three years.
Secondaries		2021	Sample at each POE every three years.
Radiologicals	Gross Alpha	2027	Sample at each POE every three, six or nine years.
	Uranium	2027	Sample at each POE every three, six or nine years.
	Radium-226	2024	Sample at each POE every three, six or nine years.
	Radium-228	2024	Sample at each POE every three, six or nine years.
Volatile Organic Co	ntaminants (VOCs)	2021	Sample at each POE every three years.
Synthetic Organic Contaminants (SOCs)		2021	Sample at each POE every three years, or submit SOC reduced monitoring waiver, if applicable. Use Form 62-560.545(2), F.A.C.
	n Byproducts (DBPs) s & Haloacetic Acids (5)	July-Sept. 2021	Sample according to approved Stage 2 D/DBPR Monitoring Plan.
Asbestos		2021	Certification or results due every nine years. Use Form 62-555.900(10), F.A.C.
Lead & Copper		June-Sept. 2021	Sample from sites approved on the Lead and Copper Sampling Plan every three years.
Consumer Confidence Report (CCR) & CCR Certification of Delivery		July 1, 2019	CCR must be delivered by July 1, 2019. The CCR Certification of Delivery must be submitted to the Department by August 10, 2019. Use Form 62-555.900(alternate 19), F.A.C.

<sup>\*</sup>POE = Point of entry to the distribution system. Sample at each POE that is representative of each source after treatment.

This is a good faith assessment of monitoring requirements for the above-referenced public water system for calendar year 2019 and may not include additional sampling required during the year due to special circumstances. If you have questions or disagree with the assessment, please contact the appropriate personnel at (813) 470-5700. Monitoring schedules are subject to change, at any time, based on results of analyses or other factors. This chart shall not relieve any person from any requirement of Florida law.

- It is strongly recommended that testing be conducted early in the monitoring period to allow time for retests due to possible sampling or lab errors. Annual and triennial sampling should be completed by 9/30/2019 to provide time for revisions, re-tests, and/or corrections.
- Test results must be submitted to DEP within the first ten days following the end of the required monitoring period, or the first ten days following the month in which the sample results were received, whichever time is the shortest. Failure to comply may result in enforcement action.



Ron DeSantis Governor

Jeanette Nuñez Lt. Governor

Noah Valenstein Secretary

Southwest District Office 13051 North Telecom Parkway #101 Temple Terrace, Florida 33637-0926

2019 Chemical Monitoring for Community Systems

System Name: Frontier Campground PWS-ID No. 6271171

System Name. Frontier Campground			F W S-ID No. 02/11/1
MONITORING & REPORTS		DUE	COMMENTS
Raw Water Microbiological ("Bacteriological")		Monthly	1 Raw Water Sample per well.
Distribution Microb ("Bacteriological")	piological	Monthly	1 Distribution Samples per month. Disinfectant residuals must be reported.
Nitrate and Nitrite		2019	Sample at each POE every year.*
Primary Inorganics		2021	Sample at each POE every three years.
Secondaries		2021	Sample at each POE every three years.
Radiologicals	Gross Alpha	2021	Sample at each POE every three, six or nine years.
	Uranium	2021	Sample at each POE every three, six or nine years.
	Radium-226	2021	Sample at each POE every three, six or nine years.
	Radium-228	2021	Sample at each POE every three, six or nine years.
Volatile Organic Co	ontaminants (VOCs)	2021	Sample at each POE every three years.
Synthetic Organic Contaminants (SOCs)		2021	Sample at each POE every three years, or submit SOC reduced monitoring waiver, if applicable. Use Form 62-560.545(2), F.A.C.
	n Byproducts (DBPs) s & Haloacetic Acids (5)	July-Sept. 2021	Sample according to approved Stage 2 D/DBPR Monitoring Plan.
Asbestos		2021	Certification or results due every nine years. Use Form 62-555.900(10), F.A.C.
Lead & Copper		June-Sept. 2021	Sample from sites approved on the Lead and Copper Sampling Plan every three years.
Consumer Confidence Report (CCR) & CCR Certification of Delivery		July 1, 2019	CCR must be delivered by July 1, 2019. The CCR Certification of Delivery must be submitted to the Department by August 10, 2019. Use Form 62-555.900(alternate 19), F.A.C.

<sup>\*</sup>POE = Point of entry to the distribution system. Sample at each POE that is representative of each source after treatment.

This is a good faith assessment of monitoring requirements for the above-referenced public water system for calendar year 2019 and may not include additional sampling required during the year due to special circumstances. If you have questions or disagree with the assessment, please contact the appropriate personnel at (813) 470-5700. Monitoring schedules are subject to change, at any time, based on results of analyses or other factors. This chart shall not relieve any person from any requirement of Florida law.

- > It is strongly recommended that testing be conducted early in the monitoring period to allow time for retests due to possible sampling or lab errors. Annual and triennial sampling should be completed by 9/30/2019 to provide time for revisions, re-tests, and/or corrections.
- > Test results must be submitted to DEP within the first ten days following the end of the required monitoring period, or the first ten days following the month in which the sample results were received, whichever time is the shortest. Failure to comply may result in enforcement action.



Lead & Copper

# FLORIDA DEPARTMENT OF Environmental Protection

Southwest District Office 13051 North Telecom Parkway #101 Temple Terrace, Florida 33637-0926 Ron DeSantis Governor

Jeanette Nuñez Lt. Governor

Noah Valenstein Secretary

2019 Chemical Monitoring for NTNC

Water Systems Ridge Manor Campground			PWS-ID No. 6271505
MONITOR	RING & REPORTS	DUE	COMMENTS
Raw Water Microbiological ("Bacteriological")		Quarterly	1 Raw Water Sample per well.
Distribution Microbiological ("Bacteriological")		Quarterly	1 Distribution Sample per quarter. Disinfectant residuals must be reported.
Nitrate and Nitra	ite	2019	Sample at each POE every year.*
Primary Inorgan	nics	2019	Sample at each POE every three years.
Radiologicals	Gross Alpha	Waived	Sample at each POE every quarterly, six, nine years, or Waived use of Grandfather Data (date of sample)
	Uranium	Waived	Sample at each POE every quarterly, six, nine years, or Waived use of Grandfather Data (date of sample)
	Radium-226	2025	Sample at each POE every quarterly, six, nine years, or Waived use of Grandfather Data (date of sample)
	Radium-228	2025	Sample at each POE every quarterly, six, nine years, or Waived use of Grandfather Data (date of sample)
Volatile Organic	Contaminants (VOCs)	2019	Sample at each POE every three years.
Synthetic Organic Contaminants (SOCs)		2019	Sample at each POE every three years, or submit SOC reduced monitoring waiver, if applicable. Use Form 62-560.545(2), F.A.C.
Stage II Disinfection Byproducts (DBPs) Total Trihalomethanes & Haloacetic Acids (5)		July-Sept. 2019	Sample according to approved Stage 2 D/DBPR Monitoring Plan.
Asbestos		2022	Certification or results due every nine years. Use Form 62-555.900(10), F.A.C.
Lead & Copper		June-Sept. 2019	Sample from sites approved on the Lead and Copper

<sup>\*</sup>POE = Point of entry to the distribution system. Sample at each POE that is representative of each source after treatment.

June-Sept. 2019

This is a good faith assessment of monitoring requirements for the above-referenced public water system for calendar year 2019 and may not include additional sampling required during the year due to special circumstances. If you have questions or disagree with the assessment, please contact the appropriate personnel at (813) 470-5700. Monitoring schedules are subject to change, at any time, based on results of analyses or other factors. This chart shall not relieve any person from any requirement of Florida law.

Sampling Plan every three years.

- It is strongly recommended that testing be conducted early in the monitoring period to allow time for retests due to possible sampling or lab errors. Annual and triennial sampling should be completed by <u>9/30/2019</u> to provide time for revisions, retests, and/or corrections.
- > Test results must be submitted to DEP within the first ten days following the end of the required monitoring period, or the first ten days following the month in which the sample results were received, whichever time is the shortest. Failure to comply may result in enforcement action.



Southwest District Office 13051 North Telecom Parkway #101 Temple Terrace, Florida 33637-0926 Ron DeSantis Governor

Jeanette Nuñez Lt. Governor

Noah Valenstein Secretary

2019 Chemical Monitoring for Community Systems

Hernando County Utilities – Royal Oaks

PWS-ID No. 627-1553

Hernando County Utilities – Royal Oaks			PWS-ID No. 027-1333
MONITORI	ING & REPORTS	DUE	COMMENTS
Raw Water Microbiological ("Bacteriological")		Monthly	1 Raw Water Sample per well.
Distribution Microbiological ("Bacteriological")		Monthly	1 Distribution Samples per month. Disinfectant residuals must be reported.
Nitrate and Nitrite		2019	Sample at each POE every year. *
Primary Inorganics		2021	Sample at each POE every three years.
Secondaries		2021	Sample at each POE every three years.
Radiologicals	Gross Alpha	2027	Sample at each POE every three, six or nine years.
	Uranium	2027	Sample at each POE every three, six or nine years.
	Radium-226	2027	Sample at each POE every three, six or nine years.
	Radium-228	2027	Sample at each POE every three, six or nine years.
Volatile Organic Co	ontaminants (VOCs)	2021	Sample at each POE every three years.
Synthetic Organic Contaminants (SOCs)		2021	Sample at each POE every three years, or submit SOC reduced monitoring waiver, if applicable. Use Form 62-560.545(2), F.A.C.
	n Byproducts (DBPs) es & Haloacetic Acids (5)	July - Sept 2021	Sample according to approved Stage 2 D/DBPR Monitoring Plan.
Asbestos		2021	Certification or results due every nine years. Use Form 62-555.900(10), F.A.C.
Lead & Copper		June – Sept 2021	Sample from sites approved on the Lead and Copper Sampling Plan every three years.
Consumer Confider Certification of Deli	nce Report (CCR) & CCR	July 1, 2019	CCR must be delivered by July 1, 2019. The CCR Certification of Delivery must be submitted to the Department by August 10, 2019. Use Form 62-555.900(alternate 19), F.A.C.

<sup>\*</sup>POE = Point of entry to the distribution system. Sample at each POE that is representative of each source after treatment.

This is a good faith assessment of monitoring requirements for the above-referenced public water system for calendar year 2019 and may not include additional sampling required during the year due to special circumstances. If you have questions or disagree with the assessment, please contact the appropriate personnel at (813) 470-5700. Monitoring schedules are subject to change, at any time, based on results of analyses or other factors. This chart shall not relieve any person from any requirement of Florida law.

- > It is strongly recommended that testing be conducted early in the monitoring period to allow time for retests due to possible sampling or lab errors. Annual and triennial sampling should be completed by 9/30/2019 to provide time for revisions, re-tests, and/or corrections.
- Test results must be submitted to DEP within the first ten days following the end of the required monitoring period, or the first ten days following the month in which the sample results were received, whichever time is the shortest. Failure to comply may result in enforcement action.



Ron DeSantis Governor

Jeanette Nuñez Lt. Governor

**Noah Valenstein** Secretary

Southwest District Office 13051 North Telecom Parkway #101 Temple Terrace, Florida 33637-0926

2019 Chemical Monitoring for Community Systems

System Name: Weeki Wachee North PWS-ID No. 6271934

System Name: Weeki Wachee North			PWS-ID No. 62/1934
MONITOR	ING & REPORTS	DUE	COMMENTS
Raw Water Microbiological ("Bacteriological")		Monthly	1 Raw Water Sample per well.
Distribution Microbiological ("Bacteriological")		Monthly	1 Distribution Samples per month. Disinfectant residuals must be reported.
Nitrate and Nitrite		2019	Sample at each POE every year.*
Primary Inorganic	S	2021	Sample at each POE every three years.
Secondaries		2021	Sample at each POE every three years.
Radiologicals	Gross Alpha	2021	Sample at each POE every three, six or nine years.
	Uranium	2021	Sample at each POE every three, six or nine years.
	Radium-226	2027	Sample at each POE every three, six or nine years.
	Radium-228	2027	Sample at each POE every three, six or nine years.
Volatile Organic C	ontaminants (VOCs)	2021	Sample at each POE every three years.
Synthetic Organic Contaminants (SOCs)		2021	Sample at each POE every three years, or submit SOC reduced monitoring waiver, if applicable. Use Form 62-560.545(2), F.A.C.
Stage II Disinfection Byproducts (DBPs) Total Trihalomethanes & Haloacetic Acids (5)		July-Sept. 2021	Sample according to approved Stage 2 D/DBPR Monitoring Plan.
Asbestos		2021	Certification or results due every nine years. Use Form 62-555.900(10), F.A.C.
Lead & Copper		June-Sept. 2021	Sample from sites approved on the Lead and Copper Sampling Plan every three years.
Consumer Confidence Report (CCR) & CCR Certification of Delivery		July 1, 2019	CCR must be delivered by July 1, 2019. The CCR Certification of Delivery must be submitted to the Department by August 10, 2019. Use Form 62-555.900(alternate 19), F.A.C.

<sup>\*</sup>POE = Point of entry to the distribution system. Sample at each POE that is representative of each source after treatment.

This is a good faith assessment of monitoring requirements for the above-referenced public water system for calendar year 2019 and may not include additional sampling required during the year due to special circumstances. If you have questions or disagree with the assessment, please contact the appropriate personnel at (813) 470-5700. Monitoring schedules are subject to change, at any time, based on results of analyses or other factors. This chart shall not relieve any person from any requirement of Florida law.

- > It is strongly recommended that testing be conducted early in the monitoring period to allow time for retests due to possible sampling or lab errors. Annual and triennial sampling should be completed by 9/30/2019 to provide time for revisions, re-tests, and/or corrections.
- > Test results must be submitted to DEP within the first ten days following the end of the required monitoring period, or the first ten days following the month in which the sample results were received, whichever time is the shortest. Failure to comply may result in enforcement action.



Jeanette Nuñez Lt. Governor

**Ron DeSantis** 

Governor

**Noah Valenstein** Secretary

Southwest District Office 13051 North Telecom Parkway #101 Temple Terrace, Florida 33637-0926

2019 Chemical Monitoring for NTNC

Water Systems Weeki Wachee Springs-Buccaneer Bay WTP PWS-ID No. 6271935

Water Systems Weeki Wachee Springs-Buccaneer Bay WTP			PWS-ID No. 6271935
MONITORING & REPORTS		DUE	COMMENTS
Raw Water Microbiological ("Bacteriological")		Quarterly	1 Raw Water Sample per well.
Distribution Micr ("Bacteriological"	O	Quarterly	1 Distribution Sample per quarter. Disinfectant residuals must be reported.
Nitrate and Nitrit	e	2019	Sample at each POE every year.*
Primary Inorgani	cs	2019	Sample at each POE every three years.
Radiologicals	Gross Alpha	Waived	Waived - historical data relieves system of future testing (use of Grandfather Data)
	Uranium	Waived	Waived - historical data relieves system of future testing (use of Grandfather Data)
	Radium-226	Waived	Waived - historical data relieves system of future testing (use of Grandfather Data)
	Radium-228	Waived	Waived – historical data relieves system of future testing (use of Grandfather Data)
Volatile Organic Contaminants (VOCs)		2019	Sample at each POE every three years.
Synthetic Organic Contaminants (SOCs)		2019	Sample at each POE every three years, or submit SOC reduced monitoring waiver, if applicable. Use Form 62-560.545(2), F.A.C.
Di(2-Ethylhexyl)phthalate (2039)		OctDec. 2019	Sample at North Plant/Buccaneer Bay POE annually: 2018, 2019 & 2020
Stage II Disinfection Byproducts (DBPs) Total Trihalomethanes & Haloacetic Acids (5)		July-Sept. 2019	Sample according to approved Stage 2 D/DBPR Monitoring Plan.
Asbestos		2020	Certification or results due every nine years. Use Form 62-555.900(10), F.A.C.
Lead & Copper		JuneSept. 2019	Sample from sites approved on the Lead and Copper Sampling Plan every three years.



**Southwest District Office** 13051 North Telecom Parkway #101 Temple Terrace, Florida 33637-0926 **Ron DeSantis** Governor

**Jeanette Nuñez** Lt. Governor

**Noah Valenstein** Secretary

Water Systems W	Water Systems Weeki Wachee Springs-Parking Lot WTP PWS-ID No. 6274847				
MONITORING & REPORTS		DUE	COMMENTS		
Raw Water Microbiological ("Bacteriological")		Quarterly	1 Raw Water Sample per well.		
Distribution Microbiological ("Bacteriological")		Quarterly	1 Distribution Sample per quarter. Disinfectant residuals must be reported.		
Nitrate and Nitri	te	2019	Sample at each POE every year.*		
Primary Inorgan	ics	2019	Sample at each POE every three years.		
Radiologicals	Gross Alpha	Waived	Waived – historical data relieves system of future testing (use of Grandfather Data)		
	Uranium	Waived	Waived use of Grandfather Data		
	Radium-226	Waived	Waived use of Grandfather Data		
	Radium-228	Waived	Waived use of Grandfather Data		
Volatile Organic	Volatile Organic Contaminants (VOCs)		Sample at each POE every three years.		
Synthetic Organic Contaminants (SOCs)		2019	Sample at each POE every three years, or submit SOC reduced monitoring waiver, if applicable. Use Form 62-560.545(2), F.A.C.		
Di(2-Ethylhexyl)phthalate (2039)		Oct December 2019	Sample at South Plant/ Parking lot POE annually: 2018, 2019 & 2020		
Stage II Disinfection Byproducts (DBPs) Total Trihalomethanes & Haloacetic Acids (5)		July-Sept. 2019	Sample according to approved Stage 2 D/DBPR Monitoring Plan.		
Asbestos		2020	Certification or results due every nine years. Use Form 62-555.900(10), F.A.C.		
Lead & Copper		JuneSept. 2019	Sample from sites approved on the Lead and Copper Sampling Plan every three years.		

<sup>\*</sup>POE = Point of entry to the distribution system. Sample at each POE that is representative of each source after treatment.

This is a good faith assessment of monitoring requirements for the above-referenced public water system for calendar year 2019 and may not include additional sampling required during the year due to special circumstances. If you have questions or disagree with the assessment, please contact the appropriate personnel at (813) 470-5700. Monitoring schedules are subject to change, at any time, based on results of analyses or other factors. This chart shall not relieve any person from any requirement of Florida law.

- It is strongly recommended that testing be conducted early in the monitoring period to allow time for retests due to possible sampling or lab errors. Annual and triennial sampling should be completed by 9/30/2019 to provide time for revisions, retests, and/or corrections.
- Test results must be submitted to DEP within the first ten days following the end of the required monitoring period, or the first ten days following the month in which the sample results were received, whichever time is the shortest. Failure to comply may result in enforcement action.



Certification of Delivery

# FLORIDA DEPARTMENT OF **Environmental Protection**

10, 2019. Use Form 62-555.900(alternate 19), F.A.C.

**Jeanette Nuñez** 

**Ron DeSantis** 

Governor

Lt. Governor

**Noah Valenstein** Secretary

**Southwest District Office** 13051 North Telecom Parkway #101 Temple Terrace, Florida 33637-0926

2019 Chemical Monitoring for Consecutive Community Systems

Wesleyan Village		PWS-ID No. 6271942
MONITORING & REPORTS	DUE	COMMENTS
Raw Water Microbiological ("Bacteriological")	Monthly	1 Raw Water Sample per well.
Distribution Microbiological ("Bacteriological")	Monthly	1 Distribution Samples per month. Disinfectant residuals must be reported.
Stage II Disinfection Byproducts (DBPs) Total Trihalomethanes & Haloacetic Acids (5)	July - Sept 2021	Sample according to approved Stage 2 D/DBPR Monitoring Plan.
Asbestos	2021	Certification or results due every nine years. Use Form 62-555.900(10), F.A.C.
Lead & Copper	June – Sept 2021	Sample from sites approved on the Lead and Copper Sampling Plan every three years.
Consumer Confidence Report (CCR) & CCR	July 1, 2019	CCR must be delivered by July 1, 2019. The CCR Certification of Delivery must be submitted to the Department by August

<sup>\*</sup>POE = Point of entry to the distribution system. Sample at each POE that is representative of each source after treatment.

This is a good faith assessment of monitoring requirements for the above-referenced public water system for calendar year 2019 and may not include additional sampling required during the year due to special circumstances. If you have questions or disagree with the assessment, please contact the appropriate personnel at (813) 470-5700. Monitoring schedules are subject to change, at any time, based on results of analyses or other factors. This chart shall not relieve any person from any requirement of Florida law.

- It is strongly recommended that testing be conducted early in the monitoring period to allow time for retests due to possible sampling or lab errors. Annual and triennial sampling should be completed by 9/30/2019 to provide time for revisions, re-tests, and/or corrections.
- Test results must be submitted to DEP within the first ten days following the end of the required monitoring period, or the first ten days following the month in which the sample results were received, whichever time is the shortest. Failure to comply may result in enforcement action.



Southwest District Office 13051 North Telecom Parkway #101 Temple Terrace, Florida 33637-0926

PWS-ID No. 6271996

Jeanette Nuñez

**Ron DeSantis** 

Governor

Lt. Governor

Noah Valenstein Secretary

2019 Chemical Monitoring for NTNC

Water Systems WSF Headquarters

Water Systems WSF Headquarters			PWS-ID No. 62/1996
MONITOR	ING & REPORTS	DUE	COMMENTS
Raw Water Microbiological ("Bacteriological")		Quarterly	1 Raw Water Sample per well.
Distribution Microbiological ("Bacteriological")		Quarterly	1 Distribution Sample per quarter. Disinfectant residuals must be reported.
Nitrate and Nitri	te	2019	Sample at each POE every year.*
Primary Inorgani	cs	2019	Sample at each POE every three years.
Radiologicals	Gross Alpha	Waived	Waived – historical data relieves system of future testing (use of Grandfather Data)
	Uranium	Waived	Waived use of Grandfather Data
	Radium-226	Waived	Waived use of Grandfather Data
	Radium-228	Waived	Waived use of Grandfather Data
Volatile Organic	Volatile Organic Contaminants (VOCs)		Sample at each POE every three years.
Synthetic Organic Contaminants (SOCs)		2019	Sample at each POE every three years, or submit SOC reduced monitoring waiver, if applicable. Use Form 62-560.545(2), F.A.C.
Di(2-Ethylhexyl)	phthalate (2039)	Oct-December 2019	Sample at each POE during Quarter indicated for three years: 2018, 2019 & 2020
Stage II Disinfection Byproducts (DBPs) Total Trihalomethanes & Haloacetic Acids (5)		July-Sept. 2019	Sample according to approved Stage 2 D/DBPR Monitoring Plan.
Asbestos		2020	Certification or results due every nine years. Use Form 62-555.900(10), F.A.C.
Lead & Copper		June -Sept. 2019	Sample from sites approved on the Lead and Copper Sampling Plan every three years.
*DOE D : ( (	1 1:1	1 1 DOE (1	at is representative of each source after treatment

<sup>\*</sup>POE = Point of entry to the distribution system. Sample at each POE that is representative of each source after treatment.

This is a good faith assessment of monitoring requirements for the above-referenced public water system for calendar year 2019 and may not include additional sampling required during the year due to special circumstances. If you have questions or disagree with the assessment, please contact the appropriate personnel at (813) 470-5700. Monitoring schedules are subject to change, at any time, based on results of analyses or other factors. This chart shall not relieve any person from any requirement of Florida law.

- > It is strongly recommended that testing be conducted early in the monitoring period to allow time for retests due to possible sampling or lab errors. Annual and triennial sampling should be completed by <u>9/30/2019</u> to provide time for revisions, retests, and/or corrections.
- > Test results must be submitted to DEP within the first ten days following the end of the required monitoring period, or the first ten days following the month in which the sample results were received, whichever time is the shortest. Failure to comply may result in enforcement action.



System Name: City of Brooksville (Systemwide)

# FLORIDA DEPARTMENT OF Environmental Protection

Ron DeSantis Governor

Jeanette Nuñez Lt. Governor

Noah Valenstein Secretary

PWS-ID No. 6272180

10, 2019. Use Form 62-555.900(alternate 19), F.A.C.

Southwest District Office 13051 North Telecom Parkway #101 Temple Terrace, Florida 33637-0926

2019 Chemical Monitoring for Community Systems

MONITORING & REPORTS	DUE	COMMENTS
Microbiological ("Bacteriological")	Monthly	Disinfectant residuals must be reported.
Nitrate and Nitrite	2019	Sample at each POE every year.*
Primary Inorganics	2020	Sample at each POE every three years.
Secondaries	2020	Sample at each POE every three years.
Volatile Organic Contaminants (VOCs)	2020	Sample at each POE every three years.
Synthetic Organic Contaminants (SOCs)	2020	Sample at each POE every three years, or submit SOC reduced monitoring waiver, if applicable. Use Form 62-560.545(2), F.A.C.
Stage II Disinfection Byproducts (DBPs)  Total Trihalomethanes & Haloacetic Acids (5)	July-Sept. 2019	Sample according to approved Stage 2 D/DBPR Monitoring Plan.
Asbestos	2020	Certification or results due every nine years. Use Form 62-555.900(10), F.A.C.
Lead & Copper	June-Sept. 2020	Sample from sites approved on the Lead and Copper Sampling Plan every three years.
Cross Connection Control Annual Report	March 31, 2019	Complete and submit DEP form 62-555.900(13).
Consumer Confidence Report (CCR) & CCR	July 1, 2019	CCR must be delivered by July 1, 2019. The CCR Certification of Delivery must be submitted to the Department by August

#### Hillside WTP

Certification of Delivery

Timble Wil				
Radiologicals	Gross Alpha	2026	Sample at each POE every three, six or nine years.	
	Uranium	2026	Sample at each POE every three, six or nine years.	
	Radium-226	2026	Sample at each POE every three, six or nine years.	
	Radium-228	2026	Sample at each POE every three, six or nine years.	

## Lamar WTP

Radiologicals	Gross Alpha	2026	Sample at each POE every three, six or nine years.
	Uranium	2026	Sample at each POE every three, six or nine years.
	Radium-226	2023	Sample at each POE every three, six or nine years.
	Radium-228	2023	Sample at each POE every three, six or nine years.

<sup>\*</sup>POE = Point of entry to the distribution system. Sample at each POE that is representative of each source after treatment.

## Hope Hill WTP

Radiologicals	Gross Alpha	2021	Sample at each POE every three, six or nine years.
	Uranium	2021	Sample at each POE every three, six or nine years.
	Radium-226	2023	Sample at each POE every three, six or nine years.
	Radium-228	2023	Sample at each POE every three, six or nine years.

<sup>\*</sup>POE = Point of entry to the distribution system. Sample at each POE that is representative of each source after treatment.

This is a good faith assessment of monitoring requirements for the above-referenced public water system for calendar year 2019 and may not include additional sampling required during the year due to special circumstances. If you have questions or disagree with the assessment, please contact the appropriate personnel at (813) 470-5700. Monitoring schedules are subject to change, at any time, based on results of analyses or other factors. This chart shall not relieve any person from any requirement of Florida law.

- It is strongly recommended that testing be conducted early in the monitoring period to allow time for retests due to possible sampling or lab errors. Annual and triennial sampling should be completed by <u>9/30/2019</u> to provide time for revisions, re-tests, and/or corrections.
- > Test results must be submitted to DEP within the first ten days following the end of the required monitoring period, or the first ten days following the month in which the sample results were received, whichever time is the shortest. Failure to comply may result in enforcement action.



Jeanette Nuñez Lt. Governor

**Ron DeSantis** 

Governor

Southwest District Office 13051 North Telecom Parkway #101 Temple Terrace, Florida 33637-0926

Noah Valenstein Secretary

2019 Chemical Monitoring for NTNC

Water Systems Holiday Springs Trav-L-Park

PWS-ID No. 6272213

	NG & REPORTS	DUE	COMMENTS
Raw Water Microbiological ("Bacteriological")		Quarterly	1 Raw Water Sample per well.
Distribution Microbiological ("Bacteriological")		Quarterly	1 Distribution Sample per quarter. Disinfectant residuals must be reported.
Nitrate and Nitrit	e	2019	Sample at each POE every year.*
Primary Inorganio	es	2019	Sample at each POE every three years.
Radiologicals	Gross Alpha	Waived	Sample at each POE every quarterly, six, nine years, or Waived use of Grandfather Data (date of sample)
	Uranium	2025	Sample at each POE every quarterly, six, nine years, or Waived use of Grandfather Data (date of sample)
	Radium-226	Waived	Sample at each POE every quarterly, six, nine years, or Waived use of Grandfather Data (date of sample)
	Radium-228	Waived	Sample at each POE every quarterly, six, nine years, or Waived use of Grandfather Data (date of sample)
Volatile Organic Contaminants (VOCs)		2019	Sample at each POE every three years.
Synthetic Organic Contaminants (SOCs)		2019	Sample at each POE every three years, or submit SOC reduced monitoring waiver, if applicable. Use Form 62-560.545(2), F.A.C.
Stage II Disinfection Byproducts (DBPs) Total Trihalomethanes & Haloacetic Acids (5)		July-Sept. 2019	Sample according to approved Stage 2 D/DBPR Monitoring Plan.
Asbestos		2022	Certification or results due every nine years. Use Form 62-555.900(10), F.A.C.
Lead & Copper		June-Sept. 2019	Sample from sites approved on the Lead and Copper Sampling Plan every three years.

<sup>\*</sup>POE = Point of entry to the distribution system. Sample at each POE that is representative of each source after treatment.

This is a good faith assessment of monitoring requirements for the above-referenced public water system for calendar year 2019 and may not include additional sampling required during the year due to special circumstances. If you have questions or disagree with the assessment, please contact the appropriate personnel at (813) 470-5700. Monitoring schedules are subject to change, at any time, based on results of analyses or other factors. This chart shall not relieve any person from any requirement of Florida law.

- It is strongly recommended that testing be conducted early in the monitoring period to allow time for retests due to possible sampling or lab errors. Annual and triennial sampling should be completed by <u>9/30/2019</u> to provide time for revisions, retests, and/or corrections.
- > Test results must be submitted to DEP within the first ten days following the end of the required monitoring period, or the first ten days following the month in which the sample results were received, whichever time is the shortest. Failure to comply may result in enforcement action.



Southwest District Office 13051 North Telecom Parkway #101 Temple Terrace, Florida 33637-0926 Ron DeSantis Governor

Jeanette Nuñez Lt. Governor

Noah Valenstein Secretary

2019 Chemical Monitoring for Community Systems

Camper's Holiday PWS-ID No. 6272304

MONITOR	ING & REPORTS	DUE	COMMENTS
Raw Water Microbiological ("Bacteriological")		Monthly	1 Raw Water Sample per well.
Distribution Microl ("Bacteriological")	biological	Monthly	1 Distribution Samples per month. Disinfectant residuals must be reported.
Nitrate and Nitrite		2019	Sample at each POE every year. *
Primary Inorganics	3	2021	Sample at each POE every three years.
Secondaries		2021	Sample at each POE every three years.
Radiologicals	Gross Alpha	2027	Sample at each POE every three, six or nine years.
	Uranium	2027	Sample at each POE every three, six or nine years.
	Radium-226	2024	Sample at each POE every three, six or nine years.
	Radium-228	2024	Sample at each POE every three, six or nine years.
Volatile Organic Co	Volatile Organic Contaminants (VOCs)		Sample at each POE every three years.
Toluene (2991)		Oct-December 2019	Sample at each POE during Quarter indicated for three years (2019,2020 & 2021).
Synthetic Organic Contaminants (SOCs)		2021	Sample at each POE every three years, or submit SOC reduced monitoring waiver, if applicable. Use Form 62-560.545(2), F.A.C.
Stage II Disinfection Byproducts (DBPs) Total Trihalomethanes & Haloacetic Acids (5)		July - Sept 2021	Sample according to approved Stage 2 D/DBPR Monitoring Plan.
Asbestos		2021	Certification or results due every nine years. Use Form 62-555.900(10), F.A.C.
Lead & Copper		June – Sept 2021	Sample from sites approved on the Lead and Copper Sampling Plan every three years.
Consumer Confide Certification of Del	nce Report (CCR) & CCR ivery	July 1, 2019	CCR must be delivered by July 1, 2019. The CCR Certification of Delivery must be submitted to the Department by August 10, 2019. Use Form 62-555.900(alternate 19), F.A.C.

<sup>\*</sup>POE = Point of entry to the distribution system. Sample at each POE that is representative of each source after treatment.

This is a good faith assessment of monitoring requirements for the above-referenced public water system for calendar year 2019 and may not include additional sampling required during the year due to special circumstances. If you have questions or disagree with the assessment, please contact the appropriate personnel at (813) 470-5700. Monitoring schedules are subject to change, at any time, based on results of analyses or other factors. This chart shall not relieve any person from any requirement of Florida law.

- > It is strongly recommended that testing be conducted early in the monitoring period to allow time for retests due to possible sampling or lab errors. Annual and triennial sampling should be completed by 9/30/2019 to provide time for revisions, re-tests, and/or corrections.
- > Test results must be submitted to DEP within the first ten days following the end of the required monitoring period, or the first ten days following the month in which the sample results were received, whichever time is the shortest. Failure to comply may result in enforcement action.



Southwest District Office 13051 North Telecom Parkway #101 Temple Terrace, Florida 33637-0926 Ron DeSantis Governor

Jeanette Nuñez Lt. Governor

Noah Valenstein Secretary

2019 Chemical Monitoring for NTNC

Water Systems Cemex South Bagging

PWS-ID No. 6272431

Water Systems Cemex South Bagging			PWS-ID No. 6272431
MONITORING & REPORTS		DUE	COMMENTS
Raw Water Microbiological ("Bacteriological")		Quarterly	1 Raw Water Sample per well.
Distribution Micro ("Bacteriological")	C	Quarterly	1 Distribution Sample per quarter. Disinfectant residuals must be reported.
Nitrate and Nitrite	e	2019	Sample at each POE every year.*
Primary Inorganic	es .	2019	Sample at each POE every three years.
Radiologicals	Gross Alpha	2022	Sample at each POE every quarterly, six, nine years, or Waived use of Grandfather Data (date of sample)
	Uranium	2022	Sample at each POE every quarterly, six, nine years, or Waived use of Grandfather Data (date of sample)
	Radium-226	2025	Sample at each POE every quarterly, six, nine years, or Waived use of Grandfather Data (date of sample)
	Radium-228	2025	Sample at each POE every quarterly, six, nine years, or Waived use of Grandfather Data (date of sample)
Volatile Organic Contaminants (VOCs)		2019	Sample at each POE every three years.
Synthetic Organic Contaminants (SOCs)		2019	Sample at each POE every three years, or submit SOC reduced monitoring waiver, if applicable. Use Form 62-560.545(2), F.A.C.
Di)2-ethylhexyl)pl	Di)2-ethylhexyl)phthalate (2039)		Sample at each POE annually.
Stage II Disinfection Byproducts (DBPs)  Total Trihalomethanes & Haloacetic Acids (5)		July-Sept. 2019	Sample according to approved Stage 2 D/DBPR Monitoring Plan.
Asbestos		2022	Certification or results due every nine years. Use Form 62-555.900(10), F.A.C.
Lead & Copper		June-Sept. 2019	Sample from sites approved on the Lead and Copper Sampling Plan every three years.

<sup>\*</sup>POE = Point of entry to the distribution system. Sample at each POE that is representative of each source after treatment.

This is a good faith assessment of monitoring requirements for the above-referenced public water system for calendar year 2019 and may not include additional sampling required during the year due to special circumstances. If you have questions or disagree with the assessment, please contact the appropriate personnel at (813) 470-5700. Monitoring schedules are subject to change, at any time, based on results of analyses or other factors. This chart shall not relieve any person from any requirement of Florida law.

- It is strongly recommended that testing be conducted early in the monitoring period to allow time for retests due to possible sampling or lab errors. Annual and triennial sampling should be completed by <u>9/30/2019</u> to provide time for revisions, retests, and/or corrections.
- > Test results must be submitted to DEP within the first ten days following the end of the required monitoring period, or the first ten days following the month in which the sample results were received, whichever time is the shortest. Failure to comply may result in enforcement action.



Southwest District Office 13051 North Telecom Parkway #101 Temple Terrace, Florida 33637-0926 Ron DeSantis Governor

Jeanette Nuñez Lt. Governor

Noah Valenstein Secretary

2019 Chemical Monitoring for Community Systems

Lake Lindsey Water PWS-ID No. 6272433

MONITOI	RING & REPORTS	DUE	COMMENTS
Raw Water Microbiological ("Bacteriological")		Monthly	1 Raw Water Sample per well.
Distribution Micro ("Bacteriological"		Monthly	1 Distribution Samples per month. Disinfectant residuals must be reported.
Nitrate & Nitrite		2019	Sample at each POE every year. *
Primary Inorganio	cs	2021	Sample at each POE every three years.
Secondaries		2021	Sample at each POE every three years.
Radiologicals	Gross Alpha	2027	Sample at each POE every three, six or nine years.
	Uranium	2027	Sample at each POE every three, six or nine years.
	Radium-226	2027	Sample at each POE every three, six or nine years.
	Radium-228	2027	Sample at each POE every three, six or nine years.
Volatile Organic O	Contaminants (VOCs)	2021	Sample at each POE every three years.
Toluene (Code #2	2991)	Quarterly 2019	Sample each POE Quarterly-Initiate during Jan-March 2019 quarter.
Synthetic Organic Contaminants (SOCs)		2021	Sample at each POE every three years, or submit SOC reduced monitoring waiver, if applicable. Use Form 62-560.545(2), F.A.C.
Stage II Disinfection Byproducts (DBPs)  Total Trihalomethanes & Haloacetic Acids (5)		July – Sept 2021	Sample according to approved Stage 2 D/DBPR Monitoring Plan.
Asbestos		2021	Certification or results due every nine years. Use Form 62-555.900(10), F.A.C.
Lead & Copper		June – Sept 2021	Sample from sites approved on the Lead and Copper Sampling Plan every three years.
Consumer Confid Certification of De	ence Report (CCR) & CCR	July 1, 2019	CCR must be delivered by July 1, 2019. The CCR Certification of Delivery must be submitted to the Department by August 10, 2019. Use Form 62-555.900(alternate 19), F.A.C.

<sup>\*</sup>POE = Point of entry to the distribution system. Sample at each POE that is representative of each source after treatment.

This is a good faith assessment of monitoring requirements for the above-referenced public water system for calendar year 2019 and may not include additional sampling required during the year due to special circumstances. If you have questions or disagree with the assessment, please contact the appropriate personnel at (813) 470-5700. Monitoring schedules are subject to change, at any time, based on results of analyses or other factors. This chart shall not relieve any person from any requirement of Florida law.

- > It is strongly recommended that testing be conducted early in the monitoring period to allow time for retests due to possible sampling or lab errors. Annual and triennial sampling should be completed by 9/30/2019 to provide time for revisions, re-tests, and/or corrections.
- > Test results must be submitted to DEP within the first ten days following the end of the required monitoring period, or the first ten days following the month in which the sample results were received, whichever time is the shortest. Failure to comply may result in enforcement action.



**Jeanette Nuñez** 

Lt. Governor

**Ron DeSantis** 

Governor

**Noah Valenstein** Secretary

**Southwest District Office** 13051 North Telecom Parkway #101 Temple Terrace, Florida 33637-0926

2019 Chemical Monitoring for NTNC

PWS-ID No. 6272605

Water Systems Ark Nature Coast			PWS-ID No. 6272605
MONITORING & REPORTS		DUE	COMMENTS
Raw Water Microbiological ("Bacteriological")		Quarterly	1 Raw Water Sample per well.
Distribution Microbiological ("Bacteriological")		Quarterly	1 Distribution Sample per quarter. Disinfectant residuals must be reported.
Nitrate and Nitri	te	2019	Sample at each POE every year.*
Primary Inorgani	ics	2019	Sample at each POE every three years.
Radiologicals	Gross Alpha	Waived	Sample at each POE every quarterly, six, nine years, or Waived use of Grandfather Data
	Uranium	2025	Sample at each POE every three years.
	Radium-226	2025	Sample at each POE every three years.
	Radium-228	2025	Sample at each POE every three years.
Volatile Organic	Contaminants (VOCs)	2019	Sample at each POE every three years.
Synthetic Organic Contaminants (SOCs)		2019	Sample at each POE every three years, or submit SOC reduced monitoring waiver, if applicable. Use Form 62-560.545(2), F.A.C.
Endothall (2033)		Oct-December 2019	Sample at POE during Quarter indicated for three years: 2018,2019 & 2020
Stage II Disinfection Byproducts (DBPs)  Total Trihalomethanes & Haloacetic Acids (5)		July-Sept. 2019	Sample according to approved Stage 2 D/DBPR Monitoring Plan.
Asbestos		2020	Certification or results due every nine years. Use Form 62-555.900(10), F.A.C.
Lead & Copper		June- Sept. 2019	Sample from sites approved on the Lead and Copper Sampling Plan every three years.

<sup>\*</sup>POE = Point of entry to the distribution system. Sample at each POE that is representative of each source after treatment.

This is a good faith assessment of monitoring requirements for the above-referenced public water system for calendar year 2019 and may not include additional sampling required during the year due to special circumstances. If you have questions or disagree with the assessment, please contact the appropriate personnel at (813) 470-5700. Monitoring schedules are subject to change, at any time, based on results of analyses or other factors. This chart shall not relieve any person from any requirement of Florida law.

- > It is strongly recommended that testing be conducted early in the monitoring period to allow time for retests due to possible sampling or lab errors. Annual and triennial sampling should be completed by 9/30/2019 to provide time for revisions, retests, and/or corrections.
- Test results must be submitted to DEP within the first ten days following the end of the required monitoring period, or the first ten days following the month in which the sample results were received, whichever time is the shortest. Failure to comply may result in enforcement action.



Southwest District Office 13051 North Telecom Parkway #101 Governor

Jeanette Nuñez

Lt. Governor

**Ron DeSantis** 

Noah Valenstein Secretary

2019 Chemical Monitoring for NTNC

Temple Terrace, Florida 33637-0926

Water Systems Storage King USA

PWS-ID No. 6274821

Water Systems Storage King USA			PWS-ID No. 6274821
MONITORING & REPORTS		DUE	COMMENTS
Raw Water Microbiological ("Bacteriological")		Quarterly	1 Raw Water Sample per well.
Distribution Microbiological ("Bacteriological")		Quarterly	1 Distribution Sample per quarter. Disinfectant residuals must be reported.
Nitrate and Nitrit	e	2019	Sample at each POE every year.*
Primary Inorganio	cs	2019	Sample at each POE every three years.
Radiologicals	Gross Alpha	Waived	Waived – historical data relieves system of future testing (use of Grandfather Data)
	Uranium	Waived	Waived – historical data relieves system of future testing (use of Grandfather Data)
	Radium-226	Waived	Waived – historical data relieves system of future testing (use of Grandfather Data)
	Radium-228	Waived	Waived - historical data relieves system of future testing (use of Grandfather Data)
Volatile Organic Contaminants (VOCs)		2019	Sample at each POE every three years.
Synthetic Organic Contaminants (SOCs)		2019	Sample at each POE every three years, or submit SOC reduced monitoring waiver, if applicable. Use Form 62-560.545(2), F.A.C.
Endothall (2033)		Oct-December 2019	Sample at each POE during Quarter indicated for three years (2018,2019 & 2020).
Stage II Disinfection Byproducts (DBPs)  Total Trihalomethanes & Haloacetic Acids (5)		July-Sept. 2019	Sample according to approved Stage 2 D/DBPR Monitoring Plan.
Asbestos		2020	Certification or results due every nine years. Use Form 62-555.900(10), F.A.C.
Lead & Copper		JuneSept. 2019	Sample from sites approved on the Lead and Copper Sampling Plan every three years.

<sup>\*</sup>POE = Point of entry to the distribution system. Sample at each POE that is representative of each source after treatment.

This is a good faith assessment of monitoring requirements for the above-referenced public water system for calendar year 2019 and may not include additional sampling required during the year due to special circumstances. If you have questions or disagree with the assessment, please contact the appropriate personnel at (813) 470-5700. Monitoring schedules are subject to change, at any time, based on results of analyses or other factors. This chart shall not relieve any person from any requirement of Florida law.

- It is strongly recommended that testing be conducted early in the monitoring period to allow time for retests due to possible sampling or lab errors. Annual and triennial sampling should be completed by <u>9/30/2019</u> to provide time for revisions, retests, and/or corrections.
- > Test results must be submitted to DEP within the first ten days following the end of the required monitoring period, or the first ten days following the month in which the sample results were received, whichever time is the shortest. Failure to comply may result in enforcement action.



Jeanette Nuñez Lt. Governor

**Ron DeSantis** 

Governor

Noah Valenstein Secretary

Southwest District Office 13051 North Telecom Parkway #101 Temple Terrace, Florida 33637-0926

2019 Chemical Monitoring for NTNC

Water Systems Sparton Brooksville

PWS-ID No. 6274847

Water Systems Sparton Brooksville			PWS-ID No. 627/4847
MONITORING & REPORTS		DUE	COMMENTS
Raw Water Micro ("Bacteriological"	0	Quarterly	1 Raw Water Sample per well.
Distribution Microbiological ("Bacteriological")		Quarterly	1 Distribution Sample per quarter. Disinfectant residuals must be reported.
Nitrate and Nitri	te	2019	Sample at each POE every year.*
Primary Inorgani	cs	2019	Sample at each POE every three years.
Radiologicals	Gross Alpha	Waived	Waived – historical data relieves system of future testing (use of Grandfather Data)
	Uranium	Waived	Waived use of Grandfather Data
	Radium-226	Waived	Waived use of Grandfather Data
	Radium-228	Waived	Waived use of Grandfather Data
Volatile Organic Contaminants (VOCs)		2019	Sample at each POE every three years.
Synthetic Organic Contaminants (SOCs)		2019	Sample at each POE every three years, or submit SOC reduced monitoring waiver, if applicable. Use Form 62-560.545(2), F.A.C.
Stage II Disinfection Byproducts (DBPs)  Total Trihalomethanes & Haloacetic Acids (5)		July-Sept. 2019	Sample according to approved Stage 2 D/DBPR Monitoring Plan.
Asbestos		2020	Certification or results due every nine years. Use Form 62-555.900(10), F.A.C.
Lead & Copper		JuneSept. 2019	Sample from sites approved on the Lead and Copper Sampling Plan every three years.

<sup>\*</sup>POE = Point of entry to the distribution system. Sample at each POE that is representative of each source after treatment.

This is a good faith assessment of monitoring requirements for the above-referenced public water system for calendar year 2019 and may not include additional sampling required during the year due to special circumstances. If you have questions or disagree with the assessment, please contact the appropriate personnel at (813) 470-5700. Monitoring schedules are subject to change, at any time, based on results of analyses or other factors. This chart shall not relieve any person from any requirement of Florida law.

- It is strongly recommended that testing be conducted early in the monitoring period to allow time for retests due to possible sampling or lab errors. Annual and triennial sampling should be completed by <u>9/30/2019</u> to provide time for revisions, retests, and/or corrections.
- > Test results must be submitted to DEP within the first ten days following the end of the required monitoring period, or the first ten days following the month in which the sample results were received, whichever time is the shortest. Failure to comply may result in enforcement action.



Southwest District Office 13051 North Telecom Parkway #101 Temple Terrace, Florida 33637-0926 Ron DeSantis Governor

Jeanette Nuñez Lt. Governor

Noah Valenstein Secretary

2019 Chemical Monitoring for Community Systems

Countryside Estates PWS-ID No. 6274859

MONITOR	MONITORING & REPORTS		COMMENTS
Raw Water Microb ("Bacteriological")	Raw Water Microbiological ("Bacteriological")		1 Raw Water Sample per well.
Distribution Micro ("Bacteriological")	biological	Monthly	1 Distribution Samples per month. Disinfectant residuals must be reported.
Nitrate and Nitrite		2019	Sample at each POE every year. *
Primary Inorganics	3	2021	Sample at each POE every three years.
Secondaries		2021	Sample at each POE every three years.
Radiologicals	Gross Alpha	2027	Sample at each POE every three, six or nine years.
	Uranium	2024	Sample at each POE every three, six or nine years.
	Radium-226	2024	Sample at each POE every three, six or nine years.
	Radium-228	2024	Sample at each POE every three, six or nine years.
Volatile Organic Co	ontaminants (VOCs)	2021	Sample at each POE every three years.
Synthetic Organic Contaminants (SOCs)		2021	Sample at each POE every three years, or submit SOC reduced monitoring waiver, if applicable. Use Form 62-560.545(2), F.A.C.
	n Byproducts (DBPs) es & Haloacetic Acids (5)	July – Sept 2021	Sample according to approved Stage 2 D/DBPR Monitoring Plan.
Asbestos		2021	Certification or results due every nine years. Use Form 62-555.900(10), F.A.C.
Lead & Copper		June – Sept 2021	Sample from sites approved on the Lead and Copper Sampling Plan every three years.
Consumer Confide Certification of Del	nce Report (CCR) & CCR ivery	July 1, 2019	CCR must be delivered by July 1, 2019. The CCR Certification of Delivery must be submitted to the Department by August 10, 2019. Use Form 62-555.900(alternate 19), F.A.C.

<sup>\*</sup>POE = Point of entry to the distribution system. Sample at each POE that is representative of each source after treatment.

This is a good faith assessment of monitoring requirements for the above-referenced public water system for calendar year 2019 and may not include additional sampling required during the year due to special circumstances. If you have questions or disagree with the assessment, please contact the appropriate personnel at (813) 470-5700. Monitoring schedules are subject to change, at any time, based on results of analyses or other factors. This chart shall not relieve any person from any requirement of Florida law.

- > It is strongly recommended that testing be conducted early in the monitoring period to allow time for retests due to possible sampling or lab errors. Annual and triennial sampling should be completed by 9/30/2019 to provide time for revisions, re-tests, and/or corrections.
- > Test results must be submitted to DEP within the first ten days following the end of the required monitoring period, or the first ten days following the month in which the sample results were received, whichever time is the shortest. Failure to comply may result in enforcement action.



**Jeanette Nuñez** 

Lt. Governor

**Ron DeSantis** 

Governor

Noah Valenstein Secretary

**Southwest District Office** 13051 North Telecom Parkway #101 Temple Terrace, Florida 33637-0926

2019 Chemical Monitoring for NTNC

Water Systems Tonics RV Travel Trailer Park

PWS-ID No. 6274862

Water Systems Topics RV Travel Trailer Park			PWS-ID No. 62/4862
MONITORING & REPORTS		DUE	COMMENTS
Raw Water Microbiological ("Bacteriological")		Quarterly	1 Raw Water Sample per well.
Distribution Micro ("Bacteriological"	· ·	Quarterly	1 Distribution Sample per quarter. Disinfectant residuals must be reported.
Nitrate and Nitrite	e	2019	Sample at each POE every year.*
Primary Inorganio	es	2019	Sample at each POE every three years.
Radiologicals	Gross Alpha	2025	Sample at each POE every quarterly, six, nine years, or Waived use of Grandfather Data (date of sample)
	Uranium	2025	Sample at each POE every quarterly, six, nine years, or Waived use of Grandfather Data (date of sample)
	Radium-226	2022	Sample at each POE every quarterly, six, nine years, or Waived use of Grandfather Data (date of sample)
	Radium-228	2022	Sample at each POE every quarterly, six, nine years, or Waived use of Grandfather Data (date of sample)
Volatile Organic (	Volatile Organic Contaminants (VOCs)		Sample at each POE every three years.
Synthetic Organic Contaminants (SOCs)		2019	Sample at each POE every three years, or submit SOC reduced monitoring waiver, if applicable. Use Form 62-560.545(2), F.A.C.
Stage II Disinfection Byproducts (DBPs)  Total Trihalomethanes & Haloacetic Acids (5)		July-Sept. 2019	Sample according to approved Stage 2 D/DBPR Monitoring Plan.
Asbestos		2022	Certification or results due every nine years. Use Form 62-555.900(10), F.A.C.
Lead & Copper		June-Sept. 2019	Sample from sites approved on the Lead and Copper Sampling Plan every three years.

<sup>\*</sup>POE = Point of entry to the distribution system. Sample at each POE that is representative of each source after treatment.

This is a good faith assessment of monitoring requirements for the above-referenced public water system for calendar year 2019 and may not include additional sampling required during the year due to special circumstances. If you have questions or disagree with the assessment, please contact the appropriate personnel at (813) 470-5700. Monitoring schedules are subject to change, at any time, based on results of analyses or other factors. This chart shall not relieve any person from any requirement of Florida law.

- > It is strongly recommended that testing be conducted early in the monitoring period to allow time for retests due to possible sampling or lab errors. Annual and triennial sampling should be completed by 9/30/2019 to provide time for revisions, retests, and/or corrections.
- > Test results must be submitted to DEP within the first ten days following the end of the required monitoring period, or the first ten days following the month in which the sample results were received, whichever time is the shortest. Failure to comply may result in enforcement action.



Southwest District Office 13051 North Telecom Parkway #101 Temple Terrace, Florida 33637-0926 Ron DeSantis Governor

Jeanette Nuñez Lt. Governor

Noah Valenstein Secretary

2019 Chemical Monitoring for NTNC

Water Systems United Parcel Service

PWS-ID No. 6274877

MONITORING & REPORTS		DUE	COMMENTS
Raw Water Micro ("Bacteriological"	C	Quarterly	1 Raw Water Sample per well.
Distribution Micro ("Bacteriological"	C	Quarterly	1 Distribution Sample per quarter. Disinfectant residuals must be reported.
Nitrate and Nitrit	e	2019	Sample at each POE every year.*
Primary Inorganio	cs	2019	Sample at each POE every three years.
Radiologicals	Gross Alpha	2025	Sample at each POE every three years.
	Uranium	2025	Sample at each POE every three years.
	Radium-226	2022	Sample at each POE every three years.
	Radium-228	2022	Sample at each POE every three years.
Volatile Organic Contaminants (VOCs)		2019	Sample at each POE every three years.
Synthetic Organic Contaminants (SOCs)		2019	Sample at each POE every three years, or submit SOC reduced monitoring waiver, if applicable. Use Form 62-560.545(2), F.A.C.
Stage II Disinfection Byproducts (DBPs) Total Trihalomethanes & Haloacetic Acids (5)		July-Sept. 2019	Sample according to approved Stage 2 D/DBPR Monitoring Plan.
Asbestos		2020	Certification or results due every nine years. Use Form 62-555.900(10), F.A.C.
Lead & Copper		JuneSept. 2019	Sample from sites approved on the Lead and Copper Sampling Plan every three years.

<sup>\*</sup>POE = Point of entry to the distribution system. Sample at each POE that is representative of each source after treatment.

This is a good faith assessment of monitoring requirements for the above-referenced public water system for calendar year 2019 and may not include additional sampling required during the year due to special circumstances. If you have questions or disagree with the assessment, please contact the appropriate personnel at (813) 470-5700. Monitoring schedules are subject to change, at any time, based on results of analyses or other factors. This chart shall not relieve any person from any requirement of Florida law.

- > It is strongly recommended that testing be conducted early in the monitoring period to allow time for retests due to possible sampling or lab errors. Annual and triennial sampling should be completed by <u>9/30/2019</u> to provide time for revisions, retests, and/or corrections.
- > Test results must be submitted to DEP within the first ten days following the end of the required monitoring period, or the first ten days following the month in which the sample results were received, whichever time is the shortest. Failure to comply may result in enforcement action.



Jeanette Nuñez Lt. Governor

**Ron DeSantis** 

Governor

Secretary

Noah Valenstein

Southwest District Office 13051 North Telecom Parkway #101 Temple Terrace, Florida 33637-0926

2019 Chemical Monitoring for NTNC

Water Systems Faith Baptist Church.

PWS-ID No. 6274884

MONITORING & REPORTS		DUE	COMMENTS
Raw Water Microbiological ("Bacteriological")		Quarterly	1 Raw Water Sample per well.
Distribution Micro ("Bacteriological"	<u>C</u>	Quarterly	1 Distribution Sample per quarter. Disinfectant residuals must be reported.
Nitrate and Nitrit	e	2019	Sample at each POE every year.*
Primary Inorganio	es	2019	Sample at each POE every three years.
Radiologicals	Gross Alpha	Waived	Waived – historical data relieves system of future testing (use of Grandfather Data)
	Uranium	Waived	Waived – historical data relieves system of future testing (use of Grandfather Data)
	Radium-226	Waived	Waived – historical data relieves system of future testing (use of Grandfather Data)
	Radium-228	Waived	Waived – historical data relieves system of future testing (use of Grandfather Data)
Volatile Organic Contaminants (VOCs)		2019	Sample at each POE every three years.
Synthetic Organic Contaminants (SOCs)		2019	Sample at each POE every three years, or submit SOC reduced monitoring waiver, if applicable. Use Form 62-560.545(2), F.A.C.
Stage II Disinfection Byproducts (DBPs) Total Trihalomethanes & Haloacetic Acids (5)		July-Sept. 2019	Sample according to approved Stage 2 D/DBPR Monitoring Plan.
Asbestos		2020	Certification or results due every nine years. Use Form 62-555.900(10), F.A.C.
Lead & Copper		JuneSept. 2019	Sample from sites approved on the Lead and Copper Sampling Plan every three years.

<sup>\*</sup>POE = Point of entry to the distribution system. Sample at each POE that is representative of each source after treatment.

This is a good faith assessment of monitoring requirements for the above-referenced public water system for calendar year 2019 and may not include additional sampling required during the year due to special circumstances. If you have questions or disagree with the assessment, please contact the appropriate personnel at (813) 470-5700. Monitoring schedules are subject to change, at any time, based on results of analyses or other factors. This chart shall not relieve any person from any requirement of Florida law.

- > It is strongly recommended that testing be conducted early in the monitoring period to allow time for retests due to possible sampling or lab errors. Annual and triennial sampling should be completed by <u>9/30/2019</u> to provide time for revisions, retests, and/or corrections.
- > Test results must be submitted to DEP within the first ten days following the end of the required monitoring period, or the first ten days following the month in which the sample results were received, whichever time is the shortest. Failure to comply may result in enforcement action.



Jeanette Nuñez Lt. Governor

**Ron DeSantis** 

Governor

**Noah Valenstein** Secretary

Southwest District Office 13051 North Telecom Parkway #101 Temple Terrace, Florida 33637-0926

2019 Chemical Monitoring for NTNC

Water Systems CEMEX Brooksville Quarry

PWS-ID No. 6277026

MONITORING & REPORTS		DUE	COMMENTS
Raw Water Microbiological ("Bacteriological")		Quarterly	1 Raw Water Sample per well.
Distribution Micro ("Bacteriological"	<u>C</u>	Quarterly	1 Distribution Sample per quarter. Disinfectant residuals must be reported.
Nitrate and Nitrit	e	2019	Sample at each POE every year.*
Primary Inorganio	es	2019	Sample at each POE every three years.
Radiologicals	Gross Alpha	Waived	Waived - historical data relieves system of future testing (use of Grandfather Data)
	Uranium	Waived	Waived - historical data relieves system of future testing (use of Grandfather Data)
	Radium-226	Waived	Waived - historical data relieves system of future testing (use of Grandfather Data)
	Radium-228	Waived	Waived - historical data relieves system of future testing (use of Grandfather Data)
Volatile Organic Contaminants (VOCs)		2019	Sample at each POE every three years.
Synthetic Organic Contaminants (SOCs)		2019	Sample at each POE every three years, or submit SOC reduced monitoring waiver, if applicable. Use Form 62-560.545(2), F.A.C.
Stage II Disinfection Byproducts (DBPs) Total Trihalomethanes & Haloacetic Acids (5)		July-Sept. 2019	Sample according to approved Stage 2 D/DBPR Monitoring Plan.
Asbestos		2020	Certification or results due every nine years. Use Form 62-555.900(10), F.A.C.
Lead & Copper		JuneSept. 2019	Sample from sites approved on the Lead and Copper Sampling Plan every three years.

<sup>\*</sup>POE = Point of entry to the distribution system. Sample at each POE that is representative of each source after treatment.

This is a good faith assessment of monitoring requirements for the above-referenced public water system for calendar year 2019 and may not include additional sampling required during the year due to special circumstances. If you have questions or disagree with the assessment, please contact the appropriate personnel at (813) 470-5700. Monitoring schedules are subject to change, at any time, based on results of analyses or other factors. This chart shall not relieve any person from any requirement of Florida law.

- ➤ It is strongly recommended that testing be conducted early in the monitoring period to allow time for retests due to possible sampling or lab errors. Annual and triennial sampling should be completed by <u>9/30/2019</u> to provide time for revisions, retests, and/or corrections.
- > Test results must be submitted to DEP within the first ten days following the end of the required monitoring period, or the first ten days following the month in which the sample results were received, whichever time is the shortest. Failure to comply may result in enforcement action.



**Jeanette Nuñez** Lt. Governor

Noah Valenstein

**Ron DeSantis** 

Governor

Secretary

Southwest District Office 13051 North Telecom Parkway #101 Temple Terrace, Florida 33637-0926

2019 Chemical Monitoring for NTNC

Vater Systems: Autoway Brooksville PWS-ID No. 6277033

Water Systems: Autoway Brooksville			PWS-ID No. 6277033
MONITORI	NG & REPORTS	DUE	COMMENTS
Raw Water Microbiological ("Bacteriological")		Quarterly	1 Raw Water Sample per well.
Distribution Microbiological ("Bacteriological")		Quarterly	1 Distribution Sample per quarter. Disinfectant residuals must be reported.
Nitrate and Nitrite	e	2019	Sample at each POE every year.*
Primary Inorganio	CS	2019	Sample at each POE every three years.
Radiologicals	Gross Alpha	Waived	Waived – historical data relieves system of future testing (use of Grandfather Data)
	Uranium	Waived	Waived – historical data relieves system of future testing (use of Grandfather Data
	Radium-226	Waived	Waived – historical data relieves system of future testing (use of Grandfather Data
	Radium-228	Waived	Waived – historical data relieves system of future testing (use of Grandfather Data
Volatile Organic Contaminants (VOCs)		2019	Sample at each POE every three years.
Synthetic Organic Contaminants (SOCs)		2019	Sample at each POE every three years, or submit SOC reduced monitoring waiver, if applicable. Use Form 62-560.545(2), F.A.C.
Stage II Disinfection Byproducts (DBPs)  Total Trihalomethanes & Haloacetic Acids (5)		July-Sept. 2019	Sample according to approved Stage 2 D/DBPR Monitoring Plan.
Asbestos		2020	Certification or results due every nine years. Use Form 62-555.900(10), F.A.C.
Lead & Copper		JuneSept. 2019	Sample from sites approved on the Lead and Copper Sampling Plan every three years.

<sup>\*</sup>POE = Point of entry to the distribution system. Sample at each POE that is representative of each source after treatment.

This is a good faith assessment of monitoring requirements for the above-referenced public water system for calendar year 2019 and may not include additional sampling required during the year due to special circumstances. If you have questions or disagree with the assessment, please contact the appropriate personnel at (813) 470-5700. Monitoring schedules are subject to change, at any time, based on results of analyses or other factors. This chart shall not relieve any person from any requirement of Florida law.

- ➤ It is strongly recommended that testing be conducted early in the monitoring period to allow time for retests due to possible sampling or lab errors. Annual and triennial sampling should be completed by <u>9/30/2019</u> to provide time for revisions, retests, and/or corrections.
- > Test results must be submitted to DEP within the first ten days following the end of the required monitoring period, or the first ten days following the month in which the sample results were received, whichever time is the shortest. Failure to comply may result in enforcement action.



**Ron DeSantis** Governor

Jeanette Nuñez Lt. Governor

Noah Valenstein Secretary

Southwest District Office 13051 North Telecom Parkway #101 Temple Terrace, Florida 33637-0926

2019 Chemical Monitoring for Community Systems

Hernando County Util- West

PWS-ID No. 6277059

MONITORING & REPORTS- Systemwide	DUE	COMMENTS
Distribution Microbiological ("Bacteriological")	Monthly	120 Distribution Samples per month. Disinfectant residuals must be reported.
Raw Water Microbiological ("Bacteriological")	Monthly	Sample each non 4-log approved well monthly.
Stage II Disinfection Byproducts (DBPs) Total Trihalomethanes & Haloacetic Acids (5)	Quarterly 2019	Sample according to approved Stage 2 D/DBPR Monitoring Plan.
Asbestos	2020	Certification or results due every nine years. Use Form 62-555.900(10), F.A.C.
Lead & Copper	June – Sept 2020	Sample from sites approved on the Lead and Copper Sampling Plan every three years.
Water Quality Parameters (WQP)	June – Sept 2019	Sample from sites approved on the Lead & Copper Sampling Plan annually.
Consumer Confidence Report (CCR) & CCR Certification of Delivery	July 1, 2019	CCR must be delivered by July 1, 2019. The CCR Certification of Delivery must be submitted to the Department by August 10, 2019. Use Form 62-555.900(alternate 19), F.A.C.
Cross-Connection Control Annual Report	March 31, 2019	Complete and submit DEP form 62-555.900(13).

	RING & REPORTS t Hernando	DUE	COMMENTS
Nitrate and Nitrite	•	2019	Sample at each POE every year. *
Primary Inorganic	s	2020	Sample at each POE every three years.
Secondaries		2020	Sample at each POE every three years.
Radiologicals	Gross Alpha	2026	Sample at each POE every three, six or nine years.
	Uranium	2026	Sample at each POE every three, six or nine years.
	Radium-226	2026	Sample at each POE every three, six or nine years.
	Radium-228	2026	Sample at each POE every three, six or nine years.
Volatile Organic Contaminants (VOCs)		2020	Sample at each POE every three years.
Synthetic Organic	Contaminants (SOCs)	2 Quarters in 2020	Sample at each POE every three years, or submit SOC reduced monitoring waiver, if applicable. Use Form 62-560.545(2), F.A.C.

MONITORING & REPORTS Royal Highlands	DUE	COMMENTS
Nitrate and Nitrite	2019	Sample at each POE every year. *
Primary Inorganics	2020	Sample at each POE every three years.

Secondaries		2020	Sample at each POE every three years.
Radiologicals	Gross Alpha	2026	Sample at each POE every three, six or nine years.
	Uranium	2023	Sample at each POE every three, six or nine years.
	Radium-226	2026	Sample at each POE every three, six or nine years.
	Radium-228	2026	Sample at each POE every three, six or nine years.
Volatile Organic Contaminants (VOCs)		2020	Sample at each POE every three years.
Synthetic Organic Contaminants (SOCs)		2 Quarters in 2020	Sample at each POE every three years, or submit SOC reduced monitoring waiver, if applicable. Use Form 62-560.545(2), F.A.C.

MONITORING & REPORTS SW Hernando WTP		DUE	COMMENTS
Nitrate and Nitrit	re	2019	Sample at each POE every year. *
Primary Inorgani	cs	2020	Sample at each POE every three years.
Secondaries		2020	Sample at each POE every three years.
Radiologicals	Gross Alpha	2026	Sample at each POE every three, six or nine years.
	Uranium	2023	Sample at each POE every three, six or nine years.
	Radium-226	2023	Sample at each POE every three, six or nine years.
	Radium-228	2023	Sample at each POE every three, six or nine years.
Volatile Organic Contaminants (VOCs)		2020	Sample at each POE every three years.
Synthetic Organic Contaminants (SOCs)		2 Quarters in 2020	Sample at each POE every three years, or submit SOC reduced monitoring waiver, if applicable. Use Form 62-560.545(2), F.A.C.

MONITORING & REPORTS Killian WTP		DUE	COMMENTS
Nitrate and Nitrite		2019	Sample at each POE every year. *
Primary Inorganio	cs	2020	Sample at each POE every three years.
Secondaries		2020	Sample at each POE every three years.
Radiologicals	Gross Alpha	2026	Sample at each POE every three, six or nine years.
	Uranium	2026	Sample at each POE every three, six or nine years.
	Radium-226	2023	Sample at each POE every three, six or nine years.
	Radium-228	2023	Sample at each POE every three, six or nine years.
Volatile Organic Contaminants (VOCs)		2020	Sample at each POE every three years.
Synthetic Organic Contaminants (SOCs)		2 Quarters in 2020	Sample at each POE every three years, or submit SOC reduced monitoring waiver, if applicable. Use Form 62-560.545(2), F.A.C.

MONITORING & REPORTS Antelope WTP		DUE	COMMENTS
Nitrate and Nitrite		2019	Sample at each POE every year. *
Primary Inorganics	S	2020	Sample at each POE every three years.
Secondaries		2020	Sample at each POE every three years.
Radiologicals	Gross Alpha	2026	Sample at each POE every three, six or nine years.
	Uranium	2026	Sample at each POE every three, six or nine years.
	Radium-226	2026	Sample at each POE every three, six or nine years.
	Radium-228	2026	Sample at each POE every three, six or nine years.
Volatile Organic Contaminants (VOCs)		2020	Sample at each POE every three years.
Synthetic Organic Contaminants (SOCs)		2 Quarters in 2020	Sample at each POE every three years, or submit SOC reduced monitoring waiver, if applicable. Use Form 62-560.545(2), F.A.C.

MONITORING & REPORTS Linder & Deer WTP		DUE	COMMENTS
Nitrate and Nitrit	Nitrate and Nitrite		Sample at each POE every year. *
Primary Inorgani	cs	2020	Sample at each POE every three years.
Secondaries		2020	Sample at each POE every three years.
Radiologicals	Gross Alpha	2026	Sample at each POE every three, six or nine years.
	Uranium	2026	Sample at each POE every three, six or nine years.
	Radium-226	2026	Sample at each POE every three, six or nine years.
	Radium-228	2026	Sample at each POE every three, six or nine years.
Volatile Organic Contaminants (VOCs)		2020	Sample at each POE every three years.
Synthetic Organic Contaminants (SOCs)		2 Quarters in 2020	Sample at each POE every three years, or submit SOC reduced monitoring waiver, if applicable. Use Form 62-560.545(2), F.A.C.

MONITORING & REPORTS  Jamaica WTP		DUE	COMMENTS
Nitrate and Nitrite	Nitrate and Nitrite		Sample at each POE every year. *
Primary Inorganics		2020	Sample at each POE every three years.
Secondaries		2020	Sample at each POE every three years.
Radiologicals	Gross Alpha	2026	Sample at each POE every three, six or nine years.
	Uranium	2023	Sample at each POE every three, six or nine years.
	Radium-226	2026	Sample at each POE every three, six or nine years.
	Radium-228	2026	Sample at each POE every three, six or nine years.
Volatile Organic Contaminants (VOCs)		2020	Sample at each POE every three years.

Synthetic Organic Contaminants (SOCs)	2 Quarters in 2020	Sample at each POE every three years, or submit SOC reduced monitoring waiver, if applicable. Use Form 62-560.545(2), F.A.C.
---------------------------------------	--------------------	--

MONITORING & REPORTS  Carte & Keysville WTP		DUE	COMMENTS
Nitrate and Nitrite	Nitrate and Nitrite		Sample at each POE every year. *
Primary Inorganio	es .	2020	Sample at each POE every three years.
Secondaries		2020	Sample at each POE every three years.
Radiologicals	Gross Alpha	2026	Sample at each POE every three, six or nine years.
	Uranium	2026	Sample at each POE every three, six or nine years.
	Radium-226	2026	Sample at each POE every three, six or nine years.
	Radium-228	2026	Sample at each POE every three, six or nine years.
Volatile Organic Contaminants (VOCs)		2020	Sample at each POE every three years.
Synthetic Organic Contaminants (SOCs)		2 Quarters in 2020	Sample at each POE every three years, or submit SOC reduced monitoring waiver, if applicable. Use Form 62-560.545(2), F.A.C.

MONITORING & REPORTS Eldridge WTP		DUE	COMMENTS
Nitrate and Nitrite	Nitrate and Nitrite		Sample at each POE every year. *
Primary Inorganic	S	2020	Sample at each POE every three years.
Secondaries		2020	Sample at each POE every three years.
Radiologicals	Gross Alpha	2026	Sample at each POE every three, six or nine years.
	Uranium	2023	Sample at each POE every three, six or nine years.
	Radium-226	2026	Sample at each POE every three, six or nine years.
	Radium-228	2026	Sample at each POE every three, six or nine years.
Volatile Organic Contaminants (VOCs)		2020	Sample at each POE every three years.
Synthetic Organic Contaminants (SOCs)		2 Quarters in 2020	Sample at each POE every three years, or submit SOC reduced monitoring waiver, if applicable. Use Form 62-560.545(2), F.A.C.

MONITORING & REPORTS Gretna WTP		DUE	COMMENTS
Nitrate and Nitrite		2019	Sample at each POE every year. *
Primary Inorganics		2020	Sample at each POE every three years.
Secondaries		2020	Sample at each POE every three years.
Radiologicals	Gross Alpha	2026	Sample at each POE every three, six or nine years.
	Uranium	2026	Sample at each POE every three, six or nine years.
	Radium-226	2026	Sample at each POE every three, six or nine years.

	Radium-228	2026	Sample at each POE every three, six or nine years.
Volatile Organic Contaminants (VOCs)		2020	Sample at each POE every three years.
Synthetic Organic Contaminants (SOCs)		2 Quarters in 2020	Sample at each POE every three years, or submit SOC reduced monitoring waiver, if applicable. Use Form 62-560.545(2), F.A.C.

MONITORING & REPORTS Weeki Wachee #1 WTP		DUE	COMMENTS
Nitrate and Nitrite		2019	Sample at each POE every year. *
Primary Inorgani	cs	2020	Sample at each POE every three years.
Secondaries		2020	Sample at each POE every three years.
Radiologicals	Gross Alpha	2026	Sample at each POE every three, six or nine years.
	Uranium	2023	Sample at each POE every three, six or nine years.
	Radium-226	2023	Sample at each POE every three, six or nine years.
	Radium-228	2023	Sample at each POE every three, six or nine years.
Volatile Organic Contaminants (VOCs)		2020	Sample at each POE every three years.
Synthetic Organic Contaminants (SOCs)		2 Quarters in 2020	Sample at each POE every three years, or submit SOC reduced monitoring waiver, if applicable. Use Form 62-560.545(2), F.A.C.

MONITORING & REPORTS Weeki Wachee #2 WTP		DUE	COMMENTS
Nitrate and Nitrite		2019	Sample at each POE every year. *
Primary Inorganics		2020	Sample at each POE every three years.
Secondaries		2020	Sample at each POE every three years.
Radiologicals	Gross Alpha	2026	Sample at each POE every three, six or nine years.
	Uranium	2023	Sample at each POE every three, six or nine years.
	Radium-226	2023	Sample at each POE every three, six or nine years.
	Radium-228	2023	Sample at each POE every three, six or nine years.
Volatile Organic Contaminants (VOCs)		2020	Sample at each POE every three years.
Synthetic Organic Contaminants (SOCs)		2 Quarters in 2020	Sample at each POE every three years, or submit SOC reduced monitoring waiver, if applicable. Use Form 62-560.545(2), F.A.C.

MONITORING & REPORTS Hexam Road WTP		DUE	COMMENTS
Nitrate and Nitrite		2019	Sample at each POE every year. *
Primary Inorganio	cs	2020	Sample at each POE every three years.
Secondaries		2020	Sample at each POE every three years.
Radiologicals	Gross Alpha	2026	Sample at each POE every three, six or nine years.
	Uranium	2023	Sample at each POE every three, six or nine years.
	Radium-226	2023	Sample at each POE every three, six or nine years.
	Radium-228	2023	Sample at each POE every three, six or nine years.
Volatile Organic Contaminants (VOCs)		2020	Sample at each POE every three years.
Synthetic Organic Contaminants (SOCs)		2 Quarters in 2020	Sample at each POE every three years, or submit SOC reduced monitoring waiver, if applicable. Use Form 62-560.545(2), F.A.C.

<sup>\*</sup>POE = Point of entry to the distribution system. Sample at each POE that is representative of each source after treatment.

This is a good faith assessment of monitoring requirements for the above-referenced public water system for calendar year 2019 and may not include additional sampling required during the year due to special circumstances. If you have questions or disagree with the assessment, please contact the appropriate personnel at (813) 470-5700. Monitoring schedules are subject to change, at any time, based on results of analyses or other factors. This chart shall not relieve any person from any requirement of Florida law.

- > It is strongly recommended that testing be conducted early in the monitoring period to allow time for retests due to possible sampling or lab errors. Annual and triennial sampling should be completed by <u>9/30/2019</u> to provide time for revisions, re-tests, and/or corrections.
- > Test results must be submitted to DEP within the first ten days following the end of the required monitoring period, or the first ten days following the month in which the sample results were received, whichever time is the shortest. Failure to comply may result in enforcement action.



Governor

Jeanette Nuñez

**Ron DeSantis** 

Lt. Governor

Noah Valenstein Secretary

Southwest District Office 13051 North Telecom Parkway #101 Temple Terrace, Florida 33637-0926

2019 Chemical Monitoring for Community Systems

Hernando County Util- East PWS-ID No. 6277060

MONITORING & REPORTS- Systemwide	DUE	COMMENTS
Distribution Microbiological ("Bacteriological")	Monthly	8 Distribution Samples per month. Disinfectant residuals must be reported.
Raw Water Microbiological ("Bacteriological")	Monthly	Sample each non 4-log approved well monthly.
Stage II Disinfection Byproducts (DBPs) Total Trihalomethanes & Haloacetic Acids (5)	Quarterly 2019	Sample according to approved Stage 2 D/DBPR Monitoring Plan.
Asbestos	2020	Certification or results due every nine years. Use Form 62-555.900(10), F.A.C.
Lead & Copper	June – Sept 2020	Sample from sites approved on the Lead and Copper Sampling Plan every three years.
Water Quality Parameters (WQP)	June – Sept 2019	Sample from sites approved on the Lead & Copper Sampling Plan annually.
Consumer Confidence Report (CCR) & CCR Certification of Delivery	July 1, 2019	CCR must be delivered by July 1, 2019. The CCR Certification of Delivery must be submitted to the Department by August 10, 2019. Use Form 62-555.900(alternate 19), F.A.C.
Cross-Connection Control Annual Report	March 31, 2019	Complete and submit DEP form 62-555.900(13).

	RING & REPORTS Ianor West WTP	DUE	COMMENTS
Nitrate and Nitrite		2019	Sample at each POE every year. *
Primary Inorganio	cs	2020	Sample at each POE every three years.
Secondaries	Secondaries		Sample at each POE every three years.
Radiologicals	Gross Alpha	2026	Sample at each POE every three, six or nine years.
	Uranium	2023	Sample at each POE every three, six or nine years.
	Radium-226	2026	Sample at each POE every three, six or nine years.
	Radium-228	2026	Sample at each POE every three, six or nine years.
Volatile Organic Contaminants (VOCs)		2020	Sample at each POE every three years.
Synthetic Organic Contaminants (SOCs)		2 Quarters in 2020	Sample at each POE every three years, or submit SOC reduced monitoring waiver, if applicable. Use Form 62-560.545(2), F.A.C.

MONITORING & REPORTS Ridge Manor South WTP		DUE	COMMENTS
Nitrate and Nitrite		2019	Sample at each POE every year. *
Primary Inorganio	cs	2020	Sample at each POE every three years.
Secondaries		2020	Sample at each POE every three years.
Radiologicals	Gross Alpha	2026	Sample at each POE every three, six or nine years.
	Uranium	2023	Sample at each POE every three, six or nine years.
	Radium-226	2026	Sample at each POE every three, six or nine years.
	Radium-228	2026	Sample at each POE every three, six or nine years.
Volatile Organic Contaminants (VOCs)		2020	Sample at each POE every three years.
Synthetic Organic Contaminants (SOCs)		2 Quarters in 2020	Sample at each POE every three years, or submit SOC reduced monitoring waiver, if applicable. Use Form 62-560.545(2), F.A.C.

MONITORING & REPORTS  East Hernando WTP		DUE	COMMENTS
Nitrate and Nitrite		2019	Sample at each POE every year. *
Primary Inorganics		2020	Sample at each POE every three years.
Secondaries		2020	Sample at each POE every three years.
Radiologicals	Gross Alpha	2026	Sample at each POE every three, six or nine years.
	Uranium	2023	Sample at each POE every three, six or nine years.
	Radium-226	2023	Sample at each POE every three, six or nine years.
	Radium-228	2023	Sample at each POE every three, six or nine years.
Volatile Organic Contaminants (VOCs)		2020	Sample at each POE every three years.
Synthetic Organic Contaminants (SOCs)		2 Quarters in 2020	Sample at each POE every three years, or submit SOC reduced monitoring waiver, if applicable. Use Form 62-560.545(2), F.A.C.

	RING & REPORTS -N-Dale WTP	DUE	COMMENTS
Nitrate and Nitrite		2019	Sample at each POE every year. *
Primary Inorganics		2020	Sample at each POE every three years.
Secondaries		2020	Sample at each POE every three years.
Radiologicals	Gross Alpha	2026	Sample at each POE every three, six or nine years.
	Uranium	2026	Sample at each POE every three, six or nine years.
	Radium-226	2023	Sample at each POE every three, six or nine years.
	Radium-228	2023	Sample at each POE every three, six or nine years.
Volatile Organic Contaminants (VOCs)		2020	Sample at each POE every three years.
Synthetic Organic Contaminants (SOCs)		2 Quarters in 2020	Sample at each POE every three years, or submit SOC reduced monitoring waiver, if applicable. Use Form 62-560.545(2), F.A.C.

MONITORING & REPORTS Rolling Acres WTP		DUE	COMMENTS
Nitrate and Nitrite		2019	Sample at each POE every year. *
Primary Inorganics		2020	Sample at each POE every three years.
Secondaries		2020	Sample at each POE every three years.
Radiologicals	Gross Alpha	2026	Sample at each POE every three, six or nine years.
	Uranium	2026	Sample at each POE every three, six or nine years.
	Radium-226	2026	Sample at each POE every three, six or nine years.
	Radium-228	2026	Sample at each POE every three, six or nine years.
Volatile Organic Contaminants (VOCs)		2020	Sample at each POE every three years.
Synthetic Organic Contaminants (SOCs)		2 Quarters in 2020	Sample at each POE every three years, or submit SOC reduced monitoring waiver, if applicable. Use Form 62-560.545(2), F.A.C.

MONITORING & REPORTS Lakeside Acres WTP		DUE	COMMENTS
Nitrate and Nitrite		2019	Sample at each POE every year. *
Primary Inorganics		2020	Sample at each POE every three years.
Secondaries		2020	Sample at each POE every three years.
Radiologicals	Gross Alpha	2026	Sample at each POE every three, six or nine years.
	Uranium	2026	Sample at each POE every three, six or nine years.
	Radium-226	2023	Sample at each POE every three, six or nine years.
	Radium-228	2023	Sample at each POE every three, six or nine years.
Volatile Organic Contaminants (VOCs)		2020	Sample at each POE every three years.
Synthetic Organic Contaminants (SOCs)		2 Quarters in 2020	Sample at each POE every three years, or submit SOC reduced monitoring waiver, if applicable. Use Form 62-560.545(2), F.A.C.

<sup>\*</sup>POE = Point of entry to the distribution system. Sample at each POE that is representative of each source after treatment.

This is a good faith assessment of monitoring requirements for the above-referenced public water system for calendar year 2019 and may not include additional sampling required during the year due to special circumstances. If you have questions or disagree with the assessment, please contact the appropriate personnel at (813) 470-5700. Monitoring schedules are subject to change, at any time, based on results of analyses or other factors. This chart shall not relieve any person from any requirement of Florida law.

- It is strongly recommended that testing be conducted early in the monitoring period to allow time for retests due to possible sampling or lab errors. Annual and triennial sampling should be completed by <u>9/30/2019</u> to provide time for revisions, re-tests, and/or corrections.
- > Test results must be submitted to DEP within the first ten days following the end of the required monitoring period, or the first ten days following the month in which the sample results were received, whichever time is the shortest. Failure to comply may result in enforcement action.



Southwest District Office 13051 North Telecom Parkway #101 Temple Terrace, Florida 33637-0926 Governor

**Ron DeSantis** 

Jeanette Nuñez Lt. Governor

Noah Valenstein Secretary

2019 Chemical Monitoring for NTNC

Water Systems: World Woods Golf PWS-ID No. 6277063

	ING & REPORTS	DUE	COMMENTS
Raw Water Microbiological ("Bacteriological")		Quarterly	1 Raw Water Sample per well.
Distribution Microbiological ("Bacteriological")		Quarterly	1 Distribution Sample per quarter. Disinfectant residuals must be reported.
Nitrate and Nitri	te	2019	Sample at each POE every year.*
Primary Inorgan	ics	2019	Sample at each POE every three years.
Radiologicals	Gross Alpha	Waived	Waived – historical data relieves system of future testing (use of Grandfather Data)
	Uranium	Waived	Waived use of Grandfather Data
	Radium-226	Waived	Waived use of Grandfather Data
	Radium-228	Waived	Waived use of Grandfather Data
Volatile Organic	Contaminants (VOCs)	2019	Sample at each POE every three years.
Synthetic Organic Contaminants (SOCs)		2019	Sample at each POE every three years, or submit SOC reduced monitoring waiver, if applicable. Use Form 62-560.545(2), F.A.C.
Stage II Disinfection Byproducts (DBPs)  Total Trihalomethanes & Haloacetic Acids (5)		July-Sept. 2019	Sample according to approved Stage 2 D/DBPR Monitoring Plan.
Asbestos		2020	Certification or results due every nine years. Use Form 62-555.900(10), F.A.C.
Lead & Copper		June-Sept. 2019	Sample from sites approved on the Lead and Copper Sampling Plan every three years.

<sup>\*</sup>POE = Point of entry to the distribution system. Sample at each POE that is representative of each source after treatment.

This is a good faith assessment of monitoring requirements for the above-referenced public water system for calendar year 2019 and may not include additional sampling required during the year due to special circumstances. If you have questions or disagree with the assessment, please contact the appropriate personnel at (813) 470-5700. Monitoring schedules are subject to change, at any time, based on results of analyses or other factors. This chart shall not relieve any person from any requirement of Florida law.

- It is strongly recommended that testing be conducted early in the monitoring period to allow time for retests due to possible sampling or lab errors. Annual and triennial sampling should be completed by <u>9/30/2019</u> to provide time for revisions, retests, and/or corrections.
- > Test results must be submitted to DEP within the first ten days following the end of the required monitoring period, or the first ten days following the month in which the sample results were received, whichever time is the shortest. Failure to comply may result in enforcement action.



Jeanette Nuñez Lt. Governor

**Ron DeSantis** 

Governor

Noah Valenstein Secretary

Southwest District Office 13051 North Telecom Parkway #101 Temple Terrace, Florida 33637-0926

2019 Chemical Monitoring for Community Systems

Hernando County Utilities – Seville

PWS-ID No. 6277064

Thernando County Utilities – Seville		DITE	PWS-ID No. 02//004
	ING & REPORTS	DUE	COMMENTS
Raw Water Microbiological ("Bacteriological")		Monthly	1 Raw Water Sample per well.
Distribution Microb ("Bacteriological")	piological	Monthly	1 Distribution Samples per month. Disinfectant residuals must be reported.
Nitrate and Nitrite		2019	Sample at each POE every year. *
Primary Inorganics		2021	Sample at each POE every three years.
Secondaries		2021	Sample at each POE every three years.
Radiologicals	Gross Alpha	2024	Sample at each POE every three, six or nine years.
	Uranium	2024	Sample at each POE every three, six or nine years.
	Radium-226	2024	Sample at each POE every three, six or nine years.
	Radium-228	2024	Sample at each POE every three, six or nine years.
Volatile Organic Co	ontaminants (VOCs)	2021	Sample at each POE every three years.
Synthetic Organic Contaminants (SOCs)		2021	Sample at each POE every three years, or submit SOC reduced monitoring waiver, if applicable. Use Form 62-560.545(2), F.A.C.
	n Byproducts (DBPs) es & Haloacetic Acids (5)	July – Sept 2021	Sample according to approved Stage 2 D/DBPR Monitoring Plan.
Asbestos		2021	Certification or results due every nine years. Use Form 62-555.900(10), F.A.C.
Lead & Copper		June – Sept 2021	Sample from sites approved on the Lead and Copper Sampling Plan every three years.
Consumer Confider Certification of Deli	nce Report (CCR) & CCR ivery	July 1, 2019	CCR must be delivered by July 1, 2019. The CCR Certification of Delivery must be submitted to the Department by August 10, 2019. Use Form 62-555.900(alternate 19), F.A.C.

<sup>\*</sup>POE = Point of entry to the distribution system. Sample at each POE that is representative of each source after treatment.

This is a good faith assessment of monitoring requirements for the above-referenced public water system for calendar year 2019 and may not include additional sampling required during the year due to special circumstances. If you have questions or disagree with the assessment, please contact the appropriate personnel at (813) 470-5700. Monitoring schedules are subject to change, at any time, based on results of analyses or other factors. This chart shall not relieve any person from any requirement of Florida law.

- > It is strongly recommended that testing be conducted early in the monitoring period to allow time for retests due to possible sampling or lab errors. Annual and triennial sampling should be completed by 9/30/2019 to provide time for revisions, re-tests, and/or corrections.
- > Test results must be submitted to DEP within the first ten days following the end of the required monitoring period, or the first ten days following the month in which the sample results were received, whichever time is the shortest. Failure to comply may result in enforcement action.



Southwest District Office 13051 North Telecom Parkway #101 Temple Terrace, Florida 33637-0926 Ron DeSantis Governor

Jeanette Nuñez Lt. Governor

Noah Valenstein Secretary

2019 Chemical Monitoring for NTNC

Water Systems The Challenge Program

PWS-ID No. 6277083

Water Systems The Challenge Program		I	PWS-ID No. 627/083
MONITORI	NG & REPORTS	DUE	COMMENTS
Raw Water Microbiological ("Bacteriological")		Quarterly	1 Raw Water Sample per well.
Distribution Microbiological ("Bacteriological")		Quarterly	1 Distribution Sample per quarter. Disinfectant residuals must be reported.
Nitrate and Nitrite	e	2019	Sample at each POE every year.*
Primary Inorganic	es .	2019	Sample at each POE every three years.
Radiologicals	Gross Alpha	2025	Sample at each POE every quarterly, six, nine years, or Waived use of Grandfather Data (date of sample)
	Uranium	2025	Sample at each POE every quarterly, six, nine years, or Waived use of Grandfather Data (date of sample)
	Radium-226	2025	Sample at each POE every quarterly, six, nine years, or Waived use of Grandfather Data (date of sample)
	Radium-228	2025	Sample at each POE every quarterly, six, nine years, or Waived use of Grandfather Data (date of sample)
Volatile Organic C	Contaminants (VOCs)	2019	Sample at each POE every three years.
Synthetic Organic Contaminants (SOCs)		2019	Sample at each POE every three years, or submit SOC reduced monitoring waiver, if applicable. Use Form 62-560.545(2), F.A.C.
Di(2-ethylhexyl)phthalate (2039)		2019	Sample at each POE annually.
Stage II Disinfection Byproducts (DBPs) Total Trihalomethanes & Haloacetic Acids (5)		July-Sept. 2019	Sample according to approved Stage 2 D/DBPR Monitoring Plan.
Asbestos		2022	Certification or results due every nine years. Use Form 62-555.900(10), F.A.C.
Lead & Copper		June-Sept. 2019	Sample from sites approved on the Lead and Copper Sampling Plan every three years.

<sup>\*</sup>POE = Point of entry to the distribution system. Sample at each POE that is representative of each source after treatment.

This is a good faith assessment of monitoring requirements for the above-referenced public water system for calendar year 2019 and may not include additional sampling required during the year due to special circumstances. If you have questions or disagree with the assessment, please contact the appropriate personnel at (813) 470-5700. Monitoring schedules are subject to change, at any time, based on results of analyses or other factors. This chart shall not relieve any person from any requirement of Florida law.

- It is strongly recommended that testing be conducted early in the monitoring period to allow time for retests due to possible sampling or lab errors. Annual and triennial sampling should be completed by <u>9/30/2019</u> to provide time for revisions, retests, and/or corrections.
- > Test results must be submitted to DEP within the first ten days following the end of the required monitoring period, or the first ten days following the month in which the sample results were received, whichever time is the shortest. Failure to comply may result in enforcement action.



Southwest District Office 13051 North Telecom Parkway #101 Temple Terrace, Florida 33637-0926 Ron DeSantis Governor

Jeanette Nuñez Lt. Governor

Noah Valenstein Secretary

2019 Chemical Monitoring for NTNC

Water Systems Paff Landscaping, Inc. PWS-ID No. 6277096

	ING & REPORTS	DUE	COMMENTS
Raw Water Microbiological ("Bacteriological")		Quarterly	1 Raw Water Sample per well.
Distribution Microbiological ("Bacteriological")		Quarterly	1 Distribution Sample per quarter. Disinfectant residuals must be reported.
Nitrate and Nitrit	te	2019	Sample at each POE every year.*
Primary Inorgani	cs	2019	Sample at each POE every three years.
Radiologicals	Gross Alpha	Waived	Waived – historical data relieves system of future testing (use of Grandfather Data)
	Uranium	2025	Sample at each POE every three years.
	Radium-226	2025	Sample at each POE every three years.
	Radium-228	2025	Sample at each POE every three years.
Volatile Organic	Contaminants (VOCs)	2019	Sample at each POE every three years.
Synthetic Organic Contaminants (SOCs)		2019	Sample at each POE every three years, or submit SOC reduced monitoring waiver, if applicable. Use Form 62-560.545(2), F.A.C.
Endothall (2033)		Oct-December 2019	Sample at each POE during Quarter indicated for three years (2018,2019 & 2020).
Stage II Disinfection Byproducts (DBPs)  Total Trihalomethanes & Haloacetic Acids (5)		July-Sept. 2019	Sample according to approved Stage 2 D/DBPR Monitoring Plan.
Asbestos		2020	Certification or results due every nine years. Use Form 62-555.900(10), F.A.C.
Lead & Copper		JuneSept. 2019	Sample from sites approved on the Lead and Copper Sampling Plan every three years.

<sup>\*</sup>POE = Point of entry to the distribution system. Sample at each POE that is representative of each source after treatment.

This is a good faith assessment of monitoring requirements for the above-referenced public water system for calendar year 2019 and may not include additional sampling required during the year due to special circumstances. If you have questions or disagree with the assessment, please contact the appropriate personnel at (813) 470-5700. Monitoring schedules are subject to change, at any time, based on results of analyses or other factors. This chart shall not relieve any person from any requirement of Florida law.

- > It is strongly recommended that testing be conducted early in the monitoring period to allow time for retests due to possible sampling or lab errors. Annual and triennial sampling should be completed by <u>9/30/2019</u> to provide time for revisions, retests, and/or corrections.
- > Test results must be submitted to DEP within the first ten days following the end of the required monitoring period, or the first ten days following the month in which the sample results were received, whichever time is the shortest. Failure to comply may result in enforcement action.



Southwest District Office 13051 North Telecom Parkway #101 Temple Terrace, Florida 33637-0926 Ron DeSantis Governor

Jeanette Nuñez Lt. Governor

Noah Valenstein Secretary

2019 Chemical Monitoring for NTNC

Water Systems Holy Trinity Seminary PWS-ID No. 6277099

water Systems Ho	ly Trinity Seminary	PWS-ID No. 627/099	
MONITORING & REPORTS		DUE	COMMENTS
Raw Water Microbiological ("Bacteriological")		Quarterly	1 Raw Water Sample per well.
Distribution Microbiological ("Bacteriological")		Quarterly	1 Distribution Sample per quarter. Disinfectant residuals must be reported.
Nitrate and Nitrite		2019	Sample at each POE every year.*
Primary Inorganics		2019	Sample at each POE every three years.
Radiologicals	Gross Alpha	2025	Sample at each POE during the year shown.
	Uranium	2025	Sample at each POE during the year shown.
	Radium-226	2022	Sample at each POE during the year shown.
	Radium-228	2022	Sample at each POE during the year shown.
Volatile Organic Contaminants (VOCs)		2019	Sample at each POE every three years.
Total Xylene (2955) & Toluene (2991)		Oct-December 2019	Sample at each POE during Quarter indicated for three year (2018,2019 & 2020).
Synthetic Organic Contaminants (SOCs)		2019	Sample at each POE every three years, or submit SOC reduced monitoring waiver, if applicable. Use Form 62-560.545(2), F.A.C.
Stage II Disinfection Byproducts (DBPs) Total Trihalomethanes & Haloacetic Acids (5)		July-Sept. 2019	Sample according to approved Stage 2 D/DBPR Monitoring Plan.
Asbestos		2020	Certification or results due every nine years. Use Form 62-555.900(10), F.A.C.
Lead & Copper		JuneSept. 2019	Sample from sites approved on the Lead and Copper Sampling Plan every three years.

<sup>\*</sup>POE = Point of entry to the distribution system. Sample at each POE that is representative of each source after treatment.

This is a good faith assessment of monitoring requirements for the above-referenced public water system for calendar year 2019 and may not include additional sampling required during the year due to special circumstances. If you have questions or disagree with the assessment, please contact the appropriate personnel at (813) 470-5700. Monitoring schedules are subject to change, at any time, based on results of analyses or other factors. This chart shall not relieve any person from any requirement of Florida law.

- ➤ It is strongly recommended that testing be conducted early in the monitoring period to allow time for retests due to possible sampling or lab errors. Annual and triennial sampling should be completed by <u>9/30/2019</u> to provide time for revisions, retests, and/or corrections.
- > Test results must be submitted to DEP within the first ten days following the end of the required monitoring period, or the first ten days following the month in which the sample results were received, whichever time is the shortest. Failure to comply may result in enforcement action.



Southwest District Office 13051 North Telecom Parkway #101 Temple Terrace, Florida 33637-0926 Ron DeSantis Governor

Jeanette Nuñez Lt. Governor

Noah Valenstein Secretary

2019 Chemical Monitoring for NTNC

Water Systems Massey Services Inc. PWS-ID No. 6277100

water Systems Ma	issey Services Inc.		PWS-ID No. 627/100
MONITORING & REPORTS		DUE	COMMENTS
Raw Water Microbiological ("Bacteriological")		Quarterly	1 Raw Water Sample per well.
Distribution Microbiological ("Bacteriological")		Quarterly	1 Distribution Sample per quarter. Disinfectant residuals must be reported.
Nitrate and Nitrite		2019	Sample at each POE every year.*
Primary Inorganics		2019	Sample at each POE every three years.
Radiologicals	Gross Alpha	2025	Sample at each POE during the year shown.
	Uranium	2025	Sample at each POE during the year shown.
	Radium-226	2022	Sample at each POE during the year shown.
	Radium-228	2022	Sample at each POE during the year shown.
Volatile Organic Contaminants (VOCs)		2019	Sample at each POE every three years.
Synthetic Organic Contaminants (SOCs)		2019	Sample at each POE every three years, or submit SOC reduced monitoring waiver, if applicable. Use Form 62-560.545(2), F.A.C.
Stage II Disinfection Byproducts (DBPs) Total Trihalomethanes & Haloacetic Acids (5)		July-Sept. 2019	Sample according to approved Stage 2 D/DBPR Monitoring Plan.
Endothall (2033)		Oct-December 2019	Sample at each POE during Quarter indicated for three years (2018,2019 & 2020).
Asbestos		2020	Certification or results due every nine years. Use Form 62-555.900(10), F.A.C.
Lead & Copper		JuneSept. 2019	Sample from sites approved on the Lead and Copper Sampling Plan every three years.

<sup>\*</sup>POE = Point of entry to the distribution system. Sample at each POE that is representative of each source after treatment.

This is a good faith assessment of monitoring requirements for the above-referenced public water system for calendar year 2019 and may not include additional sampling required during the year due to special circumstances. If you have questions or disagree with the assessment, please contact the appropriate personnel at (813) 470-5700. Monitoring schedules are subject to change, at any time, based on results of analyses or other factors. This chart shall not relieve any person from any requirement of Florida law.

- ➤ It is strongly recommended that testing be conducted early in the monitoring period to allow time for retests due to possible sampling or lab errors. Annual and triennial sampling should be completed by <u>9/30/2019</u> to provide time for revisions, retests, and/or corrections.
- > Test results must be submitted to DEP within the first ten days following the end of the required monitoring period, or the first ten days following the month in which the sample results were received, whichever time is the shortest. Failure to comply may result in enforcement action.



Southwest District Office 13051 North Telecom Parkway #101 Temple Terrace, Florida 33637-0926 Ron DeSantis Governor

Jeanette Nuñez Lt. Governor

Noah Valenstein Secretary

2019 Chemical Monitoring for NTNC

Water Systems CEMEX South Plant Warehouse PWS-ID No. 6277105

Water Systems CEMEX South Plant Warehouse			PWS-ID No. 627/105
MONITORING & REPORTS		DUE	COMMENTS
Raw Water Microbiological ("Bacteriological")		Quarterly	1 Raw Water Sample per well.
Distribution Microbiological ("Bacteriological")		Quarterly	1 Distribution Sample per quarter. Disinfectant residuals must be reported.
Nitrate and Nitrite		2019	Sample at each POE every year.*
Primary Inorganics		2019	Sample at each POE every three years.
Radiologicals	Gross Alpha	2022	Sample at each POE during the year shown.
	Uranium	2022	Sample at each POE during the year shown.
	Radium-226	2025	Sample at each POE during the year shown.
	Radium-228	2025	Sample at each POE during the year shown.
Volatile Organic Contaminants (VOCs)		2019	Sample at each POE every three years.
Total Xylene (2955) & Ethylbenzene (2992)		Oct-December 2019	Sample at each POE during Quarter indicated for three years (2018,2019 & 2020).
Synthetic Organic Contaminants (SOCs)		2019	Sample at each POE every three years, or submit SOC reduced monitoring waiver, if applicable. Use Form 62-560.545(2), F.A.C.
Stage II Disinfection Byproducts (DBPs) Total Trihalomethanes & Haloacetic Acids (5)		July-Sept. 2019	Sample according to approved Stage 2 D/DBPR Monitoring Plan.
Asbestos		2020	Certification or results due every nine years. Use Form 62-555.900(10), F.A.C.
Lead & Copper		JuneSept. 2019	Sample from sites approved on the Lead and Copper Sampling Plan every three years.

<sup>\*</sup>POE = Point of entry to the distribution system. Sample at each POE that is representative of each source after treatment.

This is a good faith assessment of monitoring requirements for the above-referenced public water system for calendar year 2019 and may not include additional sampling required during the year due to special circumstances. If you have questions or disagree with the assessment, please contact the appropriate personnel at (813) 470-5700. Monitoring schedules are subject to change, at any time, based on results of analyses or other factors. This chart shall not relieve any person from any requirement of Florida law.

- > It is strongly recommended that testing be conducted early in the monitoring period to allow time for retests due to possible sampling or lab errors. Annual and triennial sampling should be completed by <u>9/30/2019</u> to provide time for revisions, retests, and/or corrections.
- > Test results must be submitted to DEP within the first ten days following the end of the required monitoring period, or the first ten days following the month in which the sample results were received, whichever time is the shortest. Failure to comply may result in enforcement action.