

Southwest District Office 13051 North Telecom Parkway #101 Temple Terrace, Florida 33637-0926 Ron DeSantis Governor

Jeanette Nuñez Lt. Governor

Noah Valenstein Secretary

2019 Chemical Monitoring for Community Systems

2019 Chemical Monitoring for Community Systems  Aloha Gardens Utilities  PWS-ID No6510050			
MONITORING & REPORTS		DUE	COMMENTS
Microbiological ("Bacteriological")		Monthly	Disinfectant residuals must be reported.
Nitrate and Nitrit	e	2019	Sample at each POE every year. *
Primary Inorganio	cs	2020	Sample at each POE every three years.
Secondaries		2020	Sample at each POE every three years.
Radiologicals	Gross Alpha	2023	Sample at each POE every three, six or nine years.
	Uranium	2026	Sample at each POE every three, six or nine years.
	Radium-226	2023	Sample at each POE every three, six or nine years.
	Radium-228	2023	Sample at each POE every three, six or nine years.
Volatile Organic O	Contaminants (VOCs)	2020	Sample at each POE every three years.
Synthetic Organic Contaminants (SOCs)		2 Quarters in 2020	Sample at each POE every three years, or submit SOC reduced monitoring waiver, if applicable. Use Form 62-560.545(2), F.A.C.
Heptachlor Epoxide		2019	Sample at Well #8 POE.
Heptachlor		2019	Sample at Well #8 POE.
Chlordane		2019	Sample at Well #8 POE.
	on Byproducts (DBPs) nes & Haloacetic Acids (5)	Quarterly 2019	Sample according to approved Stage 2 D/DBPR Monitoring Plan.
Asbestos		2020	Certification or results due every nine years. Use Form 62-555.900(10), F.A.C.
Lead & Copper		June-Sept 2020	Sample from sites approved on the Lead and Copper Sampling Plan every three years.
Consumer Confid Certification of De	ence Report (CCR) & CCR	July 1, 2019	CCR must be delivered by July 1, 2019. The CCR Certification of Delivery must be submitted to the Department by August 10, 2019. Use Form 62-555.900(alternate 19), F.A.C.

<sup>\*</sup>POE = Point of entry to the distribution system. Sample at each POE that is representative of each source after treatment.

This is a good faith assessment of monitoring requirements for the above-referenced public water system for calendar year 2019 and may not include additional sampling required during the year due to special circumstances. If you have questions or disagree with the assessment, please contact the appropriate personnel at (813) 470-5700. Monitoring schedules are subject to change, at any time, based on results of analyses or other factors. This chart shall not relieve any person from any requirement of Florida law.

- > It is strongly recommended that testing be conducted early in the monitoring period to allow time for retests due to possible sampling or lab errors. Annual and triennial sampling should be completed by 9/30/2019 to provide time for revisions, re-tests, and/or corrections.
- > Test results must be submitted to DEP within the first ten days following the end of the required monitoring period, or the first ten days following the month in which the sample results were received, whichever time is the shortest. Failure to comply may result in enforcement action.



Southwest District Office 13051 North Telecom Parkway #101 Temple Terrace, Florida 33637-0926 Ron DeSantis Governor

Jeanette Nuñez Lt. Governor

Noah Valenstein Secretary

2019 Chemical Monitoring for NTNC

Baker Acres RV Ranch PWS-ID No. 6510107

MONITORING & REPORTS		DUE	PWS-ID No. 051010/
		DUE	COMMENTS
Raw Water Microbiological ("Bacteriological")		Quarterly	1 Raw Water Sample per well.
Distribution Mic ("Bacteriological		Quarterly	1 Distribution Sample per quarter. Disinfectant residuals must be reported.
Nitrate and Nitri	te	2019	Sample at each POE every year.*
Primary Inorgan	ics	2019	Sample at each POE every three years.
Radiologicals	Gross Alpha	Waived	Sample at each POE every quarterly, six, nine years, or Waived use of Grandfather Data (date of sample)
	Uranium	Waived	Sample at each POE every quarterly, six, nine years, or Waived use of Grandfather Data (date of sample)
	Radium-226	Waived	Sample at each POE every quarterly, six, nine years, or Waived use of Grandfather Data (date of sample)
	Radium-228	Waived	Sample at each POE every quarterly, six, nine years, or Waived use of Grandfather Data (date of sample)
Volatile Organic	Contaminants (VOCs)	2019	Sample at each POE every three years.
Synthetic Organic Contaminants (SOCs)		2019	Sample at each POE every three years, or submit SOC reduced monitoring waiver, if applicable. Use Form 62-560.545(2), F.A.C.
Stage II Disinfection Byproducts (DBPs) Total Trihalomethanes & Haloacetic Acids (5)		July-Sept. 2019	Sample according to approved Stage 2 D/DBPR Monitoring Plan.
Asbestos		2021	Certification or results due every nine years. Use Form 62-555.900(10), F.A.C.
Lead & Copper		July-Sept. 2019	Sample from sites approved on the Lead and Copper Sampling Plan every three years.
Tank Cleaning &	Inspection	2023	FAC Rule 62-555.350 (2) states all finished water storage tanks with access manholes shall be inspected and cleaned at a minimum of every 5 years.

<sup>\*</sup>POE = Point of entry to the distribution system. Sample at each POE that is representative of each source after treatment.

This is a good faith assessment of monitoring requirements for the above-referenced public water system for calendar year 2018 and may not include additional sampling required during the year due to special circumstances. If you have questions or disagree with the assessment, please contact the appropriate personnel at (813) 470-5700. Monitoring schedules are subject to change, at any time, based on results of analyses or other factors. This chart shall not relieve any person from any requirement of Florida law.

- > It is strongly recommended that testing be conducted early in the monitoring period to allow time for retests due to possible sampling or lab errors. Annual and triennial sampling should be completed by 9/30/2019 to provide time for revisions, re-tests, and/or corrections.
- > Test results must be submitted to DEP within the first ten days following the end of the required monitoring period, or the first ten days following the month in which the sample results were received, whichever time is the shortest. Failure to comply may result in enforcement action.



Ron DeSantis Governor

Jeanette Nuñez Lt. Governor

**Noah Valenstein** Secretary

Southwest District Office 13051 North Telecom Parkway #101 Temple Terrace, Florida 33637-0926

2019 Chemical Monitoring for Community Systems

System Name: Blue Jav MHP PWS-ID No. 6510165

System Name: Blue Jay MHP			PWS-ID No. 6510165
MONITORI	ING & REPORTS	DUE	COMMENTS
Raw Water Microbiological ("Bacteriological")		Monthly	1 Raw Water Sample per well.
Distribution Microb ("Bacteriological")	piological	Monthly	1 Distribution Samples per month. Disinfectant residuals must be reported.
Nitrate and Nitrite		2019	Sample at each POE every year.*
Primary Inorganics		2021	Sample at each POE every three years.
Secondaries		2021	Sample at each POE every three years.
Radiologicals	Gross Alpha	2027	Sample at each POE every three, six or nine years.
	Uranium	2027	Sample at each POE every three, six or nine years.
	Radium-226	2027	Sample at each POE every three, six or nine years.
	Radium-228	2027	Sample at each POE every three, six or nine years.
Volatile Organic Co	ontaminants (VOCs)	2021	Sample at each POE every three years.
Synthetic Organic Contaminants (SOCs)		2021	Sample at each POE every three years, or submit SOC reduced monitoring waiver, if applicable. Use Form 62-560.545(2), F.A.C.
	n Byproducts (DBPs) es & Haloacetic Acids (5)	July-Sept 2021	Sample according to approved Stage 2 D/DBPR Monitoring Plan.
Asbestos		2021	Certification or results due every nine years. Use Form 62-555.900(10), F.A.C.
Lead & Copper		June-Sept 2021	Sample from sites approved on the Lead and Copper Sampling Plan every three years.
Consumer Confider Certification of Deli	nce Report (CCR) & CCR ivery	July 1, 2019	CCR must be delivered by July 1, 2019. The CCR Certification of Delivery must be submitted to the Department by August 10, 2019. Use Form 62-555.900(alternate 19), F.A.C.

<sup>\*</sup>POE = Point of entry to the distribution system. Sample at each POE that is representative of each source after treatment.

This is a good faith assessment of monitoring requirements for the above-referenced public water system for calendar year 2019 and may not include additional sampling required during the year due to special circumstances. If you have questions or disagree with the assessment, please contact the appropriate personnel at (813) 470-5700. Monitoring schedules are subject to change, at any time, based on results of analyses or other factors. This chart shall not relieve any person from any requirement of Florida law.

- > It is strongly recommended that testing be conducted early in the monitoring period to allow time for retests due to possible sampling or lab errors. Annual and triennial sampling should be completed by 9/30/2019 to provide time for revisions, re-tests, and/or corrections.
- > Test results must be submitted to DEP within the first ten days following the end of the required monitoring period, or the first ten days following the month in which the sample results were received, whichever time is the shortest. Failure to comply may result in enforcement action.



Ron DeSantis Governor

Jeanette Nuñez Lt. Governor

Noah Valenstein Secretary

Southwest District Office 13051 North Telecom Parkway #101 Temple Terrace, Florida 33637-0926

2019 Chemical Monitoring for Community Systems

PCUD - Crystal Springs Water System

PWS-ID No. 6510216

MONITOR	RING & REPORTS	DUE	COMMENTS
Microbiological ("Bacteriological")		Monthly	Disinfectant residuals must be reported.
Nitrate and Nitrite	;	2019	Sample at each POE every year. *
Primary Inorganics		2021	Sample at each POE every three years.
Secondaries		2021	Sample at each POE every three years.
Radiologicals	Gross Alpha	2021	Sample at each POE every three, six or nine years.
	Uranium	2021	Sample at each POE every three, six or nine years.
	Radium-226	2024	Sample at each POE every three, six or nine years.
	Radium-228	2024	Sample at each POE every three, six or nine years.
Volatile Organic Contaminants (VOCs)		2021	Sample at each POE every three years.
Synthetic Organic Contaminants (SOCs)		2021	Sample at each POE every three years, or submit SOC reduced monitoring waiver, if applicable. Use Form 62-560.545(2), F.A.C.
Stage II Disinfection Byproducts (DBPs) Total Trihalomethanes & Haloacetic Acids (5)		July-Sept 2019	Sample according to approved Stage 2 D/DBPR Monitoring Plan.
Asbestos		2020	Certification or results due every nine years. Use Form 62-555.900(10), F.A.C.
Lead & Copper		June-Sept 2021	Sample from sites approved on the Lead and Copper Sampling Plan every three years.
Consumer Confide Certification of De	ence Report (CCR) & CCR livery	July 1, 2019	CCR must be delivered by July 1, 2019. The CCR Certification of Delivery must be submitted to the Department by August 10, 2019. Use Form 62-555.900(alternate 19), F.A.C.

<sup>\*</sup>POE = Point of entry to the distribution system. Sample at each POE that is representative of each source after treatment.

This is a good faith assessment of monitoring requirements for the above-referenced public water system for calendar year 2019 and may not include additional sampling required during the year due to special circumstances. If you have questions or disagree with the assessment, please contact the appropriate personnel at (813) 470-5700. Monitoring schedules are subject to change, at any time, based on results of analyses or other factors. This chart shall not relieve any person from any requirement of Florida law.

- > It is strongly recommended that testing be conducted early in the monitoring period to allow time for retests due to possible sampling or lab errors. Annual and triennial sampling should be completed by <u>9/30/2019</u> to provide time for revisions, re-tests, and/or corrections.
- > Test results must be submitted to DEP within the first ten days following the end of the required monitoring period, or the first ten days following the month in which the sample results were received, whichever time is the shortest. Failure to comply may result in enforcement action.



Ron DeSantis Governor

Jeanette Nuñez Lt. Governor

Noah Valenstein Secretary

Southwest District Office 13051 North Telecom Parkway #101 Temple Terrace, Florida 33637-0926

2019 Chemical Monitoring for Community Systems

City of Port Richey Water Department

PWS ID No. 6510324

	ING & REPORTS	DUE	COMMENTS
Microbiological ("I	Bacteriological")	Monthly	9 Distribution samples per month. Disinfectant residuals must be reported.
Nitrate and Nitrite		2019	Sample at each POE every year.*
Primary Inorganics	6	2020	Sample at each POE every three years.
Secondaries		2020	Sample at each POE every three years.
Radiologicals	Gross Alpha	2020	Sample at each POE every three, six or nine years.
	Uranium	2020	Sample at each POE every three, six or nine years.
	Radium-226	2020	Sample at each POE every three, six or nine years.
	Radium-228	2020	Sample at each POE every three, six or nine years.
Volatile Organic Co	Volatile Organic Contaminants (VOCs)		Sample at each POE every three years.
Synthetic Organic Contaminants (SOCs)		2 Quarter 2020	Sample at each POE every three years, or submit SOC reduced monitoring waiver, if applicable. Use Form 62-560.545(2), F.A.C.
Stage II Disinfection Byproducts (DBPs)  Total Trihalomethanes & Haloacetic Acids (5)		July-Sept. 2019	Sample according to approved Stage 2 D/DBPR Monitoring Plan.
Asbestos		2020	Certification or results due every nine years. Use Form 62-555.900(10), F.A.C.
Lead & Copper		June-Sept. 2020	Sample from sites approved on the Lead and Copper Sampling Plan every three years.
Consumer Confidence Report (CCR) & CCR Certification of Delivery		July 1, 2019	CCR must be delivered by July 1, 2019. The CCR Certification of Delivery must be submitted to the Department by August 10, 2019. Use Form 62-555.900(alternate 19), F.A.C.
Tank(s) Inspection		2020	Pursuant to 62-555.350(2) F.A.C. all finished drinking water storage tanks with access manholes shall be inspected and cleaned at a maximum interval of every 5 years.

<sup>\*</sup>POE = Point of entry to the distribution system. Sample at each POE that is representative of each source after treatment.

This is a good faith assessment of monitoring requirements for the above-referenced public water system for calendar year 2019 and may not include additional sampling required during the year due to special circumstances. If you have questions or disagree with the assessment, please contact the appropriate personnel at (813) 470-5700. Monitoring schedules are subject to change, at any time, based on results of analyses or other factors. This chart shall not relieve any person from any requirement of Florida law.

- > It is strongly recommended that testing be conducted early in the monitoring period to allow time for retests due to possible sampling or lab errors. Annual and triennial sampling should be completed by 9/30/2019 to provide time for revisions, re-tests, and/or corrections.
- > Test results must be submitted to DEP within the first ten days following the end of the required monitoring period, or the first ten days following the month in which the sample results were received, whichever time is the shortest. Failure to comply may result in enforcement action



Ron DeSantis Governor

Jeanette Nuñez Lt. Governor

Noah Valenstein Secretary

Southwest District Office 13051 North Telecom Parkway #101 Temple Terrace, Florida 33637-0926

2019 Chemical Monitoring for Community Systems

System Name: City of San Antonio – Wells 3&4 PWS-ID No. 6510325

	RING & REPORTS	DUE	COMMENTS
Microbiological ("Bacteriological")		Monthly	Disinfectant residuals must be reported.
Nitrate and Nitrite		2019	Sample at each POE every year.*
Primary Inorganics		2021	Sample at each POE every three years.
Secondaries		2021	Sample at each POE every three years.
Radiologicals	Gross Alpha	2027	Sample at each POE every three, six or nine years.
	Uranium	2024	Sample at each POE every three, six or nine years.
	Radium-226	2024	Sample at each POE every three, six or nine years.
	Radium-228	2024	Sample at each POE every three, six or nine years.
Volatile Organic Contaminants (VOCs)		2021	Sample at each POE every three years.
Synthetic Organic Contaminants (SOCs)		2021	Sample at each POE every three years, or submit SOC reduced monitoring waiver, if applicable. Use Form 62-560.545(2), F.A.C.
Stage II Disinfection Byproducts (DBPs) Total Trihalomethanes & Haloacetic Acids (5)		July-Sept 2019	Sample according to approved Stage 2 D/DBPR Monitoring Plan.
Asbestos		2021	Certification or results due every nine years. Use Form 62-555.900(10), F.A.C.
Lead & Copper		June-Sept 2020	Sample from sites approved on the Lead and Copper Sampling Plan every three years.
Consumer Confide Certification of De	3	July 1, 2019	CCR must be delivered by July 1, 2019. The CCR Certification of Delivery must be submitted to the Department by August 10, 2019. Use Form 62-555.900(alternate 19), F.A.C.

<sup>\*</sup>POE = Point of entry to the distribution system. Sample at each POE that is representative of each source after treatment.

This is a good faith assessment of monitoring requirements for the above-referenced public water system for calendar year 2019 and may not include additional sampling required during the year due to special circumstances. If you have questions or disagree with the assessment, please contact the appropriate personnel at (813) 470-5700. Monitoring schedules are subject to change, at any time, based on results of analyses or other factors. This chart shall not relieve any person from any requirement of Florida law.

- It is strongly recommended that testing be conducted early in the monitoring period to allow time for retests due to possible sampling or lab errors. Annual and triennial sampling should be completed by <u>9/30/2019</u> to provide time for revisions, re-tests, and/or corrections.
- > Test results must be submitted to DEP within the first ten days following the end of the required monitoring period, or the first ten days following the month in which the sample results were received, whichever time is the shortest. Failure to comply may result in enforcement action.



**Jeanette Nuñez** Lt. Governor

**Ron DeSantis** 

Governor

Noah Valenstein Secretary

**Southwest District Office** 13051 North Telecom Parkway #101 Temple Terrace, Florida 33637-0926

2019 Chemical Monitoring for Community Systems

System Name: City of San Antonio – Wells 5 & 6 PWS-ID No. 6510325

MONITORING & REPORTS		DUE	COMMENTS
Microbiological ("Bacteriological")		Monthly	Disinfectant residuals must be reported.
Nitrate and Nitrite		2019	Sample at each POE every year.*
Primary Inorganics		2021	Sample at each POE every three years.
Secondaries		2021	Sample at each POE every three years.
Radiologicals	Gross Alpha	2021	Sample at each POE every three, six or nine years.
	Uranium	2027	Sample at each POE every three, six or nine years.
	Radium-226	2021	Sample at each POE every three, six or nine years.
	Radium-228	2021	Sample at each POE every three, six or nine years.
Volatile Organic Contaminants (VOCs)		2021	Sample at each POE every three years.
Synthetic Organic Contaminants (SOCs)		2021	Sample at each POE every three years, or submit SOC reduced monitoring waiver, if applicable. Use Form 62-560.545(2), F.A.C.
	Stage II Disinfection Byproducts (DBPs)  Total Trihalomethanes & Haloacetic Acids (5)		Sample according to approved Stage 2 D/DBPR Monitoring Plan.
Asbestos		2021	Certification or results due every nine years. Use Form 62-555.900(10), F.A.C.
Lead & Copper		June-Sept 2020	Sample from sites approved on the Lead and Copper Sampling Plan every three years.
Consumer Confide Certification of Del	nce Report (CCR) & CCR ivery	July 1, 2019	CCR must be delivered by July 1, 2019. The CCR Certification of Delivery must be submitted to the Department by August 10, 2018. 9Use Form 62-555.900(alternate 19), F.A.C.

<sup>\*</sup>POE = Point of entry to the distribution system. Sample at each POE that is representative of each source after treatment.

This is a good faith assessment of monitoring requirements for the above-referenced public water system for calendar year 2019 and may not include additional sampling required during the year due to special circumstances. If you have questions or disagree with the assessment, please contact the appropriate personnel at (813) 470-5700. Monitoring schedules are subject to change, at any time, based on results of analyses or other factors. This chart shall not relieve any person from any requirement of Florida law.

- It is strongly recommended that testing be conducted early in the monitoring period to allow time for retests due to possible sampling or lab errors. Annual and triennial sampling should be completed by 9/30/2019 to provide time for revisions, retests, and/or corrections.
- Test results must be submitted to DEP within the first ten days following the end of the required monitoring period, or the first ten days following the month in which the sample results were received, whichever time is the shortest. Failure to comply may result in enforcement action.



Southwest District Office 13051 North Telecom Parkway #101 Temple Terrace, Florida 33637-0926 Ron DeSantis Governor

Jeanette Nuñez Lt. Governor

Noah Valenstein Secretary

2019 Chemical Monitoring for Community Systems

Colonial Manor Water System

PWS-ID No. <u>6510355</u>

MONITORING & REPORTS	DUE	COMMENTS
Microbiological ("Bacteriological")	Monthly	Disinfectant residuals must be reported.
Stage II Disinfection Byproducts (DBPs)  Total Trihalomethanes & Haloacetic Acids (5)	Quarterly 2019	Sample according to approved Stage 2 D/DBPR Monitoring Plan.
Asbestos	2021	Certification or results due every nine years. Use Form 62-555.900(10), F.A.C.
Lead & Copper	June-Sept 2020	Sample from sites approved on the Lead and Copper Sampling Plan every three years.
Consumer Confidence Report (CCR) & CCR Certification of Delivery	July 1, 2019	CCR must be delivered by July 1, 2019. The CCR Certification of Delivery must be submitted to the Department by August 10, 2019. Use Form 62-555.900(alternate 19), F.A.C.

<sup>\*</sup>POE = Point of entry to the distribution system. Sample at each POE that is representative of each source after treatment.

This is a good faith assessment of monitoring requirements for the above-referenced public water system for calendar year 2019 and may not include additional sampling required during the year due to special circumstances. If you have questions or disagree with the assessment, please contact the appropriate personnel at (813) 470-5700. Monitoring schedules are subject to change, at any time, based on results of analyses or other factors. This chart shall not relieve any person from any requirement of Florida law.

- It is strongly recommended that testing be conducted early in the monitoring period to allow time for retests due to possible sampling or lab errors. Annual and triennial sampling should be completed by <u>9/30/2019</u> to provide time for revisions, re-tests, and/or corrections.
- > Test results must be submitted to DEP within the first ten days following the end of the required monitoring period, or the first ten days following the month in which the sample results were received, whichever time is the shortest. Failure to comply may result in enforcement action.



Ron DeSantis Governor

Jeanette Nuñez Lt. Governor

Noah Valenstein Secretary

Southwest District Office 13051 North Telecom Parkway #101 Temple Terrace, Florida 33637-0926

2019 Chemical Monitoring for Community Systems

System Name: Country Aire Estates PWS-ID No. 6510378

System Name: Country Aire Estates			PWS-ID No. 65103/8
MONITOR	ING & REPORTS	DUE	COMMENTS
Raw Water Microbiological ("Bacteriological")		Monthly	1 Raw Water Sample per well.
Distribution Microl ("Bacteriological")	biological	Monthly	1 Distribution Samples per month. Disinfectant residuals must be reported.
Nitrate and Nitrite		2019	Sample at each POE every year.*
Primary Inorganics	3	2021	Sample at each POE every three years.
Secondaries		2021	Sample at each POE every three years.
Radiologicals	Gross Alpha	2024	Sample at each POE every three, six or nine years.
	Uranium	2024	Sample at each POE every three, six or nine years.
	Radium-226	2021	Sample at each POE every three, six or nine years.
	Radium-228	2021	Sample at each POE every three, six or nine years.
Volatile Organic Contaminants (VOCs)		2021	Sample at each POE every three years.
Synthetic Organic Contaminants (SOCs)		2021	Sample at each POE every three years, or submit SOC reduced monitoring waiver, if applicable. Use Form 62-560.545(2), F.A.C.
	n Byproducts (DBPs)	July-Sept	Sample according to approved Stage 2 D/DBPR Monitoring
1 otal 1 rihalomethan	es & Haloacetic Acids (5)	2021	Plan.
Asbestos		2021	Certification or results due every nine years. Use Form 62-555.900(10), F.A.C.
Lead & Copper		June-Sept 2021	Sample from sites approved on the Lead and Copper Sampling Plan every three years.
Consumer Confide Certification of Del	nce Report (CCR) & CCR ivery	July 1, 2019	CCR must be delivered by July 1, 2019. The CCR Certification of Delivery must be submitted to the Department by August 10, 2019. Use Form 62-555.900(alternate 19), F.A.C.

<sup>\*</sup>POE = Point of entry to the distribution system. Sample at each POE that is representative of each source after treatment.

This is a good faith assessment of monitoring requirements for the above-referenced public water system for calendar year 2019 and may not include additional sampling required during the year due to special circumstances. If you have questions or disagree with the assessment, please contact the appropriate personnel at (813) 470-5700. Monitoring schedules are subject to change, at any time, based on results of analyses or other factors. This chart shall not relieve any person from any requirement of Florida law.

- It is strongly recommended that testing be conducted early in the monitoring period to allow time for retests due to possible sampling or lab errors. Annual and triennial sampling should be completed by 9/30/2019 to provide time for revisions, re-tests, and/or corrections.
- > Test results must be submitted to DEP within the first ten days following the end of the required monitoring period, or the first ten days following the month in which the sample results were received, whichever time is the shortest. Failure to comply may result in enforcement action.



Ron DeSantis Governor

Jeanette Nuñez Lt. Governor

Noah Valenstein Secretary

Southwest District Office 13051 North Telecom Parkway #101 Temple Terrace, Florida 33637-0926

2019 Chemical Monitoring for Community Systems

System Name: Country Aire Village PWS-ID No. 6510379

System Name: Country Aire Village			PWS-ID No. 65103/9
MONITORI	ING & REPORTS	DUE	COMMENTS
Raw Water Microbiological ("Bacteriological")		Monthly	1 Raw Water Sample per well.
Distribution Microbiological ("Bacteriological")		Monthly	1 Distribution Samples per month. Disinfectant residuals must be reported.
Nitrate and Nitrite		2019	Sample at each POE every year.*
Primary Inorganics		2021	Sample at each POE every three years.
Secondaries		2021	Sample at each POE every three years.
Radiologicals	Gross Alpha	2027	Sample at each POE every three, six or nine years.
	Uranium	2027	Sample at each POE every three, six or nine years.
	Radium-226	2021	Sample at each POE every three, six or nine years.
	Radium-228	2021	Sample at each POE every three, six or nine years.
Volatile Organic Contaminants (VOCs)		2021	Sample at each POE every three years.
Synthetic Organic Contaminants (SOCs)		2021	Sample at each POE every three years, or submit SOC reduced monitoring waiver, if applicable. Use Form 62-560.545(2), F.A.C.
	n Byproducts (DBPs)	July-Sept	Sample according to approved Stage 2 D/DBPR Monitoring
Total Trihalomethane	es & Haloacetic Acids (5)	2021	Plan.
Asbestos		2021	Certification or results due every nine years. Use Form 62-555.900(10), F.A.C.
Lead & Copper		June-Sept 2021	Sample from sites approved on the Lead and Copper Sampling Plan every three years.
Consumer Confider Certification of Deli	nce Report (CCR) & CCR ivery	July 1, 2019	CCR must be delivered by July 1, 2019. The CCR Certification of Delivery must be submitted to the Department by August 10, 2019. Use Form 62-555.900(alternate 19), F.A.C.

<sup>\*</sup>POE = Point of entry to the distribution system. Sample at each POE that is representative of each source after treatment.

This is a good faith assessment of monitoring requirements for the above-referenced public water system for calendar year 2019 and may not include additional sampling required during the year due to special circumstances. If you have questions or disagree with the assessment, please contact the appropriate personnel at (813) 470-5700. Monitoring schedules are subject to change, at any time, based on results of analyses or other factors. This chart shall not relieve any person from any requirement of Florida law.

- > It is strongly recommended that testing be conducted early in the monitoring period to allow time for retests due to possible sampling or lab errors. Annual and triennial sampling should be completed by 9/30/2019 to provide time for revisions, re-tests, and/or corrections.
- > Test results must be submitted to DEP within the first ten days following the end of the required monitoring period, or the first ten days following the month in which the sample results were received, whichever time is the shortest. Failure to comply may result in enforcement action.



**Jeanette Nuñez** 

Lt. Governor

**Ron DeSantis** 

Governor

**Noah Valenstein** Secretary

**Southwest District Office** 13051 North Telecom Parkway #101 Temple Terrace, Florida 33637-0926

2019 Chemical Monitoring for Community Systems

System Name: Country Village MHP PWS-ID No. 6510389

System Name: Country Village MHP			PWS-ID No. 0510389
MONITORING & REPORTS		DUE	COMMENTS
Raw Water Microbi ("Bacteriological")	ological	Monthly	1 Raw Water Sample per well.
Distribution Microb ("Bacteriological")	piological	Monthly	1 Distribution Samples per month. Disinfectant residuals must be reported.
Nitrate and Nitrite		2019	Sample at each POE every year.*
Primary Inorganics		2021	Sample at each POE every three years.
Secondaries		2021	Sample at each POE every three years.
Radiologicals	Gross Alpha	2027	Sample at each POE every three, six or nine years.
	Uranium	2021	Sample at each POE every three, six or nine years.
	Radium-226	2024	Sample at each POE every three, six or nine years.
	Radium-228	2024	Sample at each POE every three, six or nine years.
Volatile Organic Co	ontaminants (VOCs)	2021	Sample at each POE every three years.
Synthetic Organic Contaminants (SOCs)		2021	Sample at each POE every three years, or submit SOC reduced monitoring waiver, if applicable. Use Form 62-560.545(2), F.A.C.
	n Byproducts (DBPs) es & Haloacetic Acids (5)	July-Sept 2021	Sample according to approved Stage 2 D/DBPR Monitoring Plan.
Asbestos		2021	Certification or results due every nine years. Use Form 62-555.900(10), F.A.C.
Lead & Copper		June-Sept 2021	Sample from sites approved on the Lead and Copper Sampling Plan every three years.
Consumer Confider Certification of Deli	nce Report (CCR) & CCR every	July 1, 2019	CCR must be delivered by July 1, 2019. The CCR Certification of Delivery must be submitted to the Department by August 10, 2019. Use Form 62-555.900(alternate 19), F.A.C.

<sup>\*</sup>POE = Point of entry to the distribution system. Sample at each POE that is representative of each source after treatment.

This is a good faith assessment of monitoring requirements for the above-referenced public water system for calendar year 2019 and may not include additional sampling required during the year due to special circumstances. If you have questions or disagree with the assessment, please contact the appropriate personnel at (813) 470-5700. Monitoring schedules are subject to change, at any time, based on results of analyses or other factors. This chart shall not relieve any person from any requirement of Florida law.

- It is strongly recommended that testing be conducted early in the monitoring period to allow time for retests due to possible sampling or lab errors. Annual and triennial sampling should be completed by 9/30/2019 to provide time for revisions, re-tests, and/or corrections.
- Test results must be submitted to DEP within the first ten days following the end of the required monitoring period, or the first ten days following the month in which the sample results were received, whichever time is the shortest. Failure to comply may result in enforcement action.



Ron DeSantis Governor

Jeanette Nuñez Lt. Governor

Noah Valenstein Secretary

Southwest District Office 13051 North Telecom Parkway #101 Temple Terrace, Florida 33637-0926

2019 Chemical Monitoring for Community Systems

Crestridge Gardens (Systemwide)

PWS-ID No. 6510403

MONITORING & REPORTS	DUE	COMMENTS		
Microbiological ("Bacteriological")	Monthly	Disinfectant residuals must be reported.		
Stage II Disinfection Byproducts (DBPs)	July-Sept	Sample according to approved Stage 2 D/DBPR Monitoring		
Total Trihalomethanes & Haloacetic Acids (5)	2019	Plan.		
Asbestos	2021	Certification or results due every nine years.		
Asbestos 2021	2021	Use Form 62-555.900(10), F.A.C.		
Load & Connor	June-Sept	Sample from sites approved on the Lead and Copper		
Lead & Copper	2021	Sampling Plan every three years.		
Consumer Confidence Depart (CCD) & CCD		CCR must be delivered by July 1, 2019. The CCR Certification		
Consumer Confidence Report (CCR) & CCR	July 1, 2019	Use Form 62-555.900(10), F.A.C.  Sample from sites approved on the Lead and Coppe Sampling Plan every three years.  CCR must be delivered by July 1, 2019. The CCR Certification of Delivery must be submitted to the Department by August		
Certification of Delivery	-	10, 2019. Use Form 62-555.900(alternate 19), F.A.C.		

Crestridge Gardens – Plant 2

PWS-ID No. 651-0403

MONITORING & REPORTS		DUE	COMMENTS
Nitrate and Nitrite		2019	Sample at each POE every year. *
Primary Inorganics		2021	Sample at each POE every three years.
Secondaries		2021	Sample at each POE every three years.
Radiologicals	Gross Alpha	2021	Sample at each POE every three, six or nine years.
	Uranium	2021	Sample at each POE every three, six or nine years.
	Radium-226	2021	Sample at each POE every three, six or nine years.
	Radium-228	2021	Sample at each POE every three, six or nine years.
Volatile Organic Contaminants (VOCs)		2021	Sample at each POE every three years.
Synthetic Organic	: Contaminants (SOCs)	2021	Sample at each POE every three years, or submit SOC reduced monitoring waiver, if applicable. Use Form 62-560.545(2), F.A.C.

MONITORING & REPORTS		DUE	COMMENTS
Microbiological ("Bacteriological")		Monthly	Disinfectant residuals must be reported.
Nitrate and Nitrite		2019	Sample at each POE every year. *
Primary Inorganics		2021	Sample at each POE every three years.
Secondaries		2021	Sample at each POE every three years.
Radiologicals	Gross Alpha	2021	Sample at each POE every three, six or nine years.
	Uranium	2024	Sample at each POE every three, six or nine years.
	Radium-226	2024	Sample at each POE every three, six or nine years.
	Radium-228	2024	Sample at each POE every three, six or nine years.
Volatile Organic Contaminants (VOCs)		2021	Sample at each POE every three years.
Synthetic Organic	Contaminants (SOCs)	2021	Sample at each POE every three years, or submit SOC reduced monitoring waiver, if applicable. Use Form 62-560.545(2), F.A.C.

<sup>\*</sup>POE = Point of entry to the distribution system. Sample at each POE that is representative of each source after treatment.

This is a good faith assessment of monitoring requirements for the above-referenced public water system for calendar year 2019 and may not include additional sampling required during the year due to special circumstances. If you have questions or disagree with the assessment, please contact the appropriate personnel at (813) 470-5700. Monitoring schedules are subject to change, at any time, based on results of analyses or other factors. This chart shall not relieve any person from any requirement of Florida law.

- > It is strongly recommended that testing be conducted early in the monitoring period to allow time for retests due to possible sampling or lab errors. Annual and triennial sampling should be completed by <u>9/30/2019</u> to provide time for revisions, re-tests, and/or corrections.
- > Test results must be submitted to DEP within the first ten days following the end of the required monitoring period, or the first ten days following the month in which the sample results were received, whichever time is the shortest. Failure to comply may result in enforcement action.



Ron DeSantis Governor

Jeanette Nuñez Lt. Governor

Noah Valenstein Secretary

Southwest District Office 13051 North Telecom Parkway #101 Temple Terrace, Florida 33637-0926

2019 Chemical Monitoring for Community Systems

City of Dade City Water Department (System-Wide)

PWS-ID No. 6510424

MONITORING & REPORTS	DUE	COMMENTS
Microbiological ("Bacteriological")	Monthly	15 distribution samples per month. Disinfectant residuals must be reported.
Stage II Disinfection Byproducts (DBPs) Total Trihalomethanes & Haloacetic Acids (5)	Quarterly	Sample each quarter according to approved Stage 2 D/DBPR Monitoring Plan.
Asbestos	2020	Certification or results due every nine years. Use Form 62-555.900(10), F.A.C.
Lead & Copper	Jul-Sept 2019	Sample from sites approved on the Lead and Copper Sampling Plan every three years.
Consumer Confidence Report (CCR) & CCR Certification of Delivery	July 1, 2019	CCR must be delivered by July 1, 2019. The CCR Certification of Delivery must be submitted to the Department by August 10, 2019. Use Form 62-555.900(alternate 19), F.A.C.
Cross Connection Control Report	March 31, 2019	Submit a completed form 62-555.900(13) F.A.C annually.

<sup>\*</sup>POE = Point of entry to the distribution system. Sample at each POE that is representative of each source after treatment.

### 10th Street Plant

MONITO	RING & REPORTS	DUE	COMMENTS
Nitrate and Nitrit	e	2019	Sample at each POE every year.*
Primary Inorganics		2020	Sample at each POE every three years.
Secondaries		2020	Sample at each POE every three years.
Radiologicals	Gross Alpha	2026	Sample at each POE every three, six or nine years.
	Uranium	2026	Sample at each POE every three, six or nine years.
	Radium-226	2026	Sample at each POE every three, six or nine years.
	Radium-228	2026	Sample at each POE every three, six or nine years.
Volatile Organic (	Contaminants (VOCs)	2020	Sample at each POE every three years.
Synthetic Organic Contaminants (SOCs)		2020	Sample at each POE every three years, or submit SOC reduced monitoring waiver, if applicable. Use Form 62-560.545(2), F.A.C.
Tank(s) Inspection	n & Cleaning	2019	Pursuant to 62-555.350(2) F.A.C. all finished drinking water storage tanks with access manholes shall be inspected and cleaned at a maximum interval of every 5 years.

<sup>\*</sup>POE = Point of entry to the distribution system. Sample at each POE that is representative of each source after treatment.

### 15th Street Plant

MONITORING & REPORTS		DUE	COMMENTS
Nitrate and Nitrite		2019	Sample at each POE every year.*
Primary Inorganics		2020	Sample at each POE every three years.
Secondaries		2020	Sample at each POE every three years.
Radiologicals	Gross Alpha	2026	Sample at each POE every three, six or nine years.
	Uranium	2026	Sample at each POE every three, six or nine years.
	Radium-226	2026	Sample at each POE every three, six or nine years.
	Radium-228	2026	Sample at each POE every three, six or nine years.
Volatile Organic Contaminants (VOCs)		2020	Sample at each POE every three years.
Synthetic Organic O	Contaminants (SOCs)	2020	Sample at each POE every three years, or submit SOC reduced monitoring waiver, if applicable. Use Form 62-560.545(2), F.A.C.

<sup>\*</sup>POE = Point of entry to the distribution system. Sample at each POE that is representative of each source after treatment.

**Elba Heights Plant** 

Disa Heights I talle			
MONITORING & REPORTS		DUE	COMMENTS
Nitrate and Nitrite		2019	Sample at each POE every year.*
Primary Inorganics		2020	Sample at each POE every three years.
Secondaries		2020	Sample at each POE every three years.
Radiologicals	Gross Alpha	2026	Sample at each POE every three, six or nine years.
	Uranium	2026	Sample at each POE every three, six or nine years.
	Radium-226	2026	Sample at each POE every three, six or nine years.
	Radium-228	2026	Sample at each POE every three, six or nine years.
Volatile Organic (	Contaminants (VOCs)	2020	Sample at each POE every three years.
Synthetic Organic Contaminants (SOCs)		2020	Sample at each POE every three years, or submit SOC reduced monitoring waiver, if applicable. Use Form 62-560.545(2), F.A.C.
Tank(s) Inspection	n & Cleaning	2019	Pursuant to 62-555.350(2) F.A.C. all finished drinking water storage tanks with access manholes shall be inspected and cleaned at a maximum interval of every 5 years.

<sup>\*</sup>POE = Point of entry to the distribution system. Sample at each POE that is representative of each source after treatment.

**Orange Valley Water Facility** 

MONITOI	RING & REPORTS	DUE	COMMENTS
Nitrate and Nitrite	e	2019	Sample at each POE every year.*
Primary Inorganics		2020	Sample at each POE every three years.
Secondaries		2020	Sample at each POE every three years.
Radiologicals	Gross Alpha	2027	Sample at each POE every three, six or nine years.
	Uranium	2027	Sample at each POE every three, six or nine years.
	Radium-226	2027	Sample at each POE every three, six or nine years.
	Radium-228	2027	Sample at each POE every three, six or nine years.
Volatile Organic Contaminants (VOCs)		2019	Sample at each POE every three years.
Synthetic Organic Contaminants (SOCs)		2019	Sample at each POE every year.
Hexachlorocyclopentadiene (SOC)		2 Quarter 2019	Sample at each POE the first two quarters of 2018.
Dalapon (SOC)		3 Quarters 2019	Sample at each POE the first three quarters of 2018.
Tank(s) Inspection	n & Cleaning	2022	Pursuant to 62-555.350(2) F.A.C. all finished drinking water storage tanks with access manholes shall be inspected and cleaned at a maximum interval of every 5 years.

<sup>\*</sup>POE = Point of entry to the distribution system. Sample at each POE that is representative of each source after treatment.

This is a good faith assessment of monitoring requirements for the above-referenced public water system for calendar year 2019 and may not include additional sampling required during the year due to special circumstances. If you have questions or disagree with the assessment, please contact the appropriate personnel at (813) 470-5700. Monitoring schedules are subject to change, at any time, based on results of analyses or other factors. This chart shall not relieve any person from any requirement of Florida law.

- > It is strongly recommended that testing be conducted early in the monitoring period to allow time for retests due to possible sampling or lab errors. Annual and triennial sampling should be completed by <u>9/30/2019</u> to provide time for revisions, re-tests, and/or corrections.
- > Test results must be submitted to DEP within the first ten days following the end of the required monitoring period, or the first ten days following the month in which the sample results were received, whichever time is the shortest. Failure to comply may result in enforcement action.



Southwest District Office 13051 North Telecom Parkway #101 Temple Terrace, Florida 33637-0926 Ron DeSantis Governor

Jeanette Nuñez Lt. Governor

Noah Valenstein Secretary

2019 Chemical Monitoring for Community Systems

Dixie Groves Estates – Well 2

PWS-ID No. 6510461

MONITOR	ING & REPORTS	DUE	COMMENTS
Raw Water Microb ("Bacteriological")	iological	Monthly	1 Raw Water Sample per well.
Distribution Microl ("Bacteriological")	biological	Monthly	1 Distribution Samples per month. Disinfectant residuals must be reported.
Nitrate and Nitrite		2019	Sample at each POE every year. *
Primary Inorganics	3	2021	Sample at each POE every three years.
Secondaries		2021	Sample at each POE every three years.
Radiologicals	Gross Alpha	2021	Sample at each POE every three, six or nine years.
	Uranium	2021	Sample at each POE every three, six or nine years.
	Radium-226	2021	Sample at each POE every three, six or nine years.
	Radium-228	2021	Sample at each POE every three, six or nine years.
Volatile Organic Contaminants (VOCs)		2021	Sample at each POE every three years.
Synthetic Organic Contaminants (SOCs)		2021	Sample at each POE every three years, or submit SOC reduced monitoring waiver, if applicable. Use Form 62-560.545(2), F.A.C.
	n Byproducts (DBPs) es & Haloacetic Acids (5)	July-Sept 2019	Sample according to approved Stage 2 D/DBPR Monitoring Plan.
Asbestos		2021	Certification or results due every nine years. Use Form 62-555.900(10), F.A.C.
Lead & Copper		June-Sept 2020	Sample from sites approved on the Lead and Copper Sampling Plan every three years.
Consumer Confide Certification of Del	nce Report (CCR) & CCR ivery	July 1, 2019	CCR must be delivered by July 1, 2019. The CCR Certification of Delivery must be submitted to the Department by August 10, 2019. Use Form 62-555.900(alternate 19), F.A.C.

MONITOR	ING & REPORTS	DUE	COMMENTS
Raw Water Microb ("Bacteriological")	iological	Monthly	1 Raw Water Sample per well.
Distribution Microl ("Bacteriological")	oiological	Monthly	1 Distribution Samples per month. Disinfectant residuals must be reported.
Nitrate and Nitrite		2019	Sample at each POE every year. *
Primary Inorganics		2021	Sample at each POE every three years.
Secondaries		2021	Sample at each POE every three years.
Radiologicals	Gross Alpha	2024	Sample at each POE every three, six or nine years.
	Uranium	2021	Sample at each POE every three, six or nine years.
	Radium-226	2021	Sample at each POE every three, six or nine years.
	Radium-228	2021	Sample at each POE every three, six or nine years.
Volatile Organic Co	ontaminants (VOCs)	2021	Sample at each POE every three years.
Synthetic Organic Contaminants (SOCs)		2021	Sample at each POE every three years, or submit SOC reduced monitoring waiver, if applicable. Use Form 62-560.545(2), F.A.C.
	Stage II Disinfection Byproducts (DBPs) Total Trihalomethanes & Haloacetic Acids (5)		Sample according to approved Stage 2 D/DBPR Monitoring Plan.
Asbestos		2021	Certification or results due every nine years. Use Form 62-555.900(10), F.A.C.
Lead & Copper		June-Sept 2020	Sample from sites approved on the Lead and Copper Sampling Plan every three years.
Consumer Confide Certification of Del	nce Report (CCR) & CCR ivery	July 1, 2019	CCR must be delivered by July 1, 2019. The CCR Certification of Delivery must be submitted to the Department by August 10, 2019. Use Form 62-555.900(alternate 19), F.A.C.

<sup>\*</sup>POE = Point of entry to the distribution system. Sample at each POE that is representative of each source after treatment.

This is a good faith assessment of monitoring requirements for the above-referenced public water system for calendar year 2019 and may not include additional sampling required during the year due to special circumstances. If you have questions or disagree with the assessment, please contact the appropriate personnel at (813) 470-5700. Monitoring schedules are subject to change, at any time, based on results of analyses or other factors. This chart shall not relieve any person from any requirement of Florida law.

- > It is strongly recommended that testing be conducted early in the monitoring period to allow time for retests due to possible sampling or lab errors. Annual and triennial sampling should be completed by 9/30/2019 to provide time for revisions, re-tests, and/or corrections.
- > Test results must be submitted to DEP within the first ten days following the end of the required monitoring period, or the first ten days following the month in which the sample results were received, whichever time is the shortest. Failure to comply may result in enforcement action.



Southwest District Office 13051 North Telecom Parkway #101 Temple Terrace, Florida 33637-0926 Ron DeSantis Governor

Jeanette Nuñez Lt. Governor

Noah Valenstein Secretary

PWS-ID No. 6510603

2019 Chemical Monitoring for Community Systems

PCUD – Florida Estates (East Pasco)

1 COD - Morida Estates (East Lasco)		1 W 3-1D 100. 0310003		
MONITORING & REPORTS	DUE	COMMENTS		
Raw Water Microbiological	Monthly	Disinfectant residuals must be reported.		
("Bacteriological")	Monthly	Distillectant residuals must be reported.		
Stage II Disinfection Byproducts (DBPs)	July-Sept	Sample according to approved Stage 2 D/DBPR Monitoring		
Total Trihalomethanes & Haloacetic Acids (5)	2019	Plan.		
Asbestos	2020	Certification or results due every nine years.		
Aspestos	/ / / / / / / / / / / / / / / / / / / /	Use Form 62-555.900(10), F.A.C.		
Lead & Copper	June-Sept	Sample from sites approved on the Lead and Copper		
Lead & Copper	2021	Sampling Plan every three years.		
Consumer Confidence Penert (CCP) & CCP		CCR must be delivered by July 1, 2019. The CCR Certification		
Consumer Confidence Report (CCR) & CCR Certification of Delivery	July 1, 2019	Certification or results due every nine years. Use Form 62-555.900(10), F.A.C. Sample from sites approved on the Lead and Copper Sampling Plan every three years. CCR must be delivered by July 1, 2019. The CCR Certification of Delivery must be submitted to the Department by August		
Certification of Delivery		10, 2019. Use Form 62-555.900(alternate 19), F.A.C.		

<sup>\*</sup>POE = Point of entry to the distribution system. Sample at each POE that is representative of each source after treatment.

This is a good faith assessment of monitoring requirements for the above-referenced public water system for calendar year 2019 and may not include additional sampling required during the year due to special circumstances. If you have questions or disagree with the assessment, please contact the appropriate personnel at (813) 470-5700. Monitoring schedules are subject to change, at any time, based on results of analyses or other factors. This chart shall not relieve any person from any requirement of Florida law.

- > It is strongly recommended that testing be conducted early in the monitoring period to allow time for retests due to possible sampling or lab errors. Annual and triennial sampling should be completed by 9/30/2019 to provide time for revisions, re-tests, and/or corrections.
- > Test results must be submitted to DEP within the first ten days following the end of the required monitoring period, or the first ten days following the month in which the sample results were received, whichever time is the shortest. Failure to comply may result in enforcement action.



Southwest District Office 13051 North Telecom Parkway #101 Temple Terrace. Florida 33637-0926 Ron DeSantis Governor

Jeanette Nuñez Lt. Governor

Noah Valenstein Secretary

2019 Chemical Monitoring for NTNC

Water System: Florida Villas PWS-ID No. 6510605

water System: Florida villas			P W 5-1D No. 0310003
MONITORING & REPORTS		DUE	COMMENTS
Raw Water Microbiological ("Bacteriological")		Quarterly	1 Raw Water Sample per well.
Distribution Microbiological ("Bacteriological")		Quarterly	1 Distribution Sample per quarter. Disinfectant residuals must be reported.
Nitrate and Nitrit	e	2019	Sample at each POE every year.*
Primary Inorganio	cs	2019	Sample at each POE every three years.
Radiologicals	Gross Alpha	2025	Sample at each POE every quarterly, six, nine years, or Waived use of Grandfather Data (date of sample)
	Uranium	2025	Sample at each POE every quarterly, six, nine years, or Waived use of Grandfather Data (date of sample)
	Radium-226	2022	Sample at each POE every quarterly, six, nine years, or Waived use of Grandfather Data (date of sample)
	Radium-228	2022	Sample at each POE every quarterly, six, nine years, or Waived use of Grandfather Data (date of sample)
Volatile Organic Contaminants (VOCs)		2019	Sample at each POE every three years.
Synthetic Organic Contaminants (SOCs)		2019	Sample at each POE every three years, or submit SOC reduced monitoring waiver, if applicable. Use Form 62-560.545(2), F.A.C.
Stage II Disinfection Byproducts (DBPs) Total Trihalomethanes & Haloacetic Acids (5)		July-Sept. 2019	Sample according to approved Stage 2 D/DBPR Monitoring Plan.
Asbestos		2022	Certification or results due every nine years. Use Form 62-555.900(10), F.A.C.
Lead & Copper		June-Sept. 2019	Sample from sites approved on the Lead and Copper Sampling Plan every three years.

<sup>\*</sup>POE = Point of entry to the distribution system. Sample at each POE that is representative of each source after treatment.

This is a good faith assessment of monitoring requirements for the above-referenced public water system for calendar year 2019 and may not include additional sampling required during the year due to special circumstances. If you have questions or disagree with the assessment, please contact the appropriate personnel at (813) 470-5700. Monitoring schedules are subject to change, at any time, based on results of analyses or other factors. This chart shall not relieve any person from any requirement of Florida law.

- ➤ It is strongly recommended that testing be conducted early in the monitoring period to allow time for retests due to possible sampling or lab errors. Annual and triennial sampling should be completed by <u>9/30/2019</u> to provide time for revisions, retests, and/or corrections.
- > Test results must be submitted to DEP within the first ten days following the end of the required monitoring period, or the first ten days following the month in which the sample results were received, whichever time is the shortest. Failure to comply may result in enforcement action.



Jeanette Nuñez Lt. Governor

**Ron DeSantis** 

Governor

Secretary

Noah Valenstein

Southwest District Office 13051 North Telecom Parkway #101 Temple Terrace, Florida 33637-0926

2019 Chemical Monitoring for NTNC

Water System: Big Oaks TP PWS-ID No. 6510616

Water System: Big Oaks TP			PWS-ID No. 6510616
MONITOR	ING & REPORTS	DUE	COMMENTS
Raw Water Microbiological ("Bacteriological")		Quarterly	1 Raw Water Sample per well.
Distribution Microbiological ("Bacteriological")		Quarterly	1 Distribution Sample per quarter. Disinfectant residuals must be reported.
Nitrate and Nitri	te	2019	Sample at each POE every year.*
Primary Inorgan	ics	2019	Sample at each POE every three years.
Radiologicals	Gross Alpha	Waived	Sample at each POE every quarterly, six, nine years, or Waived use of Grandfather Data (date of sample)
	Uranium	Waived	Sample at each POE every quarterly, six, nine years, or Waived use of Grandfather Data (date of sample)
	Radium-226	Waived	Sample at each POE every quarterly, six, nine years, or Waived use of Grandfather Data (date of sample)
	Radium-228	Waived	Sample at each POE every quarterly, six, nine years, or Waived use of Grandfather Data (date of sample)
Volatile Organic Contaminants (VOCs)		2019	Sample at each POE every three years.
Synthetic Organic Contaminants (SOCs)		2019	Sample at each POE every three years, or submit SOC reduced monitoring waiver, if applicable. Use Form 62-560.545(2), F.A.C.
Stage II Disinfection Byproducts (DBPs)  Total Trihalomethanes & Haloacetic Acids (5)		July-Sept. 2019	Sample according to approved Stage 2 D/DBPR Monitoring Plan.
Asbestos		2022	Certification or results due every nine years. Use Form 62-555.900(10), F.A.C.
Lead & Copper		June-Sept. 2019	Sample from sites approved on the Lead and Copper Sampling Plan every three years.
*DOF - Defect of contra	to the distribution of the C	1. DOF (I	

<sup>\*</sup>POE = Point of entry to the distribution system. Sample at each POE that is representative of each source after treatment.

This is a good faith assessment of monitoring requirements for the above-referenced public water system for calendar year 2019 and may not include additional sampling required during the year due to special circumstances. If you have questions or disagree with the assessment, please contact the appropriate personnel at (813) 470-5700. Monitoring schedules are subject to change, at any time, based on results of analyses or other factors. This chart shall not relieve any person from any requirement of Florida law.

- ➤ It is strongly recommended that testing be conducted early in the monitoring period to allow time for retests due to possible sampling or lab errors. Annual and triennial sampling should be completed by <u>9/30/2019</u> to provide time for revisions, retests, and/or corrections.
- > Test results must be submitted to DEP within the first ten days following the end of the required monitoring period, or the first ten days following the month in which the sample results were received, whichever time is the shortest. Failure to comply may result in enforcement action.



Ron DeSantis Governor

Jeanette Nuñez Lt. Governor

Noah Valenstein Secretary

Southwest District Office 13051 North Telecom Parkway #101 Temple Terrace, Florida 33637-0926

2019 Chemical Monitoring for Community Systems

System Name: Cypress Cove – Wells 1 & 2 PWS-ID No. 6510620

MONITORING & REPORTS		DUE	COMMENTS
Microbiological ("Bacteriological")		Monthly	Disinfectant residuals must be reported.
Nitrate and Nitrite		2019	Sample at each POE every year.*
Primary Inorganics		2021	Sample at each POE every three years.
Secondaries		2021	Sample at each POE every three years.
Radiologicals	Gross Alpha	2027	Sample at each POE every three, six or nine years.
	Uranium	2027	Sample at each POE every three, six or nine years.
	Radium-226	2024	Sample at each POE every three, six or nine years.
	Radium-228	2024	Sample at each POE every three, six or nine years.
Volatile Organic C	ontaminants (VOCs)	2021	Sample at each POE every three years.
Synthetic Organic Contaminants (SOCs)		2021	Sample at each POE every three years, or submit SOC reduced monitoring waiver, if applicable. Use Form 62-560.545(2), F.A.C.
Stage II Disinfection Byproducts (DBPs) Total Trihalomethanes & Haloacetic Acids (5)		July-Sept 2019	Sample according to approved Stage 2 D/DBPR Monitoring Plan.
Asbestos		2020	Certification or results due every nine years. Use Form 62-555.900(10), F.A.C.
Lead & Copper		June-Sept 2021	Sample from sites approved on the Lead and Copper Sampling Plan every three years.
Consumer Confidence Report (CCR) & CCR Certification of Delivery		July 1, 2019	CCR must be delivered by July 1, 2019. The CCR Certification of Delivery must be submitted to the Department by August 10, 2019. Use Form 62-555.900(alternate 19), F.A.C.

<sup>\*</sup>POE = Point of entry to the distribution system. Sample at each POE that is representative of each source after treatment.

This is a good faith assessment of monitoring requirements for the above-referenced public water system for calendar year 2019 and may not include additional sampling required during the year due to special circumstances. If you have questions or disagree with the assessment, please contact the appropriate personnel at (813) 470-5700. Monitoring schedules are subject to change, at any time, based on results of analyses or other factors. This chart shall not relieve any person from any requirement of Florida law.

- It is strongly recommended that testing be conducted early in the monitoring period to allow time for retests due to possible sampling or lab errors. Annual and triennial sampling should be completed by <u>9/30/2019</u> to provide time for revisions, re-tests, and/or corrections.
- > Test results must be submitted to DEP within the first ten days following the end of the required monitoring period, or the first ten days following the month in which the sample results were received, whichever time is the shortest. Failure to comply may result in enforcement actio



Jeanette Nuñez Lt. Governor

Noah Valenstein

**Ron DeSantis** 

Governor

Secretary

Southwest District Office 13051 North Telecom Parkway #101 Temple Terrace, Florida 33637-0926

2019 Chemical Monitoring for Community Systems

System Name: Cypress Cove - Foxwood PWS-ID No. 6510620

MONITORING & REPORTS		DUE	COMMENTS
Microbiological ("Bacteriological")		Monthly	Disinfectant residuals must be reported.
Nitrate and Nitrite	e	2019	Sample at each POE every year.*
Primary Inorganics		2021	Sample at each POE every three years.
Secondaries		2021	Sample at each POE every three years.
Radiologicals	Gross Alpha	2027	Sample at each POE every three, six or nine years.
	Uranium	2027	Sample at each POE every three, six or nine years.
	Radium-226	2024	Sample at each POE every three, six or nine years.
	Radium-228	2024	Sample at each POE every three, six or nine years.
Volatile Organic C	Volatile Organic Contaminants (VOCs)		Sample at each POE every three years.
Synthetic Organic Contaminants (SOCs)		2021	Sample at each POE every three years, or submit SOC reduced monitoring waiver, if applicable. Use Form 62-560.545(2), F.A.C.
Stage II Disinfection Byproducts (DBPs) Total Trihalomethanes & Haloacetic Acids (5)		July-Sept 2019	Sample according to approved Stage 2 D/DBPR Monitoring Plan.
Asbestos		2020	Certification or results due every nine years. Use Form 62-555.900(10), F.A.C.
Lead & Copper		June-Sept 2021	Sample from sites approved on the Lead and Copper Sampling Plan every three years.
Consumer Confidence Report (CCR) & CCR Certification of Delivery		July 1, 2019	CCR must be delivered by July 1, 2019. The CCR Certification of Delivery must be submitted to the Department by August 10, 2019. Use Form 62-555.900(alternate 19), F.A.C.

<sup>\*</sup>POE = Point of entry to the distribution system. Sample at each POE that is representative of each source after treatment.

This is a good faith assessment of monitoring requirements for the above-referenced public water system for calendar year 2018 and may not include additional sampling required during the year due to special circumstances. If you have questions or disagree with the assessment, please contact the appropriate personnel at (813) 470-5700. Monitoring schedules are subject to change, at any time, based on results of analyses or other factors. This chart shall not relieve any person from any requirement of Florida law.

- > It is strongly recommended that testing be conducted early in the monitoring period to allow time for retests due to possible sampling or lab errors. Annual and triennial sampling should be completed by <u>9/30/2019</u> to provide time for revisions, re-tests, and/or corrections.
- > Test results must be submitted to DEP within the first ten days following the end of the required monitoring period, or the first ten days following the month in which the sample results were received, whichever time is the shortest. Failure to comply may result in enforcement action.



Ron DeSantis Governor

Jeanette Nuñez Lt. Governor

**Noah Valenstein** Secretary

Southwest District Office 13051 North Telecom Parkway #101 Temple Terrace, Florida 33637-0926

2019 Chemical Monitoring for Community Systems

Gem Estates Mobile Home Village

PWS-ID No. 6510650

Geni Estates Moone Home vinage			F W 5-1D INO. 0310030
	RING & REPORTS	DUE	COMMENTS
Raw Water Microbiological ("Bacteriological")		Monthly	1 Raw Water Sample per well.
Distribution Micro ("Bacteriological"		Monthly	1 Distribution Samples per month. Disinfectant residuals must be reported.
Nitrate and Nitrite	e	2019	Sample at each POE every year.*
Primary Inorganio	cs	2021	Sample at each POE every three years.
Secondaries		2021	Sample at each POE every three years.
Radiologicals	Gross Alpha	2027	Sample at each POE every three, six or nine years.
	Uranium	2027	Sample at each POE every three, six or nine years.
	Radium-226	2027	Sample at each POE every three, six or nine years.
	Radium-228	2027	Sample at each POE every three, six or nine years.
Volatile Organic O	Contaminants (VOCs)	2021	Sample at each POE every three years.
Synthetic Organic Contaminants (SOCs)		2021	Sample at each POE every three years, or submit SOC reduced monitoring waiver, if applicable. Use Form 62-560.545(2), F.A.C.
	on Byproducts (DBPs) nes & Haloacetic Acids (5)	July-Sept. 2021	Sample according to approved Stage 2 D/DBPR Monitoring Plan.
Asbestos	Asbestos		Certification or results due every nine years. Use Form 62-555.900(10), F.A.C.
Lead & Copper		July-Sept. 2021	Sample from sites approved on the Lead and Copper Sampling Plan every three years.
Consumer Confidence Report (CCR) & CCR Certification of Delivery		July 1, 2019	CCR must be delivered by July 1, 2019. The CCR Certification of Delivery must be submitted to the Department by August 10, 2019. Use Form 62-555.900(alternate 19), F.A.C.
Tank(s) Inspection & Cleaning		2022	Pursuant to 62-555.350(2) F.A.C. all finished drinking water storage tanks with access manholes shall be inspected and cleaned at a maximum interval of every 5 years.
*DOE D : . (			

<sup>\*</sup>POE = Point of entry to the distribution system. Sample at each POE that is representative of each source after treatment.

This is a good faith assessment of monitoring requirements for the above-referenced public water system for calendar year 2019 and may not include additional sampling required during the year due to special circumstances. If you have questions or disagree with the assessment, please contact the appropriate personnel at (813) 470-5700. Monitoring schedules are subject to change, at any time, based on results of analyses or other factors. This chart shall not relieve any person from any requirement of Florida law.

- > It is strongly recommended that testing be conducted early in the monitoring period to allow time for retests due to possible sampling or lab errors. Annual and triennial sampling should be completed by 9/30/2019 to provide time for revisions, re-tests, and/or corrections.
- > Test results must be submitted to DEP within the first ten days following the end of the required monitoring period, or the first ten days following the month in which the sample results were received, whichever time is the shortest. Failure to comply may result in enforcement action.



**Ron DeSantis** Governor

**Jeanette Nuñez** Lt. Governor

**Noah Valenstein** Secretary

**Southwest District Office** 13051 North Telecom Parkway #101 Temple Terrace, Florida 33637-0926

2019 Chemical Monitoring for Community Systems PWS-ID No. 6510678 System Name: Tropic Breeze MHP

MONITORI	ING & REPORTS	DUE	COMMENTS
Raw Water Microbiological ("Bacteriological")		Monthly	1 Raw Water Sample per well.
Distribution Microb ("Bacteriological")	Distribution Microbiological ("Bacteriological")		1 Distribution Samples per month. Disinfectant residuals must be reported.
Nitrate and Nitrite		2019	Sample at each POE every year.*
Primary Inorganics		2021	Sample at each POE every three years.
Secondaries	Secondaries		Sample at each POE every three years.
Radiologicals	Gross Alpha	2027	Sample at each POE every three, six or nine years.
	Uranium	2024	Sample at each POE every three, six or nine years.
	Radium-226	2024	Sample at each POE every three, six or nine years.
	Radium-228	2024	Sample at each POE every three, six or nine years.
Volatile Organic Co	ontaminants (VOCs)	2021	Sample at each POE every three years.
Synthetic Organic C	Synthetic Organic Contaminants (SOCs)		Sample at each POE every three years, or submit SOC reduced monitoring waiver, if applicable. Use Form 62-560.545(2), F.A.C.
	Stage II Disinfection Byproducts (DBPs)  Total Trihalomethanes & Haloacetic Acids (5)		Sample according to approved Stage 2 D/DBPR Monitoring Plan.
Asbestos		2021	Certification or results due every nine years. Use Form 62-555.900(10), F.A.C.
Lead & Copper		June-Sept 2021	Sample from sites approved on the Lead and Copper Sampling Plan every three years.
Consumer Confidence Report (CCR) & CCR Certification of Delivery		July 1, 2019	CCR must be delivered by July 1, 2019. The CCR Certification of Delivery must be submitted to the Department by August 10, 2019. Use Form 62-555.900(alternate 19), F.A.C.

<sup>\*</sup>POE = Point of entry to the distribution system. Sample at each POE that is representative of each source after treatment.

This is a good faith assessment of monitoring requirements for the above-referenced public water system for calendar year 2019 and may not include additional sampling required during the year due to special circumstances. If you have questions or disagree with the assessment, please contact the appropriate personnel at (813) 470-5700. Monitoring schedules are subject to change, at any time, based on results of analyses or other factors. This chart shall not relieve any person from any requirement of Florida law.

- It is strongly recommended that testing be conducted early in the monitoring period to allow time for retests due to possible sampling or lab errors. Annual and triennial sampling should be completed by 9/30/2019 to provide time for revisions, re-tests, and/or corrections.
- Test results must be submitted to DEP within the first ten days following the end of the required monitoring period, or the first ten days following the month in which the sample results were received, whichever time is the shortest. Failure to comply may result in enforcement action.



Ron DeSantis Governor

Jeanette Nuñez Lt. Governor

Noah Valenstein

Secretary

Southwest District Office 13051 North Telecom Parkway #101 Temple Terrace, Florida 33637-0926

2019 Chemical Monitoring for Community Systems

Greenhills Estates PWS-ID No. 6510689

MONITOR	ING & REPORTS	DUE	COMMENTS
Raw Water Microbiological ("Bacteriological")		Monthly	1 Raw Water Sample per well.
Distribution Microl ("Bacteriological")	biological	Monthly	1 Distribution Samples per month. Disinfectant residuals must be reported.
Nitrate and Nitrite		2019	Sample at each POE every year.*
Primary Inorganics	3	2021	Sample at each POE every three years.
Secondaries		2021	Sample at each POE every three years.
Radiologicals	Gross Alpha	2027	Sample at each POE every three, six or nine years.
	Uranium	2027	Sample at each POE every three, six or nine years.
	Radium-226	2027	Sample at each POE every three, six or nine years.
	Radium-228	2027	Sample at each POE every three, six or nine years.
Volatile Organic Co	ontaminants (VOCs)	2021	Sample at each POE every three years.
Synthetic Organic Contaminants (SOCs)		2021	Sample at each POE every three years, or submit SOC reduced monitoring waiver, if applicable. Use Form 62-560.545(2), F.A.C.
	Stage II Disinfection Byproducts (DBPs)  Total Trihalomethanes & Haloacetic Acids (5)		Sample according to approved Stage 2 D/DBPR Monitoring Plan.
Asbestos		2020	Certification or results due every nine years. Use Form 62-555.900(10), F.A.C.
Lead & Copper		June-Sept 2020	Sample from sites approved on the Lead and Copper Sampling Plan every three years.
Consumer Confidence Report (CCR) & CCR Certification of Delivery		July 1, 2019	CCR must be delivered by July 1, 2019. The CCR Certification of Delivery must be submitted to the Department by August 10, 2019. Use Form 62-555.900(alternate 19), F.A.C.

<sup>\*</sup>POE = Point of entry to the distribution system. Sample at each POE that is representative of each source after treatment.

This is a good faith assessment of monitoring requirements for the above-referenced public water system for calendar year 2019 and may not include additional sampling required during the year due to special circumstances. If you have questions or disagree with the assessment, please contact the appropriate personnel at (813) 470-5700. Monitoring schedules are subject to change, at any time, based on results of analyses or other factors. This chart shall not relieve any person from any requirement of Florida law.

- > It is strongly recommended that testing be conducted early in the monitoring period to allow time for retests due to possible sampling or lab errors. Annual and triennial sampling should be completed by 9/30/2019 to provide time for revisions, re-tests, and/or corrections.
- > Test results must be submitted to DEP within the first ten days following the end of the required monitoring period, or the first ten days following the month in which the sample results were received, whichever time is the shortest. Failure to comply may result in enforcement action.



Ron DeSantis Governor

Jeanette Nuñez Lt. Governor

Noah Valenstein Secretary

Southwest District Office 13051 North Telecom Parkway #101 Temple Terrace, Florida 33637-0926

2019 Chemical Monitoring for Community Systems

System Name: Hacienda Village MHP PWS-ID No. 6510709

System Name: Hacienda Village MHP			PWS-ID No. 6510/09
MONITORING & REPORTS		DUE	COMMENTS
Raw Water Microbiological ("Bacteriological")		Monthly	1 Raw Water Sample per well.
Distribution Microb ("Bacteriological")	piological	Monthly	1 Distribution Samples per month. Disinfectant residuals must be reported.
Nitrate and Nitrite		2019	Sample at each POE every year.*
Primary Inorganics		2021	Sample at each POE every three years.
Secondaries		2021	Sample at each POE every three years.
Radiologicals	Gross Alpha	2027	Sample at each POE every three, six or nine years.
	Uranium	2027	Sample at each POE every three, six or nine years.
	Radium-226	2024	Sample at each POE every three, six or nine years.
	Radium-228	2024	Sample at each POE every three, six or nine years.
Volatile Organic Co	ontaminants (VOCs)	2021	Sample at each POE every three years.
Synthetic Organic Contaminants (SOCs)		2021	Sample at each POE every three years, or submit SOC reduced monitoring waiver, if applicable. Use Form 62-560.545(2), F.A.C.
Stage II Disinfection Byproducts (DBPs)  Total Trihalomethanes & Haloacetic Acids (5)		July-Sept 2019	Sample according to approved Stage 2 D/DBPR Monitoring Plan.
Asbestos		2021	Certification or results due every nine years. Use Form 62-555.900(10), F.A.C.
Lead & Copper		June-Sept 2021	Sample from sites approved on the Lead and Copper Sampling Plan every three years.
Consumer Confidence Report (CCR) & CCR Certification of Delivery		July 1, 2019	CCR must be delivered by July 1, 2019. The CCR Certification of Delivery must be submitted to the Department by August 10, 2019. Use Form 62-555.900(alternate 19), F.A.C.

<sup>\*</sup>POE = Point of entry to the distribution system. Sample at each POE that is representative of each source after treatment.

This is a good faith assessment of monitoring requirements for the above-referenced public water system for calendar year 2019 and may not include additional sampling required during the year due to special circumstances. If you have questions or disagree with the assessment, please contact the appropriate personnel at (813) 470-5700. Monitoring schedules are subject to change, at any time, based on results of analyses or other factors. This chart shall not relieve any person from any requirement of Florida law.

- > It is strongly recommended that testing be conducted early in the monitoring period to allow time for retests due to possible sampling or lab errors. Annual and triennial sampling should be completed by 9/30/2019 to provide time for revisions, re-tests, and/or corrections.
- > Test results must be submitted to DEP within the first ten days following the end of the required monitoring period, or the first ten days following the month in which the sample results were received, whichever time is the shortest. Failure to comply may result in enforcement action.



Southwest District Office 13051 North Telecom Parkway #101 Temple Terrace, Florida 33637-0926 Ron DeSantis Governor

Jeanette Nuñez Lt. Governor

Noah Valenstein Secretary

2019 Chemical Monitoring for NTNC

Water System: Harmony Heights PWS-ID No. 6510733

Water System: Harmony Heights			PWS-ID No. 6510/33
MONITORING & REPORTS		DUE	COMMENTS
Raw Water Microbiological ("Bacteriological")		Quarterly	1 Raw Water Sample per well.
Distribution Microbiological ("Bacteriological")		Quarterly	1 Distribution Sample per quarter. Disinfectant residuals must be reported.
Nitrate and Nitra	ite	2019	Sample at each POE every year.*
Primary Inorgan	ics	2019	Sample at each POE every three years.
Radiologicals	Gross Alpha	Waived	Sample at each POE every quarterly, six, nine years, or Waived use of Grandfather Data (date of sample)
	Uranium	Waived	Sample at each POE every quarterly, six, nine years, or Waived use of Grandfather Data (date of sample)
	Radium-226	Waived	Sample at each POE every quarterly, six, nine years, or Waived use of Grandfather Data (date of sample)
	Radium-228	Waived	Sample at each POE every quarterly, six, nine years, or Waived use of Grandfather Data (date of sample)
Volatile Organic	Contaminants (VOCs)	2019	Sample at each POE every three years.
Synthetic Organic Contaminants (SOCs)		2019	Sample at each POE every three years, or submit SOC reduced monitoring waiver, if applicable. Use Form 62-560.545(2), F.A.C.
Stage II Disinfection Byproducts (DBPs)  Total Trihalomethanes & Haloacetic Acids (5)		July-Sept. 2019	Sample according to approved Stage 2 D/DBPR Monitoring Plan.
Asbestos		2020	Certification or results due every nine years. Use Form 62-555.900(10), F.A.C.
Lead & Copper		June-Sept. 2019	Sample from sites approved on the Lead and Copper Sampling Plan every three years.

<sup>\*</sup>POE = Point of entry to the distribution system. Sample at each POE that is representative of each source after treatment.

This is a good faith assessment of monitoring requirements for the above-referenced public water system for calendar year 2019 and may not include additional sampling required during the year due to special circumstances. If you have questions or disagree with the assessment, please contact the appropriate personnel at (813) 470-5700. Monitoring schedules are subject to change, at any time, based on results of analyses or other factors. This chart shall not relieve any person from any requirement of Florida law.

- ➤ It is strongly recommended that testing be conducted early in the monitoring period to allow time for retests due to possible sampling or lab errors. Annual and triennial sampling should be completed by <u>9/30/2019</u> to provide time for revisions, retests, and/or corrections.
- > Test results must be submitted to DEP within the first ten days following the end of the required monitoring period, or the first ten days following the month in which the sample results were received, whichever time is the shortest. Failure to comply may result in enforcement action.



Southwest District Office 13051 North Telecom Parkway #101 Temple Terrace, Florida 33637-0926

Noah Valenstein Secretary

**Ron DeSantis** 

Jeanette Nuñez Lt. Governor

Governor

2019 Chemical Monitoring for Community Systems

PCUD – Hickory Hill (East Pasco)

PWS-ID No. 6510760

MONITORI	ING & REPORTS	DUE	COMMENTS
Raw Water Microbiological ("Bacteriological")		Monthly	1 Raw Water Sample per well.
Distribution Microbiological ("Bacteriological")		Monthly	1 Distribution Samples per month. Disinfectant residuals must be reported.
Nitrate and Nitrite		2019	Sample at each POE every year. *
Primary Inorganics		2021	Sample at each POE every three years.
Secondaries		2021	Sample at each POE every three years.
Radiologicals	Gross Alpha	2024	Sample at each POE every three, six or nine years.
	Uranium	2024	Sample at each POE every three, six or nine years.
	Radium-226	2024	Sample at each POE every three, six or nine years.
	Radium-228	2024	Sample at each POE every three, six or nine years.
Volatile Organic Co	ontaminants (VOCs)	2021	Sample at each POE every three years.
Synthetic Organic Contaminants (SOCs)		2021	Sample at each POE every three years, or submit SOC reduced monitoring waiver, if applicable. Use Form 62-560.545(2), F.A.C.
	Stage II Disinfection Byproducts (DBPs)  Total Trihalomethanes & Haloacetic Acids (5)		Sample according to approved Stage 2 D/DBPR Monitoring Plan.
Asbestos		2020	Certification or results due every nine years. Use Form 62-555.900(10), F.A.C.
Lead & Copper		June-Sept 2021	Sample from sites approved on the Lead and Copper Sampling Plan every three years.
Consumer Confidence Report (CCR) & CCR Certification of Delivery		July 1, 2019	CCR must be delivered by July 1, 2019. The CCR Certification of Delivery must be submitted to the Department by August 10, 2019. Use Form 62-555.900(alternate 19), F.A.C.

<sup>\*</sup>POE = Point of entry to the distribution system. Sample at each POE that is representative of each source after treatment.

This is a good faith assessment of monitoring requirements for the above-referenced public water system for calendar year 2019 and may not include additional sampling required during the year due to special circumstances. If you have questions or disagree with the assessment, please contact the appropriate personnel at (813) 470-5700. Monitoring schedules are subject to change, at any time, based on results of analyses or other factors. This chart shall not relieve any person from any requirement of Florida law.

- > It is strongly recommended that testing be conducted early in the monitoring period to allow time for retests due to possible sampling or lab errors. Annual and triennial sampling should be completed by 9/30/2019 to provide time for revisions, re-tests, and/or corrections.
- > Test results must be submitted to DEP within the first ten days following the end of the required monitoring period, or the first ten days following the month in which the sample results were received, whichever time is the shortest. Failure to comply may result in enforcement action.



**Jeanette Nuñez** 

Lt. Governor

**Ron DeSantis** 

Governor

**Noah Valenstein** Secretary

**Southwest District Office** 13051 North Telecom Parkway #101 Temple Terrace, Florida 33637-0926

2019 Chemical Monitoring for Community Systems

Hillcrest Estates PWS-ID No. 6510778

MONITOR	ING & REPORTS	DUE	COMMENTS
Raw Water Microbiological ("Bacteriological")		Monthly	1 Raw Water Sample per well.
Distribution Microl ("Bacteriological")	piological	Monthly	1 Distribution Samples per month. Disinfectant residuals must be reported.
Nitrate and Nitrite		2019	Sample at each POE every year.*
Primary Inorganics		2021	Sample at each POE every three years.
Secondaries		2021	Sample at each POE every three years.
Radiologicals	Gross Alpha	2024	Sample at each POE every three, six or nine years.
	Uranium	2024	Sample at each POE every three, six or nine years.
	Radium-226	2024	Sample at each POE every three, six or nine years.
	Radium-228	2024	Sample at each POE every three, six or nine years.
Volatile Organic Co	ontaminants (VOCs)	2021	Sample at each POE every three years.
Synthetic Organic O	Synthetic Organic Contaminants (SOCs)		Sample at each POE every three years, or submit SOC reduced monitoring waiver, if applicable. Use Form 62-560.545(2), F.A.C.
	n Byproducts (DBPs)	July-Sept 2021	Sample according to approved Stage 2 D/DBPR Monitoring Plan.
Total Trihalomethanes & Haloacetic Acids (5) Asbestos		2020	Certification or results due every nine years. Use Form 62-555.900(10), F.A.C.
Lead & Copper		July-Sept. 2021	Sample from sites approved on the Lead and Copper Sampling Plan every three years.
Consumer Confidence Report (CCR) & CCR Certification of Delivery		July 1, 2019	CCR must be delivered by July 1, 2019. The CCR Certification of Delivery must be submitted to the Department by August 10, 2019. Use Form 62-555.900(alternate 19), F.A.C.

<sup>\*</sup>POE = Point of entry to the distribution system. Sample at each POE that is representative of each source after treatment.

This is a good faith assessment of monitoring requirements for the above-referenced public water system for calendar year 2019 and may not include additional sampling required during the year due to special circumstances. If you have questions or disagree with the assessment, please contact the appropriate personnel at (813) 470-5700. Monitoring schedules are subject to change, at any time, based on results of analyses or other factors. This chart shall not relieve any person from any requirement of Florida law.

- It is strongly recommended that testing be conducted early in the monitoring period to allow time for retests due to possible sampling or lab errors. Annual and triennial sampling should be completed by 9/30/2019 to provide time for revisions, re-tests, and/or corrections.
- Test results must be submitted to DEP within the first ten days following the end of the required monitoring period, or the first ten days following the month in which the sample results were received, whichever time is the shortest. Failure to comply may result in enforcement action.



**Jeanette Nuñez** 

Lt. Governor

**Ron DeSantis** 

Governor

**Noah Valenstein** Secretary

**Southwest District Office** 13051 North Telecom Parkway #101 Temple Terrace, Florida 33637-0926

2019 Chemical Monitoring for Community Systems

Holiday Gardens Utilities, Inc.

PWS-ID No. 6510807

MONITORI	NG & REPORTS	DUE	COMMENTS
Raw Water Microbiological ("Bacteriological")		Monthly	1 Raw Water Sample per well.
Distribution Microb ("Bacteriological")	piological	Monthly	1 Distribution Samples per month. Disinfectant residuals must be reported.
Nitrate		Quarterly 2019	Sample at each POE every quarter. *
Nitrite		2019	Sample at each POE every year. *
Primary Inorganics		2021	Sample at each POE every three years.
Arsenic (1005)		Quarterly 2019	Sample at each POE every quarter. *
Secondaries		2021	Sample at each POE every three years.
Radiologicals	Gross Alpha	2024	Sample at each POE every three, six or nine years.
	Uranium	2024	Sample at each POE every three, six or nine years.
	Radium-226	2024	Sample at each POE every three, six or nine years.
	Radium-228	2024	Sample at each POE every three, six or nine years.
Volatile Organic Co	ontaminants (VOCs)	2021	Sample at each POE every three years.
Synthetic Organic Contaminants (SOCs)		2021	Sample at each POE every three years, or submit SOC reduced monitoring waiver, if applicable. Use Form 62-560.545(2), F.A.C.
Stage II Disinfection Byproducts (DBPs) Total Trihalomethanes & Haloacetic Acids (5)		Quarterly 2019	Sample according to approved Stage 2 D/DBPR Monitoring Plan.
Asbestos		2021	Certification or results due every nine years. Use Form 62-555.900(10), F.A.C.
Lead & Copper		June - Sept 2021	Sample from sites approved on the Lead and Copper Sampling Plan every three years.
Consumer Confidence Report (CCR) & CCR Certification of Delivery		July 1, 2019	CCR must be delivered by July 1, 2019. The CCR Certification of Delivery must be submitted to the Department by August 10, 2019. Use Form 62-555.900(alternate 19), F.A.C.

<sup>\*</sup>POE = Point of entry to the distribution system. Sample at each POE that is representative of each source after treatment.

This is a good faith assessment of monitoring requirements for the above-referenced public water system for calendar year 2019 and may not include additional sampling required during the year due to special circumstances. If you have questions or disagree with the assessment, please contact the appropriate personnel at (813) 470-5700. Monitoring schedules are subject to change, at any time, based on results of analyses or other factors. This chart shall not relieve any person from any requirement of Florida law.

- It is strongly recommended that testing be conducted early in the monitoring period to allow time for retests due to possible sampling or lab errors. Annual and triennial sampling should be completed by 9/30/2019 to provide time for revisions, re-tests, and/or corrections.
- Test results must be submitted to DEP within the first ten days following the end of the required monitoring period, or the first ten days following the month in which the sample results were received, whichever time is the shortest. Failure to comply may result in enforcement action.



**Jeanette Nuñez** 

Lt. Governor

**Ron DeSantis** 

Governor

Noah Valenstein Secretary

**Southwest District Office** 13051 North Telecom Parkway #101 Temple Terrace, Florida 33637-0926

2019 Chemical Monitoring for NTNC

PWS-ID No. 6511027 Water System: Lakeview-in-the-Hills

Water System: Lakeview-in-the-Hills			PWS-ID No. 6511027
MONITORING & REPORTS		DUE	COMMENTS
Raw Water Microbiological ("Bacteriological")		Quarterly	1 Raw Water Sample per well.
Distribution Microbiological ("Bacteriological")		Quarterly	1 Distribution Sample per quarter. Disinfectant residuals must be reported.
Nitrate and Nitrit	e	2019	Sample at each POE every year.*
Primary Inorganio	cs	2019	Sample at each POE every three years.
Radiologicals	Gross Alpha	2025	Sample at each POE every quarterly, six, nine years, or Waived use of Grandfather Data (date of sample)
	Uranium	2025	Sample at each POE every quarterly, six, nine years, or Waived use of Grandfather Data (date of sample)
	Radium-226	2022	Sample at each POE every quarterly, six, nine years, or Waived use of Grandfather Data (date of sample)
	Radium-228	2022	Sample at each POE every quarterly, six, nine years, or Waived use of Grandfather Data (date of sample)
Volatile Organic (	Contaminants (VOCs)	2019	Sample at each POE every three years.
Synthetic Organic Contaminants (SOCs)		2019	Sample at each POE every three years, or submit SOC reduced monitoring waiver, if applicable. Use Form 62-560.545(2), F.A.C.
Stage II Disinfection Byproducts (DBPs) Total Trihalomethanes & Haloacetic Acids (5)		July-Sept. 2019	Sample according to approved Stage 2 D/DBPR Monitoring Plan.
Asbestos		2020	Certification or results due every nine years. Use Form 62-555.900(10), F.A.C.
Lead & Copper		June-Sept. 2019	Sample from sites approved on the Lead and Copper Sampling Plan every three years.

<sup>\*</sup>POE = Point of entry to the distribution system. Sample at each POE that is representative of each source after treatment.

This is a good faith assessment of monitoring requirements for the above-referenced public water system for calendar year 2019 and may not include additional sampling required during the year due to special circumstances. If you have questions or disagree with the assessment, please contact the appropriate personnel at (813) 470-5700. Monitoring schedules are subject to change, at any time, based on results of analyses or other factors. This chart shall not relieve any person from any requirement of Florida law.

- > It is strongly recommended that testing be conducted early in the monitoring period to allow time for retests due to possible sampling or lab errors. Annual and triennial sampling should be completed by 9/30/2019 to provide time for revisions, retests, and/or corrections.
- > Test results must be submitted to DEP within the first ten days following the end of the required monitoring period, or the first ten days following the month in which the sample results were received, whichever time is the shortest. Failure to comply may result in enforcement action.



**Jeanette Nuñez** 

Lt. Governor

**Ron DeSantis** 

Governor

Noah Valenstein Secretary

**Southwest District Office** 13051 North Telecom Parkway #101 Temple Terrace, Florida 33637-0926

2019 Chemical Monitoring for NTNC

Water System: Lakewood Travel Park PWS-ID No. 6511028

Water System: Lakewood Travel Park			PWS-ID No. 6511028
MONITORI	NG & REPORTS	DUE	COMMENTS
Raw Water Microbiological ("Bacteriological")		Quarterly	1 Raw Water Sample per well.
Distribution Microbiological ("Bacteriological")		Quarterly	1 Distribution Sample per quarter. Disinfectant residuals must be reported.
Nitrate and Nitrit	e	2019	Sample at each POE every year.*
Primary Inorganio	cs	2019	Sample at each POE every three years.
Radiologicals	Gross Alpha	Waived	Sample at each POE every quarterly, six, nine years, or Waived use of Grandfather Data (date of sample)
	Uranium	Waived	Sample at each POE every quarterly, six, nine years, or Waived use of Grandfather Data (date of sample)
	Radium-226	Waived	Sample at each POE every quarterly, six, nine years, or Waived use of Grandfather Data (date of sample)
	Radium-228	Waived	Sample at each POE every quarterly, six, nine years, or Waived use of Grandfather Data (date of sample)
Volatile Organic (	Contaminants (VOCs)	2019	Sample at each POE every three years.
Synthetic Organic Contaminants (SOCs)		2019	Sample at each POE every three years, or submit SOC reduced monitoring waiver, if applicable. Use Form 62-560.545(2), F.A.C.
Stage II Disinfection Byproducts (DBPs)  Total Trihalomethanes & Haloacetic Acids (5)		July-Sept. 2019	Sample according to approved Stage 2 D/DBPR Monitoring Plan.
Asbestos		2022	Certification or results due every nine years. Use Form 62-555.900(10), F.A.C.
Lead & Copper		June-Sept. 2019	Sample from sites approved on the Lead and Copper Sampling Plan every three years.

<sup>\*</sup>POE = Point of entry to the distribution system. Sample at each POE that is representative of each source after treatment.

This is a good faith assessment of monitoring requirements for the above-referenced public water system for calendar year 2019 and may not include additional sampling required during the year due to special circumstances. If you have questions or disagree with the assessment, please contact the appropriate personnel at (813) 470-5700. Monitoring schedules are subject to change, at any time, based on results of analyses or other factors. This chart shall not relieve any person from any requirement of Florida law.

- > It is strongly recommended that testing be conducted early in the monitoring period to allow time for retests due to possible sampling or lab errors. Annual and triennial sampling should be completed by 9/30/2019 to provide time for revisions, retests, and/or corrections.
- > Test results must be submitted to DEP within the first ten days following the end of the required monitoring period, or the first ten days following the month in which the sample results were received, whichever time is the shortest. Failure to comply may result in enforcement action.



Ron DeSantis Governor

Jeanette Nuñez Lt. Governor

Noah Valenstein Secretary

Southwest District Office 13051 North Telecom Parkway #101 Temple Terrace, Florida 33637-0926

2019 Chemical Monitoring for Community Systems

System Name: Linda Lakes MHP PWS-ID No. 6511076

MONITORING & REPORTS		DUE	COMMENTS
Raw Water Microbiological ("Bacteriological")		Monthly	1 Raw Water Sample per well.
Distribution Microbiological ("Bacteriological")		Monthly	1 Distribution Samples per month. Disinfectant residuals must be reported.
Nitrate and Nitrite		2019	Sample at each POE every year.*
Primary Inorganics		2021	Sample at each POE every three years.
Secondaries		2021	Sample at each POE every three years.
Radiologicals	Gross Alpha	2027	Sample at each POE every three, six or nine years.
	Uranium	2027	Sample at each POE every three, six or nine years.
	Radium-226	2024	Sample at each POE every three, six or nine years.
	Radium-228	2024	Sample at each POE every three, six or nine years.
Volatile Organic Contaminants (VOCs)		2021	Sample at each POE every three years.
Synthetic Organic Contaminants (SOCs)		2021	Sample at each POE every three years, or submit SOC reduced monitoring waiver, if applicable. Use Form 62-560.545(2), F.A.C.
Stage II Disinfection Byproducts (DBPs)  Total Trihalomethanes & Haloacetic Acids (5)		Quarterly	Sample according to approved Stage 2 D/DBPR Monitoring Plan.
Asbestos		2020	Certification or results due every nine years. Use Form 62-555.900(10), F.A.C.
Lead & Copper		Jan-June July-Dec 2019	Sample from sites approved on the Lead and Copper Sampling Plan every three years.
Consumer Confidence Report (CCR) & CCR Certification of Delivery		July 1, 2019	CCR must be delivered by July 1, 2019. The CCR Certification of Delivery must be submitted to the Department by August 10, 2019. Use Form 62-555.900(alternate 19), F.A.C.

<sup>\*</sup>POE = Point of entry to the distribution system. Sample at each POE that is representative of each source after treatment.

This is a good faith assessment of monitoring requirements for the above-referenced public water system for calendar year 2019 and may not include additional sampling required during the year due to special circumstances. If you have questions or disagree with the assessment, please contact the appropriate personnel at (813) 470-5700. Monitoring schedules are subject to change, at any time, based on results of analyses or other factors. This chart shall not relieve any person from any requirement of Florida law.

- > It is strongly recommended that testing be conducted early in the monitoring period to allow time for retests due to possible sampling or lab errors. Annual and triennial sampling should be completed by 9/30/2019 to provide time for revisions, re-tests, and/or corrections.
- > Test results must be submitted to DEP within the first ten days following the end of the required monitoring period, or the first ten days following the month in which the sample results were received, whichever time is the shortest. Failure to comply may result in enforcement action.



Jeanette Nuñez

**Ron DeSantis** 

Governor

Lt. Governor

Noah Valenstein Secretary

Southwest District Office 13051 North Telecom Parkway #101 Temple Terrace, Florida 33637-0926

2019 Chemical Monitoring for Community Systems

Gulf Harbors PWS-ID No. 6511077

MONITORING & REPORTS		DUE	COMMENTS
Microbiological ("Bacteriological")		Monthly	Disinfectant residuals must be reported.
Nitrate		Quarterly 2019	Sample at each POE every year. *
Nitrite		2019	Sample at each POE every year. *
Primary Inorganics		2020	Sample at each POE every three years.
Secondaries		2020	Sample at each POE every three years.
Radiologicals	Gross Alpha	2020	Sample at each POE every three, six or nine years.
	Uranium	2026	Sample at each POE every three, six or nine years.
	Radium-226	2026	Sample at each POE every three, six or nine years.
	Radium-228	2026	Sample at each POE every three, six or nine years.
Volatile Organic Contaminants (VOCs)		2020	Sample at each POE every three years.
Synthetic Organic Contaminants (SOCs)		2 Quarters in 2020	Sample at each POE every three years, or submit SOC reduced monitoring waiver, if applicable. Use Form 62-560.545(2), F.A.C.
Stage II Disinfection Byproducts (DBPs) Total Trihalomethanes & Haloacetic Acids (5)		July-Sept 2019	Sample according to approved Stage 2 D/DBPR Monitoring Plan.
Asbestos		2020	Certification or results due every nine years. Use Form 62-555.900(10), F.A.C.
Lead & Copper		June-Sept 2020	Sample from sites approved on the Lead and Copper Sampling Plan every three years.
Consumer Confidence Report (CCR) & CCR Certification of Delivery		July 1, 2019	CCR must be delivered by July 1, 2019. The CCR Certification of Delivery must be submitted to the Department by August 10, 2019. Use Form 62-555.900(alternate 19), F.A.C.

<sup>\*</sup>POE = Point of entry to the distribution system. Sample at each POE that is representative of each source after treatment.

This is a good faith assessment of monitoring requirements for the above-referenced public water system for calendar year 2019 and may not include additional sampling required during the year due to special circumstances. If you have questions or disagree with the assessment, please contact the appropriate personnel at (813) 470-5700. Monitoring schedules are subject to change, at any time, based on results of analyses or other factors. This chart shall not relieve any person from any requirement of Florida law.

- > It is strongly recommended that testing be conducted early in the monitoring period to allow time for retests due to possible sampling or lab errors. Annual and triennial sampling should be completed by <u>9/30/2019</u> to provide time for revisions, re-tests, and/or corrections.
- > Test results must be submitted to DEP within the first ten days following the end of the required monitoring period, or the first ten days following the month in which the sample results were received, whichever time is the shortest. Failure to comply may result in enforcement action.



Jeanette Nuñez Lt. Governor

**Ron DeSantis** 

Governor

Lt. dovernor

Noah Valenstein Secretary

Southwest District Office 13051 North Telecom Parkway #101 Temple Terrace, Florida 33637-0926

2019 Chemical Monitoring for NTNC

Water System: Mockingbird MHP PWS-ID No. 6511123

water System: Mo		PWS-ID No. 6311123		
MONITORING & REPORTS		DUE	COMMENTS	
Raw Water Microbiological ("Bacteriological")		Quarterly	1 Raw Water Sample per well.	
Distribution Microbiological ("Bacteriological")		Quarterly	1 Distribution Sample per quarter. Disinfectant residuals must be reported.	
Nitrate and Nitrite		2019	Sample at each POE every year.*	
Primary Inorganics		2019	Sample at each POE every three years.	
Radiologicals	Gross Alpha	Waived	Sample at each POE every quarterly, six, nine years, or Waived use of Grandfather Data (date of sample)	
	Uranium	Waived	Sample at each POE every quarterly, six, nine years, or Waived use of Grandfather Data (date of sample)	
	Radium-226	Waived	Sample at each POE every quarterly, six, nine years, or Waived use of Grandfather Data (date of sample)	
	Radium-228	Waived	Sample at each POE every quarterly, six, nine years, or Waived use of Grandfather Data (date of sample)	
Volatile Organic Contaminants (VOCs)		2019	Sample at each POE every three years.	
Synthetic Organic Contaminants (SOCs)		2019	Sample at each POE every three years, or submit SOC reduced monitoring waiver, if applicable. Use Form 62-560.545(2), F.A.C.	
Stage II Disinfection Byproducts (DBPs) Total Trihalomethanes & Haloacetic Acids (5)		July-Sept. 2019	Sample according to approved Stage 2 D/DBPR Monitoring Plan.	
Asbestos		2022	Certification or results due every nine years. Use Form 62-555.900(10), F.A.C.	
Lead & Copper		June-Sept. 2019	Sample from sites approved on the Lead and Copper Sampling Plan every three years.	

<sup>\*</sup>POE = Point of entry to the distribution system. Sample at each POE that is representative of each source after treatment.

This is a good faith assessment of monitoring requirements for the above-referenced public water system for calendar year 2019 and may not include additional sampling required during the year due to special circumstances. If you have questions or disagree with the assessment, please contact the appropriate personnel at (813) 470-5700. Monitoring schedules are subject to change, at any time, based on results of analyses or other factors. This chart shall not relieve any person from any requirement of Florida law.

- ➤ It is strongly recommended that testing be conducted early in the monitoring period to allow time for retests due to possible sampling or lab errors. Annual and triennial sampling should be completed by <u>9/30/2019</u> to provide time for revisions, retests, and/or corrections.
- > Test results must be submitted to DEP within the first ten days following the end of the required monitoring period, or the first ten days following the month in which the sample results were received, whichever time is the shortest. Failure to comply may result in enforcement action.



Ron DeSantis Governor

Jeanette Nuñez Lt. Governor

Noah Valenstein Secretary

Southwest District Office 13051 North Telecom Parkway #101 Temple Terrace, Florida 33637-0926

2019 Chemical Monitoring for Community Systems

City of New Port Richey Water Department

PWS-ID No. 6511255

<i>J</i>	ING & REPORTS	DUE	COMMENTS
Microbiological ("Bacteriological")		Monthly	30 Distribution samples per month. Disinfectant residuals must be reported.
Nitrate and Nitrite		2019	Sample at each POE every year.*
Primary Inorganics		2020	Sample at each POE every three years.
Secondaries		2020	Sample at each POE every three years.
Radiologicals	Gross Alpha	2026	Sample at each POE every three, six or nine years.
	Uranium	2026	Sample at each POE every three, six or nine years.
	Radium-226	2026	Sample at each POE every three, six or nine years.
	Radium-228	2026	Sample at each POE every three, six or nine years.
Volatile Organic Co	ontaminants (VOCs)	2020	Sample at each POE every three years.
Synthetic Organic Contaminants (SOCs)		2 Quarters 2020	Sample at each POE every three years, or submit SOC reduced monitoring waiver, if applicable. Use Form 62-560.545(2), F.A.C.
Stage II Disinfection Byproducts (DBPs)  Total Trihalomethanes & Haloacetic Acids (5)		Quarterly	Sample according to approved Stage 2 D/DBPR Monitoring Plan.
Asbestos		2020	Certification or results due every nine years. Use Form 62-555.900(10), F.A.C.
Lead & Copper		June-Sept. 2020	Sample from sites approved on the Lead and Copper Sampling Plan every three years.
Consumer Confidence Report (CCR) & CCR Certification of Delivery		July 1, 2019	CCR must be delivered by July 1, 2019. The CCR Certification of Delivery must be submitted to the Department by August 10, 2019. Use Form 62-555.900(alternate 19), F.A.C.
Tank(s) Inspection & Cleaning		2021	Pursuant to 62-555.350(2) F.A.C. all finished drinking water storage tanks with access manholes shall be inspected and cleaned at a maximum interval of every 5 years.
Cross Connection C Report	Control Annual	March 31, 2019	Submit a completed form 62-555.900(13) F.A.C annually.

<sup>\*</sup>POE = Point of entry to the distribution system. Sample at each POE that is representative of each source after treatment.

This is a good faith assessment of monitoring requirements for the above-referenced public water system for calendar year 2019 and may not include additional sampling required during the year due to special circumstances. If you have questions or disagree with the assessment, please contact the appropriate personnel at (813) 470-5700. Monitoring schedules are subject to change, at any time, based on results of analyses or other factors. This chart shall not relieve any person from any requirement of Florida law.

- > It is strongly recommended that testing be conducted early in the monitoring period to allow time for retests due to possible sampling or lab errors. Annual and triennial sampling should be completed by 9/30/2019 to provide time for revisions, re-tests, and/or corrections.
- > Test results must be submitted to DEP within the first ten days following the end of the required monitoring period, or the first ten days following the month in which the sample results were received, whichever time is the shortest. Failure to comply may result in enforcement action



Jeanette Nuñez Lt. Governor

**Ron DeSantis** 

Governor

**Noah Valenstein** Secretary

Southwest District Office 13051 North Telecom Parkway #101 Temple Terrace, Florida 33637-0926

2019 Chemical Monitoring for Community Systems

Orangeland Subdivision

PWS-ID No. 6511307

MONITORI	ING & REPORTS	DUE	COMMENTS
Raw Water Microbiological ("Bacteriological")		Monthly	1 Raw Water Sample per well.
Distribution Microb ("Bacteriological")	piological	Monthly	1 Distribution Samples per month. Disinfectant residuals must be reported.
Nitrate and Nitrite		2019	Sample at each POE every year. *
Primary Inorganics		2021	Sample at each POE every three years.
Secondaries		2021	Sample at each POE every three years.
Radiologicals	Gross Alpha	2024	Sample at each POE every three, six or nine years.
	Uranium	2021	Sample at each POE every three, six or nine years.
	Radium-226	2024	Sample at each POE every three, six or nine years.
	Radium-228	2024	Sample at each POE every three, six or nine years.
Volatile Organic Co	ontaminants (VOCs)	2021	Sample at each POE every three years.
Synthetic Organic Contaminants (SOCs)		2021	Sample at each POE every three years, or submit SOC reduced monitoring waiver, if applicable. Use Form 62-560.545(2), F.A.C.
	n Byproducts (DBPs)	July – Sept	Sample according to approved Stage 2 D/DBPR Monitoring
Total Trihalomethanes & Haloacetic Acids (5) Asbestos		2021	Plan.  Certification or results due every nine years. Use Form 62-555.900(10), F.A.C.
Lead & Copper		June – Sept 2021	Sample from sites approved on the Lead and Copper Sampling Plan every three years.
Consumer Confider Certification of Deli	nce Report (CCR) & CCR ivery	July 1, 2019	CCR must be delivered by July 1, 2019. The CCR Certification of Delivery must be submitted to the Department by August 10, 2019. Use Form 62-555.900(alternate 19), F.A.C.

<sup>\*</sup>POE = Point of entry to the distribution system. Sample at each POE that is representative of each source after treatment.

This is a good faith assessment of monitoring requirements for the above-referenced public water system for calendar year 2019 and may not include additional sampling required during the year due to special circumstances. If you have questions or disagree with the assessment, please contact the appropriate personnel at (813) 470-5700. Monitoring schedules are subject to change, at any time, based on results of analyses or other factors. This chart shall not relieve any person from any requirement of Florida law.

- > It is strongly recommended that testing be conducted early in the monitoring period to allow time for retests due to possible sampling or lab errors. Annual and triennial sampling should be completed by 9/30/2019 to provide time for revisions, re-tests, and/or corrections.
- > Test results must be submitted to DEP within the first ten days following the end of the required monitoring period, or the first ten days following the month in which the sample results were received, whichever time is the shortest. Failure to comply may result in enforcement action.



**Ron DeSantis** Governor

Jeanette Nuñez Lt. Governor

Noah Valenstein Secretary

Southwest District Office 13051 North Telecom Parkway #101 Temple Terrace, Florida 33637-0926

2019 Chemical Monitoring for Community Systems

Orangewood Water System (Systemwide)

PWS-ID No. 6511311

MONITORING & REPORTS	DUE	COMMENTS
Microbiological ("Bacteriological")	Monthly	7 Distribution samples per month. Disinfectant residuals must be reported.
Raw Water Microbiological ("Bacteriological")	Monthly	Sample each active well monthly.
Stage II Disinfection Byproducts (DBPs)	July - Sept	Sample according to approved Stage 2 D/DBPR Monitoring
Total Trihalomethanes & Haloacetic Acids (5)	2019	Plan.
Asbestos	2020	Certification or results due every nine years. Use Form 62-555.900(10), F.A.C.
Lead & Copper	June – Sept 2020	Sample from sites approved on the Lead and Copper Sampling Plan every three years.
Consumer Confidence Report (CCR) & CCR Certification of Delivery	July 1, 2019	CCR must be delivered by July 1, 2019. The CCR Certification of Delivery must be submitted to the Department by August 10, 2019. Use Form 62-555.900(alternate 19), F.A.C.

Orangewood Water System (Well 1)

PWS-ID No. 6511311

Orangewood Water System (Well 1)			PWS-ID No. <u>6511311</u>
MONITORING & REPORTS		DUE	COMMENTS
Nitrate		Quarterly 2019	Sample each POE every quarter. *
Nitrite		2019	Sample at each POE every year. *
Primary Inorgani	cs	2020	Sample at each POE every three years.
Secondaries		2020	Sample at each POE every three years.
Radiologicals	Gross Alpha	2023	Sample at each POE every three, six or nine years.
	Uranium	2023	Sample at each POE every three, six or nine years.
	Radium-226	2023	Sample at each POE every three, six or nine years.
	Radium-228	2023	Sample at each POE every three, six or nine years.
Volatile Organic	Contaminants (VOCs)	2020	Sample at each POE every three years.
Synthetic Organic Contaminants (SOCs)		2 Quarters in 2020	Sample at each POE every three years, or submit SOC reduced monitoring waiver, if applicable. Use Form 62-560.545(2), F.A.C.
Heptachlor (2065)		2019	Sample at each POE every year.
Heptachlor Epox	ide (2067)	2019	Sample at each POE every year.

Orangewood Water System (Well 2)

PWS-ID No.	6511311
I WOLLD NO.	0511511

MONITORING & REPORTS		DUE	COMMENTS
Nitrate		Quarterly 2019	Sample each POE every quarter. *
Nitrite		2019	Sample at each POE every year. *
Primary Inorganics		2020	Sample at each POE every three years.
Secondaries		2020	Sample at each POE every three years.
Radiologicals	Gross Alpha	2020	Sample at each POE every three, six or nine years.
	Uranium	2020	Sample at each POE every three, six or nine years.
	Radium-226	2020	Sample at each POE every three, six or nine years.
	Radium-228	2020	Sample at each POE every three, six or nine years.
Volatile Organic O	Contaminants (VOCs)	2020	Sample at each POE every three years.
Synthetic Organic Contaminants (SOCs)		2 Quarters in 2020	Sample at each POE every three years, or submit SOC reduced monitoring waiver, if applicable. Use Form 62-560.545(2), F.A.C.
Heptachlor (2065)		2019	Sample at each POE every year.
Heptachlor Epoxi	de (2067)	2019	Sample at each POE every year.

Orangewood Water System (Well 3 &4)

PWS-ID No. <u>6511311</u>

MONITO	RING & REPORTS	DUE	COMMENTS
Nitrate		Quarterly 2019	Sample each POE every quarter. *
Nitrite		2019	Sample at each POE every year. *
Primary Inorgani	cs	2020	Sample at each POE every three years.
Secondaries		2020	Sample at each POE every three years.
Radiologicals	Gross Alpha	2020	Sample at each POE every three, six or nine years.
	Uranium	2020	Sample at each POE every three, six or nine years.
	Radium-226	2020	Sample at each POE every three, six or nine years.
	Radium-228	2020	Sample at each POE every three, six or nine years.
Volatile Organic	Contaminants (VOCs)	2020	Sample at each POE every three years.
Synthetic Organic Contaminants (SOCs)		2 Quarters in 2020	Sample at each POE every three years, or submit SOC reduced monitoring waiver, if applicable. Use Form 62-560.545(2), F.A.C.
Heptachlor (2065)		2019	Sample at each POE every year.
Heptachlor Epoxi	ide (2067)	2019	Sample at each POE every year.

Orangewood Water System (BV 1)

PWS-ID No. <u>6511311</u>

MONITORING & REPORTS		DUE	COMMENTS
Nitrate		Quarterly 2019	Sample each POE every quarter. *
Nitrite		2019	Sample at each POE every year. *
Primary Inorganics		2020	Sample at each POE every three years.
Secondaries		2020	Sample at each POE every three years.
Radiologicals	Gross Alpha	2023	Sample at each POE every three, six or nine years.
	Uranium	2020	Sample at each POE every three, six or nine years.
	Radium-226	2020	Sample at each POE every three, six or nine years.
	Radium-228	2020	Sample at each POE every three, six or nine years.
Volatile Organic Contaminants (VOCs)		2020	Sample at each POE every three years.
Synthetic Organic Contaminants (SOCs)		2 Quarters in 2020	Sample at each POE every three years, or submit SOC reduced monitoring waiver, if applicable. Use Form 62-560.545(2), F.A.C.

Orangewood Water System (BV 2)

PWS-ID No. 6511311

MONITO	RING & REPORTS	DUE	COMMENTS
Nitrate and Nitrit	e	2019	Sample each POE every year. *
Primary Inorganics		2020	Sample at each POE every three years.
Secondaries		2020	Sample at each POE every three years.
Radiologicals	Gross Alpha	2023	Sample at each POE every three, six or nine years.
	Uranium	2020	Sample at each POE every three, six or nine years.
	Radium-226	2020	Sample at each POE every three, six or nine years.
	Radium-228	2020	Sample at each POE every three, six or nine years.
Volatile Organic Contaminants (VOCs)		2020	Sample at each POE every three years.
Synthetic Organic Contaminants (SOCs)		2 Quarters in 2020	Sample at each POE every three years, or submit SOC reduced monitoring waiver, if applicable. Use Form 62-560.545(2), F.A.C.

Orangewood Water System (BV 3)

PWS-ID No. 6511311

MONITORING & REPORTS		DUE	COMMENTS
Nitrate and Nitrite		2019	Sample at each POE every year. *
Primary Inorganics		2020	Sample at each POE every three years.
Secondaries		2020	Sample at each POE every three years.
Radiologicals	Gross Alpha	2020	Sample at each POE every three, six or nine years.
	Uranium	2020	Sample at each POE every three, six or nine years.
	Radium-226	2020	Sample at each POE every three, six or nine years.
	Radium-228	2020	Sample at each POE every three, six or nine years.
Volatile Organic Contaminants (VOCs)		2020	Sample at each POE every three years.
Synthetic Organic Contaminants (SOCs)		2 Quarters in 2020	Sample at each POE every three years, or submit SOC reduced monitoring waiver, if applicable. Use Form 62-560.545(2), F.A.C.

<sup>\*</sup>POE = Point of entry to the distribution system. Sample at each POE that is representative of each source after treatment.

This is a good faith assessment of monitoring requirements for the above-referenced public water system for calendar year 2019 and may not include additional sampling required during the year due to special circumstances. If you have questions or disagree with the assessment, please contact the appropriate personnel at (813) 470-5700. Monitoring schedules are subject to change, at any time, based on results of analyses or other factors. This chart shall not relieve any person from any requirement of Florida law.

- ➤ It is strongly recommended that testing be conducted early in the monitoring period to allow time for retests due to possible sampling or lab errors. Annual and triennial sampling should be completed by <u>9/30/2019</u> to provide time for revisions, re-tests, and/or corrections.
- > Test results must be submitted to DEP within the first ten days following the end of the required monitoring period, or the first ten days following the month in which the sample results were received, whichever time is the shortest. Failure to comply may result in enforcement action.



**Ron DeSantis** Governor

Jeanette Nuñez Lt. Governor

Noah Valenstein Secretary

Southwest District Office 13051 North Telecom Parkway #101 Temple Terrace, Florida 33637-0926

2019 Chemical Monitoring for Community Systems

System Name: Osceola MHP PWS-ID No. 6511315

System Name: Osceola MHP			PWS-ID No. 6511315
MONITORI	ING & REPORTS	DUE	COMMENTS
Raw Water Microbiological ("Bacteriological")		Monthly	1 Raw Water Sample per well.
Distribution Microb ("Bacteriological")	piological	Monthly	1 Distribution Samples per month. Disinfectant residuals must be reported.
Nitrate and Nitrite		2019	Sample at each POE every year.*
Primary Inorganics		2021	Sample at each POE every three years.
Secondaries		2021	Sample at each POE every three years.
Radiologicals	Gross Alpha	2027	Sample at each POE every three, six or nine years.
	Uranium	2024	Sample at each POE every three, six or nine years.
	Radium-226	2027	Sample at each POE every three, six or nine years.
	Radium-228	2027	Sample at each POE every three, six or nine years.
Volatile Organic Co	ontaminants (VOCs)	2021	Sample at each POE every three years.
Synthetic Organic Contaminants (SOCs)		2021	Sample at each POE every three years, or submit SOC reduced monitoring waiver, if applicable. Use Form 62-560.545(2), F.A.C.
	n Byproducts (DBPs)	July-Sept	Sample according to approved Stage 2 D/DBPR Monitoring
1 otal 1 rihalomethane	es & Haloacetic Acids (5)	2021	Plan.
Asbestos		2021	Certification or results due every nine years. Use Form 62-555.900(10), F.A.C.
Lead & Copper		June-Sept 2021	Sample from sites approved on the Lead and Copper Sampling Plan every three years.
Consumer Confidence Report (CCR) & CCR Certification of Delivery		July 1, 2019	CCR must be delivered by July 1, 2019. The CCR Certification of Delivery must be submitted to the Department by August 10, 2019. Use Form 62-555.900(alternate 19), F.A.C.

<sup>\*</sup>POE = Point of entry to the distribution system. Sample at each POE that is representative of each source after treatment.

This is a good faith assessment of monitoring requirements for the above-referenced public water system for calendar year 2019 and may not include additional sampling required during the year due to special circumstances. If you have questions or disagree with the assessment, please contact the appropriate personnel at (813) 470-5700. Monitoring schedules are subject to change, at any time, based on results of analyses or other factors. This chart shall not relieve any person from any requirement of Florida law.

- > It is strongly recommended that testing be conducted early in the monitoring period to allow time for retests due to possible sampling or lab errors. Annual and triennial sampling should be completed by 9/30/2019 to provide time for revisions, re-tests, and/or corrections.
- > Test results must be submitted to DEP within the first ten days following the end of the required monitoring period, or the first ten days following the month in which the sample results were received, whichever time is the shortest. Failure to comply may result in enforcement action.



**Jeanette Nuñez** Lt. Governor

Noah Valenstein

**Ron DeSantis** 

Governor

Secretary

Southwest District Office 13051 North Telecom Parkway #101 Temple Terrace, Florida 33637-0926

2019 Chemical Monitoring for Community Systems

Palm Terrace Gardens PWS-ID No. 6511331

MONITORING & REPORTS	DUE	COMMENTS
Microbiological ("Bacteriological")	Monthly	Disinfectant residuals must be reported.
Stage II Disinfection Byproducts (DBPs)	Quarterly	Sample according to approved Stage 2 D/DBPR Monitoring
Total Trihalomethanes & Haloacetic Acids (5)	2019	Plan.
Asbestos	2021	Certification or results due every nine years.
Asbestos		Use Form 62-555.900(10), F.A.C.
Lead & Copper	June-Sept	Sample from sites approved on the Lead and Copper
Lead & Copper	2021	Sampling Plan every three years.
Consumer Confidence Depart (CCD) & CCD		CCR must be delivered by July 1, 2019. The CCR Certification
Consumer Confidence Report (CCR) & CCR	July 1, 2019	of Delivery must be submitted to the Department by August
Certification of Delivery	, , , , , , , , , , , , , , , , , , ,	10, 2019. Use Form 62-555.900(alternate 19), F.A.C.

<sup>\*</sup>POE = Point of entry to the distribution system. Sample at each POE that is representative of each source after treatment.

This is a good faith assessment of monitoring requirements for the above-referenced public water system for calendar year 2019 and may not include additional sampling required during the year due to special circumstances. If you have questions or disagree with the assessment, please contact the appropriate personnel at (813) 470-5700. Monitoring schedules are subject to change, at any time, based on results of analyses or other factors. This chart shall not relieve any person from any requirement of Florida law.

- ➤ It is strongly recommended that testing be conducted early in the monitoring period to allow time for retests due to possible sampling or lab errors. Annual and triennial sampling should be completed by <u>9/30/2019</u> to provide time for revisions, re-tests, and/or corrections.
- > Test results must be submitted to DEP within the first ten days following the end of the required monitoring period, or the first ten days following the month in which the sample results were received, whichever time is the shortest. Failure to comply may result in enforcement action.



Ron DeSantis Governor

Jeanette Nuñez Lt. Governor

**Noah Valenstein** Secretary

Southwest District Office 13051 North Telecom Parkway #101 Temple Terrace, Florida 33637-0926

2019 Chemical Monitoring for Community Systems

Palm Tree Acres Mobile Home Park

PWS-ID No. 6511332

ogical logical	Monthly  Monthly	1 Raw Water Sample per well.
O		• •
logical	Monthly	4 Divid at 0 1 4 Divid
	,	1 Distribution Samples per month. Disinfectant residuals must be reported.
	2019	Sample at each POE every year.*
	2021	Sample at each POE every three years.
	2021	Sample at each POE every three years.
Gross Alpha	2027	Sample at each POE every three, six or nine years.
Uranium	2027	Sample at each POE every three, six or nine years.
Radium-226	2027	Sample at each POE every three, six or nine years.
Radium-228	2027	Sample at each POE every three, six or nine years.
aminants (VOCs)	2021	Sample at each POE every three years.
ntaminants (SOCs)	2021	Sample at each POE every three years, or submit SOC reduced monitoring waiver, if applicable. Use Form 62-560.545(2), F.A.C.
yproducts (DBPs) Haloacetic Acids (5)	July-Sept. 2019	Sample according to approved Stage 2 D/DBPR Monitoring Plan.
	2020	Certification or results due every nine years. Use Form 62-555.900(10), F.A.C.
Lead & Copper		Sample from sites approved on the Lead and Copper Sampling Plan every three years.
Report (CCR) & CCR	July 1, 2019	CCR must be delivered by July 1, 201. The CCR Certification of Delivery must be submitted to the Department by August 10, 2019. Use Form 62-555.900(alternate 19), F.A.C.
ection	2019	Pursuant to 62-555.350(2) F.A.C. all finished drinking water storage tanks with access manholes shall be inspected and
y I	aminants (SOCs)  products (DBPs)  Haloacetic Acids (5)  Report (CCR) & CCR	aminants (SOCs)  2021  products (DBPs)  Haloacetic Acids (5)  2020  July-Sept. 2021  Report (CCR) & CCR  July 1, 2019

<sup>\*</sup>POE = Point of entry to the distribution system. Sample at each POE that is representative of each source after treatment.

This is a good faith assessment of monitoring requirements for the above-referenced public water system for calendar year 2019 and may not include additional sampling required during the year due to special circumstances. If you have questions or disagree with the assessment, please contact the appropriate personnel at (813) 470-5700. Monitoring schedules are subject to change, at any time, based on results of analyses or other factors. This chart shall not relieve any person from any requirement of Florida law.

- > It is strongly recommended that testing be conducted early in the monitoring period to allow time for retests due to possible sampling or lab errors. Annual and triennial sampling should be completed by <u>9/30/2019</u> to provide time for revisions, re-tests, and/or corrections.
- > Test results must be submitted to DEP within the first ten days following the end of the required monitoring period, or the first ten days following the month in which the sample results were received, whichever time is the shortest. Failure to comply may result in enforcement action



Governor

**Ron DeSantis** 

Jeanette Nuñez Lt. Governor

Noah Valenstein Secretary

Southwest District Office 13051 North Telecom Parkway #101 Temple Terrace, Florida 33637-0926

2019 Chemical Monitoring for Community Systems

Parkview Acres PWS-ID No. 6511348

MONITOR	ING & REPORTS	DUE	COMMENTS
Raw Water Microb: ("Bacteriological")	iological	Monthly	1 Raw Water Sample per well.
Distribution Microl ("Bacteriological")	oiological	Monthly	1 Distribution Samples per month. Disinfectant residuals must be reported.
Nitrate and Nitrite		2019	Sample at each POE every year.*
Primary Inorganics		2021	Sample at each POE every three years.
Secondaries		2021	Sample at each POE every three years.
Radiologicals	Gross Alpha	2027	Sample at each POE every three, six or nine years.
	Uranium	2027	Sample at each POE every three, six or nine years.
	Radium-226	2024	Sample at each POE every three, six or nine years.
	Radium-228	2024	Sample at each POE every three, six or nine years.
Volatile Organic Co	ontaminants (VOCs)	2021	Sample at each POE every three years.
Synthetic Organic Contaminants (SOCs)		2021	Sample at each POE every three years, or submit SOC reduced monitoring waiver, if applicable. Use Form 62-560.545(2), F.A.C.
	Stage II Disinfection Byproducts (DBPs)  Total Trihalomethanes & Haloacetic Acids (5)		Sample according to approved Stage 2 D/DBPR Monitoring Plan.
Asbestos		2020	Certification or results due every nine years. Use Form 62-555.900(10), F.A.C.
Lead & Copper		June-Sept. 2020	Sample from sites approved on the Lead and Copper Sampling Plan every three years.
Consumer Confidence Report (CCR) & CCR Certification of Delivery		July 1, 2019	CCR must be delivered by July 1, 2019. The CCR Certification of Delivery must be submitted to the Department by August 10, 2019. Use Form 62-555.900(alternate 19), F.A.C.

<sup>\*</sup>POE = Point of entry to the distribution system. Sample at each POE that is representative of each source after treatment.

This is a good faith assessment of monitoring requirements for the above-referenced public water system for calendar year 2019 and may not include additional sampling required during the year due to special circumstances. If you have questions or disagree with the assessment, please contact the appropriate personnel at (813) 470-5700. Monitoring schedules are subject to change, at any time, based on results of analyses or other factors. This chart shall not relieve any person from any requirement of Florida law.

- > It is strongly recommended that testing be conducted early in the monitoring period to allow time for retests due to possible sampling or lab errors. Annual and triennial sampling should be completed by 9/30/2019 to provide time for revisions, re-tests, and/or corrections.
- > Test results must be submitted to DEP within the first ten days following the end of the required monitoring period, or the first ten days following the month in which the sample results were received, whichever time is the shortest. Failure to comply may result in enforcement action.



Jeanette Nuñez Lt. Governor

**Ron DeSantis** 

Governor

**Noah Valenstein** Secretary

Southwest District Office 13051 North Telecom Parkway #101 Temple Terrace, Florida 33637-0926

2019 Chemical Monitoring for Community Systems

Angus Valley PWS-ID No. 6511360

Aligus valley		F W S-ID INC. 0311300
ING & REPORTS	DUE	COMMENTS
ological	Monthly	1 Raw Water Sample per well.
piological	Monthly	2 Distribution Samples per month. Disinfectant residuals must be reported.
	2019	Sample at each POE every year.*
	2021	Sample at each POE every three years.
	2021	Sample at each POE every three years.
Gross Alpha	2021	Sample at each POE every three, six or nine years.
Uranium	2021	Sample at each POE every three, six or nine years.
Radium-226	2021	Sample at each POE every three, six or nine years.
Radium-228	2021	Sample at each POE every three, six or nine years.
ontaminants (VOCs)	2021	Sample at each POE every three years.
Contaminants (SOCs)	2021	Sample at each POE every three years, or submit SOC reduced monitoring waiver, if applicable. Use Form 62-560.545(2), F.A.C.
n Byproducts (DBPs) es & Haloacetic Acids (5)	July-Sept 2021	Sample according to approved Stage 2 D/DBPR Monitoring Plan.
Asbestos		Certification or results due every nine years. Use Form 62-555.900(10), F.A.C.
Lead & Copper		Sample from sites approved on the Lead and Copper Sampling Plan every three years.
Consumer Confidence Report (CCR) & CCR Certification of Delivery		CCR must be delivered by July 1, 2019. The CCR Certification of Delivery must be submitted to the Department by August 10, 2019. Use Form 62-555.900(alternate 19), F.A.C.
Tank(s) Inspection & Cleaning		Pursuant to 62-555.350(2) F.A.C. all finished drinking water storage tanks with access manholes shall be inspected and cleaned at a maximum interval of every 5 years.
	Gross Alpha Uranium Radium-226 Radium-228 Intaminants (VOCs) Contaminants (SOCs) In Byproducts (DBPs) In Byproducts (DBPs) In See & Haloacetic Acids (5) In Conce Report (CCR) & CCR Intervention of the CCR Intervention of t	Monthly  iological  Monthly  2019  2021  2021  Gross Alpha 2021  Uranium 2021  Radium-226  Radium-228  2021  Ontaminants (VOCs)  Dontaminants (SOCs)  Byproducts (DBPs) See Haloacetic Acids (5)  July-Sept 2020  June-Sept. 2021  Ince Report (CCR) & CCR Every  July 1, 2019

<sup>\*</sup>POE = Point of entry to the distribution system. Sample at each POE that is representative of each source after treatment.

This is a good faith assessment of monitoring requirements for the above-referenced public water system for calendar year 2019 and may not include additional sampling required during the year due to special circumstances. If you have questions or disagree with the assessment, please contact the appropriate personnel at (813) 470-5700. Monitoring schedules are subject to change, at any time, based on results of analyses or other factors. This chart shall not relieve any person from any requirement of Florida law.

- > It is strongly recommended that testing be conducted early in the monitoring period to allow time for retests due to possible sampling or lab errors. Annual and triennial sampling should be completed by 9/30/2019 to provide time for revisions, re-tests, and/or corrections.
- > Test results must be submitted to DEP within the first ten days following the end of the required monitoring period, or the first ten days following the month in which the sample results were received, whichever time is the shortest. Failure to comply may result in enforcement action.



**Jeanette Nuñez** Lt. Governor

**Noah Valenstein** 

**Ron DeSantis** 

Governor

Secretary

**Southwest District Office** 13051 North Telecom Parkway #101 Temple Terrace, Florida 33637-0926

2019 Chemical Monitoring for Community Systems PWS-ID No. 6511361

PCUD – Pasco County Regional (Systemwide)

MONITORING & REPORTS	DUE	COMMENTS
Microbiological ("Bacteriological")	Monthly	Disinfectant residuals must be reported.
Stage II Disinfection Byproducts (DBPs)  Total Trihalomethanes & Haloacetic Acids (5)	Quarterly 2019	Sample according to approved Stage 2 D/DBPR Monitoring Plan.
Asbestos	2020	Certification or results due every nine years. Use Form 62-555.900(10), F.A.C.
Cross-Connection Control Annual Report	Due March 31, 2019	Complete and submit DEP form 62-555.900(13).
Lead & Copper	June-Sept 2020	Sample from sites approved on the Lead & Copper Sampling Plan every three years.
Water Quality Parameters (WQP)	June-Sept 2019	Sample from sites approved on the Lead & Copper Sampling Plan annually.
Consumer Confidence Report (CCR) & CCR Certification of Delivery	July 1, 2019	CCR must be delivered by July 1, 2019. The CCR Certification of Delivery must be submitted to the Department by August 10, 2019. Use Form 62-555.900(alternate 19), F.A.C.

PCLID - Autumn Oaks WTP

PWS-ID No. 6511361

PCUD – Autumn Oaks W I P			PWS-ID No. <u>6511361</u>	
MONITORING & REPORTS		DUE	COMMENTS	
Nitrate and Nitrit	te	2019	Sample at each POE every year. *	
Primary Inorgani	cs	2020	Sample at each POE every three years.	
Secondaries		2020	Sample at each POE every three years.	
Radiologicals	Gross Alpha	2023	Sample at each POE every three, six or nine years.	
	Uranium	2023	Sample at each POE every three, six or nine years.	
	Radium-226	2020	Sample at each POE every three, six or nine years.	
	Radium-228	2020	Sample at each POE every three, six or nine years.	
Volatile Organic	Contaminants (VOCs)	2020	Sample at each POE every three years.	
Synthetic Organic	c Contaminants (SOCs)	2 Quarters 2020	Sample at each POE every three years, or submit SOC reduced monitoring waiver, if applicable. Use Form 62-560.545(2), F.A.C.	

MONITOR	RING & REPORTS	DUE	COMMENTS
Nitrate and Nitrite	2	2019	Sample at each POE every year. *
Primary Inorganic	s	2020	Sample at each POE every three years.
Secondaries		2020	Sample at each POE every three years.
Radiologicals	Gross Alpha	2023	Sample at each POE every three, six or nine years.
	Uranium	2020	Sample at each POE every three, six or nine years.
	Radium-226	2020	Sample at each POE every three, six or nine years.
	Radium-228	2020	Sample at each POE every three, six or nine years.
Volatile Organic C	ontaminants (VOCs)	2020	Sample at each POE every three years.
Synthetic Organic	Contaminants (SOCs)	2 Quarters 2020	Sample at each POE every three years, or submit SOC reduced monitoring waiver, if applicable. Use Form 62-560.545(2), F.A.C.

PCUD – Pasco One WTP

PWS-ID No. <u>6511361</u>

MONITO	RING & REPORTS	DUE	COMMENTS
Nitrate and Nitrit	re	2019	Sample at each POE every year. *
Primary Inorganio	cs	2020	Sample at each POE every three years.
Secondaries		2020	Sample at each POE every three years.
Radiologicals	Gross Alpha	2023	Sample at each POE every three, six or nine years.
	Uranium	2023	Sample at each POE every three, six or nine years.
	Radium-226	2020	Sample at each POE every three, six or nine years.
	Radium-228	2020	Sample at each POE every three, six or nine years.
Volatile Organic (	Contaminants (VOCs)	2020	Sample at each POE every three years.
Synthetic Organic	c Contaminants (SOCs)	2 Quarters 2020	Sample at each POE every three years, or submit SOC reduced monitoring waiver, if applicable. Use Form 62-560.545(2), F.A.C.

MONITOR	ING & REPORTS	DUE	COMMENTS
Nitrate and Nitrite		2019	Sample at each POE every year. *
Primary Inorganics	S	2020	Sample at each POE every three years.
Secondaries		2020	Sample at each POE every three years.
Radiologicals	Gross Alpha	2023	Sample at each POE every three, six or nine years.
	Uranium	2023	Sample at each POE every three, six or nine years.
	Radium-226	2020	Sample at each POE every three, six or nine years.
	Radium-228	2020	Sample at each POE every three, six or nine years.
Volatile Organic C	ontaminants (VOCs)	2020	Sample at each POE every three years.
Carbon Tetrachloride (2982)		Quarterly 2019	Sample at POE for this contaminant.
Synthetic Organic	Contaminants (SOCs)	2 Quarters 2020	Sample at each POE every three years, or submit SOC reduced monitoring waiver, if applicable. Use Form 62-560.545(2), F.A.C.

#### PCUD - Southwest WTP

#### PWS-ID No. 6511361

MONITORING & REPORTS DUE		DHF	COMMENTS
MONTO	KING & KLI OKIS	DOL	COMMENTS
Nitrate and Nitrit	e	2019	Sample at each POE every year. *
Primary Inorgani	cs	2020	Sample at each POE every three years.
Secondaries		2020	Sample at each POE every three years.
Radiologicals	Gross Alpha	2020	Sample at each POE every three, six or nine years.
	Uranium	2023	Sample at each POE every three, six or nine years.
	Radium-226	2023	Sample at each POE every three, six or nine years.
	Radium-228	2023	Sample at each POE every three, six or nine years.
Volatile Organic	Contaminants (VOCs)	2020	Sample at each POE every three years.
Synthetic Organic	: Contaminants (SOCs)	2 Quarters 2020	Sample at each POE every three years, or submit SOC reduced monitoring waiver, if applicable. Use Form 62-560.545(2), F.A.C.

<sup>\*</sup>POE = Point of entry to the distribution system. Sample at each POE that is representative of each source after treatment.

This is a good faith assessment of monitoring requirements for the above-referenced public water system for calendar year 2019 and may not include additional sampling required during the year due to special circumstances. If you have questions or disagree with the assessment, please contact the appropriate personnel at (813) 470-5700. Monitoring schedules are subject to change, at any time, based on results of analyses or other factors. This chart shall not relieve any person from any requirement of Florida law.

- > It is strongly recommended that testing be conducted early in the monitoring period to allow time for retests due to possible sampling or lab errors. Annual and triennial sampling should be completed by <u>9/30/2019</u> to provide time for revisions, re-tests, and/or corrections.
- > Test results must be submitted to DEP within the first ten days following the end of the required monitoring period, or the first ten days following the month in which the sample results were received, whichever time is the shortest. Failure to comply may result in enforcement action.



Southwest District Office 13051 North Telecom Parkway #101 Ron DeSantis Governor

Jeanette Nuñez Lt. Governor

Noah Valenstein Secretary

2019 Chemical Monitoring for Community Systems

Temple Terrace, Florida 33637-0926

PCUD – Pine Breeze (East Pasco)

PWS-ID No. 6511388

MONITOR	ING & REPORTS	DUE	COMMENTS
Raw Water Microb ("Bacteriological")	iological	Monthly	1 Raw Water Sample per well.
Distribution Micro ("Bacteriological")	biological	Monthly	1 Distribution Samples per month. Disinfectant residuals must be reported.
Nitrate and Nitrite		2019	Sample at each POE every year. *
Primary Inorganics	3	2021	Sample at each POE every three years.
Secondaries		2021	Sample at each POE every three years.
Radiologicals	Gross Alpha	2024	Sample at each POE every three, six or nine years.
	Uranium	2024	Sample at each POE every three, six or nine years.
	Radium-226	2024	Sample at each POE every three, six or nine years.
	Radium-228	2024	Sample at each POE every three, six or nine years.
Volatile Organic Co	ontaminants (VOCs)	2021	Sample at each POE every three years.
Synthetic Organic Contaminants (SOCs)		2021	Sample at each POE every three years, or submit SOC reduced monitoring waiver, if applicable. Use Form 62-560.545(2), F.A.C.
Stage II Disinfection Byproducts (DBPs) Total Trihalomethanes & Haloacetic Acids (5)		July-Sept 2021	Sample according to approved Stage 2 D/DBPR Monitoring Plan.
Asbestos		2020	Certification or results due every nine years. Use Form 62-555.900(10), F.A.C.
Lead & Copper		July-Sept 2021	Sample from sites approved on the Lead and Copper Sampling Plan every three years.
Consumer Confidence Report (CCR) & CCR Certification of Delivery		July 1, 2019	CCR must be delivered by July 1, 2019. The CCR Certification of Delivery must be submitted to the Department by August 10, 2019. Use Form 62-555.900(alternate 19), F.A.C.

<sup>\*</sup>POE = Point of entry to the distribution system. Sample at each POE that is representative of each source after treatment.

This is a good faith assessment of monitoring requirements for the above-referenced public water system for calendar year 2019 and may not include additional sampling required during the year due to special circumstances. If you have questions or disagree with the assessment, please contact the appropriate personnel at (813) 470-5700. Monitoring schedules are subject to change, at any time, based on results of analyses or other factors. This chart shall not relieve any person from any requirement of Florida law.

- > It is strongly recommended that testing be conducted early in the monitoring period to allow time for retests due to possible sampling or lab errors. Annual and triennial sampling should be completed by 9/30/2019 to provide time for revisions, re-tests, and/or corrections.
- > Test results must be submitted to DEP within the first ten days following the end of the required monitoring period, or the first ten days following the month in which the sample results were received, whichever time is the shortest. Failure to comply may result in enforcement action.



Summertree

## FLORIDA DEPARTMENT OF Environmental Protection

**Jeanette Nuñez** Lt. Governor

**Ron DeSantis** 

Governor

Noah Valenstein Secretary

PWS-ID No. 6511423

Southwest District Office 13051 North Telecom Parkway #101 Temple Terrace, Florida 33637-0926

2019 Chemical Monitoring for Community Systems

Summerace		1 W5-1D No. <u>0511-25</u>
MONITORING & REPORTS	DUE	COMMENTS
Microbiological ("Bacteriological")	Monthly	Disinfectant residuals must be reported.
Stage II Disinfection Byproducts (DBPs) Total Trihalomethanes & Haloacetic Acids (5)	July-Sept 2019	Sample according to approved Stage 2 D/DBPR Monitoring Plan.
Total Tritalomethanes & Taloacette Actas (5)	2019	
Asbestos	2021	Certification or results due every nine years.
113003103		Use Form 62-555.900(10), F.A.C.
Load & Connor	Bi-Annually	Sample from sites approved on the Lead and Copper
Lead & Copper	2019	Sampling Plan. Collect 10 L&C samples.
Consumer Confidence Depart (CCD) & CCD		CCR must be delivered by July 1, 2019. The CCR Certification
Consumer Confidence Report (CCR) & CCR	July 1, 2019	of Delivery must be submitted to the Department by August
Certification of Delivery	-	10, 2019. Use Form 62-555.900(alternate 19), F.A.C.

<sup>\*</sup>POE = Point of entry to the distribution system. Sample at each POE that is representative of each source after treatment.

This is a good faith assessment of monitoring requirements for the above-referenced public water system for calendar year 2019 and may not include additional sampling required during the year due to special circumstances. If you have questions or disagree with the assessment, please contact the appropriate personnel at (813) 470-5700. Monitoring schedules are subject to change, at any time, based on results of analyses or other factors. This chart shall not relieve any person from any requirement of Florida law.

- It is strongly recommended that testing be conducted early in the monitoring period to allow time for retests due to possible sampling or lab errors. Annual and triennial sampling should be completed by <u>9/30/2019</u> to provide time for revisions, re-tests, and/or corrections.
- > Test results must be submitted to DEP within the first ten days following the end of the required monitoring period, or the first ten days following the month in which the sample results were received, whichever time is the shortest. Failure to comply may result in enforcement action.



Ron DeSantis Governor

Jeanette Nuñez Lt. Governor

**Noah Valenstein** Secretary

Southwest District Office 13051 North Telecom Parkway #101 Temple Terrace, Florida 33637-0926

2019 Chemical Monitoring for Community Systems

South Pretty Pond Mobile Home Park

PWS-ID No. 6511569

MONITORING & REPORTS		DHE	COMMENTS
		DUE	COMMENTS
Raw Water Microbi ("Bacteriological")	ological	Monthly	1 Raw Water Sample per well.
Distribution Microb ("Bacteriological")	piological	Monthly	1 Distribution Samples per month. Disinfectant residuals must be reported.
Nitrate and Nitrite		2019	Sample at each POE every year.*
Primary Inorganics		2021	Sample at each POE every three years.
Secondaries		2021	Sample at each POE every three years.
Radiologicals	Gross Alpha	2024	Sample at each POE every three, six or nine years.
	Uranium	2024	Sample at each POE every three, six or nine years.
	Radium-226	2027	Sample at each POE every three, six or nine years.
	Radium-228	2027	Sample at each POE every three, six or nine years.
Volatile Organic Co	ontaminants (VOCs)	2021	Sample at each POE every three years.
Tetrachloroethylene	e (VOC)	Quarterly	Sample at each POE first two quarters of 2019 must be sampled. Contact the Department at that time for further guidance.
Synthetic Organic C	Contaminants (SOCs)	2021	Sample at each POE every three years, or submit SOC reduced monitoring waiver, if applicable. Use Form 62-560.545(2), F.A.C.
	n Byproducts (DBPs) es & Haloacetic Acids (5)	July-Sept 2021	Sample according to approved Stage 2 D/DBPR Monitoring Plan.
Asbestos		2020	Certification or results due every nine years. Use Form 62-555.900(10), F.A.C.
Lead & Copper		June-Sept. 2021	Sample from sites approved on the Lead and Copper Sampling Plan every three years.
Consumer Confider Certification of Deli	nce Report (CCR) & CCR ivery	July 1, 2019	CCR must be delivered by July 1, 2019. The CCR Certification of Delivery must be submitted to the Department by August 10, 2019. Use Form 62-555.900(alternate 19), F.A.C.

<sup>\*</sup>POE = Point of entry to the distribution system. Sample at each POE that is representative of each source after treatment.

This is a good faith assessment of monitoring requirements for the above-referenced public water system for calendar year 2019 and may not include additional sampling required during the year due to special circumstances. If you have questions or disagree with the assessment, please contact the appropriate personnel at (813) 470-5700. Monitoring schedules are subject to change, at any time, based on results of analyses or other factors. This chart shall not relieve any person from any requirement of Florida law.

- > It is strongly recommended that testing be conducted early in the monitoring period to allow time for retests due to possible sampling or lab errors. Annual and triennial sampling should be completed by 9/30/2019 to provide time for revisions, re-tests, and/or corrections.
- > Test results must be submitted to DEP within the first ten days following the end of the required monitoring period, or the first ten days following the month in which the sample results were received, whichever time is the shortest. Failure to comply may result in enforcement action.



Southwest District Office 13051 North Telecom Parkway #101 Temple Terrace, Florida 33637-0926 Ron DeSantis Governor

Jeanette Nuñez Lt. Governor

Noah Valenstein Secretary

2019 Chemical Monitoring for NTNC

Water Systems Sacred Heart Early Childhood Center

PWS-ID No. 6511709

water Systems Sacred Heart Early Childhood			PWS-ID No. 0311709
MONITOR	ING & REPORTS	DUE	COMMENTS
Raw Water Microbiological ("Bacteriological")		Quarterly	1 Raw Water Sample per well.
Distribution Microbiological ("Bacteriological")		Quarterly	1 Distribution Sample per quarter. Disinfectant residuals must be reported.
Nitrate and Nitri	te	2019	Sample at each POE every year.*
Primary Inorgani	ics	2019	Sample at each POE every three years.
Radiologicals	Gross Alpha	Waived	Sample at each POE every quarterly, six, nine years, or Waived use of Grandfather Data (date of sample)
	Uranium	2025	Sample at each POE every quarterly, six, nine years, or Waived use of Grandfather Data (date of sample)
	Radium-226	2025	Sample at each POE every quarterly, six, nine years, or Waived use of Grandfather Data (date of sample)
	Radium-228	2025	Sample at each POE every quarterly, six, nine years, or Waived use of Grandfather Data (date of sample)
Volatile Organic	Contaminants (VOCs)	2019	Sample at each POE every three years.
Synthetic Organic Contaminants (SOCs)		2019	Sample at each POE every three years, or submit SOC reduced monitoring waiver, if applicable. Use Form 62-560.545(2), F.A.C.
Stage II Disinfection Byproducts (DBPs) Total Trihalomethanes & Haloacetic Acids (5)		July-Sept. 2019	Sample according to approved Stage 2 D/DBPR Monitoring Plan.
Asbestos		2021	Certification or results due every nine years. Use Form 62-555.900(10), F.A.C.
Lead & Copper		July-Sept. 2019	Sample from sites approved on the Lead and Copper Sampling Plan every three years.

<sup>\*</sup>POE = Point of entry to the distribution system. Sample at each POE that is representative of each source after treatment.

This is a good faith assessment of monitoring requirements for the above-referenced public water system for calendar year 2019 and may not include additional sampling required during the year due to special circumstances. If you have questions or disagree with the assessment, please contact the appropriate personnel at (813) 470-5700. Monitoring schedules are subject to change, at any time, based on results of analyses or other factors. This chart shall not relieve any person from any requirement of Florida law.

- ➤ It is strongly recommended that testing be conducted early in the monitoring period to allow time for retests due to possible sampling or lab errors. Annual and triennial sampling should be completed by <u>9/30/2019</u> to provide time for revisions, retests, and/or corrections.
- > Test results must be submitted to DEP within the first ten days following the end of the required monitoring period, or the first ten days following the month in which the sample results were received, whichever time is the shortest. Failure to comply may result in enforcement action.



Ron DeSantis Governor

Jeanette Nuñez Lt. Governor

**Noah Valenstein** Secretary

Southwest District Office 13051 North Telecom Parkway #101 Temple Terrace, Florida 33637-0926

2019 Chemical Monitoring for Community Systems

St. Leo Abbey Water Department

PWS-ID No. 6511710

MONITORING & REPORTS		DUE	COMMENTS
Raw Water Microbiological ("Bacteriological")		Monthly	1 Raw Water Sample per well.
Distribution Microbiological ("Bacteriological")		Monthly	1 Distribution Samples per month. Disinfectant residuals must be reported.
Nitrate and Nitrite		2019	Sample at each POE every year.*
Primary Inorganics		2021	Sample at each POE every three years.
Secondaries		2021	Sample at each POE every three years.
Radiologicals	Gross Alpha	2024	Sample at each POE every three, six or nine years.
	Uranium	2021	Sample at each POE every three, six or nine years.
	Radium-226	2024	Sample at each POE every three, six or nine years.
	Radium-228	2024	Sample at each POE every three, six or nine years.
Volatile Organic Co	ontaminants (VOCs)	2021	Sample at each POE every three years.
Synthetic Organic Contaminants (SOCs)		2021	Sample at each POE every three years, or submit SOC reduced monitoring waiver, if applicable. Use Form 62-560.545(2), F.A.C.
Stage II Disinfection Byproducts (DBPs)  Total Trihalomethanes & Haloacetic Acids (5)		July-Sept 2021	Sample according to approved Stage 2 D/DBPR Monitoring Plan.
Asbestos		2020	Certification or results due every nine years. Use Form 62-555.900(10), F.A.C.
Lead & Copper		July-Sept 2021	Sample from sites approved on the Lead and Copper Sampling Plan every three years.
Consumer Confidence Report (CCR) & CCR Certification of Delivery		July 1, 2019	CCR must be delivered by July 1, 2019. The CCR Certification of Delivery must be submitted to the Department by August 10, 2018. Use Form 62-555.900(alternate 19), F.A.C.

<sup>\*</sup>POE = Point of entry to the distribution system. Sample at each POE that is representative of each source after treatment.

This is a good faith assessment of monitoring requirements for the above-referenced public water system for calendar year 2019 and may not include additional sampling required during the year due to special circumstances. If you have questions or disagree with the assessment, please contact the appropriate personnel at (813) 470-5700. Monitoring schedules are subject to change, at any time, based on results of analyses or other factors. This chart shall not relieve any person from any requirement of Florida law.

- > It is strongly recommended that testing be conducted early in the monitoring period to allow time for retests due to possible sampling or lab errors. Annual and triennial sampling should be completed by 9/30/2019 to provide time for revisions, re-tests, and/or corrections.
- > Test results must be submitted to DEP within the first ten days following the end of the required monitoring period, or the first ten days following the month in which the sample results were received, whichever time is the shortest. Failure to comply may result in enforcement action.



Southwest District Office 13051 North Telecom Parkway #101 Temple Terrace, Florida 33637-0926 Ron DeSantis Governor

Jeanette Nuñez Lt. Governor

Noah Valenstein Secretary

2019 Chemical Monitoring for Community Systems

PCUD – Sunburst Hill (Systemwide)

PWS-ID No. 6511745

MONITORING & REPORTS	DUE	COMMENTS
Raw Water Microbiological ("Bacteriological")	Monthly	1 Raw Water Sample per well.
Distribution Microbiological ("Bacteriological")	Monthly	1 Distribution Samples per month. Disinfectant residuals must be reported.
Stage II Disinfection Byproducts (DBPs)	July-Sept	Sample according to approved Stage 2 D/DBPR Monitoring
Total Trihalomethanes & Haloacetic Acids (5)	2019	Plan.
Asbestos	2020	Certification or results due every nine years. Use Form 62-555.900(10), F.A.C.
Lead & Copper	July-Sept 2021	Sample from sites approved on the Lead and Copper Sampling Plan every three years.
Consumer Confidence Report (CCR) & CCR Certification of Delivery	July 1, 2019	CCR must be delivered by July 1, 2019. The CCR Certification of Delivery must be submitted to the Department by August 10, 2019. Use Form 62-555.900(alternate 19), F.A.C.

### PCUD – Sunburst Hill #1 WTP

#### PWS-ID No. 6511745

MONITORING & REPORTS		DUE	COMMENTS
Nitrate and Nitrite		2019	Sample at each POE every year. *
Primary Inorganics		2021	Sample at each POE every three years.
Secondaries		2021	Sample at each POE every three years.
Radiologicals	Gross Alpha	2024	Sample at each POE every three, six or nine years.
	Uranium	2024	Sample at each POE every three, six or nine years.
	Radium-226	2024	Sample at each POE every three, six or nine years.
Radium-228		2024	Sample at each POE every three, six or nine years.
Volatile Organic Contaminants (VOCs)		2021	Sample at each POE every three years.
Synthetic Organic Contaminants (SOCs)		2021	Sample at each POE every three years, or submit SOC reduced monitoring waiver, if applicable. Use Form 62-560.545(2), F.A.C.

PWS-ID No. 6511745

MONITORING & REPORTS		DUE	COMMENTS
Nitrate and Nitrite		2019	Sample at each POE every year. *
Primary Inorganics		2021	Sample at each POE every three years.
Secondaries		2021	Sample at each POE every three years.
Radiologicals	Gross Alpha	2024	Sample at each POE every three, six or nine years.
	Uranium	2024	Sample at each POE every three, six or nine years.
	Radium-226	2024	Sample at each POE every three, six or nine years.
Radium-228		2024	Sample at each POE every three, six or nine years.
Volatile Organic Contaminants (VOCs)		2021	Sample at each POE every three years.
Synthetic Organic Contaminants (SOCs)		2021	Sample at each POE every three years, or submit SOC reduced monitoring waiver, if applicable. Use Form 62-560.545(2), F.A.C.

<sup>\*</sup>POE = Point of entry to the distribution system. Sample at each POE that is representative of each source after treatment.

This is a good faith assessment of monitoring requirements for the above-referenced public water system for calendar year 2019 and may not include additional sampling required during the year due to special circumstances. If you have questions or disagree with the assessment, please contact the appropriate personnel at (813) 470-5700. Monitoring schedules are subject to change, at any time, based on results of analyses or other factors. This chart shall not relieve any person from any requirement of Florida law.

- It is strongly recommended that testing be conducted early in the monitoring period to allow time for retests due to possible sampling or lab errors. Annual and triennial sampling should be completed by 9/30/2019 to provide time for revisions, re-tests, and/or corrections.
- > Test results must be submitted to DEP within the first ten days following the end of the required monitoring period, or the first ten days following the month in which the sample results were received, whichever time is the shortest. Failure to comply may result in enforcement action.



Ron DeSantis Governor

Jeanette Nuñez Lt. Governor

Noah Valenstein Secretary

Southwest District Office 13051 North Telecom Parkway #101 Temple Terrace, Florida 33637-0926

2019 Chemical Monitoring for Community Systems

Tippecanoe Village Homeowners Association

PWS-ID No. 6511824

Tippecanoe Village Homeowners Association			PWS-ID No. 0311824
	NG & REPORTS	DUE	COMMENTS
Raw Water Microbiological ("Bacteriological")		Monthly	1 Raw Water Sample per well.
Distribution Microbiological ("Bacteriological")		Monthly	1 Distribution Samples per month. Disinfectant residuals must be reported.
Nitrate and Nitrite		2019	Sample at each POE every year.*
Primary Inorganics		2021	Sample at each POE every three years.
Secondaries		2021	Sample at each POE every three years.
Radiologicals	Gross Alpha	2024	Sample at each POE every three, six or nine years.
	Uranium	2021	Sample at each POE every three, six or nine years.
	Radium-226	2021	Sample at each POE every three, six or nine years.
Radium-228		2021	Sample at each POE every three, six or nine years.
Volatile Organic Co	ontaminants (VOCs)	2021	Sample at each POE every three years.
Synthetic Organic Contaminants (SOCs)		2021	Sample at each POE every three years, or submit SOC reduced monitoring waiver, if applicable. Use Form 62-560.545(2), F.A.C.
Stage II Disinfection Byproducts (DBPs)  Total Trihalomethanes & Haloacetic Acids (5)		July-Sept. 2021	Sample according to approved Stage 2 D/DBPR Monitoring Plan.
Asbestos		2020	Certification or results due every nine years. Use Form 62-555.900(10), F.A.C.
Lead & Copper		July-Sept. 2021	Sample from sites approved on the Lead and Copper Sampling Plan every three years.
Consumer Confidence Report (CCR) & CCR Certification of Delivery		July 1, 2019	CCR must be delivered by July 1, 2019. The CCR Certification of Delivery must be submitted to the Department by August 10, 2018. Use Form 62-555.900(alternate 19), F.A.C.

<sup>\*</sup>POE = Point of entry to the distribution system. Sample at each POE that is representative of each source after treatment.

This is a good faith assessment of monitoring requirements for the above-referenced public water system for calendar year 2019 and may not include additional sampling required during the year due to special circumstances. If you have questions or disagree with the assessment, please contact the appropriate personnel at (813) 470-5700. Monitoring schedules are subject to change, at any time, based on results of analyses or other factors. This chart shall not relieve any person from any requirement of Florida law.

- > It is strongly recommended that testing be conducted early in the monitoring period to allow time for retests due to possible sampling or lab errors. Annual and triennial sampling should be completed by 9/30/2019 to provide time for revisions, re-tests, and/or corrections.
- > Test results must be submitted to DEP within the first ten days following the end of the required monitoring period, or the first ten days following the month in which the sample results were received, whichever time is the shortest. Failure to comply may result in enforcement action.



Ron DeSantis Governor

Jeanette Nuñez Lt. Governor

Noah Valenstein Secretary

Southwest District Office 13051 North Telecom Parkway #101 Temple Terrace, Florida 33637-0926

2019 Chemical Monitoring for Community Systems

System Name: Travelers Rest-new well PWS-ID No. <u>6511850</u>

MONITORING & REPORTS		DUE	COMMENTS
Microbiological ("Bacteriological")		Monthly	Disinfectant residuals must be reported.
Nitrate and Nitrite		2019	Sample at each POE every year.*
Primary Inorganics		2021	Sample at each POE every three years.
Secondaries		2021	Sample at each POE every three years.
Radiologicals	Gross Alpha	Quarterly	Sample at each POE every three, six or nine years.
	Uranium	Quarterly	Sample at each POE every three, six or nine years.
	Radium-226	Quarterly	Sample at each POE every three, six or nine years.
Radium-228		Quarterly	Sample at each POE every three, six or nine years.
Volatile Organic C	Volatile Organic Contaminants (VOCs)		Sample at each POE every three years.
Synthetic Organic Contaminants (SOCs)		Quarterly in 2019	Sample at each POE every three years, or submit SOC reduced monitoring waiver, if applicable. Use Form 62-560.545(2), F.A.C.
Stage II Disinfection Byproducts (DBPs) Total Trihalomethanes & Haloacetic Acids (5)		July-Sept 2019	Sample according to approved Stage 2 D/DBPR Monitoring Plan.
Asbestos		2020	Certification or results due every nine years. Use Form 62-555.900(10), F.A.C.
Lead & Copper		Jan-June 2019	Sample from sites approved on the Lead and Copper Sampling Plan.
Consumer Confidence Report (CCR) & CCR Certification of Delivery		July 1, 2019	CCR must be delivered by July 1, 2019. The CCR Certification of Delivery must be submitted to the Department by August 10, 2019. Use Form 62-555.900(alternate 19), F.A.C.

<sup>\*</sup>POE = Point of entry to the distribution system. Sample at each POE that is representative of each source after treatment.

This is a good faith assessment of monitoring requirements for the above-referenced public water system for calendar year 2019 and may not include additional sampling required during the year due to special circumstances. If you have questions or disagree with the assessment, please contact the appropriate personnel at (813) 470-5700. Monitoring schedules are subject to change, at any time, based on results of analyses or other factors. This chart shall not relieve any person from any requirement of Florida law.

- > It is strongly recommended that testing be conducted early in the monitoring period to allow time for retests due to possible sampling or lab errors. Annual and triennial sampling should be completed by <u>9/30/2019</u> to provide time for revisions, re-tests, and/or corrections.
- > Test results must be submitted to DEP within the first ten days following the end of the required monitoring period, or the first ten days following the month in which the sample results were received, whichever time is the shortest. Failure to comply may result in enforcement action.



Southwest District Office 13051 North Telecom Parkway #101 Temple Terrace, Florida 33637-0926 Ron DeSantis Governor

Jeanette Nuñez Lt. Governor

Noah Valenstein Secretary

2019 Chemical Monitoring for Community Systems

**Tropical Trailer Park** 

PWS-ID No. 6511859

MONITORI	NG & REPORTS	DUE		COMMENTS
Raw Water Microbiological ("Bacteriological")		Monthly		1 Raw Water Sample per well.
Distribution Microb ("Bacteriological")	piological	Monthly		1 Distribution Samples per month. Disinfectant residuals must be reported.
		Well #1	Well #2	Ensure a sample is taken from Each POE.
Nitrate and Nitrite		2019	Quarterly	Sample at each POE every year.
Primary Inorganics		2021	2021	Sample at each POE every three years.
Secondaries		2021	2021	Sample at each POE every three years.
Radiologicals	Gross Alpha	2024	2024	Sample at each POE every three, six or nine years.
	Uranium	2024	2024	Sample at each POE every three, six or nine years.
	Radium-226	2021	2021	Sample at each POE every three, six or nine years.
	Radium-228	2021	2021	Sample at each POE every three, six or nine years.
Volatile Organic Co	ontaminants (VOCs)	2021	2021	Sample at each POE every three years.
Synthetic Organic C	Synthetic Organic Contaminants (SOCs)		2021	Sample at each POE every three years, or submit SOC reduced monitoring waiver, if applicable. Use Form 62-560.545(2), F.A.C.
	n Byproducts (DBPs) es & Haloacetic Acids (5)	July-Sept. 2021		Sample according to approved Stage 2 D/DBPR Monitoring Plan.
Asbestos		2020		Certification or results due every nine years. Use Form 62-555.900(10), F.A.C.
Lead & Copper		July-Sept. 2021		Sample from sites approved on the Lead and Copper Sampling Plan every three years.
Consumer Confider Certification of Deli	nce Report (CCR) & CCR every	July 1, 2019		CCR must be delivered by July 1, 2019. The CCR Certification of Delivery must be submitted to the Department by August 10, 2018. Use Form 62-555.900(alternate 19), F.A.C.

<sup>\*</sup>POE = Point of entry to the distribution system. Sample at each POE that is representative of each source after treatment.

This is a good faith assessment of monitoring requirements for the above-referenced public water system for calendar year 2019 and may not include additional sampling required during the year due to special circumstances. If you have questions or disagree with the assessment, please contact the appropriate personnel at (813) 470-5700. Monitoring schedules are subject to change, at any time, based on results of analyses or other factors. This chart shall not relieve any person from any requirement of Florida law.

- It is strongly recommended that testing be conducted early in the monitoring period to allow time for retests due to possible sampling or lab errors. Annual and triennial sampling should be completed by <u>9/30/2019</u> to provide time for revisions, re-tests, and/or corrections.
- > Test results must be submitted to DEP within the first ten days following the end of the required monitoring period, or the first ten days following the month in which the sample results were received, whichever time is the shortest. Failure to comply may result in enforcement action.



**Jeanette Nuñez** Lt. Governor

Noah Valenstein Secretary

**Ron DeSantis** 

Governor

Southwest District Office 13051 North Telecom Parkway #101 Temple Terrace, Florida 33637-0926

2019 Chemical Monitoring for Community Systems

Virginia City PWS-ID No. 6511907

MONITORING & REPORTS		DUE	COMMENTS
Raw Water Microbiological ("Bacteriological")		Monthly	1 Raw Water Sample per well.
Distribution Microbiological ("Bacteriological")		Monthly	1 Distribution Samples per month. Disinfectant residuals must be reported.
Nitrate and Nitrite		2019	Sample at each POE every year. *
Primary Inorganics	3	2021	Sample at each POE every three years.
Secondaries		2021	Sample at each POE every three years.
Radiologicals	Gross Alpha	2021	Sample at each POE every three, six or nine years.
	Uranium	2021	Sample at each POE every three, six or nine years.
	Radium-226	2024	Sample at each POE every three, six or nine years.
Radium-228		2024	Sample at each POE every three, six or nine years.
Volatile Organic Co	ontaminants (VOCs)	2021	Sample at each POE every three years.
Synthetic Organic Contaminants (SOCs)		2021	Sample at each POE every three years, or submit SOC reduced monitoring waiver, if applicable. Use Form 62-560.545(2), F.A.C.
Stage II Disinfection Byproducts (DBPs)  Total Trihalomethanes & Haloacetic Acids (5)		July – Sept 2019	Sample according to approved Stage 2 D/DBPR Monitoring Plan.
Asbestos		2021	Certification or results due every nine years. Use Form 62-555.900(10), F.A.C.
Lead & Copper		June – Sept 2021	Sample from sites approved on the Lead and Copper Sampling Plan every three years.
Consumer Confidence Report (CCR) & CCR Certification of Delivery		July 1, 2019	CCR must be delivered by July 1, 2019. The CCR Certification of Delivery must be submitted to the Department by August 10, 2019. Use Form 62-555.900(alternate 19), F.A.C.

<sup>\*</sup>POE = Point of entry to the distribution system. Sample at each POE that is representative of each source after treatment.

This is a good faith assessment of monitoring requirements for the above-referenced public water system for calendar year 2019 and may not include additional sampling required during the year due to special circumstances. If you have questions or disagree with the assessment, please contact the appropriate personnel at (813) 470-5700. Monitoring schedules are subject to change, at any time, based on results of analyses or other factors. This chart shall not relieve any person from any requirement of Florida law.

- > It is strongly recommended that testing be conducted early in the monitoring period to allow time for retests due to possible sampling or lab errors. Annual and triennial sampling should be completed by 9/30/2019 to provide time for revisions, re-tests, and/or corrections.
- > Test results must be submitted to DEP within the first ten days following the end of the required monitoring period, or the first ten days following the month in which the sample results were received, whichever time is the shortest. Failure to comply may result in enforcement action.



Jeanette Nuñez

Lt. Governor

**Ron DeSantis** 

Governor

Noah Valenstein Secretary

**Southwest District Office** 13051 North Telecom Parkway #101 Temple Terrace, Florida 33637-0926

2019 Chemical Monitoring for Community Systems

Westwood Subdivision PWS-ID No. 6511953 **MONITORING & REPORTS** DUE **COMMENTS** Raw Water Microbiological Monthly 1 Raw Water Sample per well. ("Bacteriological") Distribution Microbiological 1 Distribution Samples per month. Disinfectant residuals Monthly ("Bacteriological") must be reported. Quarterly Sample at each POE every quarter. \* Nitrate 2019 2019 Nitrite Sample at each POE every year. \* **Primary Inorganics** 2021 Sample at each POE every three years. Secondaries 2021 Sample at each POE every three years. Radiologicals Gross Alpha 2024 Sample at each POE every three, six or nine years. Uranium Sample at each POE every three, six or nine years. 2021 Radium-226 2021 Sample at each POE every three, six or nine years. Radium-228 2021 Sample at each POE every three, six or nine years. 2021 Volatile Organic Contaminants (VOCs) Sample at each POE every three years. Sample at each POE every three years, or submit SOC reduced monitoring waiver, if applicable. Use Form 62-560.545(2), Synthetic Organic Contaminants (SOCs) 2021 F.A.C. Heptachlor (2065), Heptachlor Epoxide Sample at each POE every year. \* 2019 (2067), Chlordane (2959) Stage II Disinfection Byproducts (DBPs) Sample according to approved Stage 2 D/DBPR Monitoring July - Sept *Total Trihalomethanes & Haloacetic Acids (5)* 2021 Certification or results due every nine years. Asbestos 2021 Use Form 62-555.900(10), F.A.C. June - Sept Sample from sites approved on the Lead and Copper Lead & Copper Sampling Plan every three years. 2021 CCR must be delivered by July 1, 2019. The CCR Certification Consumer Confidence Report (CCR) & CCR of Delivery must be submitted to the Department by August July 1, 2019 Certification of Delivery

This is a good faith assessment of monitoring requirements for the above-referenced public water system for calendar year 2019 and may not include additional sampling required during the year due to special circumstances. If you have questions or disagree with the assessment, please contact the appropriate personnel at (813) 470-5700. Monitoring schedules are subject to change, at any time, based on results of analyses or other factors. This chart shall not relieve any person from any requirement of Florida law.

10, 2019. Use Form 62-555.900(alternate 19), F.A.C.

- It is strongly recommended that testing be conducted early in the monitoring period to allow time for retests due to possible sampling or lab errors. Annual and triennial sampling should be completed by 9/30/2019 to provide time for revisions, re-tests, and/or corrections.
- Test results must be submitted to DEP within the first ten days following the end of the required monitoring period, or the first ten days following the month in which the sample results were received, whichever time is the shortest. Failure to comply may result in enforcement action.

<sup>\*</sup>POE = Point of entry to the distribution system. Sample at each POE that is representative of each source after treatment.



Ron DeSantis Governor

Jeanette Nuñez Lt. Governor

Noah Valenstein Secretary

Southwest District Office 13051 North Telecom Parkway #101 Temple Terrace, Florida 33637-0926

2019 Chemical Monitoring for Community Systems

System Name: Wooddale MHP PWS-ID No. 6512004

MONITOR	ING & REPORTS	DUE	COMMENTS
Raw Water Microbiological ("Bacteriological")		Monthly	1 Raw Water Sample per well.
Distribution Microbiological ("Bacteriological")		Monthly	1 Distribution Samples per month. Disinfectant residuals must be reported.
Nitrate and Nitrite		2019	Sample at each POE every year.*
Primary Inorganics		2021	Sample at each POE every three years.
Secondaries		2021	Sample at each POE every three years.
Radiologicals	Gross Alpha	2027	Sample at each POE every three, six or nine years.
	Uranium	2027	Sample at each POE every three, six or nine years.
	Radium-226	2024	Sample at each POE every three, six or nine years.
	Radium-228		Sample at each POE every three, six or nine years.
Volatile Organic Co	ontaminants (VOCs)	2021	Sample at each POE every three years.
Synthetic Organic Contaminants (SOCs)		2021	Sample at each POE every three years, or submit SOC reduced monitoring waiver, if applicable. Use Form 62-560.545(2), F.A.C.
Stage II Disinfection Byproducts (DBPs)  Total Trihalomethanes & Haloacetic Acids (5)		July-Sept 2021	Sample according to approved Stage 2 D/DBPR Monitoring Plan.
Asbestos		2021	Certification or results due every nine years. Use Form 62-555.900(10), F.A.C.
Lead & Copper		June-Sept 2021	Sample from sites approved on the Lead and Copper Sampling Plan every three years.
Consumer Confidence Report (CCR) & CCR Certification of Delivery		July 1, 2019	CCR must be delivered by July 1, 2019. The CCR Certification of Delivery must be submitted to the Department by August 10, 2019. Use Form 62-555.900(alternate 19), F.A.C.

<sup>\*</sup>POE = Point of entry to the distribution system. Sample at each POE that is representative of each source after treatment.

This is a good faith assessment of monitoring requirements for the above-referenced public water system for calendar year 2019 and may not include additional sampling required during the year due to special circumstances. If you have questions or disagree with the assessment, please contact the appropriate personnel at (813) 470-5700. Monitoring schedules are subject to change, at any time, based on results of analyses or other factors. This chart shall not relieve any person from any requirement of Florida law.

- > It is strongly recommended that testing be conducted early in the monitoring period to allow time for retests due to possible sampling or lab errors. Annual and triennial sampling should be completed by 9/30/2019 to provide time for revisions, re-tests, and/or corrections.
- > Test results must be submitted to DEP within the first ten days following the end of the required monitoring period, or the first ten days following the month in which the sample results were received, whichever time is the shortest. Failure to comply may result in enforcement action.



Ron DeSantis Governor

Jeanette Nuñez Lt. Governor

Noah Valenstein Secretary

Southwest District Office 13051 North Telecom Parkway #101 Temple Terrace, Florida 33637-0926

2019 Chemical Monitoring for Community Systems

Zephyr Shores Mobile Home Estates

PWS-ID No. 6512018

MONITORING & REPORTS		DUE	COMMENTS
Raw Water Microbiological ("Bacteriological")		Monthly	1 Raw Water Sample per well.
Distribution Microbiological ("Bacteriological")		Monthly	1 Distribution Samples per month. Disinfectant residuals must be reported.
Nitrate and Nitrite		2019	Sample at each POE every year.*
Primary Inorganics		2021	Sample at each POE every three years.
Secondaries		2021	Sample at each POE every three years.
Radiologicals	Gross Alpha	2021	Sample at each POE every three, six or nine years.
	Uranium	2021	Sample at each POE every three, six or nine years.
	Radium-226	2021	Sample at each POE every three, six or nine years.
Radium-228		2021	Sample at each POE every three, six or nine years.
Volatile Organic Co	ontaminants (VOCs)	2021	Sample at each POE every three years.
Synthetic Organic C	Synthetic Organic Contaminants (SOCs)		Sample at each POE every three years, or submit SOC reduced monitoring waiver, if applicable. Use Form 62-560.545(2), F.A.C.
	Stage II Disinfection Byproducts (DBPs)  Total Trihalomethanes & Haloacetic Acids (5)		Sample according to approved Stage 2 D/DBPR Monitoring Plan.
Asbestos		2020	Certification or results due every nine years. Use Form 62-555.900(10), F.A.C.
Lead & Copper		June-Sept 2021	Sample from sites approved on the Lead and Copper Sampling Plan every three years.
Consumer Confidence Report (CCR) & CCR Certification of Delivery		July 1, 2019	CCR must be delivered by July 1, 2019. The CCR Certification of Delivery must be submitted to the Department by August 10, 2018. Use Form 62-555.900(alternate 19), F.A.C.

<sup>\*</sup>POE = Point of entry to the distribution system. Sample at each POE that is representative of each source after treatment.

This is a good faith assessment of monitoring requirements for the above-referenced public water system for calendar year 2019 and may not include additional sampling required during the year due to special circumstances. If you have questions or disagree with the assessment, please contact the appropriate personnel at (813) 470-5700. Monitoring schedules are subject to change, at any time, based on results of analyses or other factors. This chart shall not relieve any person from any requirement of Florida law.

- > It is strongly recommended that testing be conducted early in the monitoring period to allow time for retests due to possible sampling or lab errors. Annual and triennial sampling should be completed by 9/30/2019 to provide time for revisions, re-tests, and/or corrections.
- > Test results must be submitted to DEP within the first ten days following the end of the required monitoring period, or the first ten days following the month in which the sample results were received, whichever time is the shortest. Failure to comply may result in enforcement action.



**Ron DeSantis** Governor

Jeanette Nuñez Lt. Governor

Noah Valenstein Secretary

Southwest District Office 13051 North Telecom Parkway #101 Temple Terrace, Florida 33637-0926

2019 Chemical Monitoring for Community Systems

City of Zephyrhills (System-Wide)

PWS-ID No. 6512020

MONITORING & REPORTS	DUE	COMMENTS
Microbiological ("Bacteriological")	Monthly	25 Distribution samples per month. Disinfectant residuals must be reported.
Stage II Disinfection Byproducts (DBPs) Total Trihalomethanes & Haloacetic Acids (5)	July-Sept. 2019	Sample according to approved Stage 2 D/DBPR Monitoring Plan.
Asbestos	2020	Certification or results due every nine years. Use Form 62-555.900(10), F.A.C.
Lead & Copper	June-Sept. 2020	Sample from sites approved on the Lead and Copper Sampling Plan every three years.
Consumer Confidence Report (CCR) & CCR Certification of Delivery	July 1, 2019	CCR must be delivered by July 1, 2019. The CCR Certification of Delivery must be submitted to the Department by August 10, 2019. Use Form 62-555.900(alternate 19), F.A.C.
Cross Connection Control Annual Report	March 31, 2019	Submit a completed form 62-555.900(13) F.A.C annually.

#### Well #2 Water Treatment Plant

MONITORING & REPORTS		DUE DUE	COMMENTS
Nitrate and Nitrite		2019	Sample at each POE every year.*
Primary Inorganics		2020	Sample at each POE every three years.
Secondaries		2020	Sample at each POE every three years.
Volatile Organic Contaminants (VOCs)		2020	Sample at each POE every three years.
Synthetic Organic Contaminants (SOCs)		2 Quarters in 2020	Sample at each POE every three years, or submit SOC reduced monitoring waiver, if applicable. Use Form 62-560.545(2), F.A.C.
Radiologicals	Gross Alpha	2020	Sample at each POE every three, six or nine years.
	Uranium	2020	Sample at each POE every three, six or nine years.
	Radium-226	2020	Sample at each POE every three, six or nine years.
	Radium-228	2020	Sample at each POE every three, six or nine years.

### **Well #3 Water Treatment Plant**

MONITORING & REPORTS		DUE	COMMENTS
Nitrate and Nitrite		2019	Sample at each POE every year.*
Primary Inorganics		2020	Sample at each POE every three years.
Secondaries		2020	Sample at each POE every three years.
Volatile Organic Contaminants (VOCs)		2020	Sample at each POE every three years.
Synthetic Organic Contaminants (SOCs)		2 Quarters in 2020	Sample at each POE every three years, or submit SOC reduced monitoring waiver, if applicable. Use Form 62-560.545(2), F.A.C.
Radiologicals	Gross Alpha	2020	Sample at each POE every three, six or nine years.
	Uranium	2020	Sample at each POE every three, six or nine years.
	Radium-226	2020	Sample at each POE every three, six or nine years.
	Radium-228	2020	Sample at each POE every three, six or nine years.

### **Well #4 Water Treatment Plant**

MONITORING & REPORTS		DUE	COMMENTS
Nitrate and Nitrite		2019	Sample at each POE every year.*
Primary Inorganics		2020	Sample at each POE every three years.
Secondaries		2020	Sample at each POE every three years.
Volatile Organic Contaminants (VOCs)		2020	Sample at each POE every three years.
Synthetic Organic Contaminants (SOCs)		2 Quarters in 2020	Sample at each POE every three years, or submit SOC reduced monitoring waiver, if applicable. Use Form 62-560.545(2), F.A.C.
Radiologicals	Gross Alpha	2020	Sample at each POE every three, six or nine years.
	Uranium	2023	Sample at each POE every three, six or nine years.
	Radium-226	2020	Sample at each POE every three, six or nine years.
	Radium-228	2020	Sample at each POE every three, six or nine years.

### **Well #5 Water Treatment Plant**

MONITORING & REPORTS		DUE	COMMENTS
Nitrate and Nitrite		2019	Sample at each POE every year.*
Primary Inorganics		2020	Sample at each POE every three years.
Secondaries		2020	Sample at each POE every three years.
Volatile Organic Contaminants (VOCs)		2020	Sample at each POE every three years.
Synthetic Organic Contaminants (SOCs)		2 Quarters in 2020	Sample at each POE every three years, or submit SOC reduced monitoring waiver, if applicable. Use Form 62-560.545(2), F.A.C.
Radiologicals	Gross Alpha	2020	Sample at each POE every three, six or nine years.
	Uranium	2023	Sample at each POE every three, six or nine years.
	Radium-226	2020	Sample at each POE every three, six or nine years.
	Radium-228	2020	Sample at each POE every three, six or nine years.

### **Well #10 Water Treatment Plant**

MONITORING & REPORTS		DUE	COMMENTS
Nitrate and Nitrite		2019	Sample at each POE every year.*
Primary Inorganics		2020	Sample at each POE every three years.
Secondaries		2020	Sample at each POE every three years.
Volatile Organic Contaminants (VOCs)		2020	Sample at each POE every three years.
Synthetic Organic Contaminants (SOCs)		2 Quarters in 2020	Sample at each POE every three years, or submit SOC reduced monitoring waiver, if applicable. Use Form 62-560.545(2), F.A.C.
Radiologicals	Gross Alpha	2020	Sample at each POE every three, six or nine years.
	Uranium	2020	Sample at each POE every three, six or nine years.
	Radium-226	2020	Sample at each POE every three, six or nine years.
	Radium-228	2020	Sample at each POE every three, six or nine years.

### **Well # 11 Water Treatment Plant**

MONITORING & REPORTS		DUE	COMMENTS
Nitrate and Nitrite		2019	Sample at each POE every year.*
Primary Inorganics		2020	Sample at each POE every three years.
Secondaries		2020	Sample at each POE every three years.
Volatile Organic Contaminants (VOCs)		2020	Sample at each POE every three years.
Synthetic Organic Contaminants (SOCs)		2 Quarters in 2020	Sample at each POE every three years, or submit SOC reduced monitoring waiver, if applicable. Use Form 62-560.545(2), F.A.C.
Radiologicals	Gross Alpha	2026	Sample at each POE every three, six or nine years.
	Uranium	2026	Sample at each POE every three, six or nine years.
	Radium-226	2020	Sample at each POE every three, six or nine years.
	Radium-228	2020	Sample at each POE every three, six or nine years.

#### **Well #12 Water Treatment Plant**

MONITORING & REPORTS		DUE	COMMENTS
Nitrate and Nitrite		2019	Sample at each POE every year.*
Primary Inorganics		2020	Sample at each POE every three years.
Secondaries		2020	Sample at each POE every three years.
Volatile Organic Contaminants (VOCs)		2020	Sample at each POE every three years.
Synthetic Organic Contaminants (SOCs)		2 Quarters in 2020	Sample at each POE every three years, or submit SOC reduced monitoring waiver, if applicable. Use Form 62-560.545(2), F.A.C.
Radiologicals	Gross Alpha	2020	Sample at each POE every three, six or nine years.
	Uranium	2026	Sample at each POE every three, six or nine years.
	Radium-226	2020	Sample at each POE every three, six or nine years.
	Radium-228	2020	Sample at each POE every three, six or nine years.

<sup>\*</sup>POE = Point of entry to the distribution system. Sample at each POE that is representative of each source after treatment.

This is a good faith assessment of monitoring requirements for the above-referenced public water system for calendar year 2019 and may not include additional sampling required during the year due to special circumstances. If you have questions or disagree with the assessment, please contact the appropriate personnel at (813) 470-5700. Monitoring schedules are subject to change, at any time, based on results of analyses or other factors. This chart shall not relieve any person from any requirement of Florida law.

- > It is strongly recommended that testing be conducted early in the monitoring period to allow time for retests due to possible sampling or lab errors. Annual and triennial sampling should be completed by <u>9/30/2019</u> to provide time for revisions, re-tests, and/or corrections.
- > Test results must be submitted to DEP within the first ten days following the end of the required monitoring period, or the first ten days following the month in which the sample results were received, whichever time is the shortest. Failure to comply may result in enforcement action.



Southwest District Office 13051 North Telecom Parkway #101 Temple Terrace, Florida 33637-0926 Ron DeSantis Governor

Jeanette Nuñez Lt. Governor

Noah Valenstein Secretary

2019 Chemical Monitoring for Community Systems

Blanton Lake Park PWS-ID No. 6512033

MONITORING & REPORTS		DUE	COMMENTS
Raw Water Microbiological ("Bacteriological")		Monthly	1 Raw Water Sample per well.
Distribution Microb ("Bacteriological")	iological	Monthly	1 Distribution Samples per month. Disinfectant residuals must be reported.
Nitrate and Nitrite		2019	Sample at each POE every year. *
Primary Inorganics		2021	Sample at each POE every three years.
Secondaries		2021	Sample at each POE every three years.
Radiologicals	Gross Alpha	2024	Sample at each POE every three, six or nine years.
	Uranium	2024	Sample at each POE every three, six or nine years.
	Radium-226	2021	Sample at each POE every three, six or nine years.
	Radium-228	2021	Sample at each POE every three, six or nine years.
Volatile Organic Co	Volatile Organic Contaminants (VOCs)		Sample at each POE every three years.
Toluene (2991)	Toluene (2991)		Sample at each POE quarterly. *
Synthetic Organic C	Synthetic Organic Contaminants (SOCs)		Sample at each POE every three years, or submit SOC reduced monitoring waiver, if applicable. Use Form 62-560.545(2), F.A.C.
Stage II Disinfection Total Trihalomethanes	Byproducts (DBPs) s & Haloacetic Acids (5)	July - Sept 2019	Sample according to approved Stage 2 D/DBPR Monitoring Plan.
Asbestos		2020	Certification or results due every nine years. Use Form 62-555.900(10), F.A.C.
Lead & Copper		Jan - June & July- Sept 2019	Sample from sites approved on the Lead and Copper Sampling Plan biannually.
Water Quality Parameters (WQP)		Jan - June & July- Sept 2019	Sample from sites approved on the Lead and Copper Sampling Plan biannually.
Consumer Confiden Certification of Deli	nce Report (CCR) & CCR very	July 1, 2019	CCR must be delivered by July 1, 2019. The CCR Certification of Delivery must be submitted to the Department by August 10, 2019. Use Form 62-555.900(alternate 19), F.A.C.

<sup>\*</sup>POE = Point of entry to the distribution system. Sample at each POE that is representative of each source after treatment.

This is a good faith assessment of monitoring requirements for the above-referenced public water system for calendar year 2019 and may not include additional sampling required during the year due to special circumstances. If you have questions or disagree with the assessment, please contact the appropriate personnel at (813) 470-5700. Monitoring schedules are subject to change, at any time, based on results of analyses or other factors. This chart shall not relieve any person from any requirement of Florida law.

- > It is strongly recommended that testing be conducted early in the monitoring period to allow time for retests due to possible sampling or lab errors. Annual and triennial sampling should be completed by 9/30/2019 to provide time for revisions, re-tests, and/or corrections.
- > Test results must be submitted to DEP within the first ten days following the end of the required monitoring period, or the first ten days following the month in which the sample results were received, whichever time is the shortest. Failure to comply may result in enforcement action.



Ron DeSantis Governor

Jeanette Nuñez Lt. Governor

Noah Valenstein Secretary

Southwest District Office 13051 North Telecom Parkway #101 Temple Terrace, Florida 33637-0926

2019 Chemical Monitoring for Community Systems

System Name: Terra Bella Plant PWS-ID No. <u>6512064</u>

MONITORING & REPORTS		DUE	COMMENTS
Microbiological ("Bacteriological")		Monthly	Disinfectant residuals must be reported.
Nitrate and Nitrite		2019	Sample at each POE every year.*
Primary Inorganics		2020	Sample at each POE every three years.
Secondaries		2021	Sample at each POE every three years.
Radiologicals	Gross Alpha	2027	Sample at each POE every three, six or nine years.
	Uranium	2027	Sample at each POE every three, six or nine years.
	Radium-226	2024	Sample at each POE every three, six or nine years.
	Radium-228	2024	Sample at each POE every three, six or nine years.
Volatile Organic C	Contaminants (VOCs)	2021	Sample at each POE every three years.
Synthetic Organic Contaminants (SOCs)		2021	Sample at each POE every three years, or submit SOC reduced monitoring waiver, if applicable. Use Form 62-560.545(2), F.A.C.
Stage II Disinfection Byproducts (DBPs) Total Trihalomethanes & Haloacetic Acids (5)		July-Sept 2019	Sample according to approved Stage 2 D/DBPR Monitoring Plan.
Asbestos		2020	Certification or results due every nine years. Use Form 62-555.900(10), F.A.C.
Lead & Copper		Jun-Sept 2021	Sample from sites approved on the Lead and Copper Sampling Plan every three years.
Consumer Confidence Report (CCR) & CCR Certification of Delivery		July 1, 2019	CCR must be delivered by July 1, 2019. The CCR Certification of Delivery must be submitted to the Department by August 10, 2019. Use Form 62-555.900(alternate 19), F.A.C.

<sup>\*</sup>POE = Point of entry to the distribution system. Sample at each POE that is representative of each source after treatment.

This is a good faith assessment of monitoring requirements for the above-referenced public water system for calendar year 2019 and may not include additional sampling required during the year due to special circumstances. If you have questions or disagree with the assessment, please contact the appropriate personnel at (813) 470-5700. Monitoring schedules are subject to change, at any time, based on results of analyses or other factors. This chart shall not relieve any person from any requirement of Florida law.

- It is strongly recommended that testing be conducted early in the monitoring period to allow time for retests due to possible sampling or lab errors. Annual and triennial sampling should be completed by <u>9/30/2019</u> to provide time for revisions, re-tests, and/or corrections.
- > Test results must be submitted to DEP within the first ten days following the end of the required monitoring period, or the first ten days following the month in which the sample results were received, whichever time is the shortest. Failure to comply may result in enforcement action.



Ron DeSantis Governor

Jeanette Nuñez Lt. Governor

Noah Valenstein Secretary

Southwest District Office 13051 North Telecom Parkway #101 Temple Terrace, Florida 33637-0926

System Name: Carpenter's Run Plant PWS-ID No. 6512064

MONITORING & REPORTS		DUE	COMMENTS
Microbiological ("Bacteriological")		Monthly	Disinfectant residuals must be reported.
Nitrate and Nitrite		2019	Sample at each POE every year.*
Primary Inorganics		2020	Sample at each POE every three years.
Secondaries		2021	Sample at each POE every three years.
Radiologicals	Gross Alpha	2027	Sample at each POE every three, six or nine years.
	Uranium	2027	Sample at each POE every three, six or nine years.
	Radium-226	2024	Sample at each POE every three, six or nine years.
	Radium-228	2024	Sample at each POE every three, six or nine years.
Volatile Organic Co	Volatile Organic Contaminants (VOCs)		Sample at each POE every three years.
Synthetic Organic Contaminants (SOCs)		2021	Sample at each POE every three years, or submit SOC reduced monitoring waiver, if applicable. Use Form 62-560.545(2), F.A.C.
Dalapon		2019	
Stage II Disinfection Byproducts (DBPs)  Total Trihalomethanes & Haloacetic Acids (5)		July-Sept 2019	Sample according to approved Stage 2 D/DBPR Monitoring Plan.
Asbestos		2020	Certification or results due every nine years. Use Form 62-555.900(10), F.A.C.
Lead & Copper		Jun-Sept 2021	Sample from sites approved on the Lead and Copper Sampling Plan every three years.
Consumer Confidence Report (CCR) & CCR Certification of Delivery		July 1, 2019	CCR must be delivered by July 1, 2019. The CCR Certification of Delivery must be submitted to the Department by August 10, 2019. Use Form 62-555.900(alternate 19), F.A.C.

<sup>\*</sup>POE = Point of entry to the distribution system. Sample at each POE that is representative of each source after treatment.

This is a good faith assessment of monitoring requirements for the above-referenced public water system for calendar year 2019 and may not include additional sampling required during the year due to special circumstances. If you have questions or disagree with the assessment, please contact the appropriate personnel at (813) 470-5700. Monitoring schedules are subject to change, at any time, based on results of analyses or other factors. This chart shall not relieve any person from any requirement of Florida law.

- It is strongly recommended that testing be conducted early in the monitoring period to allow time for retests due to possible sampling or lab errors. Annual and triennial sampling should be completed by <u>9/30/2019</u> to provide time for revisions, re-tests, and/or corrections.
- > Test results must be submitted to DEP within the first ten days following the end of the required monitoring period, or the first ten days following the month in which the sample results were received, whichever time is the shortest. Failure to comply may result in enforcement action.



Ron DeSantis Governor

Jeanette Nuñez Lt. Governor

Noah Valenstein Secretary

Southwest District Office 13051 North Telecom Parkway #101 Temple Terrace, Florida 33637-0926

2019 Chemical Monitoring for Community Systems

System Name: Orangewood Lakes MHP PWS-ID No. 6512069

System Name: Orangewood Lakes MHP			PWS-ID No. 0512009
MONITORI	ING & REPORTS	DUE	COMMENTS
Raw Water Microbiological ("Bacteriological")		Monthly	1 Raw Water Sample per well.
Distribution Microb ("Bacteriological")	piological	Monthly	1 Distribution Samples per month. Disinfectant residuals must be reported.
Nitrate and Nitrite		2019	Sample at each POE every year.*
Primary Inorganics		2021	Sample at each POE every three years.
Secondaries		2021	Sample at each POE every three years.
Radiologicals	Gross Alpha	2024	Sample at each POE every three, six or nine years.
	Uranium	2021	Sample at each POE every three, six or nine years.
	Radium-226	2021	Sample at each POE every three, six or nine years.
	Radium-228	2021	Sample at each POE every three, six or nine years.
Volatile Organic Co	ontaminants (VOCs)	2021	Sample at each POE every three years.
Synthetic Organic Contaminants (SOCs)		2021	Sample at each POE every three years, or submit SOC reduced monitoring waiver, if applicable. Use Form 62-560.545(2), F.A.C.
	n Byproducts (DBPs) es & Haloacetic Acids (5)	July-Sept 2021	Sample according to approved Stage 2 D/DBPR Monitoring Plan.
Asbestos		2021	Certification or results due every nine years. Use Form 62-555.900(10), F.A.C.
Lead & Copper		June-Sept 2021	Sample from sites approved on the Lead and Copper Sampling Plan every three years.
Consumer Confidence Report (CCR) & CCR Certification of Delivery		July 1, 2019	CCR must be delivered by July 1, 2019. The CCR Certification of Delivery must be submitted to the Department by August 10, 2019. Use Form 62-555.900(alternate 19), F.A.C.

<sup>\*</sup>POE = Point of entry to the distribution system. Sample at each POE that is representative of each source after treatment.

This is a good faith assessment of monitoring requirements for the above-referenced public water system for calendar year 2019 and may not include additional sampling required during the year due to special circumstances. If you have questions or disagree with the assessment, please contact the appropriate personnel at (813) 470-5700. Monitoring schedules are subject to change, at any time, based on results of analyses or other factors. This chart shall not relieve any person from any requirement of Florida law.

- > It is strongly recommended that testing be conducted early in the monitoring period to allow time for retests due to possible sampling or lab errors. Annual and triennial sampling should be completed by 9/30/2019 to provide time for revisions, re-tests, and/or corrections.
- > Test results must be submitted to DEP within the first ten days following the end of the required monitoring period, or the first ten days following the month in which the sample results were received, whichever time is the shortest. Failure to comply may result in enforcement action.



System Name: Jasmine Lakes

## FLORIDA DEPARTMENT OF Environmental Protection

Ron DeSantis Governor

Jeanette Nuñez Lt. Governor

Noah Valenstein Secretary

Southwest District Office 13051 North Telecom Parkway #101 Temple Terrace, Florida 33637-0926

2019 Chemical Monitoring for Community Systems

PWS-ID No. 6512070

MONITORING & REPORTS		DUE	COMMENTS
Microbiological ("Bacteriological")		Monthly	Disinfectant residuals must be reported.
Nitrate and Nitrite		2019	Sample at each POE every year.*
Primary Inorganics		2020	Sample at each POE every three years.
Secondaries		2020	Sample at each POE every three years.
Radiologicals	Gross Alpha	2023	Sample at each POE every three, six or nine years.
	Uranium	2023	Sample at each POE every three, six or nine years.
	Radium-226	2020	Sample at each POE every three, six or nine years.
	Radium-228	2020	Sample at each POE every three, six or nine years.
Volatile Organic Contaminants (VOCs)		2020	Sample at each POE every three years.
Synthetic Organic Contaminants (SOCs)		2020	Sample at each POE every three years, or submit SOC reduced monitoring waiver, if applicable. Use Form 62-560.545(2), F.A.C.
Stage II Disinfection Byproducts (DBPs) Total Trihalomethanes & Haloacetic Acids (5)		July-Sept 2019	Sample according to approved Stage 2 D/DBPR Monitoring Plan.
Asbestos		2020	Certification or results due every nine years. Use Form 62-555.900(10), F.A.C.
Lead & Copper		June-Sept 2020	Sample from sites approved on the Lead and Copper Sampling Plan every three years.
Consumer Confid Certification of De	ence Report (CCR) & CCR	July 1, 2019	CCR must be delivered by July 1, 2019. The CCR Certification of Delivery must be submitted to the Department by August 10, 2019. Use Form 62-555.900(alternate 19), F.A.C.

<sup>\*</sup>POE = Point of entry to the distribution system. Sample at each POE that is representative of each source after treatment.

This is a good faith assessment of monitoring requirements for the above-referenced public water system for calendar year 2019 and may not include additional sampling required during the year due to special circumstances. If you have questions or disagree with the assessment, please contact the appropriate personnel at (813) 470-5700. Monitoring schedules are subject to change, at any time, based on results of analyses or other factors. This chart shall not relieve any person from any requirement of Florida law.

- > It is strongly recommended that testing be conducted early in the monitoring period to allow time for retests due to possible sampling or lab errors. Annual and triennial sampling should be completed by <u>9/30/2019</u> to provide time for revisions, re-tests, and/or corrections.
- > Test results must be submitted to DEP within the first ten days following the end of the required monitoring period, or the first ten days following the month in which the sample results were received, whichever time is the shortest. Failure to comply may result in enforcement action.



Southwest District Office 13051 North Telecom Parkway #101 Temple Terrace, Florida 33637-0926 **Ron DeSantis** Governor

Jeanette Nuñez Lt. Governor

Noah Valenstein Secretary

2019 Chemical Monitoring for NTNC

Water Systems Sawmill Campgrounds

PWS-ID No. 6512172

water Systems Sawmin Campgrounds			F W 5-1D IVO. 0312172
MONITOR	ING & REPORTS	DUE	COMMENTS
Raw Water Microbiological ("Bacteriological")		Quarterly	1 Raw Water Sample per well.
Distribution Microbiological ("Bacteriological")		Quarterly	1 Distribution Sample per quarter. Disinfectant residuals must be reported.
Nitrate and Nitrite		2019	Sample at each POE every year.*
Primary Inorganics		2019	Sample at each POE every three years.
Radiologicals	Gross Alpha	Waived	Sample at each POE every quarterly, six, nine years, or Waived use of Grandfather Data (date of sample)
	Uranium	Waived	Sample at each POE every quarterly, six, nine years, or Waived use of Grandfather Data (date of sample)
	Radium-226	Waived	Sample at each POE every quarterly, six, nine years, or Waived use of Grandfather Data (date of sample)
Radium-228		Waived	Sample at each POE every quarterly, six, nine years, or Waived use of Grandfather Data (date of sample)
Volatile Organic Contaminants (VOCs)		2019	Sample at each POE every three years.
Synthetic Organic Contaminants (SOCs)		2019	Sample at each POE every three years, or submit SOC reduced monitoring waiver, if applicable. Use Form 62-560.545(2), F.A.C.
Stage II Disinfection Byproducts (DBPs) Total Trihalomethanes & Haloacetic Acids (5)		July-Sept. 2019	Sample according to approved Stage 2 D/DBPR Monitoring Plan.
Asbestos		2021	Certification or results due every nine years. Use Form 62-555.900(10), F.A.C.
Lead & Copper		July-Sept. 2019	Sample from sites approved on the Lead and Copper Sampling Plan every three years.

<sup>\*</sup>POE = Point of entry to the distribution system. Sample at each POE that is representative of each source after treatment.

This is a good faith assessment of monitoring requirements for the above-referenced public water system for calendar year 2019 and may not include additional sampling required during the year due to special circumstances. If you have questions or disagree with the assessment, please contact the appropriate personnel at (813) 470-5700. Monitoring schedules are subject to change, at any time, based on results of analyses or other factors. This chart shall not relieve any person from any requirement of Florida law.

- > It is strongly recommended that testing be conducted early in the monitoring period to allow time for retests due to possible sampling or lab errors. Annual and triennial sampling should be completed by <u>9/30/2019</u> to provide time for revisions, retests, and/or corrections.
- > Test results must be submitted to DEP within the first ten days following the end of the required monitoring period, or the first ten days following the month in which the sample results were received, whichever time is the shortest. Failure to comply may result in enforcement action.



**Jeanette Nuñez** 

Lt. Governor

**Ron DeSantis** 

Governor

**Noah Valenstein** Secretary

**Southwest District Office** 13051 North Telecom Parkway #101 Temple Terrace, Florida 33637-0926

2019 Chemical Monitoring for Community Systems

Anclote Village		PWS-ID No. <u>6512177</u>
MONITORING & REPORTS	DUE	COMMENTS
Microbiological ("Bacteriological")	Monthly	Disinfectant residuals must be reported.
Stage II Disinfection Byproducts (DBPs) Total Trihalomethanes & Haloacetic Acids (5)	July – Sept 2019	Sample according to approved Stage 2 D/DBPR Monitoring Plan.
Asbestos	2021	Certification or results due every nine years. Use Form 62-555.900(10), F.A.C.
Lead & Copper	June – Sept 2019	Sample from sites approved on the Lead and Copper Sampling Plan every three years.
Consumer Confidence Report (CCR) & CCR Certification of Delivery	July 1, 2019	CCR must be delivered by July 1, 2019. The CCR Certification of Delivery must be submitted to the Department by August 10, 2019. Use Form 62-555.900(alternate 19), F.A.C.

This is a good faith assessment of monitoring requirements for the above-referenced public water system for calendar year 2019 and may not include additional sampling required during the year due to special circumstances. If you have questions or disagree with the assessment, please contact the appropriate personnel at (813) 470-5700. Monitoring schedules are subject to change, at any time, based on results of analyses or other factors. This chart shall not relieve any person from any requirement of Florida law.

- It is strongly recommended that testing be conducted early in the monitoring period to allow time for retests due to possible sampling or lab errors. Annual and triennial sampling should be completed by 9/30/2019 to provide time for revisions, re-tests, and/or corrections.
- Test results must be submitted to DEP within the first ten days following the end of the required monitoring period, or the first ten days following the month in which the sample results were received, whichever time is the shortest. Failure to comply may result in enforcement action.



**Jeanette Nuñez** Lt. Governor

Lt. Governor

**Ron DeSantis** 

Governor

Secretary

Southwest District Office 13051 North Telecom Parkway #101 Temple Terrace, Florida 33637-0926

2019 Chemical Monitoring for Community Systems

System Name: Caribbean MHE PWS-ID No. 6512182

System Name: Caribbean MHE			PWS-ID No. 6512182
MONITOR	ING & REPORTS	DUE	COMMENTS
Raw Water Microbiological ("Bacteriological")		Monthly	1 Raw Water Sample per well.
Distribution Microbiological ("Bacteriological")		Monthly	1 Distribution Samples per month. Disinfectant residuals must be reported.
Nitrate and Nitrite		2019	Sample at each POE every year.*
Primary Inorganics		2021	Sample at each POE every three years.
Secondaries		2021	Sample at each POE every three years.
Radiologicals	Gross Alpha	2024	Sample at each POE every three, six or nine years.
	Uranium	2021	Sample at each POE every three, six or nine years.
	Radium-226	2024	Sample at each POE every three, six or nine years.
	Radium-228	2024	Sample at each POE every three, six or nine years.
Volatile Organic Contaminants (VOCs)		2021	Sample at each POE every three years.
Synthetic Organic Contaminants (SOCs)		2021	Sample at each POE every three years, or submit SOC reduced monitoring waiver, if applicable. Use Form 62-560.545(2), F.A.C.
	n Byproducts (DBPs)	July-Sept	Sample according to approved Stage 2 D/DBPR Monitoring
Total Trihalomethanes & Haloacetic Acids (5)		2021	Plan.
Asbestos		2021	Certification or results due every nine years. Use Form 62-555.900(10), F.A.C.
Lead & Copper		June-Sept 2021	Sample from sites approved on the Lead and Copper Sampling Plan every three years.
Consumer Confider Certification of Dela	nce Report (CCR) & CCR ivery	July 1, 2019	CCR must be delivered by July 1, 2019. The CCR Certification of Delivery must be submitted to the Department by August 10, 2019. Use Form 62-555.900(alternate 19), F.A.C.

<sup>\*</sup>POE = Point of entry to the distribution system. Sample at each POE that is representative of each source after treatment.

This is a good faith assessment of monitoring requirements for the above-referenced public water system for calendar year 2019 and may not include additional sampling required during the year due to special circumstances. If you have questions or disagree with the assessment, please contact the appropriate personnel at (813) 470-5700. Monitoring schedules are subject to change, at any time, based on results of analyses or other factors. This chart shall not relieve any person from any requirement of Florida law.

- > It is strongly recommended that testing be conducted early in the monitoring period to allow time for retests due to possible sampling or lab errors. Annual and triennial sampling should be completed by 9/30/2019 to provide time for revisions, re-tests, and/or corrections.
- > Test results must be submitted to DEP within the first ten days following the end of the required monitoring period, or the first ten days following the month in which the sample results were received, whichever time is the shortest. Failure to comply may result in enforcement action.



Jeanette Nuñez Lt. Governor

**Ron DeSantis** 

Governor

Secretary

Noah Valenstein

Southwest District Office 13051 North Telecom Parkway #101 Temple Terrace, Florida 33637-0926

2019 Chemical Monitoring for NTNC

Water System: Country Aire Manor PWS-ID No. 6512184

Water System: Country Aire Manor			PWS-ID No. 6512184
MONITORING & REPORTS		DUE	COMMENTS
Raw Water Microbiological ("Bacteriological")		Quarterly	1 Raw Water Sample per well.
Distribution Microbiological ("Bacteriological")		Quarterly	1 Distribution Sample per quarter. Disinfectant residuals must be reported.
Nitrate and Nitrite		2019	Sample at each POE every year.*
Primary Inorganics		2019	Sample at each POE every three years.
Radiologicals	Gross Alpha	Waived	Sample at each POE every quarterly, six, nine years, or Waived use of Grandfather Data (date of sample)
	Uranium	Waived	Sample at each POE every quarterly, six, nine years, or Waived use of Grandfather Data (date of sample)
	Radium-226	Waived	Sample at each POE every quarterly, six, nine years, or Waived use of Grandfather Data (date of sample)
	Radium-228	Waived	Sample at each POE every quarterly, six, nine years, or Waived use of Grandfather Data (date of sample)
Volatile Organic Contaminants (VOCs)		2019	Sample at each POE every three years.
Synthetic Organic Contaminants (SOCs)		2019	Sample at each POE every three years, or submit SOC reduced monitoring waiver, if applicable. Use Form 62-560.545(2), F.A.C.
Stage II Disinfection Byproducts (DBPs) Total Trihalomethanes & Haloacetic Acids (5)		July-Sept. 2019	Sample according to approved Stage 2 D/DBPR Monitoring Plan.
Asbestos		2022	Certification or results due every nine years. Use Form 62-555.900(10), F.A.C.
Lead & Copper		June-Sept. 2019	Sample from sites approved on the Lead and Copper Sampling Plan every three years.

<sup>\*</sup>POE = Point of entry to the distribution system. Sample at each POE that is representative of each source after treatment.

This is a good faith assessment of monitoring requirements for the above-referenced public water system for calendar year 2019 and may not include additional sampling required during the year due to special circumstances. If you have questions or disagree with the assessment, please contact the appropriate personnel at (813) 470-5700. Monitoring schedules are subject to change, at any time, based on results of analyses or other factors. This chart shall not relieve any person from any requirement of Florida law.

- ➤ It is strongly recommended that testing be conducted early in the monitoring period to allow time for retests due to possible sampling or lab errors. Annual and triennial sampling should be completed by <u>9/30/2019</u> to provide time for revisions, retests, and/or corrections.
- > Test results must be submitted to DEP within the first ten days following the end of the required monitoring period, or the first ten days following the month in which the sample results were received, whichever time is the shortest. Failure to comply may result in enforcement action.



Ron DeSantis Governor

Jeanette Nuñez Lt. Governor

Noah Valenstein Secretary

Southwest District Office 13051 North Telecom Parkway #101 Temple Terrace, Florida 33637-0926

2019 Chemical Monitoring for Community Systems

System Name: Lake Bambi MHR PWS-ID No. 6512198

System Name: Lake Bambi MHR			PWS-ID No. 6512198
MONITOR	ING & REPORTS	DUE	COMMENTS
Raw Water Microb ("Bacteriological")	piological	Monthly	1 Raw Water Sample per well.
Distribution Microbiological ("Bacteriological")		Monthly	1 Distribution Samples per month. Disinfectant residuals must be reported.
Nitrate and Nitrite		2019	Sample at each POE every year.*
Primary Inorganics		2021	Sample at each POE every three years.
Secondaries		2021	Sample at each POE every three years.
Radiologicals	Gross Alpha	2021	Sample at each POE every three, six or nine years.
	Uranium	2024	Sample at each POE every three, six or nine years.
	Radium-226	2021	Sample at each POE every three, six or nine years.
	Radium-228	2021	Sample at each POE every three, six or nine years.
Volatile Organic Contaminants (VOCs)		2021	Sample at each POE every three years.
Synthetic Organic Contaminants (SOCs)		2021	Sample at each POE every three years, or submit SOC reduced monitoring waiver, if applicable. Use Form 62-560.545(2), F.A.C.
Stage II Disinfection Byproducts (DBPs)  Total Trihalomethanes & Haloacetic Acids (5)		July-Sept 2021	Sample according to approved Stage 2 D/DBPR Monitoring Plan.
Asbestos		2021	Certification or results due every nine years. Use Form 62-555.900(10), F.A.C.
Lead & Copper		June-Sept 2021	Sample from sites approved on the Lead and Copper Sampling Plan every three years.
Certification of De	ence Report (CCR) & CCR	July 1, 2019	CCR must be delivered by July 1, 2019. The CCR Certification of Delivery must be submitted to the Department by August 10, 2019. Use Form 62-555.900(alternate 19), F.A.C.

<sup>\*</sup>POE = Point of entry to the distribution system. Sample at each POE that is representative of each source after treatment.

This is a good faith assessment of monitoring requirements for the above-referenced public water system for calendar year 2019 and may not include additional sampling required during the year due to special circumstances. If you have questions or disagree with the assessment, please contact the appropriate personnel at (813) 470-5700. Monitoring schedules are subject to change, at any time, based on results of analyses or other factors. This chart shall not relieve any person from any requirement of Florida law.

- > It is strongly recommended that testing be conducted early in the monitoring period to allow time for retests due to possible sampling or lab errors. Annual and triennial sampling should be completed by 9/30/2019 to provide time for revisions, re-tests, and/or corrections.
- > Test results must be submitted to DEP within the first ten days following the end of the required monitoring period, or the first ten days following the month in which the sample results were received, whichever time is the shortest. Failure to comply may result in enforcement action.



**Ron DeSantis** Governor

Jeanette Nuñez Lt. Governor

Noah Valenstein Secretary

Southwest District Office 13051 North Telecom Parkway #101 Temple Terrace, Florida 33637-0926

2019 Chemical Monitoring for Community Systems

PCUD-NORTHEAST (Systemwide)

PWS-ID No. 6512200

MONITORING & REPORTS	DUE	COMMENTS
Raw Water Microbiological ("Bacteriological")	Monthly	1 Raw water sample per well.
Distribution Microbiological ("Bacteriological")	Monthly	2 Distribution Samples per month. Disinfectant residuals must be reported.
Stage II Disinfection Byproducts (DBPs)	July – Sept	Sample according to approved Stage 2 D/DBPR Monitoring
Total Trihalomethanes & Haloacetic Acids (5)	2019	Plan.
Asbestos	2020	Certification or results due every nine years. Use Form 62-555.900(10), F.A.C.
Lead & Copper	June – Sept 2021	Sample from sites approved on the Lead and Copper Sampling Plan every three years.
Consumer Confidence Report (CCR) & CCR Certification of Delivery	July 1, 2019	CCR must be delivered by July 1, 2019. The CCR Certification of Delivery must be submitted to the Department by August 10, 2019. Use Form 62-555.900(alternate 19), F.A.C.

PCUD-NORTHEAST (Hillcrest WTP) - POE

PWS-ID No. 6512200

PCUD-NORTHEAST (HIllcrest WTP) - PUE		<u> </u>	PWS-ID No. <u>6512200</u>
MONITORING & REPORTS		DUE	COMMENTS
Nitrate and Nitrite		2019	Sample at each POE every year. *
Primary Inorganics		2021	Sample at each POE every three years.
Secondaries 2021		2021	Sample at each POE every three years.
Radiologicals	Gross Alpha	2024	Sample at each POE every three, six or nine years.
	Uranium	2024	Sample at each POE every three, six or nine years.
	Radium-226	2024	Sample at each POE every three, six or nine years.
	Radium-228	2024	Sample at each POE every three, six or nine years.
Volatile Organic Contaminants (VOCs)		2021	Sample at each POE every three years.
Synthetic Organic	c Contaminants (SOCs)	2021	Sample at each POE every three years, or submit SOC reduced monitoring waiver, if applicable. Use Form 62-560.545(2), F.A.C.

### PCUD-NORTHEAST (Trilby WTP) - POE

1 11 0-11 110, 0314400	PW	S-ID No.	6512200
------------------------	----	----------	---------

MONITORING & REPORTS		DUE	COMMENTS
Nitrate and Nitrite		2019	Sample at each POE every year. *
Primary Inorganics		2021	Sample at each POE every three years.
Secondaries		2021	Sample at each POE every three years.
Radiologicals	Gross Alpha	2024	Sample at each POE every three, six or nine years.
	Uranium	2021	Sample at each POE every three, six or nine years.
	Radium-226	2021	Sample at each POE every three, six or nine years.
	Radium-228	2021	Sample at each POE every three, six or nine years.
Volatile Organic Contaminants (VOCs)		2021	Sample at each POE every three years.
Synthetic Organic Contaminants (SOCs)		2021	Sample at each POE every three years, or submit SOC reduced monitoring waiver, if applicable. Use Form 62-560.545(2), F.A.C.

PCUD-NORTHEAST (Lacoochee WTP (POE) (Inactive Plant) PWS-ID No. 6512200

MONITORING & REPORTS		DUE	COMMENTS
Nitrate and Nitrite		2019	Sample at each POE every year. *
Primary Inorganics		2021	Sample at each POE every three years.
Secondaries		2021	Sample at each POE every three years.
Radiologicals	Gross Alpha	2026	Sample at each POE every three, six or nine years.
	Uranium	2026	Sample at each POE every three, six or nine years.
	Radium-226	2023	Sample at each POE every three, six or nine years.
	Radium-228	2023	Sample at each POE every three, six or nine years.
Volatile Organic Contaminants (VOCs)		2021	Sample at each POE every three years.
Synthetic Organic	Contaminants (SOCs)	2021	Sample at each POE every three years, or submit SOC reduced monitoring waiver, if applicable. Use Form 62-560.545(2), F.A.C.

<sup>\*</sup>POE = Point of entry to the distribution system. Sample at each POE that is representative of each source after treatment.

This is a good faith assessment of monitoring requirements for the above-referenced public water system for calendar year 2019 and may not include additional sampling required during the year due to special circumstances. If you have questions or disagree with the assessment, please contact the appropriate personnel at (813) 470-5700. Monitoring schedules are subject to change, at any time, based on results of analyses or other factors. This chart shall not relieve any person from any requirement of Florida law.

- It is strongly recommended that testing be conducted early in the monitoring period to allow time for retests due to possible sampling or lab errors. Annual and triennial sampling should be completed by <u>9/30/2019</u> to provide time for revisions, re-tests, and/or corrections.
- > Test results must be submitted to DEP within the first ten days following the end of the required monitoring period, or the first ten days following the month in which the sample results were received, whichever time is the shortest. Failure to comply may result in enforcement action.



Ron DeSantis Governor

Jeanette Nuñez Lt. Governor

Noah Valenstein Secretary

Southwest District Office 13051 North Telecom Parkway #101 Temple Terrace, Florida 33637-0926

2019 Chemical Monitoring for Community Systems

PCUD – Pasadena Shores (East Pasco)

PWS-ID No. 6512205

	ING & REPORTS	DUE	COMMENTS
Raw Water Microbiological ("Bacteriological")		Monthly	1 Raw Water Sample per well.
Distribution Microbiological ("Bacteriological")		Monthly	1 Distribution Samples per month. Disinfectant residuals must be reported.
Nitrate and Nitrite		2019	Sample at each POE every year. *
Primary Inorganics		2021	Sample at each POE every three years.
Secondaries		2021	Sample at each POE every three years.
Radiologicals	Gross Alpha	2024	Sample at each POE every three, six or nine years.
	Uranium	2021	Sample at each POE every three, six or nine years.
	Radium-226	2024	Sample at each POE every three, six or nine years.
	Radium-228	2024	Sample at each POE every three, six or nine years.
Volatile Organic Contaminants (VOCs)		2021	Sample at each POE every three years.
Synthetic Organic Contaminants (SOCs)		2021	Sample at each POE every three years, or submit SOC reduced monitoring waiver, if applicable. Use Form 62-560.545(2), F.A.C.
Stage II Disinfection Byproducts (DBPs)  Total Trihalomethanes & Haloacetic Acids (5)		July – Sept 2021	Sample according to approved Stage 2 D/DBPR Monitoring Plan.
Asbestos		2020	Certification or results due every nine years. Use Form 62-555.900(10), F.A.C.
Lead & Copper		July – Sept 2021	Sample from sites approved on the Lead and Copper Sampling Plan every three years.
Consumer Confide Certification of Del	nce Report (CCR) & CCR ivery	July 1, 2019	CCR must be delivered by July 1, 2019. The CCR Certification of Delivery must be submitted to the Department by August 10, 2019. Use Form 62-555.900(alternate 19), F.A.C.

<sup>\*</sup>POE = Point of entry to the distribution system. Sample at each POE that is representative of each source after treatment.

This is a good faith assessment of monitoring requirements for the above-referenced public water system for calendar year 2019 and may not include additional sampling required during the year due to special circumstances. If you have questions or disagree with the assessment, please contact the appropriate personnel at (813) 470-5700. Monitoring schedules are subject to change, at any time, based on results of analyses or other factors. This chart shall not relieve any person from any requirement of Florida law.

- It is strongly recommended that testing be conducted early in the monitoring period to allow time for retests due to possible sampling or lab errors. Annual and triennial sampling should be completed by 9/30/2019 to provide time for revisions, re-tests, and/or corrections.
- > Test results must be submitted to DEP within the first ten days following the end of the required monitoring period, or the first ten days following the month in which the sample results were received, whichever time is the shortest. Failure to comply may result in enforcement action.



Jeanette Nuñez Lt. Governor

**Ron DeSantis** 

Governor

Jack Valenateln

Noah Valenstein Secretary

Southwest District Office 13051 North Telecom Parkway #101 Temple Terrace, Florida 33637-0926

2019 Chemical Monitoring for NTNC

Water System: Cypress Elementary PWS-ID No. 6512209

Water System: Cypress Elementary			PWS-ID No. 6512209
MONITORING & REPORTS		DUE	COMMENTS
Raw Water Microbiological ("Bacteriological")		Quarterly	1 Raw Water Sample per well.
Distribution Microbiological ("Bacteriological")		Quarterly	1 Distribution Sample per quarter. Disinfectant residuals must be reported.
Nitrate and Nitrit	e	2019	Sample at each POE every year.*
Primary Inorganio	cs	2019	Sample at each POE every three years.
Radiologicals	Gross Alpha	Waived	Sample at each POE every quarterly, six, nine years, or Waived use of Grandfather Data (date of sample)
	Uranium	Waived	Sample at each POE every quarterly, six, nine years, or Waived use of Grandfather Data (date of sample)
	Radium-226	Waived	Sample at each POE every quarterly, six, nine years, or Waived use of Grandfather Data (date of sample)
	Radium-228	Waived	Sample at each POE every quarterly, six, nine years, or Waived use of Grandfather Data (date of sample)
Volatile Organic (	Contaminants (VOCs)	2019	Sample at each POE every three years.
Synthetic Organic Contaminants (SOCs)		2019	Sample at each POE every three years, or submit SOC reduced monitoring waiver, if applicable. Use Form 62-560.545(2), F.A.C.
Stage II Disinfection Byproducts (DBPs) Total Trihalomethanes & Haloacetic Acids (5)		July-Sept. 2019	Sample according to approved Stage 2 D/DBPR Monitoring Plan.
Asbestos		2022	Certification or results due every nine years. Use Form 62-555.900(10), F.A.C.
Lead & Copper		June-Sept. 2019	Sample from sites approved on the Lead and Copper Sampling Plan every three years.

<sup>\*</sup>POE = Point of entry to the distribution system. Sample at each POE that is representative of each source after treatment.

This is a good faith assessment of monitoring requirements for the above-referenced public water system for calendar year 2019 and may not include additional sampling required during the year due to special circumstances. If you have questions or disagree with the assessment, please contact the appropriate personnel at (813) 470-5700. Monitoring schedules are subject to change, at any time, based on results of analyses or other factors. This chart shall not relieve any person from any requirement of Florida law.

- ➤ It is strongly recommended that testing be conducted early in the monitoring period to allow time for retests due to possible sampling or lab errors. Annual and triennial sampling should be completed by <u>9/30/2019</u> to provide time for revisions, retests, and/or corrections.
- > Test results must be submitted to DEP within the first ten days following the end of the required monitoring period, or the first ten days following the month in which the sample results were received, whichever time is the shortest. Failure to comply may result in enforcement action.



Jeanette Nuñez

Lt. Governor

**Ron DeSantis** 

Governor

Noah Valenstein Secretary

Southwest District Office 13051 North Telecom Parkway #101 Temple Terrace, Florida 33637-0926

2019 Chemical Monitoring for Community Systems

Seven Springs PWS-ID No. 6512214

MONITORING & REPORTS		DUE	COMMENTS
Microbiological ("Bacteriological")		Monthly	Disinfectant residuals must be reported.
Nitrate and Nitrite		2019	Sample at each POE every year. *
Primary Inorganics		2020	Sample at each POE every three years.
Secondaries		2020	Sample at each POE every three years.
Radiologicals	Gross Alpha	2023	Sample at each POE every three, six or nine years.
	Uranium	2026	Sample at each POE every three, six or nine years.
	Radium-226	2023	Sample at each POE every three, six or nine years.
	Radium-228	2023	Sample at each POE every three, six or nine years.
Volatile Organic Co	ontaminants (VOCs)	2020	Sample at each POE every three years.
Synthetic Organic Contaminants (SOCs)		2 Quarters in 2020	Sample at each POE every three years, or submit SOC reduced monitoring waiver, if applicable. Use Form 62-560.545(2), F.A.C.
Stage II Disinfection Byproducts (DBPs)  Total Trihalomethanes & Haloacetic Acids (5)		Quarterly 2019	Sample according to approved Stage 2 D/DBPR Monitoring Plan.
Asbestos		2020	Certification or results due every nine years. Use Form 62-555.900(10), F.A.C.
Lead & Copper		June – Sept 2020	Sample from sites approved on the Lead and Copper Sampling Plan every three years.
Consumer Confidence Report (CCR) & CCR Certification of Delivery		July 1, 2019	CCR must be delivered by July 1, 2019. The CCR Certification of Delivery must be submitted to the Department by August 10, 2019. Use Form 62-555.900(alternate 19), F.A.C.
Report	ion Control Annual	Due March 31, 2019	Complete and submit DEP form 62-555.9000(13).

<sup>\*</sup>POE = Point of entry to the distribution system. Sample at each POE that is representative of each source after treatment.

This is a good faith assessment of monitoring requirements for the above-referenced public water system for calendar year 2019 and may not include additional sampling required during the year due to special circumstances. If you have questions or disagree with the assessment, please contact the appropriate personnel at (813) 470-5700. Monitoring schedules are subject to change, at any time, based on results of analyses or other factors. This chart shall not relieve any person from any requirement of Florida law.

- > It is strongly recommended that testing be conducted early in the monitoring period to allow time for retests due to possible sampling or lab errors. Annual and triennial sampling should be completed by <u>9/30/2019</u> to provide time for revisions, re-tests, and/or corrections.
- > Test results must be submitted to DEP within the first ten days following the end of the required monitoring period, or the first ten days following the month in which the sample results were received, whichever time is the shortest. Failure to comply may result in enforcement action.



Ron DeSantis Governor

Jeanette Nuñez Lt. Governor

Noah Valenstein Secretary

Southwest District Office 13051 North Telecom Parkway #101 Temple Terrace, Florida 33637-0926

2019 Chemical Monitoring for Community Systems

Hudson Water Works PWS-ID No. 6512226

MONITORING & REPORTS		DUE	COMMENTS
Microbiological ("Bacteriological")		Monthly	Disinfectant residuals must be reported.
Nitrate and Nitrite		2019	Sample at each POE every year. *
Primary Inorganics		2020	Sample at each POE every three years.
Secondaries		2020	Sample at each POE every three years.
Radiologicals	Gross Alpha	2026	Sample at each POE every three, six or nine years.
	Uranium	2026	Sample at each POE every three, six or nine years.
	Radium-226	2026	Sample at each POE every three, six or nine years.
	Radium-228	2026	Sample at each POE every three, six or nine years.
Volatile Organic Co	ontaminants (VOCs)	2020	Sample at each POE every three years.
Synthetic Organic Contaminants (SOCs)		2 Quarters in 2020	Sample at each POE every three years, or submit SOC reduced monitoring waiver, if applicable. Use Form 62-560.545(2), F.A.C.
Stage II Disinfection Byproducts (DBPs) Total Trihalomethanes & Haloacetic Acids (5)		July - Sept 2019	Sample according to approved Stage 2 D/DBPR Monitoring Plan.
Asbestos		2020	Certification or results due every nine years. Use Form 62-555.900(10), F.A.C.
Lead & Copper		June – Sept 2020	Sample from sites approved on the Lead and Copper Sampling Plan every three years.
Consumer Confidence Report (CCR) & CCR Certification of Delivery		July 1, 2019	CCR must be delivered by July 1, 2019. The CCR Certification of Delivery must be submitted to the Department by August 10, 2019. Use Form 62-555.900(alternate 19), F.A.C.

<sup>\*</sup>POE = Point of entry to the distribution system. Sample at each POE that is representative of each source after treatment.

This is a good faith assessment of monitoring requirements for the above-referenced public water system for calendar year 2019 and may not include additional sampling required during the year due to special circumstances. If you have questions or disagree with the assessment, please contact the appropriate personnel at (813) 470-5700. Monitoring schedules are subject to change, at any time, based on results of analyses or other factors. This chart shall not relieve any person from any requirement of Florida law.

- > It is strongly recommended that testing be conducted early in the monitoring period to allow time for retests due to possible sampling or lab errors. Annual and triennial sampling should be completed by <u>9/30/2019</u> to provide time for revisions, re-tests, and/or corrections.
- > Test results must be submitted to DEP within the first ten days following the end of the required monitoring period, or the first ten days following the month in which the sample results were received, whichever time is the shortest. Failure to comply may result in enforcement action.



Ron DeSantis Governor

Jeanette Nuñez Lt. Governor

Noah Valenstein Secretary

Southwest District Office 13051 North Telecom Parkway #101 Temple Terrace, Florida 33637-0926

2019 Chemical Monitoring for Community Systems

System Name: Holiday Oaks Condos PWS-ID No. 6512309

MONITORING & REPORTS		DUE	COMMENTS
Raw Water Microbi		DOL	COMMINICATIO
("Bacteriological")		Monthly	1 Raw Water Sample per well.
Distribution Microbiological ("Bacteriological")		Monthly	1 Distribution Samples per month. Disinfectant residuals must be reported.
Nitrate and Nitrite		2019	Sample at each POE every year.*
Primary Inorganics		2021	Sample at each POE every three years.
Secondaries		2021	Sample at each POE every three years.
Radiologicals	Gross Alpha	2024	Sample at each POE every three, six or nine years.
	Uranium	2024	Sample at each POE every three, six or nine years.
	Radium-226	2024	Sample at each POE every three, six or nine years.
	Radium-228	2024	Sample at each POE every three, six or nine years.
Volatile Organic Co	ntaminants (VOCs)	2021	Sample at each POE every three years.
Synthetic Organic Contaminants (SOCs)		2021	Sample at each POE every three years, or submit SOC reduced monitoring waiver, if applicable. Use Form 62-560.545(2), F.A.C.
Stage II Disinfection Byproducts (DBPs)  Total Trihalomethanes & Haloacetic Acids (5)		July-Sept 2021	Sample according to approved Stage 2 D/DBPR Monitoring Plan.
Asbestos		2021	Certification or results due every nine years. Use Form 62-555.900(10), F.A.C.
Lead & Copper		June-Sept 2021	Sample from sites approved on the Lead and Copper Sampling Plan every three years.
Consumer Confider Certification of Deli	nce Report (CCR) & CCR very	July 1, 2019	CCR must be delivered by July 1, 2019. The CCR Certification of Delivery must be submitted to the Department by August 10, 2019. Use Form 62-555.900(alternate 19), F.A.C.

<sup>\*</sup>POE = Point of entry to the distribution system. Sample at each POE that is representative of each source after treatment.

This is a good faith assessment of monitoring requirements for the above-referenced public water system for calendar year 2019 and may not include additional sampling required during the year due to special circumstances. If you have questions or disagree with the assessment, please contact the appropriate personnel at (813) 470-5700. Monitoring schedules are subject to change, at any time, based on results of analyses or other factors. This chart shall not relieve any person from any requirement of Florida law.

- > It is strongly recommended that testing be conducted early in the monitoring period to allow time for retests due to possible sampling or lab errors. Annual and triennial sampling should be completed by 9/30/2019 to provide time for revisions, re-tests, and/or corrections.
- > Test results must be submitted to DEP within the first ten days following the end of the required monitoring period, or the first ten days following the month in which the sample results were received, whichever time is the shortest. Failure to comply may result in enforcement action.



Jeanette Nuñez

**Ron DeSantis** 

Governor

Lt. Governor

Noah Valenstein Secretary

Southwest District Office 13051 North Telecom Parkway #101 Temple Terrace, Florida 33637-0926

2019 Chemical Monitoring for Community Systems

System Name: Lakeside Oaks MHP PWS-ID No. 6512537

System Name: Lakeside Oaks MHP			PWS-ID No. 031233/
MONITORING & REPORTS		DUE	COMMENTS
Raw Water Microbiological ("Bacteriological")		Monthly	1 Raw Water Sample per well.
Distribution Micro ("Bacteriological")		Monthly	1 Distribution Samples per month. Disinfectant residuals must be reported.
Nitrate and Nitrite	2	2019	Sample at each POE every year.*
Primary Inorganic	es .	2021	Sample at each POE every three years.
Secondaries		2021	Sample at each POE every three years.
Radiologicals	Gross Alpha	2027	Sample at each POE every three, six or nine years.
	Uranium	2024	Sample at each POE every three, six or nine years.
	Radium-226	2024	Sample at each POE every three, six or nine years.
	Radium-228	2024	Sample at each POE every three, six or nine years.
Volatile Organic C	Contaminants (VOCs)	2021	Sample at each POE every three years.
Synthetic Organic Contaminants (SOCs)		2021	Sample at each POE every three years, or submit SOC reduced monitoring waiver, if applicable. Use Form 62-560.545(2), F.A.C.
Stage II Disinfection Byproducts (DBPs) Total Trihalomethanes & Haloacetic Acids (5)		July-Sept 2021	Sample according to approved Stage 2 D/DBPR Monitoring Plan.
Asbestos		2021	Certification or results due every nine years. Use Form 62-555.900(10), F.A.C.
Lead & Copper		June-Sept 2021	Sample from sites approved on the Lead and Copper Sampling Plan every three years.
Consumer Confidence Certification of De	ence Report (CCR) & CCR elivery	July 1, 2019	CCR must be delivered by July 1, 2019. The CCR Certification of Delivery must be submitted to the Department by August 10, 2019. Use Form 62-555.900(alternate 19), F.A.C.

<sup>\*</sup>POE = Point of entry to the distribution system. Sample at each POE that is representative of each source after treatment.

This is a good faith assessment of monitoring requirements for the above-referenced public water system for calendar year 2019 and may not include additional sampling required during the year due to special circumstances. If you have questions or disagree with the assessment, please contact the appropriate personnel at (813) 470-5700. Monitoring schedules are subject to change, at any time, based on results of analyses or other factors. This chart shall not relieve any person from any requirement of Florida law.

- > It is strongly recommended that testing be conducted early in the monitoring period to allow time for retests due to possible sampling or lab errors. Annual and triennial sampling should be completed by 9/30/2019 to provide time for revisions, re-tests, and/or corrections.
- > Test results must be submitted to DEP within the first ten days following the end of the required monitoring period, or the first ten days following the month in which the sample results were received, whichever time is the shortest. Failure to comply may result in enforcement action.



Southwest District Office 13051 North Telecom Parkway #101 Temple Terrace, Florida 33637-0926 Ron DeSantis Governor

Jeanette Nuñez Lt. Governor

Noah Valenstein Secretary

2019 Chemical Monitoring for NTNC

Water Systems JDR Utilities

PWS-ID No. 6512539

Water Systems JDR Utilities			PWS-ID No. 6512539
MONITORING & REPORTS		DUE	COMMENTS
Raw Water Microbiological ("Bacteriological")		Quarterly	1 Raw Water Sample per well.
Distribution Microbiological ("Bacteriological")		Quarterly	1 Distribution Sample per quarter. Disinfectant residuals must be reported.
Nitrate and Nitri	ite	2019	Sample at each POE every year.*
Primary Inorgan	ics	2019	Sample at each POE every three years.
Radiologicals	Gross Alpha	Waived	Sample at each POE every quarterly, six, nine years, or Waived use of Grandfather Data (date of sample)
	Uranium	Waived	Sample at each POE every quarterly, six, nine years, or Waived use of Grandfather Data (date of sample)
	Radium-226	Waived	Sample at each POE every quarterly, six, nine years, or Waived use of Grandfather Data (date of sample)
	Radium-228	Waived	Sample at each POE every quarterly, six, nine years, or Waived use of Grandfather Data (date of sample)
Volatile Organic	Contaminants (VOCs)	2019	Sample at each POE every three years.
Synthetic Organic Contaminants (SOCs)		2019	Sample at each POE every three years, or submit SOC reduced monitoring waiver, if applicable. Use Form 62-560.545(2), F.A.C.
Stage II Disinfection Byproducts (DBPs) Total Trihalomethanes & Haloacetic Acids (5)		July-Sept. 2019	Sample according to approved Stage 2 D/DBPR Monitoring Plan.
Asbestos		2019	Certification or results due every nine years. Use Form 62-555.900(10), F.A.C.
Lead & Copper		July-Sept. 2019	Sample from sites approved on the Lead and Copper Sampling Plan every three years.
Tank(s) Inspection & Cleaning		2021	Pursuant to 62-555.350(2) F.A.C. all finished drinking water storage tanks with access manholes shall be inspected and cleaned at a maximum interval of every 5 years.

<sup>\*</sup>POE = Point of entry to the distribution system. Sample at each POE that is representative of each source after treatment.

This is a good faith assessment of monitoring requirements for the above-referenced public water system for calendar year 2019 and may not include additional sampling required during the year due to special circumstances. If you have questions or disagree with the assessment, please contact the appropriate personnel at (813) 470-5700. Monitoring schedules are subject to change, at any time, based on results of analyses or other factors. This chart shall not relieve any person from any requirement of Florida law.

- > It is strongly recommended that testing be conducted early in the monitoring period to allow time for retests due to possible sampling or lab errors. Annual and triennial sampling should be completed by 9/30/2019 to provide time for revisions, re-tests, and/or corrections.
- > Test results must be submitted to DEP within the first ten days following the end of the required monitoring period, or the first ten days following the month in which the sample results were received, whichever time is the shortest. Failure to comply may result in enforcement action.



Southwest District Office 13051 North Telecom Parkway #101 Temple Terrace, Florida 33637-0926 Ron DeSantis Governor

Jeanette Nuñez Lt. Governor

Noah Valenstein Secretary

2019 Chemical Monitoring for NTNC

Water Systems Orange Valley Estates

PWS-ID No. 6512689

Water Systems Orange Valley Estates			PWS-ID No. 6512689
MONITORING & REPORTS		DUE	COMMENTS
Raw Water Microbiological ("Bacteriological")		Quarterly	1 Raw Water Sample per well.
Distribution Microbiological ("Bacteriological")		Quarterly	1 Distribution Sample per quarter. Disinfectant residuals must be reported.
Nitrate and Nitra	ite	2019	Sample at each POE every year.*
Primary Inorgan	ics	2019	Sample at each POE every three years.
Radiologicals	Gross Alpha	Waived	Sample at each POE every quarterly, six, nine years, or Waived use of Grandfather Data (date of sample)
	Uranium	Waived	Sample at each POE every quarterly, six, nine years, or Waived use of Grandfather Data (date of sample)
	Radium-226	Waived	Sample at each POE every quarterly, six, nine years, or Waived use of Grandfather Data (date of sample)
	Radium-228	Waived	Sample at each POE every quarterly, six, nine years, or Waived use of Grandfather Data (date of sample)
Volatile Organic	Contaminants (VOCs)	2019	Sample at each POE every three years.
Synthetic Organic Contaminants (SOCs)		2019	Sample at each POE every three years, or submit SOC reduced monitoring waiver, if applicable. Use Form 62-560.545(2), F.A.C.
Stage II Disinfection Byproducts (DBPs)  Total Trihalomethanes & Haloacetic Acids (5)		July-Sept. 2019	Sample according to approved Stage 2 D/DBPR Monitoring Plan.
Asbestos		2021	Certification or results due every nine years. Use Form 62-555.900(10), F.A.C.
Lead & Copper		June-Sept. 2019	Sample from sites approved on the Lead and Copper Sampling Plan every three years.

<sup>\*</sup>POE = Point of entry to the distribution system. Sample at each POE that is representative of each source after treatment.

This is a good faith assessment of monitoring requirements for the above-referenced public water system for calendar year 2019 and may not include additional sampling required during the year due to special circumstances. If you have questions or disagree with the assessment, please contact the appropriate personnel at (813) 470-5700. Monitoring schedules are subject to change, at any time, based on results of analyses or other factors. This chart shall not relieve any person from any requirement of Florida law.

- It is strongly recommended that testing be conducted early in the monitoring period to allow time for retests due to possible sampling or lab errors. Annual and triennial sampling should be completed by <u>9/30/2019</u> to provide time for revisions, retests, and/or corrections.
- > Test results must be submitted to DEP within the first ten days following the end of the required monitoring period, or the first ten days following the month in which the sample results were received, whichever time is the shortest. Failure to comply may result in enforcement action.



Southwest District Office 13051 North Telecom Parkway #101 Temple Terrace, Florida 33637-0926 Ron DeSantis Governor

Jeanette Nuñez Lt. Governor

Noah Valenstein Secretary

2019 Chemical Monitoring for NTNC

Water Systems Orange Grove Villa

PWS-ID No. 6512757

	ange Grove villa		P W 5-1D No. 0312/3/
MONITORING & REPORTS		DUE	COMMENTS
Raw Water Microbiological ("Bacteriological")		Quarterly	1 Raw Water Sample per well.
Distribution Microbiological ("Bacteriological")		Quarterly	1 Distribution Sample per quarter. Disinfectant residuals must be reported.
Nitrate and Nitri	te	2019	Sample at each POE every year.*
Primary Inorgani	cs	2019	Sample at each POE every three years.
Radiologicals	Gross Alpha	Waived	Sample at each POE every quarterly, six, nine years, or Waived use of Grandfather Data (date of sample)
	Uranium	Waived	Sample at each POE every quarterly, six, nine years, or Waived use of Grandfather Data (date of sample)
	Radium-226	Waived	Sample at each POE every quarterly, six, nine years, or Waived use of Grandfather Data (date of sample)
	Radium-228	Waived	Sample at each POE every quarterly, six, nine years, or Waived use of Grandfather Data (date of sample)
Volatile Organic	Contaminants (VOCs)	2019	Sample at each POE every three years.
Synthetic Organic Contaminants (SOCs)		2019	Sample at each POE every three years, or submit SOC reduced monitoring waiver, if applicable. Use Form 62-560.545(2), F.A.C.
Stage II Disinfection Byproducts (DBPs) Total Trihalomethanes & Haloacetic Acids (5)		July-Sept. 2019	Sample according to approved Stage 2 D/DBPR Monitoring Plan.
Asbestos		2021	Certification or results due every nine years. Use Form 62-555.900(10), F.A.C.
Lead & Copper		June-Sept. 2019	Sample from sites approved on the Lead and Copper Sampling Plan every three years.

<sup>\*</sup>POE = Point of entry to the distribution system. Sample at each POE that is representative of each source after treatment.

This is a good faith assessment of monitoring requirements for the above-referenced public water system for calendar year 2019 and may not include additional sampling required during the year due to special circumstances. If you have questions or disagree with the assessment, please contact the appropriate personnel at (813) 470-5700. Monitoring schedules are subject to change, at any time, based on results of analyses or other factors. This chart shall not relieve any person from any requirement of Florida law.

- ➤ It is strongly recommended that testing be conducted early in the monitoring period to allow time for retests due to possible sampling or lab errors. Annual and triennial sampling should be completed by <u>9/30/2019</u> to provide time for revisions, retests, and/or corrections.
- > Test results must be submitted to DEP within the first ten days following the end of the required monitoring period, or the first ten days following the month in which the sample results were received, whichever time is the shortest. Failure to comply may result in enforcement action.



Southwest District Office 13051 North Telecom Parkway #101 Ron DeSantis Governor

Jeanette Nuñez Lt. Governor

Noah Valenstein Secretary

2019 Chemical Monitoring for Community Systems

Temple Terrace, Florida 33637-0926

PCUD – Southeast #2 (Systemwide)

PWS-ID No. 6514120

MONITORING & REPORTS	DUE	COMMENTS
Raw Water Microbiological ("Bacteriological")	Monthly	1 Raw Water Sample per well.
Distribution Microbiological ("Bacteriological")	Monthly	1 Distribution Samples per month. Disinfectant residuals must be reported.
Stage II Disinfection Byproducts (DBPs) Total Trihalomethanes & Haloacetic Acids (5)	July - Sept 2019	Sample according to approved Stage 2 D/DBPR Monitoring Plan.
Asbestos	2020	Certification or results due every nine years. Use Form 62-555.900(10), F.A.C.
Lead & Copper	July - Sept 2021	Sample from sites approved on the Lead and Copper Sampling Plan every three years.
Consumer Confidence Report (CCR) & CCR Certification of Delivery	July 1, 2019	CCR must be delivered by July 1, 2019. The CCR Certification of Delivery must be submitted to the Department by August 10, 2019. Use Form 62-555.900(alternate 19), F.A.C.

PCUD – Southeast #2 (Groves WTP)

PWS-ID No. 6514120

MONITORING & REPORTS		DUE	COMMENTS
Nitrate and Nitrite		2019	Sample at each POE every year. *
Primary Inorganics		2021	Sample at each POE every three years.
Secondaries		2021	Sample at each POE every three years.
Radiologicals	Gross Alpha	2024	Sample at each POE every three, six or nine years.
	Uranium	2024	Sample at each POE every three, six or nine years.
	Radium-226	2024	Sample at each POE every three, six or nine years.
	Radium-228	2024	Sample at each POE every three, six or nine years.
Volatile Organic Contaminants (VOCs)		2021	Sample at each POE every three years.
Synthetic Organic Contaminants (SOCs)		2021	Sample at each POE every three years, or submit SOC reduced monitoring waiver, if applicable. Use Form 62-560.545(2), F.A.C.

MONITORING & REPORTS		DUE	COMMENTS
Nitrate and Nitrite		2019	Sample at each POE every year. *
Primary Inorganics		2021	Sample at each POE every three years.
Secondaries		2021	Sample at each POE every three years.
Radiologicals	Gross Alpha	2024	Sample at each POE every three, six or nine years.
	Uranium	2024	Sample at each POE every three, six or nine years.
	Radium-226	2024	Sample at each POE every three, six or nine years.
	Radium-228	2024	Sample at each POE every three, six or nine years.
Volatile Organic Contaminants (VOCs)		2021	Sample at each POE every three years.
Synthetic Organic Contaminants (SOCs)		2021	Sample at each POE every three years, or submit SOC reduced monitoring waiver, if applicable. Use Form 62-560.545(2), F.A.C.

<sup>\*</sup>POE = Point of entry to the distribution system. Sample at each POE that is representative of each source after treatment.

This is a good faith assessment of monitoring requirements for the above-referenced public water system for calendar year 2019 and may not include additional sampling required during the year due to special circumstances. If you have questions or disagree with the assessment, please contact the appropriate personnel at (813) 470-5700. Monitoring schedules are subject to change, at any time, based on results of analyses or other factors. This chart shall not relieve any person from any requirement of Florida law.

- > It is strongly recommended that testing be conducted early in the monitoring period to allow time for retests due to possible sampling or lab errors. Annual and triennial sampling should be completed by 9/30/2019 to provide time for revisions, re-tests, and/or corrections.
- > Test results must be submitted to DEP within the first ten days following the end of the required monitoring period, or the first ten days following the month in which the sample results were received, whichever time is the shortest. Failure to comply may result in enforcement action.



Jeanette Nuñez

Jeanette Nuñez Lt. Governor

**Ron DeSantis** 

Governor

Noah Valenstein Secretary

Southwest District Office 13051 North Telecom Parkway #101 Temple Terrace, Florida 33637-0926

2019 Chemical Monitoring for NTNC

Water System: Many Mansions PWS-ID No. 6514353

Water System: Many Mansions			PWS-ID No. 6514353
MONITORING & REPORTS		DUE	COMMENTS
Raw Water Microbiological ("Bacteriological")		Quarterly	1 Raw Water Sample per well.
Distribution Microbiological ("Bacteriological")		Quarterly	1 Distribution Sample per quarter. Disinfectant residuals must be reported.
Nitrate and Nitr	ite	2019	Sample at each POE every year.*
Primary Inorgan	nics	2019	Sample at each POE every three years.
Radiologicals	Gross Alpha	Waived	Sample at each POE every quarterly, six, nine years, or Waived use of Grandfather Data (date of sample)
	Uranium	2025	Sample at each POE every quarterly, six, nine years, or Waived use of Grandfather Data (date of sample)
	Radium-226	2025	Sample at each POE every quarterly, six, nine years, or Waived use of Grandfather Data (date of sample)
	Radium-228	2025	Sample at each POE every quarterly, six, nine years, or Waived use of Grandfather Data (date of sample)
Volatile Organic	Contaminants (VOCs)	2019	Sample at each POE every three years.
Styrene (2996)		2019	Sample annually at each POE.
Synthetic Organic Contaminants (SOCs)		2019	Sample at each POE every three years, or submit SOC reduced monitoring waiver, if applicable. Use Form 62-560.545(2), F.A.C.
Stage II Disinfection Byproducts (DBPs)  Total Trihalomethanes & Haloacetic Acids (5)		July-Sept. 2019	Sample according to approved Stage 2 D/DBPR Monitoring Plan.
Asbestos		2022	Certification or results due every nine years. Use Form 62-555.900(10), F.A.C.
Lead & Copper		June-Sept. 2019	Sample from sites approved on the Lead and Copper Sampling Plan every three years.

<sup>\*</sup>POE = Point of entry to the distribution system. Sample at each POE that is representative of each source after treatment.

This is a good faith assessment of monitoring requirements for the above-referenced public water system for calendar year 2019 and may not include additional sampling required during the year due to special circumstances. If you have questions or disagree with the assessment, please contact the appropriate personnel at (813) 470-5700. Monitoring schedules are subject to change, at any time, based on results of analyses or other factors. This chart shall not relieve any person from any requirement of Florida law.

- ➤ It is strongly recommended that testing be conducted early in the monitoring period to allow time for retests due to possible sampling or lab errors. Annual and triennial sampling should be completed by <u>9/30/2019</u> to provide time for revisions, retests, and/or corrections.
- > Test results must be submitted to DEP within the first ten days following the end of the required monitoring period, or the first ten days following the month in which the sample results were received, whichever time is the shortest. Failure to comply may result in enforcement action.



Ron DeSantis Governor

Jeanette Nuñez Lt. Governor

Noah Valenstein Secretary

Southwest District Office 13051 North Telecom Parkway #101 Temple Terrace, Florida 33637-0926

2019 Chemical Monitoring for Community Systems

System Name: Paradise Lakes- New Well PWS-ID No. 6514545

MONITORING & REPORTS		DUE	COMMENTS
Microbiological ("Bacteriological")		Monthly	Disinfectant residuals must be reported.
Nitrate and Nitrit	e	2019	Sample at each POE every year.*
Primary Inorganio	cs	2021	Sample at each POE every three years.
Secondaries		2021	Sample at each POE every three years.
Radiologicals	Gross Alpha	2021	Sample at each POE every six years.
	Uranium	2027	Sample at each POE every nine years.
	Radium-226	Quarterly	Sample at each POE every three years.
	Radium-228	Quarterly	Sample at each POE every three years.
Volatile Organic Contaminants (VOCs)		2019	Sample at each POE every year until advised otherwise*.
Synthetic Organic	Contaminants (SOCs)	2019	Sample at each POE every year until advised otherwise*.
Stage II Disinfection Byproducts (DBPs)  Total Trihalomethanes & Haloacetic Acids (5)		July-Sept 2019	Sample according to approved Stage 2 D/DBPR Monitoring Plan.
Asbestos		2021	Certification or results due every nine years. Use Form 62-555.900(10), F.A.C.
Lead & Copper		June-Sept 2019	Sample from sites approved on the Lead and Copper Sampling Plan. Reduced to Ten samples.
Consumer Confidence Report (CCR) & CCR Certification of Delivery		July 1, 2019	CCR must be delivered by July 1, 2019. The CCR Certification of Delivery must be submitted to the Department by August 10, 2019. Use Form 62-555.900(alternate 19), F.A.C.

<sup>\*</sup>POE = Point of entry to the distribution system. Sample at each POE that is representative of each source after treatment.

This is a good faith assessment of monitoring requirements for the above-referenced public water system for calendar year 2019 and may not include additional sampling required during the year due to special circumstances. If you have questions or disagree with the assessment, please contact the appropriate personnel at (813) 470-5700. Monitoring schedules are subject to change, at any time, based on results of analyses or other factors. This chart shall not relieve any person from any requirement of Florida law.

- > It is strongly recommended that testing be conducted early in the monitoring period to allow time for retests due to possible sampling or lab errors. Annual and triennial sampling should be completed by <u>9/30/2019</u> to provide time for revisions, re-tests, and/or corrections.
- > Test results must be submitted to DEP within the first ten days following the end of the required monitoring period, or the first ten days following the month in which the sample results were received, whichever time is the shortest. Failure to comply may result in enforcement action.



Jeanette Nuñez Lt. Governor

**Ron DeSantis** 

Governor

Noah Valenstein

Southwest District Office 13051 North Telecom Parkway #101 Temple Terrace, Florida 33637-0926

Secretary

2019 Chemical Monitoring for NTNC

Water System: Settlers Rest PWS-ID No. 6514595

water System: Settlers Rest		DUE	PWS-ID No. 0314393
MONITOR	MONITORING & REPORTS		COMMENTS
Raw Water Microbiological ("Bacteriological")		Quarterly	1 Raw Water Sample per well.
Distribution Micr ("Bacteriological"	O	Quarterly	1 Distribution Sample per quarter. Disinfectant residuals must be reported.
Nitrate and Nitri	te	2019	Sample at each POE every year.*
Primary Inorgani	cs	2019	Sample at each POE every three years.
Radiologicals	Gross Alpha	Waived	Sample at each POE every quarterly, six, nine years, or Waived use of Grandfather Data (date of sample)
	Uranium	Waived	Sample at each POE every quarterly, six, nine years, or Waived use of Grandfather Data (date of sample)
	Radium-226	Waived	Sample at each POE every quarterly, six, nine years, or Waived use of Grandfather Data (date of sample)
	Radium-228	Waived	Sample at each POE every quarterly, six, nine years, or Waived use of Grandfather Data (date of sample)
Volatile Organic	Contaminants (VOCs)	2019	Sample at each POE every three years.
Synthetic Organic Contaminants (SOCs)		2019	Sample at each POE every three years, or submit SOC reduced monitoring waiver, if applicable. Use Form 62-560.545(2), F.A.C.
Stage II Disinfection Byproducts (DBPs)  Total Trihalomethanes & Haloacetic Acids (5)		July-Sept. 2019	Sample according to approved Stage 2 D/DBPR Monitoring Plan.
Asbestos		2022	Certification or results due every nine years. Use Form 62-555.900(10), F.A.C.
Lead & Copper		June-Sept. 2019	Sample from sites approved on the Lead and Copper Sampling Plan every three years.

<sup>\*</sup>POE = Point of entry to the distribution system. Sample at each POE that is representative of each source after treatment.

This is a good faith assessment of monitoring requirements for the above-referenced public water system for calendar year 2019 and may not include additional sampling required during the year due to special circumstances. If you have questions or disagree with the assessment, please contact the appropriate personnel at (813) 470-5700. Monitoring schedules are subject to change, at any time, based on results of analyses or other factors. This chart shall not relieve any person from any requirement of Florida law.

- > It is strongly recommended that testing be conducted early in the monitoring period to allow time for retests due to possible sampling or lab errors. Annual and triennial sampling should be completed by <u>9/30/2019</u> to provide time for revisions, retests, and/or corrections.
- > Test results must be submitted to DEP within the first ten days following the end of the required monitoring period, or the first ten days following the month in which the sample results were received, whichever time is the shortest. Failure to comply may result in enforcement action.



Southwest District Office 13051 North Telecom Parkway #101 Temple Terrace, Florida 33637-0926 Ron DeSantis Governor

Jeanette Nuñez Lt. Governor

Noah Valenstein Secretary

2019 Chemical Monitoring for NTNC

Water Systems Sweetwater RV Park

PWS-ID No. 6514812

MONITORI	MONITORING & REPORTS		COMMENTS
Raw Water Microbiological ("Bacteriological")		Quarterly	1 Raw Water Sample per well.
Distribution Micr ("Bacteriological"	C	Quarterly	1 Distribution Sample per quarter. Disinfectant residuals must be reported.
Nitrate and Nitrit	te	2019	Sample at each POE every year.*
Primary Inorgani	cs	2019	Sample at each POE every three years.
Radiologicals	Gross Alpha	Waived	Sample at each POE every quarterly, six, nine years, or Waived use of Grandfather Data (date of sample)
	Uranium	Waived	Sample at each POE every quarterly, six, nine years, or Waived use of Grandfather Data (date of sample)
	Radium-226	Waived	Sample at each POE every quarterly, six, nine years, or Waived use of Grandfather Data (date of sample)
	Radium-228	Waived	Sample at each POE every quarterly, six, nine years, or Waived use of Grandfather Data (date of sample)
Volatile Organic	Contaminants (VOCs)	2019	Sample at each POE every three years.
Synthetic Organic Contaminants (SOCs)		2019	Sample at each POE every three years, or submit SOC reduced monitoring waiver, if applicable. Use Form 62-560.545(2), F.A.C.
Stage II Disinfection Byproducts (DBPs) Total Trihalomethanes & Haloacetic Acids (5)		July-Sept. 2019	Sample according to approved Stage 2 D/DBPR Monitoring Plan.
Asbestos		2021	Certification or results due every nine years. Use Form 62-555.900(10), F.A.C.
Lead & Copper		July-Sept. 2019	Sample from sites approved on the Lead and Copper Sampling Plan every three years.
Tank(s) Inspection & Cleaning		2023	Pursuant to 62-555.350(2) F.A.C. all finished drinking water storage tanks with access manholes shall be inspected and cleaned at a maximum interval of every 5 years.

<sup>\*</sup>POE = Point of entry to the distribution system. Sample at each POE that is representative of each source after treatment.

This is a good faith assessment of monitoring requirements for the above-referenced public water system for calendar year 2019 and may not include additional sampling required during the year due to special circumstances. If you have questions or disagree with the assessment, please contact the appropriate personnel at (813) 470-5700. Monitoring schedules are subject to change, at any time, based on results of analyses or other factors. This chart shall not relieve any person from any requirement of Florida law.

- > It is strongly recommended that testing be conducted early in the monitoring period to allow time for retests due to possible sampling or lab errors. Annual and triennial sampling should be completed by 9/30/2019 to provide time for revisions, re-tests, and/or corrections.
- > Test results must be submitted to DEP within the first ten days following the end of the required monitoring period, or the first ten days following the month in which the sample results were received, whichever time is the shortest. Failure to comply may result in enforcement action.



Southwest District Office 13051 North Telecom Parkway #101 Temple Terrace, Florida 33637-0926 Ron DeSantis Governor

Jeanette Nuñez Lt. Governor

Noah Valenstein Secretary

2019 Chemical Monitoring for NTNC

Water Systems Seven Acres RV Park

PWS-ID No. 6514831

	ING & REPORTS	DUE	COMMENTS
Raw Water Microbiological ("Bacteriological")		Quarterly	1 Raw Water Sample per well.
Distribution Micr ("Bacteriological"	O	Quarterly	1 Distribution Sample per quarter. Disinfectant residuals must be reported.
Nitrate and Nitrit	te	2019	Sample at each POE every year.*
Primary Inorgani	cs	2019	Sample at each POE every three years.
Radiologicals	Gross Alpha	Waived	Sample at each POE every quarterly, six, nine years, or Waived use of Grandfather Data (date of sample)
	Uranium	Waived	Sample at each POE every quarterly, six, nine years, or Waived use of Grandfather Data (date of sample)
	Radium-226	Waived	Sample at each POE every quarterly, six, nine years, or Waived use of Grandfather Data (date of sample)
	Radium-228	Waived	Sample at each POE every quarterly, six, nine years, or Waived use of Grandfather Data (date of sample)
Volatile Organic	Contaminants (VOCs)	2019	Sample at each POE every three years.
Synthetic Organic Contaminants (SOCs)		2019	Sample at each POE every three years, or submit SOC reduced monitoring waiver, if applicable. Use Form 62-560.545(2), F.A.C.
Stage II Disinfection Byproducts (DBPs) Total Trihalomethanes & Haloacetic Acids (5)		July-Sept. 2019	Sample according to approved Stage 2 D/DBPR Monitoring Plan.
Asbestos		2021	Certification or results due every nine years. Use Form 62-555.900(10), F.A.C.
Lead & Copper		July-Sept. 2019	Sample from sites approved on the Lead and Copper Sampling Plan every three years.

<sup>\*</sup>POE = Point of entry to the distribution system. Sample at each POE that is representative of each source after treatment.

This is a good faith assessment of monitoring requirements for the above-referenced public water system for calendar year 2019 and may not include additional sampling required during the year due to special circumstances. If you have questions or disagree with the assessment, please contact the appropriate personnel at (813) 470-5700. Monitoring schedules are subject to change, at any time, based on results of analyses or other factors. This chart shall not relieve any person from any requirement of Florida law.

- > It is strongly recommended that testing be conducted early in the monitoring period to allow time for retests due to possible sampling or lab errors. Annual and triennial sampling should be completed by <u>9/30/2019</u> to provide time for revisions, retests, and/or corrections.
- > Test results must be submitted to DEP within the first ten days following the end of the required monitoring period, or the first ten days following the month in which the sample results were received, whichever time is the shortest. Failure to comply may result in enforcement action.



Jeanette Nuñez

**Ron DeSantis** 

Governor

Lt. Governor

Noah Valenstein Secretary

Southwest District Office 13051 North Telecom Parkway #101 Temple Terrace, Florida 33637-0926

2019 Chemical Monitoring for NTNC

PWS-ID No. 6514834

Water System: Encore RV Resort-New Well		PWS-ID No. 6514834		
MONITORING & REPORTS		COMMENTS		
Raw Water Microbiological ("Bacteriological")		1 Raw Water Sample per well.		
obiological )	Quarterly	1 Distribution Sample per quarter. Disinfectant residuals must be reported.		
e	2019	Sample at each POE every year.*		
CS	2019	Sample at each POE every three years.		
Gross Alpha	Quarterly	Sample at each POE every quarterly, six, nine years, or Waived use of Grandfather Data (date of sample)		
Uranium	Quarterly	Sample at each POE every quarterly, six, nine years, or Waived use of Grandfather Data (date of sample)		
Radium-226	Quarterly	Sample at each POE every quarterly, six, nine years, or Waived use of Grandfather Data (date of sample)		
Radium-228	Quarterly	Sample at each POE every quarterly, six, nine years, or Waived use of Grandfather Data (date of sample)		
Contaminants (VOCs)	Quarterly	Sample at each POE every three years.		
Synthetic Organic Contaminants (SOCs)		Sample at each POE every three years, or submit SOC reduced monitoring waiver, if applicable. Use Form 62-560.545(2), F.A.C.		
Stage II Disinfection Byproducts (DBPs)  Total Trihalomethanes & Haloacetic Acids (5)		Sample according to approved Stage 2 D/DBPR Monitoring Plan.		
Asbestos		Certification or results due every nine years. Use Form 62-555.900(10), F.A.C.		
Lead & Copper		Sample from sites approved on the Lead and Copper Sampling Plan every three years.		
	MG & REPORTS biological bbiological Contaminants (VOCs) Contaminants (SOCs) Con Byproducts (DBPs)	NG & REPORTS  biological Dibiological Dibiological Dibiological Dibiological Quarterly Dibiological Quarterly  2019  Contaminants (VOCs) Dibiological Quarterly Quarterly Quarterly Quarterly Quarterly Quarterly Contaminants (VOCs) Quarterly Dibiological Quarterly		

<sup>\*</sup>POE = Point of entry to the distribution system. Sample at each POE that is representative of each source after treatment.

This is a good faith assessment of monitoring requirements for the above-referenced public water system for calendar year 2019 and may not not not additional sampling required during the year due to special circumstances. If you have questions or disagree with the assessment, please contact the appropriate personnel at (813) 470-5700. Monitoring schedules are subject to change, at any time, based on results of analyses or other factors. This chart shall not relieve any person from any requirement of Florida law.

- > It is strongly recommended that testing be conducted early in the monitoring period to allow time for retests due to possible sampling or lab errors. Annual and triennial sampling should be completed by <u>9/30/2019</u> to provide time for revisions, retests, and/or corrections.
- Test results must be submitted to DEP within the first ten days following the end of the required monitoring period, or the first ten days following the month in which the sample results were received, whichever time is the shortest. Failure to comply may result in enforcement action.



Southwest District Office 13051 North Telecom Parkway #101 Temple Terrace, Florida 33637-0926 Ron DeSantis Governor

Jeanette Nuñez Lt. Governor

Noah Valenstein Secretary

PWS-ID No. 6514837

2019 Chemical Monitoring for Community Systems

Timber Lake Estates

MONITOR	ING & REPORTS	DUE	COMMENTS
Raw Water Microbiological ("Bacteriological")		Monthly	1 Raw Water Sample per well.
Distribution Microb ("Bacteriological")	piological	Monthly	1 Distribution Samples per month. Disinfectant residuals must be reported.
Nitrate and Nitrite		2019	Sample at each POE every year.*
Primary Inorganics		2021	Sample at each POE every three years.
Secondaries		2021	Sample at each POE every three years.
Radiologicals	Gross Alpha	2024	Sample at each POE every three, six or nine years.
	Uranium	2024	Sample at each POE every three, six or nine years.
	Radium-226	2024	Sample at each POE every three, six or nine years.
	Radium-228	2024	Sample at each POE every three, six or nine years.
Volatile Organic Co	ontaminants (VOCs)	2021	Sample at each POE every three years.
Synthetic Organic Contaminants (SOCs)		2021	Sample at each POE every three years, or submit SOC reduced monitoring waiver, if applicable. Use Form 62-560.545(2), F.A.C.
	n Byproducts (DBPs) es & Haloacetic Acids (5)	July-Sept. 2019	Sample according to approved Stage 2 D/DBPR Monitoring Plan.
Asbestos			Certification or results due every nine years. Use Form 62-555.900(10), F.A.C.
Lead & Copper		June-Sept. 2021	Sample from sites approved on the Lead and Copper Sampling Plan every three years.
Consumer Confidence Report (CCR) & CCR Certification of Delivery		July 1, 2019	CCR must be delivered by July 1, 2019. The CCR Certification of Delivery must be submitted to the Department by August 10, 2019. Use Form 62-555.900(alternate 19), F.A.C.
Tank(s) Inspection & Cleaning		2020	Pursuant to 62-555.350(2) F.A.C. all finished drinking water storage tanks with access manholes shall be inspected and cleaned at a maximum interval of every 5 years.

<sup>\*</sup>POE = Point of entry to the distribution system. Sample at each POE that is representative of each source after treatment.

This is a good faith assessment of monitoring requirements for the above-referenced public water system for calendar year 2019 and may not include additional sampling required during the year due to special circumstances. If you have questions or disagree with the assessment, please contact the appropriate personnel at (813) 470-5700. Monitoring schedules are subject to change, at any time, based on results of analyses or other factors. This chart shall not relieve any person from any requirement of Florida law.

- It is strongly recommended that testing be conducted early in the monitoring period to allow time for retests due to possible sampling or lab errors. Annual and triennial sampling should be completed by <u>9/30/2019</u> to provide time for revisions, re-tests, and/or corrections.
- > Test results must be submitted to DEP within the first ten days following the end of the required monitoring period, or the first ten days following the month in which the sample results were received, whichever time is the shortest. Failure to comply may result in enforcement action.



Ron DeSantis Governor

Jeanette Nuñez Lt. Governor

Noah Valenstein Secretary

Southwest District Office 13051 North Telecom Parkway #101 Temple Terrace, Florida 33637-0926

2019 Chemical Monitoring for Community Systems

System Name: Ramblewood MHP PWS-ID No. 6514838

MONITORING & REPORTS		DUE	COMMENTS
Raw Water Microbi ("Bacteriological")		Monthly	1 Raw Water Sample per well.
Distribution Microl ("Bacteriological")	oiological	Monthly	1 Distribution Samples per month. Disinfectant residuals must be reported.
Nitrate and Nitrite		2019	Sample at each POE every year.*
Primary Inorganics		2021	Sample at each POE every three years.
Secondaries		2021	Sample at each POE every three years.
Radiologicals	Gross Alpha	2021	Sample at each POE every three, six or nine years.
	Uranium	2021	Sample at each POE every three, six or nine years.
	Radium-226	2021	Sample at each POE every three, six or nine years.
	Radium-228	2021	Sample at each POE every three, six or nine years.
Volatile Organic Co	ontaminants (VOCs)	2021	Sample at each POE every three years.
Synthetic Organic Contaminants (SOCs)		2021	Sample at each POE every three years, or submit SOC reduced monitoring waiver, if applicable. Use Form 62-560.545(2), F.A.C.
	n Byproducts (DBPs) es & Haloacetic Acids (5)	July-Sept 2021	Sample according to approved Stage 2 D/DBPR Monitoring Plan.
Asbestos		2021	Certification or results due every nine years. Use Form 62-555.900(10), F.A.C.
Lead & Copper		Jan-June 2019 July-Dec 2019	Sample from sites approved on the Lead and Copper Sampling Plan every three years.
Consumer Confidence Report (CCR) & CCR Certification of Delivery		July 1, 2019	CCR must be delivered by July 1, 2019. The CCR Certification of Delivery must be submitted to the Department by August 10, 2019. Use Form 62-555.900(alternate 19), F.A.C.

<sup>\*</sup>POE = Point of entry to the distribution system. Sample at each POE that is representative of each source after treatment.

This is a good faith assessment of monitoring requirements for the above-referenced public water system for calendar year 2019 and may not include additional sampling required during the year due to special circumstances. If you have questions or disagree with the assessment, please contact the appropriate personnel at (813) 470-5700. Monitoring schedules are subject to change, at any time, based on results of analyses or other factors. This chart shall not relieve any person from any requirement of Florida law.

- > It is strongly recommended that testing be conducted early in the monitoring period to allow time for retests due to possible sampling or lab errors. Annual and triennial sampling should be completed by 9/30/2019 to provide time for revisions, re-tests, and/or corrections.
- > Test results must be submitted to DEP within the first ten days following the end of the required monitoring period, or the first ten days following the month in which the sample results were received, whichever time is the shortest. Failure to comply may result in enforcement action.



Ron DeSantis Governor

Jeanette Nuñez Lt. Governor

Noah Valenstein Secretary

Southwest District Office 13051 North Telecom Parkway #101 Temple Terrace, Florida 33637-0926

2019 Chemical Monitoring for Community Systems

System Name: Forest Green MHP PWS-ID No. 6514841

	ING & REPORTS	DUE	COMMENTS
Raw Water Microbi ("Bacteriological")	Raw Water Microbiological ("Bacteriological")		1 Raw Water Sample per well.
Distribution Microb ("Bacteriological")	piological	Monthly	1 Distribution Samples per month. Disinfectant residuals must be reported.
Nitrate and Nitrite		2019	Sample at each POE every year.*
Primary Inorganics		2021	Sample at each POE every three years.
Secondaries		2021	Sample at each POE every three years.
Radiologicals	Gross Alpha	2027	Sample at each POE every three, six or nine years.
	Uranium	2027	Sample at each POE every three, six or nine years.
	Radium-226	2027	Sample at each POE every three, six or nine years.
	Radium-228	2027	Sample at each POE every three, six or nine years.
Volatile Organic Co	ontaminants (VOCs)	2021	Sample at each POE every three years.
Synthetic Organic Contaminants (SOCs)		2021	Sample at each POE every three years, or submit SOC reduced monitoring waiver, if applicable. Use Form 62-560.545(2), F.A.C.
	Stage II Disinfection Byproducts (DBPs)  Total Trihalomethanes & Haloacetic Acids (5)		Sample according to approved Stage 2 D/DBPR Monitoring Plan.
Asbestos		2021	Certification or results due every nine years. Use Form 62-555.900(10), F.A.C.
Lead & Copper		June-Sept 2021	Sample from sites approved on the Lead and Copper Sampling Plan every three years.
Consumer Confider Certification of Deli	nce Report (CCR) & CCR	July 1, 2019	CCR must be delivered by July 1, 2019 The CCR Certification of Delivery must be submitted to the Department by August 10, 2019. Use Form 62-555.900(alternate 19), F.A.C.

<sup>\*</sup>POE = Point of entry to the distribution system. Sample at each POE that is representative of each source after treatment.

This is a good faith assessment of monitoring requirements for the above-referenced public water system for calendar year 2019 and may not include additional sampling required during the year due to special circumstances. If you have questions or disagree with the assessment, please contact the appropriate personnel at (813) 470-5700. Monitoring schedules are subject to change, at any time, based on results of analyses or other factors. This chart shall not relieve any person from any requirement of Florida law.

- > It is strongly recommended that testing be conducted early in the monitoring period to allow time for retests due to possible sampling or lab errors. Annual and triennial sampling should be completed by 9/30/2019 to provide time for revisions, re-tests, and/or corrections.
- > Test results must be submitted to DEP within the first ten days following the end of the required monitoring period, or the first ten days following the month in which the sample results were received, whichever time is the shortest. Failure to comply may result in enforcement action.



Ron DeSantis Governor

Jeanette Nuñez Lt. Governor

Noah Valenstein Secretary

Southwest District Office 13051 North Telecom Parkway #101 Temple Terrace, Florida 33637-0926

2019 Chemical Monitoring for Community Systems

System Name: Utilities Inc. of Florida PWS-ID No. 6514842

MONITORING & REPORTS		DUE	COMMENTS
Microbiological ("Bacteriological")		Monthly	Disinfectant residuals must be reported.
Nitrate and Nitrite		2019	Sample at each POE every year.*
Primary Inorganics	3	2021	Sample at each POE every three years.
Secondaries		2021	Sample at each POE every three years.
Radiologicals	Gross Alpha	2024	Sample at each POE every three, six or nine years.
	Uranium	2021	Sample at each POE every three, six or nine years.
	Radium-226	2021	Sample at each POE every three, six or nine years.
	Radium-228	2021	Sample at each POE every three, six or nine years.
Volatile Organic Co	ontaminants (VOCs)	2021	Sample at each POE every three years.
Synthetic Organic Contaminants (SOCs)		2021	Sample at each POE every three years, or submit SOC reduced monitoring waiver, if applicable. Use Form 62-560.545(2), F.A.C.
Stage II Disinfection Byproducts (DBPs) Total Trihalomethanes & Haloacetic Acids (5)		July-Sept 2019	Sample according to approved Stage 2 D/DBPR Monitoring Plan.
Asbestos		2021	Certification or results due every nine years. Use Form 62-555.900(10), F.A.C.
Lead & Copper		June-Sept 2021	Sample from sites approved on the Lead and Copper Sampling Plan every three years.
Consumer Confidence Report (CCR) & CCR Certification of Delivery		July 1, 2019	CCR must be delivered by July 1, 2019. The CCR Certification of Delivery must be submitted to the Department by August 10, 2019. Use Form 62-555.900(alternate 19), F.A.C.

<sup>\*</sup>POE = Point of entry to the distribution system. Sample at each POE that is representative of each source after treatment.

This is a good faith assessment of monitoring requirements for the above-referenced public water system for calendar year 2019 and may not include additional sampling required during the year due to special circumstances. If you have questions or disagree with the assessment, please contact the appropriate personnel at (813) 470-5700. Monitoring schedules are subject to change, at any time, based on results of analyses or other factors. This chart shall not relieve any person from any requirement of Florida law.

- > It is strongly recommended that testing be conducted early in the monitoring period to allow time for retests due to possible sampling or lab errors. Annual and triennial sampling should be completed by <u>9/30/2019</u> to provide time for revisions, re-tests, and/or corrections.
- > Test results must be submitted to DEP within the first ten days following the end of the required monitoring period, or the first ten days following the month in which the sample results were received, whichever time is the shortest. Failure to comply may result in enforcement action.



Southwest District Office 13051 North Telecom Parkway #101 Temple Terrace, Florida 33637-0926 Ron DeSantis Governor

Jeanette Nuñez Lt. Governor

Noah Valenstein Secretary

2019 Chemical Monitoring for NTNC

Water System: Happy Days RVP PWS-ID No. 6514844

Water System: Happy Days RVP			PWS-ID No. 6514844
MONITOR	ING & REPORTS	DUE	COMMENTS
Raw Water Microbiological ("Bacteriological")		Quarterly	1 Raw Water Sample per well.
Distribution Microbiological ("Bacteriological")		Quarterly	1 Distribution Sample per quarter. Disinfectant residuals must be reported.
Nitrate and Nitra	ite	2019	Sample at each POE every year.*
Primary Inorgan	ics	2019	Sample at each POE every three years.
Radiologicals	Gross Alpha	2025	Sample at each POE every quarterly, six, nine years, or Waived use of Grandfather Data (date of sample)
	Uranium	2025	Sample at each POE every quarterly, six, nine years, or Waived use of Grandfather Data (date of sample)
	Radium-226	2022	Sample at each POE every quarterly, six, nine years, or Waived use of Grandfather Data (date of sample)
	Radium-228	2022	Sample at each POE every quarterly, six, nine years, or Waived use of Grandfather Data (date of sample)
Volatile Organic	Contaminants (VOCs)	2019	Sample at each POE every three years.
Synthetic Organic Contaminants (SOCs)		2019	Sample at each POE every three years, or submit SOC reduced monitoring waiver, if applicable. Use Form 62-560.545(2), F.A.C.
Stage II Disinfection Byproducts (DBPs)  Total Trihalomethanes & Haloacetic Acids (5)		July-Sept. 2019	Sample according to approved Stage 2 D/DBPR Monitoring Plan.
Asbestos		2022	Certification or results due every nine years. Use Form 62-555.900(10), F.A.C.
Lead & Copper		June-Sept. 2019	Sample from sites approved on the Lead and Copper Sampling Plan every three years.

<sup>\*</sup>POE = Point of entry to the distribution system. Sample at each POE that is representative of each source after treatment.

This is a good faith assessment of monitoring requirements for the above-referenced public water system for calendar year 2019 and may not include additional sampling required during the year due to special circumstances. If you have questions or disagree with the assessment, please contact the appropriate personnel at (813) 470-5700. Monitoring schedules are subject to change, at any time, based on results of analyses or other factors. This chart shall not relieve any person from any requirement of Florida law.

- > It is strongly recommended that testing be conducted early in the monitoring period to allow time for retests due to possible sampling or lab errors. Annual and triennial sampling should be completed by <u>9/30/2019</u> to provide time for revisions, retests, and/or corrections.
- > Test results must be submitted to DEP within the first ten days following the end of the required monitoring period, or the first ten days following the month in which the sample results were received, whichever time is the shortest. Failure to comply may result in enforcement action.



Southwest District Office 13051 North Telecom Parkway #101 Temple Terrace, Florida 33637-0926 Ron DeSantis Governor

Jeanette Nuñez Lt. Governor

Noah Valenstein Secretary

2019 Chemical Monitoring for NTNC

Water Systems Zephyr Mobile Park

PWS-ID No. 6514845

water Systems Zepnyr Woone Park			P W 5-1D No. 0314643
MONITOR	ING & REPORTS	DUE	COMMENTS
Raw Water Microbiological ("Bacteriological")		Quarterly	1 Raw Water Sample per well.
Distribution Microbiological ("Bacteriological")		Quarterly	1 Distribution Sample per quarter. Disinfectant residuals must be reported.
Nitrate and Nitri	te	2019	Sample at each POE every year.*
Primary Inorgani	cs	2019	Sample at each POE every three years.
Radiologicals	Gross Alpha	Waived	Sample at each POE every quarterly, six, nine years, or Waived use of Grandfather Data (date of sample)
	Uranium	Waived	Sample at each POE every quarterly, six, nine years, or Waived use of Grandfather Data (date of sample)
	Radium-226	2025	Sample at each POE every quarterly, six, nine years, or Waived use of Grandfather Data (date of sample)
	Radium-228	2025	Sample at each POE every quarterly, six, nine years, or Waived use of Grandfather Data (date of sample)
Volatile Organic	Contaminants (VOCs)	2019	Sample at each POE every three years.
Synthetic Organic Contaminants (SOCs)		2019	Sample at each POE every three years, or submit SOC reduced monitoring waiver, if applicable. Use Form 62-560.545(2), F.A.C.
Stage II Disinfection Byproducts (DBPs)  Total Trihalomethanes & Haloacetic Acids (5)		July-Sept. 2019	Sample according to approved Stage 2 D/DBPR Monitoring Plan.
Asbestos		2021	Certification or results due every nine years. Use Form 62-555.900(10), F.A.C.
Lead & Copper		July-Sept. 2019	Sample from sites approved on the Lead and Copper Sampling Plan every three years.

<sup>\*</sup>POE = Point of entry to the distribution system. Sample at each POE that is representative of each source after treatment.

This is a good faith assessment of monitoring requirements for the above-referenced public water system for calendar year 2019 and may not include additional sampling required during the year due to special circumstances. If you have questions or disagree with the assessment, please contact the appropriate personnel at (813) 470-5700. Monitoring schedules are subject to change, at any time, based on results of analyses or other factors. This chart shall not relieve any person from any requirement of Florida law.

- > It is strongly recommended that testing be conducted early in the monitoring period to allow time for retests due to possible sampling or lab errors. Annual and triennial sampling should be completed by <u>9/30/2019</u> to provide time for revisions, retests, and/or corrections.
- > Test results must be submitted to DEP within the first ten days following the end of the required monitoring period, or the first ten days following the month in which the sample results were received, whichever time is the shortest. Failure to comply may result in enforcement action.



Southwest District Office 13051 North Telecom Parkway #101 Temple Terrace, Florida 33637-0926 Ron DeSantis Governor

Jeanette Nuñez Lt. Governor

Noah Valenstein Secretary

2019 Chemical Monitoring for NTNC

Water System: Hudson School Complex PWS-ID No. 6514846

Water System: Hudson School Complex			PWS-ID No. 6514846
MONITOR	ING & REPORTS	DUE	COMMENTS
Raw Water Microbiological ("Bacteriological")		Quarterly	1 Raw Water Sample per well.
Distribution Microbiological ("Bacteriological")		Quarterly	1 Distribution Sample per quarter. Disinfectant residuals must be reported.
Nitrate and Nitri	te	2019	Sample at each POE every year.*
Primary Inorgani	ics	2019	Sample at each POE every three years.
Radiologicals	Gross Alpha	Waived	Sample at each POE every quarterly, six, nine years, or Waived use of Grandfather Data (date of sample)
	Uranium	Waived	Sample at each POE every quarterly, six, nine years, or Waived use of Grandfather Data (date of sample)
	Radium-226	Waived	Sample at each POE every quarterly, six, nine years, or Waived use of Grandfather Data (date of sample)
	Radium-228	Waived	Sample at each POE every quarterly, six, nine years, or Waived use of Grandfather Data (date of sample)
Volatile Organic	Contaminants (VOCs)	2019	Sample at each POE every three years.
Synthetic Organic Contaminants (SOCs)		2019	Sample at each POE every three years, or submit SOC reduced monitoring waiver, if applicable. Use Form 62-560.545(2), F.A.C.
Stage II Disinfection Byproducts (DBPs)  Total Trihalomethanes & Haloacetic Acids (5)		July-Sept. 2019	Sample according to approved Stage 2 D/DBPR Monitoring Plan.
Asbestos		2022	Certification or results due every nine years. Use Form 62-555.900(10), F.A.C.
Lead & Copper		June-Sept. 2019	Sample from sites approved on the Lead and Copper Sampling Plan every three years.

<sup>\*</sup>POE = Point of entry to the distribution system. Sample at each POE that is representative of each source after treatment.

This is a good faith assessment of monitoring requirements for the above-referenced public water system for calendar year 2019 and may not include additional sampling required during the year due to special circumstances. If you have questions or disagree with the assessment, please contact the appropriate personnel at (813) 470-5700. Monitoring schedules are subject to change, at any time, based on results of analyses or other factors. This chart shall not relieve any person from any requirement of Florida law.

- ➤ It is strongly recommended that testing be conducted early in the monitoring period to allow time for retests due to possible sampling or lab errors. Annual and triennial sampling should be completed by <u>9/30/2019</u> to provide time for revisions, retests, and/or corrections.
- > Test results must be submitted to DEP within the first ten days following the end of the required monitoring period, or the first ten days following the month in which the sample results were received, whichever time is the shortest. Failure to comply may result in enforcement action.



Southwest District Office 13051 North Telecom Parkway #101 Temple Terrace, Florida 33637-0926 Ron DeSantis Governor

Jeanette Nuñez Lt. Governor

Noah Valenstein Secretary

2019 Chemical Monitoring for NTNC

Zephyr Palms RV Park PWS-ID No. 6514848

MONITORING & REPORTS		DUE	COMMENTS
		DOE	COMMENTS
Raw Water Microbiological ("Bacteriological")		Quarterly	1 Raw Water Sample per well.
Distribution Microbiological ("Bacteriological")		Quarterly	1 Distribution Sample per quarter. Disinfectant residuals must be reported.
Nitrate and Nitrite		2019	Sample at each POE every year.*
Primary Inorganics		2019	Sample at each POE every three years.
Radiologicals	Gross Alpha	Waived	Sample at each POE every quarterly, six, nine years, or Waived use of Grandfather Data (date of sample)
	Uranium	Waived	Sample at each POE every quarterly, six, nine years, or Waived use of Grandfather Data (date of sample)
	Radium-226	Waived	Sample at each POE every quarterly, six, nine years, or Waived use of Grandfather Data (date of sample)
	Radium-228	Waived	Sample at each POE every quarterly, six, nine years, or Waived use of Grandfather Data (date of sample)
Volatile Organic Contaminants (VOCs)		2019	Sample at each POE every three years.
Synthetic Organic Contaminants (SOCs)		2019	Sample at each POE every three years, or submit SOC reduced monitoring waiver, if applicable. Use Form 62-560.545(2), F.A.C.
Stage II Disinfection Byproducts (DBPs) Total Trihalomethanes & Haloacetic Acids (5)		July-Sept. 2019	Sample according to approved Stage 2 D/DBPR Monitoring Plan.
Asbestos		2021	Certification or results due every nine years. Use Form 62-555.900(10), F.A.C.
Lead & Copper		July-Sept. 2019	Sample from sites approved on the Lead and Copper Sampling Plan every three years.

<sup>\*</sup>POE = Point of entry to the distribution system. Sample at each POE that is representative of each source after treatment.

This is a good faith assessment of monitoring requirements for the above-referenced public water system for calendar year 2019 and may not include additional sampling required during the year due to special circumstances. If you have questions or disagree with the assessment, please contact the appropriate personnel at (813) 470-5700. Monitoring schedules are subject to change, at any time, based on results of analyses or other factors. This chart shall not relieve any person from any requirement of Florida law.

- > It is strongly recommended that testing be conducted early in the monitoring period to allow time for retests due to possible sampling or lab errors. Annual and triennial sampling should be completed by <u>9/30/2019</u> to provide time for revisions, retests, and/or corrections.
- > Test results must be submitted to DEP within the first ten days following the end of the required monitoring period, or the first ten days following the month in which the sample results were received, whichever time is the shortest. Failure to comply may result in enforcement action.



Southwest District Office 13051 North Telecom Parkway #101 Temple Terrace, Florida 33637-0926 Ron DeSantis Governor

Jeanette Nuñez Lt. Governor

Noah Valenstein Secretary

2019 Chemical Monitoring for NTNC

Water System: Barrington Hills RV Resort-new well PWS-ID No. 6514849

	arrington Hills RV Resort-n		PWS-ID No. 6514849
MONITORING & REPORTS		DUE	COMMENTS
Raw Water Microbiological ("Bacteriological")		Quarterly	1 Raw Water Sample per well.
Distribution Microbiological ("Bacteriological")		Quarterly	1 Distribution Sample per quarter. Disinfectant residuals must be reported.
Nitrate and Nitrite		2019	Sample at each POE every year.*
Primary Inorganics		2019	Sample at each POE every three years.
Radiologicals Waivers?	Gross Alpha	2024	Sample at each POE every quarterly, six, nine years, or Waived use of Grandfather Data (date of sample)
	Uranium	2024	Sample at each POE every quarterly, six, nine years, or Waived use of Grandfather Data (date of sample)
	Radium-226	2024	Sample at each POE every quarterly, six, nine years, or Waived use of Grandfather Data (date of sample)
	Radium-228	2024	Sample at each POE every quarterly, six, nine years, or Waived use of Grandfather Data (date of sample)
Volatile Organic Contaminants (VOCs)		2019	Sample at each POE annually (2019,2020,2021)
Synthetic Organic Contaminants (SOCs)		2019	Sample at each POE every three years, or submit SOC reduced monitoring waiver, if applicable. Use Form 62-560.545(2), F.A.C.
Stage II Disinfection Byproducts (DBPs)  Total Trihalomethanes & Haloacetic Acids (5)		July-Sept. 2019	Sample according to approved Stage 2 D/DBPR Monitoring Plan.
Asbestos		2022	Certification or results due every nine years. Use Form 62-555.900(10), F.A.C.
Lead & Copper		June-Sept. 2019	Sample from sites approved on the Lead and Copper Sampling Plan every three years.

<sup>\*</sup>POE = Point of entry to the distribution system. Sample at each POE that is representative of each source after treatment.

This is a good faith assessment of monitoring requirements for the above-referenced public water system for calendar year 2019 and may not include additional sampling required during the year due to special circumstances. If you have questions or disagree with the assessment, please contact the appropriate personnel at (813) 470-5700. Monitoring schedules are subject to change, at any time, based on results of analyses or other factors. This chart shall not relieve any person from any requirement of Florida law.

- ➤ It is strongly recommended that testing be conducted early in the monitoring period to allow time for retests due to possible sampling or lab errors. Annual and triennial sampling should be completed by <u>9/30/2019</u> to provide time for revisions, retests, and/or corrections.
- > Test results must be submitted to DEP within the first ten days following the end of the required monitoring period, or the first ten days following the month in which the sample results were received, whichever time is the shortest. Failure to comply may result in enforcement action.



Ron DeSantis Governor

Jeanette Nuñez Lt. Governor

Noah Valenstein Secretary

Southwest District Office 13051 North Telecom Parkway #101 Temple Terrace, Florida 33637-0926

2019 Chemical Monitoring for Community Systems

System Name: Chelsea Meadows PWS-ID No. 6514852

MONITORING & REPORTS		DUE	COMMENTS
		DOE	COMMENTS
Raw Water Microbiological ("Bacteriological")		Monthly	1 Raw Water Sample per well.
Distribution Microbiological ("Bacteriological")		Monthly	1 Distribution Samples per month. Disinfectant residuals must be reported.
Nitrate and Nitrite		2019	Sample at each POE every year.*
Primary Inorganics		2021	Sample at each POE every three years.
Secondaries		2021	Sample at each POE every three years.
Radiologicals	Gross Alpha	2024	Sample at each POE every three, six or nine years.
	Uranium	2027	Sample at each POE every three, six or nine years.
	Radium-226	2024	Sample at each POE every three, six or nine years.
	Radium-228	2024	Sample at each POE every three, six or nine years.
Volatile Organic Contaminants (VOCs)		2021	Sample at each POE every three years.
Synthetic Organic Contaminants (SOCs)		2021	Sample at each POE every three years, or submit SOC reduced monitoring waiver, if applicable. Use Form 62-560.545(2), F.A.C.
Stage II Disinfection Byproducts (DBPs)		July-Sept 2021	Sample according to approved Stage 2 D/DBPR Monitoring Plan.
Total Trihalomethanes & Haloacetic Acids (5) Asbestos		2021	Certification or results due every nine years. Use Form 62-555.900(10), F.A.C.
Lead & Copper		Jan-June 2019 July-Dec 2019	Sample from sites approved on the Lead and Copper Sampling Plan every three years.
Consumer Confidence Report (CCR) & CCR Certification of Delivery		July 1, 2019	CCR must be delivered by July 1, 2019. The CCR Certification of Delivery must be submitted to the Department by August 10, 2019. Use Form 62-555.900(alternate 19), F.A.C.

<sup>\*</sup>POE = Point of entry to the distribution system. Sample at each POE that is representative of each source after treatment.

This is a good faith assessment of monitoring requirements for the above-referenced public water system for calendar year 2019 and may not include additional sampling required during the year due to special circumstances. If you have questions or disagree with the assessment, please contact the appropriate personnel at (813) 470-5700. Monitoring schedules are subject to change, at any time, based on results of analyses or other factors. This chart shall not relieve any person from any requirement of Florida law.

- > It is strongly recommended that testing be conducted early in the monitoring period to allow time for retests due to possible sampling or lab errors. Annual and triennial sampling should be completed by 9/30/2019 to provide time for revisions, re-tests, and/or corrections.
- > Test results must be submitted to DEP within the first ten days following the end of the required monitoring period, or the first ten days following the month in which the sample results were received, whichever time is the shortest. Failure to comply may result in enforcement action.



Southwest District Office 13051 North Telecom Parkway #101 Temple Terrace, Florida 33637-0926 Ron DeSantis Governor

Jeanette Nuñez Lt. Governor

Noah Valenstein Secretary

2019 Chemical Monitoring for NTNC

East Pasco Adventist Academy PWS-ID No. 6514858

MONITORING & REPORTS		DUE	COMMENTS
Raw Water Microbiological ("Bacteriological")		Quarterly	1 Raw Water Sample per well.
Distribution Microbiological ("Bacteriological")		Quarterly	1 Distribution Sample per quarter. Disinfectant residuals must be reported.
Nitrate and Nitrite		2019	Sample at each POE every year.*
Primary Inorganics		2019	Sample at each POE every three years.
Radiologicals	Gross Alpha	Waived	Sample at each POE every quarterly, six, nine years, or Waived use of Grandfather Data (date of sample)
	Uranium	Waived	Sample at each POE every quarterly, six, nine years, or Waived use of Grandfather Data (date of sample)
	Radium-226	Waived	Sample at each POE every quarterly, six, nine years, or Waived use of Grandfather Data (date of sample)
	Radium-228	Waived	Sample at each POE every quarterly, six, nine years, or Waived use of Grandfather Data (date of sample)
Volatile Organic Contaminants (VOCs)		2019	Sample at each POE every three years.
Synthetic Organic Contaminants (SOCs)		2019	Sample at each POE every three years, or submit SOC reduced monitoring waiver, if applicable. Use Form 62-560.545(2), F.A.C.
Stage II Disinfection Byproducts (DBPs) Total Trihalomethanes & Haloacetic Acids (5)		July-Sept. 2019	Sample according to approved Stage 2 D/DBPR Monitoring Plan.
Asbestos		2021	Certification or results due every nine years. Use Form 62-555.900(10), F.A.C.
Lead & Copper		June-Sept. 2019	Sample from sites approved on the Lead and Copper Sampling Plan every three years.

<sup>\*</sup>POE = Point of entry to the distribution system. Sample at each POE that is representative of each source after treatment.

This is a good faith assessment of monitoring requirements for the above-referenced public water system for calendar year 2019 and may not include additional sampling required during the year due to special circumstances. If you have questions or disagree with the assessment, please contact the appropriate personnel at (813) 470-5700. Monitoring schedules are subject to change, at any time, based on results of analyses or other factors. This chart shall not relieve any person from any requirement of Florida law.

- > It is strongly recommended that testing be conducted early in the monitoring period to allow time for retests due to possible sampling or lab errors. Annual and triennial sampling should be completed by <u>9/30/2019</u> to provide time for revisions, retests, and/or corrections.
- > Test results must be submitted to DEP within the first ten days following the end of the required monitoring period, or the first ten days following the month in which the sample results were received, whichever time is the shortest. Failure to comply may result in enforcement action.



Governor

**Ron DeSantis** 

Jeanette Nuñez Lt. Governor

Noah Valenstein Secretary

Southwest District Office 13051 North Telecom Parkway #101 Temple Terrace, Florida 33637-0926

2019 Chemical Monitoring for Community Systems

**Hudson Manor Assisted Living Facility** 

PWS-ID No. 6514862

MONITORING & REPORTS		DUE	COMMENTS
		DUE	COMMENTS
Raw Water Microbiological ("Bacteriological")		Monthly	1 Raw Water Sample per well.
Distribution Microl ("Bacteriological")	oiological	Monthly	1 Distribution Samples per month. Disinfectant residuals must be reported.
Nitrate and Nitrite		2019	Sample at each POE every year.*
Primary Inorganics		2021	Sample at each POE every three years.
Secondaries		2021	Sample at each POE every three years.
Radiologicals	Gross Alpha	2027	Sample at each POE every three, six or nine years.
	Uranium	2027	Sample at each POE every three, six or nine years.
	Radium-226	2027	Sample at each POE every three, six or nine years.
	Radium-228		Sample at each POE every three, six or nine years.
Volatile Organic Co	ontaminants (VOCs)	2021	Sample at each POE every three years.
Total Xylene (VOC)		2019	Sample at each POE every year.*
Toluene (VOC)		2019	Sample at each POE every year.*
Synthetic Organic Contaminants (SOCs)		2021	Sample at each POE every three years, or submit SOC reduced monitoring waiver, if applicable. Use Form 62-560.545(2), F.A.C.
Stage II Disinfection Byproducts (DBPs) Total Trihalomethanes & Haloacetic Acids (5)		July-Sept. 2021	Sample according to approved Stage 2 D/DBPR Monitoring Plan.
Asbestos		2021	Certification or results due every nine years. Use Form 62-555.900(10), F.A.C.
Lead & Copper		July-Sept. 2021	Sample from sites approved on the Lead and Copper Sampling Plan every three years.
Consumer Confidence Report (CCR) & CCR Certification of Delivery		July 1, 2019	CCR must be delivered by July 1, 2019. The CCR Certification of Delivery must be submitted to the Department by August 10, 2019. Use Form 62-555.900(alternate 19), F.A.C.

<sup>\*</sup>POE = Point of entry to the distribution system. Sample at each POE that is representative of each source after treatment.

This is a good faith assessment of monitoring requirements for the above-referenced public water system for calendar year 2019 and may not include additional sampling required during the year due to special circumstances. If you have questions or disagree with the assessment, please contact the appropriate personnel at (813) 470-5700. Monitoring schedules are subject to change, at any time, based on results of analyses or other factors. This chart shall not relieve any person from any requirement of Florida law.

- > It is strongly recommended that testing be conducted early in the monitoring period to allow time for retests due to possible sampling or lab errors. Annual and triennial sampling should be completed by 9/30/2019 to provide time for revisions, re-tests, and/or corrections.
- > Test results must be submitted to DEP within the first ten days following the end of the required monitoring period, or the first ten days following the month in which the sample results were received, whichever time is the shortest. Failure to comply may result in enforcement action.



Southwest District Office 13051 North Telecom Parkway #101 Temple Terrace, Florida 33637-0926 Ron DeSantis Governor

Jeanette Nuñez Lt. Governor

Noah Valenstein Secretary

2019 Chemical Monitoring for NTNC

Water System: Pasco Girls Academy PWS-ID No. 6514872

Water System: Pasco Girls Academy			PWS-ID No. 6514872
MONITORING & REPORTS		DUE	COMMENTS
Raw Water Microbiological ("Bacteriological")		Quarterly	1 Raw Water Sample per well.
Distribution Microbiological ("Bacteriological")		Quarterly	1 Distribution Sample per quarter. Disinfectant residuals must be reported.
Nitrate and Nitri	te	2019	Sample at each POE every year.*
Primary Inorgan	ics	2019	Sample at each POE every three years.
Radiologicals	Gross Alpha	2025	Sample at each POE every quarterly, six, nine years, or Waived use of Grandfather Data (date of sample)
	Uranium	2025	Sample at each POE every quarterly, six, nine years, or Waived use of Grandfather Data (date of sample)
	Radium-226	2019	Sample at each POE every quarterly, six, nine years, or Waived use of Grandfather Data (date of sample)
	Radium-228	2019	Sample at each POE every quarterly, six, nine years, or Waived use of Grandfather Data (date of sample)
Volatile Organic	Contaminants (VOCs)	2019	Sample at each POE every three years.
Synthetic Organic Contaminants (SOCs)		2019	Sample at each POE every three years, or submit SOC reduced monitoring waiver, if applicable. Use Form 62-560.545(2), F.A.C.
Stage II Disinfection Byproducts (DBPs)  Total Trihalomethanes & Haloacetic Acids (5)		July-Sept. 2019	Sample according to approved Stage 2 D/DBPR Monitoring Plan.
Asbestos		2022	Certification or results due every nine years. Use Form 62-555.900(10), F.A.C.
Lead & Copper		June-Sept. 2019	Sample from sites approved on the Lead and Copper Sampling Plan every three years.

<sup>\*</sup>POE = Point of entry to the distribution system. Sample at each POE that is representative of each source after treatment.

This is a good faith assessment of monitoring requirements for the above-referenced public water system for calendar year 2019 and may not include additional sampling required during the year due to special circumstances. If you have questions or disagree with the assessment, please contact the appropriate personnel at (813) 470-5700. Monitoring schedules are subject to change, at any time, based on results of analyses or other factors. This chart shall not relieve any person from any requirement of Florida law.

- ➤ It is strongly recommended that testing be conducted early in the monitoring period to allow time for retests due to possible sampling or lab errors. Annual and triennial sampling should be completed by <u>9/30/2019</u> to provide time for revisions, retests, and/or corrections.
- > Test results must be submitted to DEP within the first ten days following the end of the required monitoring period, or the first ten days following the month in which the sample results were received, whichever time is the shortest. Failure to comply may result in enforcement action.



**Jeanette Nuñez** 

Lt. Governor

**Ron DeSantis** 

Governor

**Noah Valenstein** Secretary

**Southwest District Office** 13051 North Telecom Parkway #101 Temple Terrace, Florida 33637-0926

2019 Chemical Monitoring for Community Systems

System Name: Glendale Villas PWS-ID No. 6514873

MONITORI	ING & REPORTS	DUE	COMMENTS
Raw Water Microbi ("Bacteriological")	ological	Monthly	1 Raw Water Sample per well.
Distribution Microb ("Bacteriological")	piological	Monthly	1 Distribution Samples per month. Disinfectant residuals must be reported.
Nitrate and Nitrite		2019	Sample at each POE every year.*
Primary Inorganics		2021	Sample at each POE every three years.
Secondaries		2021	Sample at each POE every three years.
Radiologicals	Gross Alpha	2024	Sample at each POE every three, six or nine years.
	Uranium	2024	Sample at each POE every three, six or nine years.
	Radium-226	2027	Sample at each POE every three, six or nine years.
	Radium-228	2027	Sample at each POE every three, six or nine years.
Volatile Organic Co	ontaminants (VOCs)	2021	Sample at each POE every three years.
Synthetic Organic Contaminants (SOCs)		2021	Sample at each POE every three years, or submit SOC reduced monitoring waiver, if applicable. Use Form 62-560.545(2), F.A.C.
	n Byproducts (DBPs) es & Haloacetic Acids (5)	July-Sept 2019	Sample according to approved Stage 2 D/DBPR Monitoring Plan.
Asbestos		2021	Certification or results due every nine years. Use Form 62-555.900(10), F.A.C.
Lead & Copper		Jan-June 2019 July-Dec 2019	Sample from sites approved on the Lead and Copper Sampling Plan every three years.
Consumer Confidence Report (CCR) & CCR Certification of Delivery		July 1, 2019	CCR must be delivered by July 1, 2019. The CCR Certification of Delivery must be submitted to the Department by August 10, 2019. Use Form 62-555.900(alternate 19), F.A.C.

<sup>\*</sup>POE = Point of entry to the distribution system. Sample at each POE that is representative of each source after treatment.

This is a good faith assessment of monitoring requirements for the above-referenced public water system for calendar year 2019 and may not include additional sampling required during the year due to special circumstances. If you have questions or disagree with the assessment, please contact the appropriate personnel at (813) 470-5700. Monitoring schedules are subject to change, at any time, based on results of analyses or other factors. This chart shall not relieve any person from any requirement of Florida law.

- It is strongly recommended that testing be conducted early in the monitoring period to allow time for retests due to possible sampling or lab errors. Annual and triennial sampling should be completed by 9/30/2019 to provide time for revisions, re-tests, and/or corrections.
- Test results must be submitted to DEP within the first ten days following the end of the required monitoring period, or the first ten days following the month in which the sample results were received, whichever time is the shortest. Failure to comply may result in enforcement action.



Southwest District Office 13051 North Telecom Parkway #101 Temple Terrace, Florida 33637-0926 Ron DeSantis Governor

Jeanette Nuñez Lt. Governor

Noah Valenstein Secretary

2019 Chemical Monitoring for NTNC

Water System: Town N Country RV PWS-ID No. 6514875

Water System: Town N Country RV		PWS-ID No. 6514875		
MONITORING & REPORTS		DUE	COMMENTS	
Raw Water Microbiological ("Bacteriological")		Quarterly	1 Raw Water Sample per well.	
Distribution Microbiological ("Bacteriological")		Quarterly	1 Distribution Sample per quarter. Disinfectant residuals must be reported.	
Nitrate and Nitri	ite	2019	Sample at each POE every year.*	
Primary Inorgan	ics	2019	Sample at each POE every three years.	
Radiologicals	Gross Alpha	Waived	Sample at each POE every quarterly, six, nine years, or Waived use of Grandfather Data (date of sample)	
	Uranium	Waived	Sample at each POE every quarterly, six, nine years, or Waived use of Grandfather Data (date of sample)	
	Radium-226	Waived	Sample at each POE every quarterly, six, nine years, or Waived use of Grandfather Data (date of sample)	
	Radium-228	Waived	Sample at each POE every quarterly, six, nine years, or Waived use of Grandfather Data (date of sample)	
Volatile Organic	Contaminants (VOCs)	2019	Sample at each POE every three years.	
Synthetic Organic Contaminants (SOCs)		2019	Sample at each POE every three years, or submit SOC reduced monitoring waiver, if applicable. Use Form 62-560.545(2), F.A.C.	
Stage II Disinfection Byproducts (DBPs) Total Trihalomethanes & Haloacetic Acids (5)		July-Sept. 2019	Sample according to approved Stage 2 D/DBPR Monitoring Plan.	
Asbestos		2022	Certification or results due every nine years. Use Form 62-555.900(10), F.A.C.	
Lead & Copper		June-Sept. 2019	Sample from sites approved on the Lead and Copper Sampling Plan every three years.	

<sup>\*</sup>POE = Point of entry to the distribution system. Sample at each POE that is representative of each source after treatment.

This is a good faith assessment of monitoring requirements for the above-referenced public water system for calendar year 2019 and may not include additional sampling required during the year due to special circumstances. If you have questions or disagree with the assessment, please contact the appropriate personnel at (813) 470-5700. Monitoring schedules are subject to change, at any time, based on results of analyses or other factors. This chart shall not relieve any person from any requirement of Florida law.

- ➤ It is strongly recommended that testing be conducted early in the monitoring period to allow time for retests due to possible sampling or lab errors. Annual and triennial sampling should be completed by <u>9/30/2019</u> to provide time for revisions, retests, and/or corrections.
- > Test results must be submitted to DEP within the first ten days following the end of the required monitoring period, or the first ten days following the month in which the sample results were received, whichever time is the shortest. Failure to comply may result in enforcement action.



Southwest District Office 13051 North Telecom Parkway #101 Temple Terrace, Florida 33637-0926 Ron DeSantis Governor

Jeanette Nuñez Lt. Governor

Noah Valenstein Secretary

2019 Chemical Monitoring for NTNC

Water System: Hillcrest RVR PWS-ID No. 6514914

Water System: Hillcrest RVR			PWS-ID No. 6514914
MONITORING & REPORTS		DUE	COMMENTS
Raw Water Microbiological ("Bacteriological")		Quarterly	1 Raw Water Sample per well.
Distribution Microbiological ("Bacteriological")		Quarterly	1 Distribution Sample per quarter. Disinfectant residuals must be reported.
Nitrate and Nitri	te	2019	Sample at each POE every year.*
Primary Inorgan	ics	2019	Sample at each POE every three years.
Radiologicals	Gross Alpha	Waived	Sample at each POE every quarterly, six, nine years, or Waived use of Grandfather Data (date of sample)
	Uranium	Waived	Sample at each POE every quarterly, six, nine years, or Waived use of Grandfather Data (date of sample)
	Radium-226	Waived	Sample at each POE every quarterly, six, nine years, or Waived use of Grandfather Data (date of sample)
	Radium-228	Waived	Sample at each POE every quarterly, six, nine years, or Waived use of Grandfather Data (date of sample)
Volatile Organic	Contaminants (VOCs)	2019	Sample at each POE every three years.
Styrene		2019	Sample at POE.
Synthetic Organic Contaminants (SOCs)		2019	Sample at each POE every three years, or submit SOC reduced monitoring waiver, if applicable. Use Form 62-560.545(2), F.A.C.
Stage II Disinfection Byproducts (DBPs) Total Trihalomethanes & Haloacetic Acids (5)		July-Sept 2019	Sample according to approved Stage 2 D/DBPR Monitoring Plan.
Asbestos		2022	Certification or results due every nine years. Use Form 62-555.900(10), F.A.C.
Lead & Copper		June-Sept 2019	Sample from sites approved on the Lead and Copper Sampling Plan every three years.

<sup>\*</sup>POE = Point of entry to the distribution system. Sample at each POE that is representative of each source after treatment.

This is a good faith assessment of monitoring requirements for the above-referenced public water system for calendar year 2018 and may not include additional sampling required during the year due to special circumstances. If you have questions or disagree with the assessment, please contact the appropriate personnel at (813) 470-5700. Monitoring schedules are subject to change, at any time, based on results of analyses or other factors. This chart shall not relieve any person from any requirement of Florida law.

- It is strongly recommended that testing be conducted early in the monitoring period to allow time for retests due to possible sampling or lab errors. Annual and triennial sampling should be completed by <u>9/30/2019</u> to provide time for revisions, retests, and/or corrections.
- > Test results must be submitted to DEP within the first ten days following the end of the required monitoring period, or the first ten days following the month in which the sample results were received, whichever time is the shortest. Failure to comply may result in enforcement action.



Jeanette Nuñez Lt. Governor

**Ron DeSantis** 

Governor

Lt. dovernor

Southwest District Office 13051 North Telecom Parkway #101 Temple Terrace, Florida 33637-0926

Noah Valenstein Secretary

### 2019 Chemical Monitoring for NTNC

Water System: Centennial Elementary PWS-ID No. 6514942

Water System: Centennial Elementary			PWS-ID No. 6514942
MONITORING & REPORTS		DUE	COMMENTS
Raw Water Microbiological ("Bacteriological")		Quarterly	1 Raw Water Sample per well.
Distribution Microbiological ("Bacteriological")		Quarterly	1 Distribution Sample per quarter. Disinfectant residuals must be reported.
Nitrate and Nitri	te	2019	Sample at each POE every year.*
Primary Inorgani	ics	2019	Sample at each POE every three years.
Radiologicals	Gross Alpha	2025	Sample at each POE every quarterly, six, nine years, or Waived use of Grandfather Data (date of sample)
	Uranium	2025	Sample at each POE every quarterly, six, nine years, or Waived use of Grandfather Data (date of sample)
	Radium-226	2025	Sample at each POE every quarterly, six, nine years, or Waived use of Grandfather Data (date of sample)
	Radium-228	2025	Sample at each POE every quarterly, six, nine years, or Waived use of Grandfather Data (date of sample)
Volatile Organic	Volatile Organic Contaminants (VOCs)		Sample at each POE every three years.
Synthetic Organic Contaminants (SOCs)		2019	Sample at each POE every three years, or submit SOC reduced monitoring waiver, if applicable. Use Form 62-560.545(2), F.A.C.
Stage II Disinfection Byproducts (DBPs)  Total Trihalomethanes & Haloacetic Acids (5)		July-Sept 2019	Sample according to approved Stage 2 D/DBPR Monitoring Plan.
Asbestos		2022	Certification or results due every nine years. Use Form 62-555.900(10), F.A.C.
Lead & Copper		June-Sept 2019	Sample from sites approved on the Lead and Copper Sampling Plan every three years.

<sup>\*</sup>POE = Point of entry to the distribution system. Sample at each POE that is representative of each source after treatment.

This is a good faith assessment of monitoring requirements for the above-referenced public water system for calendar year 2019 and may not include additional sampling required during the year due to special circumstances. If you have questions or disagree with the assessment, please contact the appropriate personnel at (813) 470-5700. Monitoring schedules are subject to change, at any time, based on results of analyses or other factors. This chart shall not relieve any person from any requirement of Florida law.

- ➤ It is strongly recommended that testing be conducted early in the monitoring period to allow time for retests due to possible sampling or lab errors. Annual and triennial sampling should be completed by <u>9/30/2019</u> to provide time for revisions, retests, and/or corrections.
- > Test results must be submitted to DEP within the first ten days following the end of the required monitoring period, or the first ten days following the month in which the sample results were received, whichever time is the shortest. Failure to comply may result in enforcement action.



Southwest District Office 13051 North Telecom Parkway #101 Temple Terrace, Florida 33637-0926 **Ron DeSantis** Governor

Jeanette Nuñez Lt. Governor

Noah Valenstein Secretary

2019 Chemical Monitoring for NTNC

Water System: Citrus Hill RVP PWS-ID No. 6514946

Water System: Citrus Hill RVP			PWS-ID No. 6514946
MONITORING & REPORTS		DUE	COMMENTS
Raw Water Microbiological ("Bacteriological")		Quarterly	1 Raw Water Sample per well.
Distribution Microbiological ("Bacteriological")		Quarterly	1 Distribution Sample per quarter. Disinfectant residuals must be reported.
Nitrate and Nitri	ite	2019	Sample at each POE every year.*
Primary Inorgan	ics	2019	Sample at each POE every three years.
Radiologicals	Gross Alpha	Waived	Sample at each POE every quarterly, six, nine years, or Waived use of Grandfather Data (date of sample)
	Uranium	Waived	Sample at each POE every quarterly, six, nine years, or Waived use of Grandfather Data (date of sample)
	Radium-226	Waived	Sample at each POE every quarterly, six, nine years, or Waived use of Grandfather Data (date of sample)
	Radium-228	Waived	Sample at each POE every quarterly, six, nine years, or Waived use of Grandfather Data (date of sample)
Volatile Organic	Contaminants (VOCs)	2019	Sample at each POE every three years.
Toluene		2019	Sample at each POE 2019 and 2020.
Synthetic Organic Contaminants (SOCs)		2019	Sample at each POE every three years, or submit SOC reduced monitoring waiver, if applicable. Use Form 62-560.545(2), F.A.C.
Stage II Disinfection Byproducts (DBPs)  Total Trihalomethanes & Haloacetic Acids (5)		July-Sept. 2019	Sample according to approved Stage 2 D/DBPR Monitoring Plan.
Asbestos		2022	Certification or results due every nine years. Use Form 62-555.900(10), F.A.C.
Lead & Copper		June-Sept. 2019	Sample from sites approved on the Lead and Copper Sampling Plan every three years.

<sup>\*</sup>POE = Point of entry to the distribution system. Sample at each POE that is representative of each source after treatment.

This is a good faith assessment of monitoring requirements for the above-referenced public water system for calendar year 2019 and may not include additional sampling required during the year due to special circumstances. If you have questions or disagree with the assessment, please contact the appropriate personnel at (813) 470-5700. Monitoring schedules are subject to change, at any time, based on results of analyses or other factors. This chart shall not relieve any person from any requirement of Florida law.

- It is strongly recommended that testing be conducted early in the monitoring period to allow time for retests due to possible sampling or lab errors. Annual and triennial sampling should be completed by <u>9/30/2019</u> to provide time for revisions, retests, and/or corrections.
- > Test results must be submitted to DEP within the first ten days following the end of the required monitoring period, or the first ten days following the month in which the sample results were received, whichever time is the shortest. Failure to comply may result in enforcement action.



**Jeanette Nuñez** 

Lt. Governor

**Ron DeSantis** 

Governor

Noah Valenstein Secretary

**Southwest District Office** 13051 North Telecom Parkway #101 Temple Terrace, Florida 33637-0926

2019 Chemical Monitoring for NTNC

Angelus Group Home PWS-ID No. 6515104

Aligerus Group Home			F W 5-1D IV0. 0313104
MONITOR	ING & REPORTS	DUE	COMMENTS
Raw Water Microbiological ("Bacteriological")		Quarterly	1 Raw Water Sample per well.
Distribution Microbiological ("Bacteriological")		Quarterly	1 Distribution Sample per quarter. Disinfectant residuals must be reported.
Nitrate and Nitri	te	2019	Sample at each POE every year.*
Primary Inorgani	ics	2019	Sample at each POE every three years.
Radiologicals	Gross Alpha	2025	Sample at each POE every quarterly, six, nine years, or Waived use of Grandfather Data (date of sample)
	Uranium	2025	Sample at each POE every quarterly, six, nine years, or Waived use of Grandfather Data (date of sample)
	Radium-226	2022	Sample at each POE every quarterly, six, nine years, or Waived use of Grandfather Data (date of sample)
	Radium-228	2022	Sample at each POE every quarterly, six, nine years, or Waived use of Grandfather Data (date of sample)
Volatile Organic	Contaminants (VOCs)	2019	Sample at each POE every three years.
Synthetic Organic Contaminants (SOCs)		2019	Sample at each POE every three years, or submit SOC reduced monitoring waiver, if applicable. Use Form 62-560.545(2), F.A.C.
Stage II Disinfection Byproducts (DBPs)  Total Trihalomethanes & Haloacetic Acids (5)		July-Sept. 2019	Sample according to approved Stage 2 D/DBPR Monitoring Plan.
Asbestos		2022	Certification or results due every nine years. Use Form 62-555.900(10), F.A.C.
Lead & Copper		July-Sept. 2019	Sample from sites approved on the Lead and Copper Sampling Plan every three years.

<sup>\*</sup>POE = Point of entry to the distribution system. Sample at each POE that is representative of each source after treatment.

This is a good faith assessment of monitoring requirements for the above-referenced public water system for calendar year 2019 and may not include additional sampling required during the year due to special circumstances. If you have questions or disagree with the assessment, please contact the appropriate personnel at (813) 470-5700. Monitoring schedules are subject to change, at any time, based on results of analyses or other factors. This chart shall not relieve any person from any requirement of Florida law.

- > It is strongly recommended that testing be conducted early in the monitoring period to allow time for retests due to possible sampling or lab errors. Annual and triennial sampling should be completed by 9/30/2019 to provide time for revisions, retests, and/or corrections.
- > Test results must be submitted to DEP within the first ten days following the end of the required monitoring period, or the first ten days following the month in which the sample results were received, whichever time is the shortest. Failure to comply may result in enforcement action.



Southwest District Office 13051 North Telecom Parkway #101 Temple Terrace, Florida 33637-0926 Ron DeSantis Governor

Jeanette Nuñez Lt. Governor

Noah Valenstein Secretary

2019 Chemical Monitoring for NTNC

Water System: Sunburst RVP PWS-ID No. 6515123

water System: Sunburst RVP			PWS-ID No. 0313123
MONITORI	ING & REPORTS	DUE	COMMENTS
Raw Water Microbiological ("Bacteriological")		Quarterly	1 Raw Water Sample per well.
Distribution Microbiological ("Bacteriological")		Quarterly	1 Distribution Sample per quarter. Disinfectant residuals must be reported.
Nitrate and Nitrit	ee	2019	Sample at each POE every year.*
Primary Inorgani	cs	2019	Sample at each POE every three years.
Radiologicals	Gross Alpha	Waived	Sample at each POE every quarterly, six, nine years, or Waived use of Grandfather Data (date of sample)
	Uranium	Waived	Sample at each POE every quarterly, six, nine years, or Waived use of Grandfather Data (date of sample)
	Radium-226	Waived	Sample at each POE every quarterly, six, nine years, or Waived use of Grandfather Data (date of sample)
	Radium-228	Waived	Sample at each POE every quarterly, six, nine years, or Waived use of Grandfather Data (date of sample)
Volatile Organic	Contaminants (VOCs)	2019	Sample at each POE every three years.
Synthetic Organic Contaminants (SOCs)		2019	Sample at each POE every three years, or submit SOC reduced monitoring waiver, if applicable. Use Form 62-560.545(2), F.A.C.
Stage II Disinfection Byproducts (DBPs)  Total Trihalomethanes & Haloacetic Acids (5)		July-Sept. 2019	Sample according to approved Stage 2 D/DBPR Monitoring Plan.
Asbestos		2022	Certification or results due every nine years. Use Form 62-555.900(10), F.A.C.
Lead & Copper		June-Sept. 2019	Sample from sites approved on the Lead and Copper Sampling Plan every three years.

<sup>\*</sup>POE = Point of entry to the distribution system. Sample at each POE that is representative of each source after treatment.

This is a good faith assessment of monitoring requirements for the above-referenced public water system for calendar year 2019 and may not include additional sampling required during the year due to special circumstances. If you have questions or disagree with the assessment, please contact the appropriate personnel at (813) 470-5700. Monitoring schedules are subject to change, at any time, based on results of analyses or other factors. This chart shall not relieve any person from any requirement of Florida law.

- ➤ It is strongly recommended that testing be conducted early in the monitoring period to allow time for retests due to possible sampling or lab errors. Annual and triennial sampling should be completed by <u>9/30/2019</u> to provide time for revisions, retests, and/or corrections.
- > Test results must be submitted to DEP within the first ten days following the end of the required monitoring period, or the first ten days following the month in which the sample results were received, whichever time is the shortest. Failure to comply may result in enforcement action.



**Jeanette Nuñez** 

Lt. Governor

**Ron DeSantis** 

Governor

**Noah Valenstein** Secretary

**Southwest District Office** 13051 North Telecom Parkway #101 Temple Terrace, Florida 33637-0926

2019 Chemical Monitoring for Community Systems

St. Leo University PWS-ID No. 6515161 DUE DUE **MONITORING & REPORTS** COMMENTS Well #6 Well #1 & #2 Raw Water Microbiological 1 Raw Water Sample per well. Monthly ("Bacteriological") Distribution Microbiological 1 Distribution Samples per month. Disinfectant Monthly ("Bacteriological") residuals must be reported. Nitrate and Nitrite 2019 2019 Sample at each POE every year.\* **Primary Inorganics** 2021 2021 Sample at each POE every three years. Secondaries 2021 2021 Sample at each POE every three years. Radiologicals Gross Alpha 2021 2021 Sample at each POE every three, six or nine years. Uranium 2024 2021 Sample at each POE every three, six or nine years. Radium-226 2021 Sample at each POE every three, six or nine years. 2024 Radium-228 2021 Sample at each POE every three, six or nine years. 2027 Volatile Organic Contaminants (VOCs) 2019 Sample at each POE every three years. 2021 Sample at each POE every year.\* Dichloromethane (VOC) 2019 2019 Sample at each POE every three years, or submit SOC Synthetic Organic Contaminants (SOCs) 2021 2019 reduced monitoring waiver, if applicable. Use Form 62-560.545(2), F.A.C. 1st Quarter Sample at each POE during the first quarter of 2019.\* Hexachlorocyclopentadiene (SOC) 2019 Dalapon (SOC) 2019 2019 Sample at each POE every year.\* Stage II Disinfection Byproducts (DBPs) July-Sept. Sample according to approved Stage 2 D/DBPR *Total Trihalomethanes & Haloacetic Acids (5)* Monitoring Plan. 2021 Certification or results due every nine years. Asbestos 2020 Use Form 62-555.900(10), F.A.C. Sample from sites approved on the Lead and Copper June-Sept. Lead & Copper Sampling Plan every three years. 2021 CCR must be delivered by July 1, 2019. The CCR Consumer Confidence Report (CCR) & CCR Certification of Delivery must be submitted to the July 1, 2019 Certification of Delivery Department by August 10, 2019. Use Form 62-555.900(alternate 19), F.A.C.

This is a good faith assessment of monitoring requirements for the above-referenced public water system for calendar year 2019 and may not include additional sampling required during the year due to special circumstances. If you have questions or disagree with the assessment, please contact the appropriate personnel at (813) 470-5700. Monitoring schedules are subject to change, at any time, based on results of analyses or other factors. This chart shall not relieve any person from any requirement of Florida law.

- It is strongly recommended that testing be conducted early in the monitoring period to allow time for retests due to possible sampling or lab errors. Annual and triennial sampling should be completed by 9/30/2019 to provide time for revisions, re-tests, and/or corrections.
- Test results must be submitted to DEP within the first ten days following the end of the required monitoring period, or the first ten days following the month in which the sample results were received, whichever time is the shortest. Failure to comply may result in enforcement action.

<sup>\*</sup>POE = Point of entry to the distribution system. Sample at each POE that is representative of each source after treatment.



Ron DeSantis Governor

Jeanette Nuñez Lt. Governor

Noah Valenstein Secretary

Southwest District Office 13051 North Telecom Parkway #101 Temple Terrace, Florida 33637-0926

2019 Chemical Monitoring for Community Systems

System Name: South Fork MHP PWS-ID No. 6515179

MONITORI	ING & REPORTS	DUE	COMMENTS
Raw Water Microbiological ("Bacteriological")		Monthly	1 Raw Water Sample per well.
Distribution Microb ("Bacteriological")	piological	Monthly	1 Distribution Samples per month. Disinfectant residuals must be reported.
Nitrate and Nitrite		2019	Sample at each POE every year.*
Primary Inorganics		2021	Sample at each POE every three years.
Secondaries		2021	Sample at each POE every three years.
Radiologicals	Gross Alpha	2024	Sample at each POE every three, six or nine years.
	Uranium	2024	Sample at each POE every three, six or nine years.
	Radium-226	2024	Sample at each POE every three, six or nine years.
	Radium-228	2024	Sample at each POE every three, six or nine years.
Volatile Organic Co	ontaminants (VOCs)	2021	Sample at each POE every three years.
Synthetic Organic Contaminants (SOCs)		2021	Sample at each POE every three years, or submit SOC reduced monitoring waiver, if applicable. Use Form 62-560.545(2), F.A.C.
	n Byproducts (DBPs) es & Haloacetic Acids (5)	July-Sept 2021	Sample according to approved Stage 2 D/DBPR Monitoring Plan.
Asbestos		2021	Certification or results due every nine years. Use Form 62-555.900(10), F.A.C.
Lead & Copper		June-Sept 2021	Sample from sites approved on the Lead and Copper Sampling Plan every three years.
Consumer Confidence Report (CCR) & CCR Certification of Delivery		July 1, 2019	CCR must be delivered by July 1, 2019. The CCR Certification of Delivery must be submitted to the Department by August 10, 2019. Use Form 62-555.900(alternate 19), F.A.C.

<sup>\*</sup>POE = Point of entry to the distribution system. Sample at each POE that is representative of each source after treatment.

This is a good faith assessment of monitoring requirements for the above-referenced public water system for calendar year 2019 and may not include additional sampling required during the year due to special circumstances. If you have questions or disagree with the assessment, please contact the appropriate personnel at (813) 470-5700. Monitoring schedules are subject to change, at any time, based on results of analyses or other factors. This chart shall not relieve any person from any requirement of Florida law.

- > It is strongly recommended that testing be conducted early in the monitoring period to allow time for retests due to possible sampling or lab errors. Annual and triennial sampling should be completed by 9/30/2019 to provide time for revisions, re-tests, and/or corrections.
- > Test results must be submitted to DEP within the first ten days following the end of the required monitoring period, or the first ten days following the month in which the sample results were received, whichever time is the shortest. Failure to comply may result in enforcement action.



Southwest District Office 13051 North Telecom Parkway #101 Temple Terrace, Florida 33637-0926 Ron DeSantis Governor

Jeanette Nuñez Lt. Governor

Noah Valenstein Secretary

2019 Chemical Monitoring for NTNC

C Barn (Fleet Maintenance)

PWS-ID No. 6515194

C Darii (Fleet Ma			F W S-ID No. 0313194
MONITORING & REPORTS		DUE	COMMENTS
Raw Water Microbiological ("Bacteriological")		Quarterly	1 Raw Water Sample per well.
Distribution Microbiological ("Bacteriological")		Quarterly	1 Distribution Sample per quarter. Disinfectant residuals must be reported.
Nitrate and Nitrit	te	2019	Sample at each POE every year. *
Primary Inorgani	cs	2019	Sample at each POE every three years.
Radiologicals	Gross Alpha	Waived	Sample at each POE every quarterly, six, nine years, or Waived use of Grandfather Data (date of sample)
	Uranium	Waived	Sample at each POE every quarterly, six, nine years, or Waived use of Grandfather Data (date of sample)
	Radium-226	Waived	Sample at each POE every quarterly, six, nine years, or Waived use of Grandfather Data (date of sample)
	Radium-228	Waived	Sample at each POE every quarterly, six, nine years, or Waived use of Grandfather Data (date of sample)
Volatile Organic	Contaminants (VOCs)	2019	Sample at each POE every three years.
Synthetic Organic Contaminants (SOCs)		2019	Sample at each POE every three years, or submit SOC reduced monitoring waiver, if applicable. Use Form 62-560.545(2), F.A.C.
Stage II Disinfection Byproducts (DBPs)  Total Trihalomethanes & Haloacetic Acids (5)		July-Sept 2019	Sample according to approved Stage 2 D/DBPR Monitoring Plan.
Asbestos		2020	Certification or results due every nine years. Use Form 62-555.900(10), F.A.C.
Lead & Copper		June-Sept 2021	Sample from sites approved on the Lead and Copper Sampling Plan every three years.

<sup>\*</sup>POE = Point of entry to the distribution system. Sample at each POE that is representative of each source after treatment.

This is a good faith assessment of monitoring requirements for the above-referenced public water system for calendar year 2019 and may not include additional sampling required during the year due to special circumstances. If you have questions or disagree with the assessment, please contact the appropriate personnel at (813) 470-5700. Monitoring schedules are subject to change, at any time, based on results of analyses or other factors. This chart shall not relieve any person from any requirement of Florida law.

- > It is strongly recommended that testing be conducted early in the monitoring period to allow time for retests due to possible sampling or lab errors. Annual and triennial sampling should be completed by <u>9/30/2019</u> to provide time for revisions, retests, and/or corrections.
- > Test results must be submitted to DEP within the first ten days following the end of the required monitoring period, or the first ten days following the month in which the sample results were received, whichever time is the shortest. Failure to comply may result in enforcement action.



**Jeanette Nuñez** 

**Ron DeSantis** 

Governor

Lt. Governor

**Noah Valenstein** Secretary

**Southwest District Office** 13051 North Telecom Parkway #101 Temple Terrace, Florida 33637-0926

2019 Chemical Monitoring for Community Systems

Keene's Adult Mobile Home Park

PWS-ID No. 6515208

MONITOR	ING & REPORTS	DUE	COMMENTS
Raw Water Microb ("Bacteriological")	iological	Monthly	1 Raw Water Sample per well.
Distribution Micro ("Bacteriological")	biological	Monthly	1 Distribution Samples per month. Disinfectant residuals must be reported.
Nitrate and Nitrite		2019	Sample at each POE every year.*
Primary Inorganics	3	2021	Sample at each POE every three years.
Secondaries		2021	Sample at each POE every three years.
Radiologicals	Gross Alpha	2027	Sample at each POE every three, six or nine years.
	Uranium	2024	Sample at each POE every three, six or nine years.
	Radium-226	2024	Sample at each POE every three, six or nine years.
	Radium-228	2024	Sample at each POE every three, six or nine years.
Volatile Organic Co	ontaminants (VOCs)	2021	Sample at each POE every three years.
Synthetic Organic Contaminants (SOCs)		2021	Sample at each POE every three years, or submit SOC reduced monitoring waiver, if applicable. Use Form 62-560.545(2), F.A.C.
	n Byproducts (DBPs) es & Haloacetic Acids (5)	July-Sept. 2021	Sample according to approved Stage 2 D/DBPR Monitoring Plan.
Asbestos		2020	Certification or results due every nine years. Use Form 62-555.900(10), F.A.C.
Lead & Copper		June-Sept. 2021	Sample from sites approved on the Lead and Copper Sampling Plan every three years.
Consumer Confidence Report (CCR) & CCR Certification of Delivery		July 1, 2019	CCR must be delivered by July 1, 2019. The CCR Certification of Delivery must be submitted to the Department by August 10, 2019. Use Form 62-555.900(alternate 19), F.A.C.

<sup>\*</sup>POE = Point of entry to the distribution system. Sample at each POE that is representative of each source after treatment.

This is a good faith assessment of monitoring requirements for the above-referenced public water system for calendar year 2019 and may not include additional sampling required during the year due to special circumstances. If you have questions or disagree with the assessment, please contact the appropriate personnel at (813) 470-5700. Monitoring schedules are subject to change, at any time, based on results of analyses or other factors. This chart shall not relieve any person from any requirement of Florida law.

- It is strongly recommended that testing be conducted early in the monitoring period to allow time for retests due to possible sampling or lab errors. Annual and triennial sampling should be completed by 9/30/2019 to provide time for revisions, re-tests, and/or corrections.
- Test results must be submitted to DEP within the first ten days following the end of the required monitoring period, or the first ten days following the month in which the sample results were received, whichever time is the shortest. Failure to comply may result in enforcement action.



Southwest District Office 13051 North Telecom Parkway #101 Temple Terrace, Florida 33637-0926 Ron DeSantis Governor

Jeanette Nuñez Lt. Governor

Noah Valenstein Secretary

2019 Chemical Monitoring for NTNC

Water System: Grove Ridge Est PWS-ID No. 6515210

water System. Grove Ridge Est			1 WS-ID No. 0313210
MONITOR	ING & REPORTS	DUE	COMMENTS
Raw Water Micro ("Bacteriological"	O	Quarterly	1 Raw Water Sample per well.
Distribution Microbiological ("Bacteriological")		Quarterly	1 Distribution Sample per quarter. Disinfectant residuals must be reported.
Nitrate and Nitri	te	2019	Sample at each POE every year.*
Primary Inorgani	cs	2019	Sample at each POE every three years.
Radiologicals 4Q-!GAis 3.5	Gross Alpha	Waived	Sample at each POE every quarterly, six, nine years, or Waived use of Grandfather Data (date of sample)
1RA,1.4	Uranium	Waived	Sample at each POE every quarterly, six, nine years, or Waived use of Grandfather Data (date of sample)
	Radium-226	2025	Sample at each POE every quarterly, six, nine years, or Waived use of Grandfather Data (date of sample)
	Radium-228	2025	Sample at each POE every quarterly, six, nine years, or Waived use of Grandfather Data (date of sample)
Volatile Organic	Contaminants (VOCs)	2019	Sample at each POE every three years.
Synthetic Organic Contaminants (SOCs)		2019	Sample at each POE every three years, or submit SOC reduced monitoring waiver, if applicable. Use Form 62-560.545(2), F.A.C.
Stage II Disinfection Byproducts (DBPs) Total Trihalomethanes & Haloacetic Acids (5)		July-Sept. 2019	Sample according to approved Stage 2 D/DBPR Monitoring Plan.
Asbestos		2022	Certification or results due every nine years. Use Form 62-555.900(10), F.A.C.
Lead & Copper		June-Sept. 2019	Sample from sites approved on the Lead and Copper Sampling Plan every three years.

<sup>\*</sup>POE = Point of entry to the distribution system. Sample at each POE that is representative of each source after treatment.

This is a good faith assessment of monitoring requirements for the above-referenced public water system for calendar year 2019 and may not include additional sampling required during the year due to special circumstances. If you have questions or disagree with the assessment, please contact the appropriate personnel at (813) 470-5700. Monitoring schedules are subject to change, at any time, based on results of analyses or other factors. This chart shall not relieve any person from any requirement of Florida law.

- > It is strongly recommended that testing be conducted early in the monitoring period to allow time for retests due to possible sampling or lab errors. Annual and triennial sampling should be completed by <u>9/30/2019</u> to provide time for revisions, retests, and/or corrections.
- > Test results must be submitted to DEP within the first ten days following the end of the required monitoring period, or the first ten days following the month in which the sample results were received, whichever time is the shortest. Failure to comply may result in enforcement action.



Southwest District Office 13051 North Telecom Parkway #101 Temple Terrace, Florida 33637-0926 Ron DeSantis Governor

Jeanette Nuñez Lt. Governor

Noah Valenstein Secretary

2019 Chemical Monitoring for NTNC

Oak Hill Mobile Home Park

PWS-ID No. 6515225

Oak Hill Mobile H			PWS-ID No. 6515225
MONITORING & REPORTS		DUE	COMMENTS
Raw Water Micro ("Bacteriological"	C	Quarterly	1 Raw Water Sample per well.
Distribution Microbiological ("Bacteriological")		Quarterly	1 Distribution Sample per quarter. Disinfectant residuals must be reported.
Nitrate and Nitrit	te	2019	Sample at each POE every year.*
Primary Inorgani	cs	2019	Sample at each POE every three years.
Radiologicals	Gross Alpha	Waived	Sample at each POE every quarterly, six, nine years, or Waived use of Grandfather Data (date of sample)
	Uranium	Waived	Sample at each POE every quarterly, six, nine years, or Waived use of Grandfather Data (date of sample)
	Radium-226	Waived	Sample at each POE every quarterly, six, nine years, or Waived use of Grandfather Data (date of sample)
	Radium-228	Waived	Sample at each POE every quarterly, six, nine years, or Waived use of Grandfather Data (date of sample)
Volatile Organic	Contaminants (VOCs)	2019	Sample at each POE every three years.
Synthetic Organic Contaminants (SOCs)		2019	Sample at each POE every three years, or submit SOC reduced monitoring waiver, if applicable. Use Form 62-560.545(2), F.A.C.
Stage II Disinfection Byproducts (DBPs) Total Trihalomethanes & Haloacetic Acids (5)		July-Sept. 2019	Sample according to approved Stage 2 D/DBPR Monitoring Plan.
Asbestos		2021	Certification or results due every nine years. Use Form 62-555.900(10), F.A.C.
Lead & Copper		July-Sept. 2019	Sample from sites approved on the Lead and Copper Sampling Plan every three years.

<sup>\*</sup>POE = Point of entry to the distribution system. Sample at each POE that is representative of each source after treatment.

This is a good faith assessment of monitoring requirements for the above-referenced public water system for calendar year 2019 and may not include additional sampling required during the year due to special circumstances. If you have questions or disagree with the assessment, please contact the appropriate personnel at (813) 470-5700. Monitoring schedules are subject to change, at any time, based on results of analyses or other factors. This chart shall not relieve any person from any requirement of Florida law.

- ➤ It is strongly recommended that testing be conducted early in the monitoring period to allow time for retests due to possible sampling or lab errors. Annual and triennial sampling should be completed by <u>9/30/2019</u> to provide time for revisions, retests, and/or corrections.
- > Test results must be submitted to DEP within the first ten days following the end of the required monitoring period, or the first ten days following the month in which the sample results were received, whichever time is the shortest. Failure to comply may result in enforcement action.



Southwest District Office 13051 North Telecom Parkway #101 Temple Terrace, Florida 33637-0926 Ron DeSantis Governor

Jeanette Nuñez Lt. Governor

Noah Valenstein Secretary

2019 Chemical Monitoring for NTNC

Country Acres Mobile Home Park

PWS-ID No. 6515229

Country Acres Mo	one nome rank		PWS-ID No. 6515229
MONITORI	MONITORING & REPORTS		COMMENTS
Raw Water Micro ("Bacteriological"	O	Quarterly	1 Raw Water Sample per well.
Distribution Microbiological ("Bacteriological")		Quarterly	1 Distribution Sample per quarter. Disinfectant residuals must be reported.
Nitrate and Nitrit	te	2019	Sample at each POE every year.*
Primary Inorgani	cs	2019	Sample at each POE every three years.
Radiologicals	Gross Alpha	Waived	Sample at each POE every quarterly, six, nine years, or Waived use of Grandfather Data (date of sample)
	Uranium	Waived	Sample at each POE every quarterly, six, nine years, or Waived use of Grandfather Data (date of sample)
	Radium-226	Waived	Sample at each POE every quarterly, six, nine years, or Waived use of Grandfather Data (date of sample)
	Radium-228	Waived	Sample at each POE every quarterly, six, nine years, or Waived use of Grandfather Data (date of sample)
Volatile Organic	Contaminants (VOCs)	2019	Sample at each POE every three years.
Synthetic Organic Contaminants (SOCs)		2019	Sample at each POE every three years, or submit SOC reduced monitoring waiver, if applicable. Use Form 62-560.545(2), F.A.C.
Stage II Disinfection Byproducts (DBPs) Total Trihalomethanes & Haloacetic Acids (5)		July-Sept. 2019	Sample according to approved Stage 2 D/DBPR Monitoring Plan.
Asbestos		2022	Certification or results due every nine years. Use Form 62-555.900(10), F.A.C.
Lead & Copper		July-Sept. 2019	Sample from sites approved on the Lead and Copper Sampling Plan every three years.

<sup>\*</sup>POE = Point of entry to the distribution system. Sample at each POE that is representative of each source after treatment.

This is a good faith assessment of monitoring requirements for the above-referenced public water system for calendar year 2019 and may not include additional sampling required during the year due to special circumstances. If you have questions or disagree with the assessment, please contact the appropriate personnel at (813) 470-5700. Monitoring schedules are subject to change, at any time, based on results of analyses or other factors. This chart shall not relieve any person from any requirement of Florida law.

- ➤ It is strongly recommended that testing be conducted early in the monitoring period to allow time for retests due to possible sampling or lab errors. Annual and triennial sampling should be completed by <u>9/30/2019</u> to provide time for revisions, retests, and/or corrections.
- > Test results must be submitted to DEP within the first ten days following the end of the required monitoring period, or the first ten days following the month in which the sample results were received, whichever time is the shortest. Failure to comply may result in enforcement action.



Southwest District Office 13051 North Telecom Parkway #101 Temple Terrace, Florida 33637-0926 Ron DeSantis Governor

Jeanette Nuñez Lt. Governor

Noah Valenstein Secretary

2019 Chemical Monitoring for NTNC

Vater System: Olsen Apts PWS-ID No. 6515237

Water System: Olsen Apts		PWS-ID No. 6515237		
MONITORING & REPORTS		DUE	COMMENTS	
Raw Water Microbiological ("Bacteriological")		Quarterly	1 Raw Water Sample per well.	
Distribution Microbiological ("Bacteriological")		Quarterly	1 Distribution Sample per quarter. Disinfectant residuals must be reported.	
Nitrate		Quarterly	Sample at each POE quarterly.	
Nitrite		2019	Sample at each POE every year.*	
Primary Inorgani	ics	2019	Sample at each POE every three years.	
Radiologicals	Gross Alpha	2025	Sample at each POE every quarterly, six, nine years, or Waived use of Grandfather Data (date of sample)	
	Uranium	2025	Sample at each POE every quarterly, six, nine years, or Waived use of Grandfather Data (date of sample)	
	Radium-226	Waived	Sample at each POE every quarterly, six, nine years, or Waived use of Grandfather Data (date of sample)	
	Radium-228	Waived	Sample at each POE every quarterly, six, nine years, or Waived use of Grandfather Data (date of sample)	
Volatile Organic	Contaminants (VOCs)	2019	Sample at each POE every three years.	
Synthetic Organic Contaminants (SOCs)		2019	Sample at each POE every three years, or submit SOC reduced monitoring waiver, if applicable. Use Form 62-560.545(2), F.A.C.	
Stage II Disinfection Byproducts (DBPs)  Total Trihalomethanes & Haloacetic Acids (5)		July-Sept. 2019	Sample according to approved Stage 2 D/DBPR Monitoring Plan.	
Asbestos		2022	Certification or results due every nine years. Use Form 62-555.900(10), F.A.C.	
Lead & Copper		June-Sept. 2019	Sample from sites approved on the Lead and Copper Sampling Plan every three years.	

<sup>\*</sup>POE = Point of entry to the distribution system. Sample at each POE that is representative of each source after treatment.

This is a good faith assessment of monitoring requirements for the above-referenced public water system for calendar year 2019 and may not include additional sampling required during the year due to special circumstances. If you have questions or disagree with the assessment, please contact the appropriate personnel at (813) 470-5700. Monitoring schedules are subject to change, at any time, based on results of analyses or other factors. This chart shall not relieve any person from any requirement of Florida law.

- It is strongly recommended that testing be conducted early in the monitoring period to allow time for retests due to possible sampling or lab errors. Annual and triennial sampling should be completed by <u>9/30/2019</u> to provide time for revisions, retests, and/or corrections.
- > Test results must be submitted to DEP within the first ten days following the end of the required monitoring period, or the first ten days following the month in which the sample results were received, whichever time is the shortest. Failure to comply may result in enforcement action.



Southwest District Office 13051 North Telecom Parkway #101 Temple Terrace, Florida 33637-0926 Ron DeSantis Governor

Jeanette Nuñez Lt. Governor

Noah Valenstein Secretary

2019 Chemical Monitoring for NTNC

Rinaldo Commercial Park

PWS-ID No. 6515240

MONITOR	ING & REPORTS	DUE	COMMENTS
Raw Water Microbiological ("Bacteriological")		Quarterly	1 Raw Water Sample per well.
Distribution Mici ("Bacteriological"	O	Quarterly	1 Distribution Sample per quarter. Disinfectant residuals must be reported.
Nitrate and Nitri	te	2019	Sample at each POE every year.*
Primary Inorgani	cs	2019	Sample at each POE every three years.
Radiologicals	Gross Alpha	Waived	Sample at each POE every quarterly, six, nine years, or Waived use of Grandfather Data (date of sample)
	Uranium	Waived	Sample at each POE every quarterly, six, nine years, or Waived use of Grandfather Data (date of sample)
	Radium-226	Waived	Sample at each POE every quarterly, six, nine years, or Waived use of Grandfather Data (date of sample)
	Radium-228	Waived	Sample at each POE every quarterly, six, nine years, or Waived use of Grandfather Data (date of sample)
Volatile Organic	Contaminants (VOCs)	2019	Sample at each POE every three years.
Toluene (VOC #2	2991)	2019	Sample at each POE every year.
Synthetic Organic Contaminants (SOCs)		2019	Sample at each POE every three years, or submit SOC reduced monitoring waiver, if applicable. Use Form 62-560.545(2), F.A.C.
Stage II Disinfection Byproducts (DBPs)  Total Trihalomethanes & Haloacetic Acids (5)		July-Sept. 2019	Sample according to approved Stage 2 D/DBPR Monitoring Plan.
Asbestos		2021	Certification or results due every nine years. Use Form 62-555.900(10), F.A.C.
Lead & Copper		July-Sept. 2019	Sample from sites approved on the Lead and Copper Sampling Plan every three years.

<sup>\*</sup>POE = Point of entry to the distribution system. Sample at each POE that is representative of each source after treatment.

This is a good faith assessment of monitoring requirements for the above-referenced public water system for calendar year 2019 and may not include additional sampling required during the year due to special circumstances. If you have questions or disagree with the assessment, please contact the appropriate personnel at (813) 470-5700. Monitoring schedules are subject to change, at any time, based on results of analyses or other factors. This chart shall not relieve any person from any requirement of Florida law.

- ➤ It is strongly recommended that testing be conducted early in the monitoring period to allow time for retests due to possible sampling or lab errors. Annual and triennial sampling should be completed by <u>9/30/2019</u> to provide time for revisions, retests, and/or corrections.
- > Test results must be submitted to DEP within the first ten days following the end of the required monitoring period, or the first ten days following the month in which the sample results were received, whichever time is the shortest. Failure to comply may result in enforcement action.



Southwest District Office 13051 North Telecom Parkway #101 Temple Terrace, Florida 33637-0926 Ron DeSantis Governor

Jeanette Nuñez Lt. Governor

Noah Valenstein Secretary

2019 Chemical Monitoring for NTNC

Pasco Chevrolet Buick & GMC

PWS-ID No.6515247

MONITORI	ING & REPORTS	DUE	COMMENTS
Raw Water Microbiological ("Bacteriological")		Quarterly	1 Raw Water Sample per well.
Distribution Microbiological ("Bacteriological")		Quarterly	1 Distribution Sample per quarter. Disinfectant residuals must be reported.
Nitrate and Nitrit	re	2019	Sample at each POE every year.*
Primary Inorgani	cs	2019	Sample at each POE every three years.
Radiologicals	Gross Alpha	2025	Sample at each POE every quarterly, six, nine years, or Waived use of Grandfather Data (date of sample)
	Uranium	2025	Sample at each POE every quarterly, six, nine years, or Waived use of Grandfather Data (date of sample)
	Radium-226	2025	Sample at each POE every quarterly, six, nine years, or Waived use of Grandfather Data (date of sample)
	Radium-228	2025	Sample at each POE every quarterly, six, nine years, or Waived use of Grandfather Data (date of sample)
Volatile Organic (	Contaminants (VOCs)	2019	Sample at each POE every three years.
Synthetic Organic Contaminants (SOCs)		2019	Sample at each POE every three years, or submit SOC reduced monitoring waiver, if applicable. Use Form 62-560.545(2), F.A.C.
Stage II Disinfection Byproducts (DBPs) Total Trihalomethanes & Haloacetic Acids (5)		July-Sept. 2019	Sample according to approved Stage 2 D/DBPR Monitoring Plan.
Asbestos		2021	Certification or results due every nine years. Use Form 62-555.900(10), F.A.C.
Lead & Copper		July-Sept. 2019	Sample from sites approved on the Lead and Copper Sampling Plan every three years.

<sup>\*</sup>POE = Point of entry to the distribution system. Sample at each POE that is representative of each source after treatment.

This is a good faith assessment of monitoring requirements for the above-referenced public water system for calendar year 2019 and may not include additional sampling required during the year due to special circumstances. If you have questions or disagree with the assessment, please contact the appropriate personnel at (813) 470-5700. Monitoring schedules are subject to change, at any time, based on results of analyses or other factors. This chart shall not relieve any person from any requirement of Florida law.

- ➤ It is strongly recommended that testing be conducted early in the monitoring period to allow time for retests due to possible sampling or lab errors. Annual and triennial sampling should be completed by <u>9/30/2019</u> to provide time for revisions, retests, and/or corrections.
- > Test results must be submitted to DEP within the first ten days following the end of the required monitoring period, or the first ten days following the month in which the sample results were received, whichever time is the shortest. Failure to comply may result in enforcement action.



Jeanette Nuñez

Lt. Governor

**Ron DeSantis** 

Governor

**Noah Valenstein** Secretary

**Southwest District Office** 13051 North Telecom Parkway #101 Temple Terrace, Florida 33637-0926

2019 Chemical Monitoring for Community Systems

PCUD - Lake Jovita Golf and Country Club PWS-ID No. 6515250

	RING & REPORTS	DUE	COMMENTS
Microbiological ("Bacteriological")		Monthly	Disinfectant residuals must be reported.
Distribution Microl	biological ("Bacteriological")	Monthly	2 Distribution samples per month. Disinfectant residuals must be reported.
Nitrate and Nitrite		2019	Sample at each POE every year. *
Primary Inorganics	3	2021	Sample at each POE every three years.
Secondaries		2021	Sample at each POE every three years.
Radiologicals	Gross Alpha	2021	Sample at each POE every three, six or nine years.
	Uranium	2021	Sample at each POE every three, six or nine years.
	Radium-226	2021	Sample at each POE every three, six or nine years.
	Radium-228	2021	Sample at each POE every three, six or nine years.
Volatile Organic Co	ontaminants (VOCs)	2021	Sample at each POE every three years.
Toluene		Quarterly 2019	Sample at each POE first two quarters of 2019.
Synthetic Organic (	Contaminants (SOCs)	2021	Sample at each POE every three years, or submit SOC reduced monitoring waiver, if applicable. Use Form 62-560.545(2), F.A.C.
Di(2-Ethylhexyl) Pl	nthalate	Quarterly 2019	Sample at each POE first two quarters of 2019.
Stage II Disinfection Byproducts (DBPs) Total Trihalomethanes & Haloacetic Acids (5)		July - Sept 2019	Sample according to approved Stage 2 D/DBPR Monitoring Plan.
Asbestos		2020	Certification or results due every nine years. Use Form 62-555.900(10), F.A.C.
Lead & Copper		June - Sept 2021	Sample from sites approved on the Lead and Copper Sampling Plan every three years.
Consumer Confide Certification of Del	nce Report (CCR) & CCR ivery	July 1, 2019	CCR must be delivered by July 1, 2019. The CCR Certification of Delivery must be submitted to the Department by August 10, 2019. Use Form 62-555.900(alternate 19), F.A.C.

<sup>\*</sup>POE = Point of entry to the distribution system. Sample at each POE that is representative of each source after treatment.

This is a good faith assessment of monitoring requirements for the above-referenced public water system for calendar year 2019 and may not include additional sampling required during the year due to special circumstances. If you have questions or disagree with the assessment, please contact the appropriate personnel at (813) 470-5700. Monitoring schedules are subject to change, at any time, based on results of analyses or other factors. This chart shall not relieve any person from any requirement of Florida law.

- It is strongly recommended that testing be conducted early in the monitoring period to allow time for retests due to possible sampling or lab errors. Annual and triennial sampling should be completed by 9/30/2019 to provide time for revisions, re-tests, and/or corrections.
- Test results must be submitted to DEP within the first ten days following the end of the required monitoring period, or the first ten days following the month in which the sample results were received, whichever time is the shortest. Failure to comply may result in enforcement action.



Southwest District Office 13051 North Telecom Parkway #101 Temple Terrace, Florida 33637-0926 Ron DeSantis Governor

Jeanette Nuñez Lt. Governor

Noah Valenstein Secretary

2019 Chemical Monitoring for NTNC

Water System: All Kids Academy PWS-ID No. 6515257

water System: All Kids Academy			PWS-ID No. 0313237
MONITORI	ING & REPORTS	DUE	COMMENTS
Raw Water Microbiological ("Bacteriological")		Quarterly	1 Raw Water Sample per well.
Distribution Microbiological ("Bacteriological")		Quarterly	1 Distribution Sample per quarter. Disinfectant residuals must be reported.
Nitrate and Nitrit	te	2019	Sample at each POE every year.*
Primary Inorgani	cs	2019	Sample at each POE every three years.
Radiologicals	Gross Alpha	Waived	Sample at each POE every quarterly, six, nine years, or Waived use of Grandfather Data (date of sample)
	Uranium	Waived	Sample at each POE every quarterly, six, nine years, or Waived use of Grandfather Data (date of sample)
	Radium-226	Waived	Sample at each POE every quarterly, six, nine years, or Waived use of Grandfather Data (date of sample)
	Radium-228	Waived	Sample at each POE every quarterly, six, nine years, or Waived use of Grandfather Data (date of sample)
Volatile Organic	Contaminants (VOCs)	2019	Sample at each POE every three years.
Synthetic Organic Contaminants (SOCs)		2022	Sample at each POE every three years, or submit SOC reduced monitoring waiver, if applicable. Use Form 62-560.545(2), F.A.C.
Stage II Disinfection Byproducts (DBPs) Total Trihalomethanes & Haloacetic Acids (5)		July-Sept. 2019	Sample according to approved Stage 2 D/DBPR Monitoring Plan.
Asbestos		2022	Certification or results due every nine years. Use Form 62-555.900(10), F.A.C.
Lead & Copper		June-Sept. 2019	Sample from sites approved on the Lead and Copper Sampling Plan every three years.

<sup>\*</sup>POE = Point of entry to the distribution system. Sample at each POE that is representative of each source after treatment.

This is a good faith assessment of monitoring requirements for the above-referenced public water system for calendar year 2019 and may not include additional sampling required during the year due to special circumstances. If you have questions or disagree with the assessment, please contact the appropriate personnel at (813) 470-5700. Monitoring schedules are subject to change, at any time, based on results of analyses or other factors. This chart shall not relieve any person from any requirement of Florida law.

- > It is strongly recommended that testing be conducted early in the monitoring period to allow time for retests due to possible sampling or lab errors. Annual and triennial sampling should be completed by <u>9/30/2019</u> to provide time for revisions, retests, and/or corrections.
- > Test results must be submitted to DEP within the first ten days following the end of the required monitoring period, or the first ten days following the month in which the sample results were received, whichever time is the shortest. Failure to comply may result in enforcement action.



Southwest District Office 13051 North Telecom Parkway #101 Temple Terrace, Florida 33637-0926 Ron DeSantis Governor

Jeanette Nuñez Lt. Governor

Noah Valenstein Secretary

2019 Chemical Monitoring for NTNC

Academy at The Farm PWS-ID No. 6515277

Academy at The Farm			F W S-ID No. 0313277
MONITOR	ING & REPORTS	DUE	COMMENTS
Raw Water Microbiological ("Bacteriological")		Quarterly	1 Raw Water Sample per well.
Distribution Microbiological ("Bacteriological")		Quarterly	1 Distribution Sample per quarter. Disinfectant residuals must be reported.
Nitrate and Nitri	te	2019	Sample at each POE every year.*
Primary Inorgani	cs	2019	Sample at each POE every three years.
Radiologicals	Gross Alpha	2025	Sample at each POE every quarterly, six, nine years, or Waived use of Grandfather Data (date of sample)
	Uranium	2025	Sample at each POE every quarterly, six, nine years, or Waived use of Grandfather Data (date of sample)
	Radium-226	2022	Sample at each POE every quarterly, six, nine years, or Waived use of Grandfather Data (date of sample)
	Radium-228	2022	Sample at each POE every quarterly, six, nine years, or Waived use of Grandfather Data (date of sample)
Volatile Organic	Contaminants (VOCs)	2019	Sample at each POE every three years.
Synthetic Organic Contaminants (SOCs)		2019	Sample at each POE every three years, or submit SOC reduced monitoring waiver, if applicable. Use Form 62-560.545(2), F.A.C.
Stage II Disinfection Byproducts (DBPs)  Total Trihalomethanes & Haloacetic Acids (5)		July-Sept. 2019	Sample according to approved Stage 2 D/DBPR Monitoring Plan.
Asbestos		2021	Certification or results due every nine years. Use Form 62-555.900(10), F.A.C.
Lead & Copper		June-Sept. 2019	Sample from sites approved on the Lead and Copper Sampling Plan every three years.

<sup>\*</sup>POE = Point of entry to the distribution system. Sample at each POE that is representative of each source after treatment.

This is a good faith assessment of monitoring requirements for the above-referenced public water system for calendar year 2019 and may not include additional sampling required during the year due to special circumstances. If you have questions or disagree with the assessment, please contact the appropriate personnel at (813) 470-5700. Monitoring schedules are subject to change, at any time, based on results of analyses or other factors. This chart shall not relieve any person from any requirement of Florida law.

- ➤ It is strongly recommended that testing be conducted early in the monitoring period to allow time for retests due to possible sampling or lab errors. Annual and triennial sampling should be completed by <u>9/30/2019</u> to provide time for revisions, retests, and/or corrections.
- > Test results must be submitted to DEP within the first ten days following the end of the required monitoring period, or the first ten days following the month in which the sample results were received, whichever time is the shortest. Failure to comply may result in enforcement action.



Southwest District Office 13051 North Telecom Parkway #101 Temple Terrace, Florida 33637-0926 Ron DeSantis Governor

Jeanette Nuñez Lt. Governor

Noah Valenstein Secretary

2019 Chemical Monitoring for NTNC

Water System: Creative Times PWS-ID No. 6515278

water System: Creative Times			PWS-ID No. 6515278
MONITOR	ING & REPORTS	DUE	COMMENTS
Raw Water Microbiological ("Bacteriological")		Quarterly	1 Raw Water Sample per well.
Distribution Microbiological ("Bacteriological")		Quarterly	1 Distribution Sample per quarter. Disinfectant residuals must be reported.
Nitrate and Nitra	ite	2019	Sample at each POE every year.*
Primary Inorgan	ics	2019	Sample at each POE every three years.
Radiologicals	Gross Alpha	2022	Sample at each POE every quarterly, six, nine years, or Waived use of Grandfather Data (date of sample)
	Uranium	2022	Sample at each POE every quarterly, six, nine years, or Waived use of Grandfather Data (date of sample)
	Radium-226	Waived	Sample at each POE every quarterly, six, nine years, or Waived use of Grandfather Data (date of sample)
	Radium-228	Waived	Sample at each POE every quarterly, six, nine years, or Waived use of Grandfather Data (date of sample)
Volatile Organic	Contaminants (VOCs)	2019	Sample at each POE every three years.
Synthetic Organic Contaminants (SOCs)		2019	Sample at each POE every three years, or submit SOC reduced monitoring waiver, if applicable. Use Form 62-560.545(2), F.A.C.
Stage II Disinfection Byproducts (DBPs)  Total Trihalomethanes & Haloacetic Acids (5)		July-Sept. 2019	Sample according to approved Stage 2 D/DBPR Monitoring Plan.
Asbestos		2022	Certification or results due every nine years. Use Form 62-555.900(10), F.A.C.
Lead & Copper		June-Sept. 2019	Sample from sites approved on the Lead and Copper Sampling Plan every three years.

<sup>\*</sup>POE = Point of entry to the distribution system. Sample at each POE that is representative of each source after treatment.

This is a good faith assessment of monitoring requirements for the above-referenced public water system for calendar year 2019 and may not include additional sampling required during the year due to special circumstances. If you have questions or disagree with the assessment, please contact the appropriate personnel at (813) 470-5700. Monitoring schedules are subject to change, at any time, based on results of analyses or other factors. This chart shall not relieve any person from any requirement of Florida law.

- > It is strongly recommended that testing be conducted early in the monitoring period to allow time for retests due to possible sampling or lab errors. Annual and triennial sampling should be completed by <u>9/30/2019</u> to provide time for revisions, retests, and/or corrections.
- > Test results must be submitted to DEP within the first ten days following the end of the required monitoring period, or the first ten days following the month in which the sample results were received, whichever time is the shortest. Failure to comply may result in enforcement action.



Southwest District Office 13051 North Telecom Parkway #101 Temple Terrace, Florida 33637-0926 Ron DeSantis Governor

Jeanette Nuñez Lt. Governor

Noah Valenstein Secretary

2019 Chemical Monitoring for NTNC

Hope Youth Ranch PWS-ID No. 6515300

Hope Youth Ranch			PWS-ID No. 0313300
MONITOR	ING & REPORTS	DUE	COMMENTS
Raw Water Microbiological ("Bacteriological")		Quarterly	1 Raw Water Sample per well.
Distribution Microbiological ("Bacteriological")		Quarterly	1 Distribution Sample per quarter. Disinfectant residuals must be reported.
Nitrate and Nitri	te	2019	Sample at each POE every year.*
Primary Inorgani	cs	2019	Sample at each POE every three years.
Radiologicals	Gross Alpha	Waived	Sample at each POE every quarterly, six, nine years, or Waived use of Grandfather Data (date of sample)
	Uranium	Waived	Sample at each POE every quarterly, six, nine years, or Waived use of Grandfather Data (date of sample)
	Radium-226	Waived	Sample at each POE every quarterly, six, nine years, or Waived use of Grandfather Data (date of sample)
	Radium-228	Waived	Sample at each POE every quarterly, six, nine years, or Waived use of Grandfather Data (date of sample)
Volatile Organic	Contaminants (VOCs)	2019	Sample at each POE every three years.
Synthetic Organic Contaminants (SOCs)		2019	Sample at each POE every three years, or submit SOC reduced monitoring waiver, if applicable. Use Form 62-560.545(2), F.A.C.
Stage II Disinfection Byproducts (DBPs)  Total Trihalomethanes & Haloacetic Acids (5)		July-Sept. 2019	Sample according to approved Stage 2 D/DBPR Monitoring Plan.
Asbestos		2022	Certification or results due every nine years. Use Form 62-555.900(10), F.A.C.
Lead & Copper		July-Sept. 2019	Sample from sites approved on the Lead and Copper Sampling Plan every three years.

<sup>\*</sup>POE = Point of entry to the distribution system. Sample at each POE that is representative of each source after treatment.

This is a good faith assessment of monitoring requirements for the above-referenced public water system for calendar year 2019 and may not include additional sampling required during the year due to special circumstances. If you have questions or disagree with the assessment, please contact the appropriate personnel at (813) 470-5700. Monitoring schedules are subject to change, at any time, based on results of analyses or other factors. This chart shall not relieve any person from any requirement of Florida law.

- ➤ It is strongly recommended that testing be conducted early in the monitoring period to allow time for retests due to possible sampling or lab errors. Annual and triennial sampling should be completed by <u>9/30/2019</u> to provide time for revisions, retests, and/or corrections.
- > Test results must be submitted to DEP within the first ten days following the end of the required monitoring period, or the first ten days following the month in which the sample results were received, whichever time is the shortest. Failure to comply may result in enforcement action.



Jeanette Nuñez

Jeanette Nuñez Lt. Governor

**Ron DeSantis** 

Governor

**Noah Valenstein** Secretary

Southwest District Office 13051 North Telecom Parkway #101 Temple Terrace, Florida 33637-0926

2019 Chemical Monitoring for NTNC

Nestle Waters North America – Zephyrhills Facility

PWS-ID No. 6515305

Nestle Waters North America – Zephyrhills F		acility	PWS-ID No. 6515305
MONITORING & REPORTS		DUE	COMMENTS
Raw Water Microbiological ("Bacteriological")		-	1 Raw Water Sample per well.
Distribution Microbiological ("Bacteriological")		Quarterly	1 Distribution Sample per quarter. Disinfectant residuals must be reported.
Nitrate and Nitri	ite	2019	Sample at each POE every year.*
Primary Inorgan	ics	2019	Sample at each POE every three years.
Radiologicals	Gross Alpha	Waived	Sample at each POE every quarterly, six, nine years, or Waived use of Grandfather Data (date of sample)
	Uranium	2025	Sample at each POE every quarterly, six, nine years, or Waived use of Grandfather Data (date of sample)
	Radium-226	2022	Sample at each POE every quarterly, six, nine years, or Waived use of Grandfather Data (date of sample)
	Radium-228	2022	Sample at each POE every quarterly, six, nine years, or Waived use of Grandfather Data (date of sample)
Volatile Organic	Contaminants (VOCs)	2019	Sample at each POE every three years.
Synthetic Organic Contaminants (SOCs)		2019	Sample at each POE every three years, or submit SOC reduced monitoring waiver, if applicable. Use Form 62-560.545(2), F.A.C.
Stage II Disinfection Byproducts (DBPs) Total Trihalomethanes & Haloacetic Acids (5)		July-Sept. 2019	Sample according to approved Stage 2 D/DBPR Monitoring Plan.
Asbestos		2021	Certification or results due every nine years. Use Form 62-555.900(10), F.A.C.
Lead & Copper		July-Sept. 2019	Sample from sites approved on the Lead and Copper Sampling Plan every three years.

<sup>\*</sup>POE = Point of entry to the distribution system. Sample at each POE that is representative of each source after treatment.

This is a good faith assessment of monitoring requirements for the above-referenced public water system for calendar year 2019 and may not include additional sampling required during the year due to special circumstances. If you have questions or disagree with the assessment, please contact the appropriate personnel at (813) 470-5700. Monitoring schedules are subject to change, at any time, based on results of analyses or other factors. This chart shall not relieve any person from any requirement of Florida law.

- ➤ It is strongly recommended that testing be conducted early in the monitoring period to allow time for retests due to possible sampling or lab errors. Annual and triennial sampling should be completed by <u>9/30/2019</u> to provide time for revisions, retests, and/or corrections.
- > Test results must be submitted to DEP within the first ten days following the end of the required monitoring period, or the first ten days following the month in which the sample results were received, whichever time is the shortest. Failure to comply may result in enforcement action.