

**STATE OF FLORIDA
DEPARTMENT OF ENVIRONMENTAL PROTECTION**

In re:

**EMERGENCY AUTHORIZATION FOR
REPAIRS, REPLACEMENT,
RESTORATION, AND CERTAIN
OTHER MEASURES MADE NECESSARY
BY HURRICANE ISAIAS**

OGC NO. 20-1180

EMERGENCY FINAL ORDER

The State of Florida Department of Environmental Protection (Department) enters this Emergency Final Order (Order), including Findings of Fact and Conclusions of Law, in response to the imminent and immediate danger to the public health, safety, and welfare of the citizens of the State of Florida caused by Hurricane Isaias (hereinafter “the Hurricane”).

FINDINGS OF FACT

1. On July 31, 2020, the National Hurricane Center reported that Hurricane Isaias has maximum sustained winds of 80 miles per hour. The National Hurricane Center forecasts that the Hurricane will continue to strengthen into a Category 2 Hurricane as it approaches the Florida Peninsula and Atlantic Coast. The Hurricane is predicted to cause dangerous storm surges, heavy rainfall, hazardous seas, tornados, flooding, and strong winds along Florida’s eastern coastline and counties. The Hurricane poses a threat to the health, safety, and welfare to the communities, infrastructure, and citizens of the State of Florida. This Hurricane also requires timely precautions to protect communities, critical infrastructure, and the general welfare of the State of Florida. The Hurricane is likely to cause widespread damage within the following locations: Brevard, Broward, Clay, Duval, Flagler, Indian River, Martin, Miami Dade, Monroe, Nassau, Okeechobee, Orange,

Osceola, Palm Beach, Putnam, Seminole, St. Johns, St. Lucie, and Volusia counties, which shall constitute the specific area covered by this Order. This area shall herein be referred to as the “Emergency Area.”

2. By State of Florida Executive Order No. 20-181, the Governor declared that a state of emergency exists throughout Brevard, Broward, Clay, Duval, Flagler, Indian River, Martin, Miami Dade, Monroe, Nassau, Okeechobee, Orange, Osceola, Palm Beach, Putnam, Seminole, St. Johns, St. Lucie and Volusia county based upon the serious threat to the public health, safety, and welfare posed by the Hurricane.

3. The Department finds that the effects of the Hurricane create a state of emergency posing an imminent danger to the public health, safety, welfare, and property throughout the Emergency Area. As a result of the emergency, immediate action by Florida's citizens and government may be necessary to repair, replace, and restore structures, equipment, surface water management systems, works, and other systems damaged by the Hurricane.

4. The Department finds that an emergency authorization is required to address the need for immediate action because the normal procedures for obtaining the necessary authorizations would not result in sufficiently timely action to address the emergency.

5. The Department finds that immediate, strict compliance with the provisions of the statutes, rules, or orders noted within this Order would prevent, hinder, or delay necessary action in coping with the emergency, and that the actions authorized under this Order are narrowly tailored to address the immediate need for action and are procedurally appropriate under the circumstances.

CONCLUSIONS OF LAW

1. Based on the findings recited above, it is hereby concluded that the emergency caused by the Hurricane poses an immediate danger to the public health, safety, or welfare and requires an immediate order of the Department.

2. Under State of Florida Executive Order No. 20-181, and Sections 120.569(2)(n), 252.36, and 252.46, Florida Statutes, the Secretary or designee of the Department is authorized to issue this Order.

3. Suspension of statutes and rules as noted within this Order is required so as not to prevent, hinder, or delay necessary action in coping with the emergency.

THEREFORE, IT IS ORDERED:

A. WASTE MANAGEMENT

Within the Emergency Area:

1. Storage Tank Systems

a. Owners and operators of storage tank systems, regulated under Chapters 62-761 and 62-762, Florida Administrative Code, and their State of Florida licensed engineers and contractors, are authorized to make all necessary repairs to restore essential services and repair or replace (as necessary) all structures, equipment, and appurtenances of the systems to their pre-Hurricane permitted or registered condition without prior notice to the Department. Within 30 days of commencing the work of such repair or replacement, the owner or operator shall notify the Department in writing, describing the nature of the work, giving its Department Facility Identification Number for

the location, and providing the name, address, and telephone number of the representative of the owner or operator to contact concerning the work.

2. Solid Waste Management

a. Field authorizations may be issued prior to or following a site inspection by Department personnel or a delegated local program for staging areas (also referred to as DDMSs – Disaster Debris Management Sites). Such staging areas are to be used for temporary storage of Hurricane-generated debris and chipping, grinding, or burning of Hurricane-generated vegetative debris. Field authorizations should be requested by the local, state, or federal government entity responsible for disaster debris management within the jurisdiction and may be requested by providing a notice to the local office of the Department containing a description of the staging area design and operation, the location of the staging area, and the name, address, and telephone number of the site manager. Written records of all field authorizations shall be created and maintained by Department staff. Field authorizations may include specific conditions for the operation and closure of the staging area and may include a required closure date which extends beyond the expiration date of this Order. Staging areas shall avoid wetlands and other surface waters to the greatest extent possible; such areas that are used or affected must be fully restored upon cessation of use of the area. Staging areas must cease operation, and all Hurricane-generated debris must be removed from the site by the date specified in the field authorization. Failure to comply with the conditions of the field authorization, or failure to adequately close the site by the required closure date, may result in enforcement actions by the Department. Field authorizations issued prior to the effective

date of this Order remain in effect but may be modified by the Department to include conditions and closure dates as specified herein.

b. Hurricane-generated vegetative debris that is managed at an authorized staging area may be disposed of in permitted lined or unlined landfills, permitted land clearing debris facilities, or permitted construction and demolition debris disposal facilities. Such vegetative debris may also be managed at a permitted waste processing facility or a registered yard trash processing facility in accordance with the terms of the applicable rules and permit conditions. Upon request and approval by the Department vegetative debris may be placed in or on soils to provide a beneficial use pursuant to Chapter 62-709, Florida Administrative Code.

c. Construction and demolition debris that is mixed with other Hurricane-generated debris need not be segregated from other solid waste prior to disposal in a lined landfill. Construction and demolition debris that is either source-separated or is separated from other Hurricane-generated debris at an authorized staging area, or at another area specifically authorized by the Department, may be managed at a permitted construction and demolition debris disposal, Class III landfill, or recycling facility upon approval by the Department of the methods and operational practices used to inspect the waste during segregation.

d. Except as otherwise specifically provided herein, Hurricane-generated debris shall be disposed of in a Class I landfill or, except for asbestos-containing materials, in a waste-to-energy facility. Non-recyclables and residuals generated from segregation of Hurricane-generated debris shall also be disposed of in a Class I landfill or waste-to-energy facility.

e. Ash residue generated from incineration or burning of Hurricane-generated vegetative debris in accordance with Section B of this Order may be disposed of in a permitted disposal facility or may be land spread in any areas approved by the Department and local government officials except in wellfield protection areas or waterbodies.

f. Ash from the combustion of other Hurricane-generated debris shall be disposed of in a Class I landfill. Metals or other non-combustible materials segregated from the ash residue may also be disposed of in a permitted landfill.

g. Unsalvageable refrigerators and freezers containing solid waste such as rotting food that may create a sanitary nuisance may be disposed of in a Class I landfill, provided, however, chlorofluorocarbons and capacitors must be removed and recycled to the greatest extent practicable using techniques and personnel meeting the requirements of 40 CFR Part 82.

h. Permitted landfills, waste-to-energy facilities, and transfer stations which accept Hurricane-generated debris in accordance with the terms of this Order may accept Hurricane -generated debris for disposal or storage without the need to first modify existing solid waste permits or certifications. Operators of landfills shall seek modifications of their existing permits to address any long-term impacts of accepting Hurricane-generated debris on operations and closure that are not addressed in existing permits. Long-term impacts are those which will extend past the expiration date of this Order. The requests for modification shall be submitted as soon as possible, but no later than the expiration date of this Order. No permit fee will be required for any modifications

necessitated solely by the Hurricane cleanup activities. This paragraph does not authorize the permanent lateral or vertical expansion of any facility beyond its permitted limits.

i. Domestic wastewater biosolids may be disposed of in Class I landfills even if such biosolids meet the definition of a liquid waste found in Rule 62-701.200(72), Florida Administrative Code, provided that such disposal is approved in advance by the Department and that the material is managed to the extent practicable so as to minimize liquid content, odors, and runoff.

j. Pursuant to Section 403.7071, Florida Statutes, an air curtain incinerator may be used at any staging area, permitted landfill, waste-to-energy facility, registered yard trash processing facility, or transfer station so long as the air curtain incinerator is located at least 300 feet from any occupied building and 50 feet from any wildlands, brush, combustible structure, or paved public roadway and the operation of the air curtain incinerator is authorized under the authority of the Florida Forest Service within the Department of Agriculture and Consumer Services. The use of an air curtain incinerator must also meet the requirements of subsection B.1. of this Order.

k. Pursuant to Section 403.7071, Florida Statutes, open pile burning may be conducted at any staging area other than staging areas located at permitted landfills or permitted disposal facilities, so long as the pile burn is located at least 300 feet from any occupied building, 100 feet from any paved public roadway, and 50 feet from any wildlands, brush, or combustible structure and the open pile burning is managed or authorized under the authority of the Florida Forest Service within the Department of Agriculture and Consumer Services. Open pile burning must also meet the requirements of subsection B.2. of this Order.

3. Hazardous Waste Management

A blanket approval of time extensions under Chapter 62-730, Florida Administrative Code, is necessary within the Emergency Area for hazardous waste generators for the storage of their hazardous wastes on-site, pending the cleanup of any Hurricane damage and restoration of essential services. The rules authorize a 30-day extension because of unforeseen and uncontrollable circumstances such as the Hurricane. Therefore, to avoid having to issue a potentially large number of individual approvals on a case-by-case basis and waste limited agency resources during the time of emergency, the Department authorizes a general extension of time of 30 days from the expiration of this Order for all such hazardous waste generators within the Emergency Area for the storage of their hazardous wastes on-site.

4. Mineral Oil Dielectric Fluid Discharges

A blanket approval of time extensions under Rule 62-780.550, Florida Administrative Code, is necessary within the Emergency Area for responding to and completing the cleanup of mineral oil dielectric fluid (MODEF) discharges from electric power generation, transmission, and distribution facilities damaged by the Hurricane within the Emergency Area. The Department authorizes a general extension of time of 30 days from the date of discovery of a nonpetroleum de minimis discharge (for a total of 60 days from the discovery of the discharge) for responding to and completing cleanup of MODEF discharges from electric power generation, transmission, and distribution facilities damaged by the Hurricane within the Emergency Area in accordance with the applicable provisions of Chapter 62-780, Florida Administrative Code. However, all other

provisions of Rule 62-780.550, Florida Administrative Code, such as the record-keeping requirements, shall apply.

B. AIR RESOURCE MANAGEMENT

Within the Emergency Area:

1. Air Curtain Incinerators

a. Air curtain incinerators may be used in the Emergency Area for a period of up to eight (8) weeks without a Department-issued air permit under the following circumstances:

(1) Local governments or their agents may conduct the burning of Hurricane-generated yard trash, other vegetative debris, and untreated wood from construction and demolition debris in air curtain incinerators in accordance with the provisions of Section 403.7071(6), Florida Statutes. Local governments or their agents may use an air curtain incinerator at Department-authorized staging areas so long as they meet the operating requirements detailed in paragraphs B.1.b. through B.1.h. of this Order.

(2) Property owners may use an air curtain incinerator to combust Hurricane-generated yard trash and vegetative debris that was collected on-site so long as they meet the operating requirements detailed in paragraphs B.1.b. through B.1.h. of this Order.

(3) Owners and operators of Class I landfills, waste-to-energy facilities, registered yard trash processing facilities, and transfer stations may use an air curtain incinerator to combust Hurricane-generated yard trash and vegetative debris so long as they meet the operating requirements detailed in paragraphs B.1.b. through B.1.h. of this Order.

b. If the air curtain incinerator employs an earthen trench, the pit walls (width and length) shall be vertical, and maintained as such, so that combustion of the waste within the pit is maintained at an adequate temperature and with sufficient air recirculation to provide enough residence time and mixing for proper combustion and control of emission. The following dimensions for the pit must be strictly adhered to: no more than 12 feet wide, between 8 feet and 15 feet deep, and no longer than the length of the manifold. Waste material shall not be loaded into the air curtain incinerator such that it protrudes above the level of the air curtain. Ash shall not be allowed to build up in the pit higher than one-third the pit depth or to the point where the ash begins to impede combustion, whichever level is lower. Reasonable precautions should be taken to control fugitive emissions when removing ash from the combustion chamber.

c. Refractory-lined air curtain incinerators may operate 24 hours per day. Air curtain incinerators without refractory-lined walls may operate 24 hours per day provided reasonable efforts are made to prevent nuisance smoke.

d. Air curtain incinerators must be located at least 300 feet from any occupied building and 50 feet from any wildlands, brush, combustible structure, or paved public roadway and the air curtain incinerator shall be attended at all times while materials are being burned or flames are visible within the incinerator.

e. Visible emissions from the air curtain incinerator shall not exceed ten percent (10%) opacity, six (6) minute average, except for up to thirty (30) minutes during periods of startup when visible emissions up to thirty-five percent (35) opacity, six (6) minute average, shall be allowed.

e. The air curtain incinerator shall not be used to burn any biological waste, hazardous waste, asbestos-containing materials, mercury-containing devices, pharmaceuticals, tires, rubber material, residual oil, used oil, asphalt, roofing material, tar, treated wood, plastics, garbage, trash or other material prohibited to be open burned as set forth in subsection 62-256.300(2), Florida Administrative Code. Only kerosene, diesel fuel, drip-torch fuel (as used to ignite prescribed fires), untreated wood, virgin oil, natural gas, or liquefied petroleum gas shall be used to start the fire in the air curtain incinerator. The use of used oil, chemicals, gasoline, or tires to start the fire is prohibited.

f. An authorization must be obtained daily from the Florida Forest Service within the Department of Agriculture and Consumer Services prior to burning using an air curtain incinerator.

g. Within 10 days after commencing burning using an air curtain incinerator, the operator shall notify the Department in writing describing the general nature of the materials burned, location of the burn, and the name, address, and telephone number of the operator to contact concerning the burn.

h. If the air curtain incinerator will operate for more than eight (8) weeks, the operator must notify the Department by the end of the eighth week and the notification must identify the start date, a description of the material being burned, a description of the size and design of the air curtain incinerator, and the reasons why it must be operated for more than eight weeks. If the operator of the unit submits the required notification, the unit may be operated for an additional eight (8) weeks, for a total of sixteen (16) weeks. If the Department has approved in writing an operator's request to continue operation

beyond sixteen (16) weeks, then the operator may continue to operate the incinerator or air curtain incinerator until the date specified in the written approval.

i. All notifications required to operate an air curtain incinerator pursuant to Section 403.7071, Florida Statutes, and Subparagraph 62-210.300(3)(a)26., Florida Administrative Code, shall be sent to the applicable Department District Office or Local Air Pollution Control Program. For contact information for the Department's District Offices, please visit: <https://floridadep.gov/air/air-director/content/district-air-contacts>. For contact information for Florida's Local Air Pollution Control Programs please visit: <https://floridadep.gov/air/air-director/content/local-program-air-contacts>.

2. Open Pile Burning

a. Local governments or their agents may conduct the open pile burning of hurricane-generated yard trash, other vegetative debris, and untreated wood from construction and demolition debris at Department-authorized staging areas (other than staging areas located at permitted landfills or permitted disposal facilities), so long as they receive prior approval by the applicable Department District Office or Local Air Pollution Control Program and meet the operating requirements detailed in paragraphs B.2.d. through B.2.h. of this Order.

b. Residential property owners may open pile burn Hurricane-generated yard trash and vegetative debris that was collected on-site in a pile less than eight feet in diameter so long the pile burn is set back at least 25 feet from any wildlands, brush, or combustible structure, 50 feet from any paved public roadway, and 150 feet from any occupied building other than that owned or leased by the individual doing the burning, the open pile burning

is not prohibited by local ordinance, and the burning meets the requirements of subsection 62-256.700(1), Florida Administrative Code.

c. Residential property owners may open pile burn Hurricane-generated yard trash and vegetative debris that was collected on-site in a pile greater than eight feet in diameter so long as they meet the operating requirements detailed in paragraphs B.2.d. through B.2.h. of this Order.

d. The pile burn must be located at least 300 feet from any occupied building, 100 feet from any paved public roadway, and 50 feet from any wildlands, brush, or combustible structure and the pile burn shall always be attended with adequate fire extinguishing equipment readily available.

e. An authorization must be obtained daily from the Florida Forest Service within the Department of Agriculture and Consumer Services prior to commencing open pile burning.

f. Only vegetative material can be burned on an open pile. Open pile burning of vegetative debris is managed under the authority of the Florida Forest Service within the Department of Agriculture and Consumer Services, and the Department will defer to decisions made by that agency if burning does not occur in wetlands or other surface waters.

g. Open pile burning shall avoid adversely affecting wetlands and other surface waters; any wetland or other surface water areas that are used or affected must be fully restored upon cessation of use of the area in consultation with the Department.

h. Open pile burning may be conducted unless prohibited by local ordinance. The authorization of open pile burning may be revoked if it is determined to create a nuisance.

3. Other Air Pollution Sources

The Department authorizes the minor repair of any previously permitted stationary source of air pollution that is damaged by the Hurricane to restore it to its previously permitted condition without prior notice to the Department. Within 30 days of commencing such repairs, however, the permittee shall notify the Department in writing, stating the location and nature of the work, and the name, address, and telephone number of the representative of the permittee to contact concerning the work. Minor repairs are repairs that would not constitute reconstruction under any definition of 40 CFR Part 60, 61, or 63, and that could not affect potential to emit any pollutant. Repairs that would constitute reconstruction under any definition of 40 CFR Part 60, 61, or 63, or repairs that could affect potential to emit any pollutant, are not authorized by this Order.

4. Asbestos

a. 40 CFR Part 61, Subpart M does not apply to the renovations or demolitions of residential buildings with four or fewer dwelling units. Owners of these types of residential buildings may commence a renovation or demolition without notice to the Department.

b. Consistent with 40 CFR Part 61, Subpart M, the Department will not require a 10-working day prior notification for ordered (emergency) demolitions and emergency renovations at non-residential buildings (or residential buildings with more than four dwelling units) of asbestos-containing material resulting from the Hurricane. An

emergency demolition may commence without prior 10-working day notification if the activity occurs at a building or structure that is structurally unsound and in imminent danger of collapse. An emergency demolition also requires that a government official declare the building or structure to be structurally unsound.

c. Post-Commencement Notification. Within one business day of commencing such emergency demolition or emergency renovation, the person responsible for such work shall notify the Department, in writing and consistent with the information on the Notice of Demolition or Asbestos Renovation, and shall include the location and nature of the work, name, address, and telephone number of operator on the project, and the nature of the safety or public health hazard. For an emergency demolition, the post-commencement notification must include a copy of the order declaring the building or structure to be structurally unsound. For an emergency renovation, a justification must be provided in the post-commencement notification describing the nature of the emergency and why a 10-working day notification is overly burdensome.

d. Persons responsible for such work shall comply with the procedures in 40 CFR Part 61, Subpart M, for handling asbestos-containing material during demolition and renovation. Asbestos-containing material shall be disposed of in a Class I or III landfill in accordance with Rule 62-701.520(3), Florida Administrative Code. Burning of asbestos-containing material is prohibited.

e. Cleanup of asbestos-containing debris that is not generated from a demolition or renovation is not subject to 40 CFR Part 61, Subpart M, including the 10-working day prior notification requirement, handling, and disposal requirements. To minimize the risk of exposure to asbestos during cleanup activities associated with

Hurricanes, the Department recommends that people involved in building debris management adhere to the following best management practices.

(1) Before disturbing piles of building debris, make sure that the piles have been “adequately wetted.” To “adequately wet” building debris means to sufficiently mix or penetrate the material with water to prevent the release of particulates. Wetting will reduce the possibility of releasing asbestos fibers along with other harmful particulates. If visible emissions are observed, then the material has not been adequately wetted.

(2) Personnel handling building debris should consider the use of personal protective equipment, including respirators. The U.S. Environmental Protection Agency recommends that personnel wear gloves, goggles, pants, shirts, socks, and most importantly, a tightly-fitted N-95 Occupational Safety and Health Administration-approved respiratory mask. A regular dust mask is not enough to protect against lead or asbestos. Carefully follow instructions when using a respiratory mask to make sure it fits correctly. A tight fit is important, and despite the heat, it is the best way to protect yourself from asbestos.

(3) Efforts should be made to minimize crushing or grinding of building debris or otherwise creating dust. Such volume reduction activities have the potential to release asbestos fibers that would have otherwise remained intact.

f. Any other waivers of notification requirements in this Order are not applicable to operations under 40 CFR Part 61, Subpart M.

5. Emergency Engines Exempt from Air Permitting Requirements

Reciprocating internal combustion engines in the Emergency Area may exceed the annual fuel consumption limitations in subparagraph 62-210.300(3)(a)35, Florida

Administrative Code, without triggering the need to receive a Department-issued air permit if the engine is being used for disaster-related purposes. The owner or operator of such an engine shall exclude fuel consumed during the period covered by this Order from annual fuel consumption calculations.

C. WATER RESOURCE MANAGEMENT, RESILIENCY, AND COASTAL PROTECTION

Within the Emergency Area:

1. Definitions

The following definitions apply to activities authorized under Section C of this Order:

- a. For purposes of subsection C.2. of this Order, the term “structures” includes:
 - (1) utility infrastructure, including wastewater treatment plants, substations, lift stations, solid and hazardous waste facilities, utility lines (including transmission and distribution), poles, towers, support structures, cables, conduits, outfalls, intake structures, and pipelines;
 - (2) roads, bridges, culverts, driveways, sidewalks, bike paths, and other similar public and private infrastructure;
 - (3) public, private, and commercial habitable and non-habitable buildings, and structures ancillary to these buildings, such as garages, cabanas, storage sheds, bathhouses, pools, and decks;
 - (4) piers (including docks, boardwalks, observation platforms, boathouses and gazebos) and pilings;

(5) shore-stabilization structures, such as seawalls, bulkheads, revetments, breakwaters, and groins;

(6) fences, signs, and billboards; and

(7) buoys, navigational aids, and channel markers.

b. For purposes of subsection C.2. of this Order, the term “drainage systems” includes ditches, canals, ponds, swales, and other surface water conveyances; dams, weirs, dikes, and levees; underdrains, outfalls, and associated water control structures.

c. For purposes of subsections C.2, C.3, and C.4 of this Order, the term "water dependent activity" means an activity that can only be conducted in, on, over, or adjacent to water areas because the activity requires direct access to the waterbody or state owned submerged lands for transportation, recreation, energy production or transmission, or source of water, and where the use of the water or state owned submerged lands is an integral part of the activity.

d. For purposes of subsections C.2 and C.3 of this Order, the term "completely destroyed" means none of the structure that existed before the Hurricane remains standing. For example, if at least one piling of a dock or pier remains in place as constructed, then the structure has not been completely destroyed.

e. For purposes of this Order, the term “water management districts” shall mean the Northwest Florida, St. Johns River, Suwannee River, Southwest Florida, and South Florida Water Management Districts, as they are affected within the Emergency Area.

2. Environmental Resource, Dredge and Fill, and Surface Water Management Activities

This subsection applies to activities located in uplands and waters of the state, including wetlands, but excludes activities located along the sandy beaches or inlets fronting the Atlantic Ocean and the Gulf of Mexico seaward of the Coastal Construction Control Line (CCCL) in counties where a CCCL has been established (these activities are addressed in subsection C.3. of this Order). The public is advised that Sections 403.813(1)(b), (d), (e), (f), (g), (h), (j), (l), (n), (p), or (t), Florida Statutes, and the corresponding rule exemptions of the Department and water management districts authorize certain repair, restoration, and replacement activities, provided the terms, conditions, and limitations of the exemptions are followed. Such activities located in, on, or over state owned submerged lands that do not qualify for consent by rule under Rule 18-21.005(1)(b), Florida Administrative Code, are hereby granted a Letter of Consent under Rule 18-21.005(1)(c), Florida Administrative Code, provided all the terms and conditions of those rules are met (including certain restrictions for activities performed within aquatic preserves and Monroe County), and provided that activities that require an easement under Rule 18-21.005(1)(f), Florida Administrative Code, must obtain the applicable state owned submerged lands easement under Chapter 18-21, Florida Administrative Code, within one year of expiration of this Order. This Order does not limit the provisions of those statutory and rule provisions. The following activities are authorized to be undertaken in the Emergency Area to repair, restore, or replace structures, land, and submerged contours to the conditions that were authorized or otherwise legally existing immediately prior to the Hurricane, provided the repair and restoration activities do not result in any expansion, addition, or relocation of the existing structure or systems, subject to the limitations in this Order. However, this Order does not

authorize the construction of structures that did not exist prior to the emergency unless specifically authorized below.

a. No Notice Required

The following activities are authorized to be conducted under this Order without notification to the Department or water management district:

(1) Temporary and permanent repair or restoration of structures and drainage systems that are not completely destroyed to the conditions, dimensions, and configurations that were authorized or otherwise legally existing immediately prior to the Hurricane, provided the repair and restoration activities do not result in any expansion, addition, or relocation of the existing structure or systems, and provided any such structures or drainage systems in, on, or over state-owned submerged lands are water dependent. This may include the use of different construction materials or minor deviations to allow upgrades to current structural and design standards, or to replace a seawall with a rip rap revetment.

(2) The restoration (regrading, dredging, or filling) by local, regional, state, and federal governments of upland surfaces, wetlands, and submerged land contours to the conditions and configurations that were authorized or otherwise legally existing immediately prior to the Hurricane, provided the restoration does not result in any expansion or addition of land or deepening of waters beyond that which existed immediately prior to the Hurricane, subject to the following limits:

(a) The removal or deepening of plugs formerly separating canals from other waters is specifically not authorized by this Order;

(b) In the case of dredging, all excavated material shall either be deposited on uplands that are diked or otherwise sloped or designed to prevent any discharge into wetlands or other surface waters, or shall be used to restore bottom contours and shorelines to the conditions existing immediately prior to the Hurricane, subject to subparagraph C.2.a.(c) of this Order;

(c) In the case where upland or dredged material is placed in water to restore pre-existing conditions, only clean material (free from debris and pollutants) from the uplands that existed prior to the Hurricane may be used in the restoration, and no change (from the conditions that legally existed immediately prior to the Hurricane) in the slope of the land or the type, nature or configuration of any pre-existing shoreline stabilization materials is authorized (e.g., sloping revetments cannot be replaced with vertical seawalls, and rock riprap cannot be replaced with interlocking blocks);

(d) Best management practices and devices shall be used to prevent violations of state water quality standards for turbidity during the performance of restoration activities, in accordance with the guidelines and specifications in The Florida Stormwater, Erosion, and Sedimentation Control Inspectors Manual (Florida Department of Environmental Protection July 2018) <https://floridadep.gov/dear/florida-stormwater-erosion>, and the State of Florida Erosion and Sediment Control Designer and Reviewer Manual (Florida Department of Transportation and Florida Department of Environmental Protection July 2013) <https://www.flrules.org/Gateway/reference.asp?No=Ref-04227>. Best management practices also shall be used to prevent erosion and retain sediment of all newly established or restored exposed shorelines during and after the restoration

activities, which may include methods such as planting of temporary and permanent vegetation and placing of clean natural rock or concrete rubble riprap;

(e) Any fill that is deposited to restore a former shoreline, and any riprap that is used to stabilize a shoreline, must not be placed any farther waterward than the toe of slope of the shoreline that legally existed immediately prior to the Hurricane. If the pre-Hurricane shoreline was stabilized with a functioning seawall or riprap, the seawall or riprap may be restored at its former location or within 18 inches waterward of the location where the seawall or riprap legally existed immediately prior to the Hurricane, as measured from the face of the existing seawall slab to the face of restored seawall slab or from the front slope of the existing riprap to the front slope of the restored riprap; and

(f) This section (C.2.a.(2)) shall not constitute authorization to fill submerged lands owned by the Board of Trustees of the Internal Improvement Trust Fund, except as provided herein.

(3) Removal of debris, including sunken or grounded vessels, vegetation, and structural remains that have been deposited into waters, wetlands, or uplands by the Hurricane, where such removal **does not result** in filling of wetlands or other surface waters, or dredging that creates or expands surface waters. All removed materials must be deposited on self-contained uplands and must be managed in accordance with Department rules or provisions of this Order.

b. Field and Individual Authorization Required

(1) Field authorizations may be issued following a site inspection by Department or water management district personnel to restore structures and property to authorized or otherwise legally existing conditions that existed immediately prior to the

Hurricane, to recover property, protect property from further damage, maintain navigation or protect public health, safety, and welfare, when such activities are not otherwise authorized by statutory or rule exemptions or under paragraph C.2.a of this Order. Specifically, field authorizations may be issued for:

(a) Activities including the replacement of structures that are completely destroyed;

(b) Activities on state-owned submerged lands that are not water dependent, except those structures or activities that are authorized in a valid current sovereign submerged lands lease with the Department;

(c) Restoration (regrading, dredging, or filling) of the contours of uplands, wetlands, and submerged bottoms by parties other than local, regional, state, or federal governments;

(d) Trimming or alteration of mangroves that threaten public health, safety, welfare or property, or that currently interfere with navigation;

(e) Removal of debris, including sunken or grounded vessels, vegetation, and structural remains, that has been deposited into waters, wetlands, or uplands by the Hurricane, the removal of which **requires** filling of wetlands or other surface waters, or dredging that creates or expands wetlands or other surface waters. Any wetlands or other surface waters that are dredged or filled to affect such removal must be restored to the contours and conditions that existed before the Hurricane; and

(f) Other activities determined by Department or water management district personnel as having the potential to result in only minimal adverse individual or cumulative impact on water resources and water quality.

(2) Field authorizations to replace structures shall not preclude the use of different construction materials or minor deviations to allow upgrades to current structural and design standards, including building codes, or to a more environmentally compatible design, as determined by the Department or water management district, than existed immediately prior to the Hurricane.

(3) Field authorizations may be requested by providing a notice to the local office of the Department or water management district containing a description of the work requested, the location of the work, and the name, address, and telephone number of the owner or representative of the owner who may be contacted concerning the work. Field authorizations also may be issued by Department or water management district personnel without prior notice. Field authorizations may not be issued unless requested on or before the expiration date of this Order, unless that date is modified or extended by further order. Written records of all field authorizations shall be created and maintained by Department and water management district personnel. Field authorizations may include specific conditions for the construction, operation, and maintenance of the authorized activities. Field authorizations issued prior to the effective date of this Order remain in effect for the duration specified in the field authorization but may be extended through written modification by the Department or water management district in accordance with the provisions of paragraph C.6.h. of this Order. Failure to comply with the conditions of the field authorization may result in enforcement actions by the Department or water management district.

3. Coastal Construction Control Line (“CCCL”) Activities

This section applies to activities conducted within the Emergency Area seaward of the CCCL as established by Chapter 62B-26, Florida Administrative Code. Emergency Permits may be issued by the Division of Water Resource Management pursuant to Rule 62B-33.014, Florida Administrative Code. A list of activities seaward of the CCCL that are exempt from CCCL permitting requirements is contained in Rule 62B-33.004, Florida Administrative Code, and Section 161.053(11), Florida Statutes. The Division of Water Resource Management has developed a Public Information Handout to provide property owners with a concise explanation of activities that are authorized seaward of the CCCL in this Order. To obtain a copy please visit the Division of Water Resource Management's website at <https://floridadep.gov/comm/comm/documents/coastal-construction-control-line>. You may also contact the Division of Water Resource Management directly by mail at 2600 Blair Stone Road, Mail Station 3522, Tallahassee, Florida 32399-3000, or by phone at 850/245-8336.

This Order does not authorize the construction of permanent structures that did not exist prior to the emergency or geotextile containers as the core of a reconstructed dune for the purposes of temporary armoring, nor does it authorize beach scraping performed by itself or in association with any other activities. In addition, activities that extend onto state owned lands of Florida seaward of the mean high water line or an Erosion Control Line that would typically require a permit pursuant to Sections 161.041 and/or 161.055, Florida Statutes, i.e., regulated under the Joint Coastal Permit program (JCP), are not authorized under this subsection. JCP activities are addressed separately in subsection C.4. of this Order.

a. Activities Undertaken by Local Governments, the Department of Environmental Protection, Florida Department of Transportation and Utility Companies

The following activities may be undertaken by local governments, agencies of the State of Florida, and utility companies to protect, repair, or replace structures and property without notice to the Department or water management district, subject to the limitations below. Work performed under paragraph C.3.a. of this Order must be complete within one year of the issuance of this Order.

(1) Removal of Hurricane-generated debris. Prior to removing the debris and to the greatest extent possible, beach compatible sand should be separated from the debris and kept on-site. To prevent debris from becoming buried, all Hurricane-generated debris shall be removed to an appropriate upland disposal site landward of the CCCL prior to conducting any fill activities.

(2) The repair or replacement of the following public facilities: utilities, roads, beach access ramps, and dune walkover structures (see guidelines for construction of dune walkovers at <https://floridadep.gov/water/coastal-construction-control-line/documents/beach-and-dune-walkover-guidelines>).

(3) Return of sand to the beach and dune system that has been deposited upland by the Hurricane, and restoration of a dune system using beach compatible sand from an upland source. The material shall not cover any Hurricane-generated debris or construction debris. All fill material shall be sand that is similar to the pre- Hurricane beach sand in both coloration and grain size and be free of debris, rocks, clay, or other foreign matter and shall meet the specifications set forth by the Department for the location that

the fill is being placed. Such specifications are available at <https://floridadep.gov/water/water/content/dwrm-current-season-hurricanes-and-tropical-storms>. No sand may be obtained from the beach, near shore, or below the mean high water line seaward of the CCCL without specific written authorization from the Department.

(4) Installation of temporary armoring such as wooden retaining walls, cantilever sheet pile walls (without concrete caps, tiebacks, or other reinforcement), sandbags less than 100 pounds filled bag, or similar structures. Entities undertaking these activities shall notify the Department in writing within three working days of the start of installation. Temporary armoring must be removed within 60 days of installation or the entity must seek authorization from the Department to keep the temporary armoring in place.

b. Activities Requiring Local Authorization

Local governments are authorized to issue permits in lieu of Department permits to private and public property owners for the activities listed below. Local governments shall notify the Department in writing within three working days of permits issued under this section. The notification must be submitted to the Department at email address cccl@floridadep.gov. Work authorized by the local government must be complete within 90 days of issuance of the local government permit or within 90 days of the expiration date of this Order, whichever deadline occurs first

(1) Temporary or remedial activities that are necessary to secure structures to remove safety hazards and prevent further damage or collapse of foundations.

(2) Temporary armoring such as wooden retaining walls, cantilever sheet pile walls (without concrete caps, tiebacks or other reinforcement), sandbags less than 100 pounds filled bag, or similar structures. Temporary armoring must be removed within 60 days of installation or the individual must seek authorization from the Department to keep the temporary armoring in place.

Pursuant to Section 161.085(3), Florida Statutes, this Order does not authorize local governments to permit geotextile containers as the core of a reconstructed dune for the purposes of temporary armoring.

(3) Repair or replacement of minor ancillary structures (such as stairs, landings, and HVAC platforms) and service utilities that are associated with the existing habitable structure. The repair of minor ancillary structures or service utilities shall not exceed the size of the original structure or service utility damaged or destroyed by the Hurricane. Repair of surviving beach/dune walkovers is authorized provided the structure is substantially intact and the repair adjusts the seaward terminus of the walkover to a more landward location if necessary to accommodate changes in the shoreline topography and native salt-resistant vegetation patterns. Viewing platforms as part of the walkovers may not be included seaward of the surviving or post-Hurricane rebuilt dune system or sandy beach, as specified in subparagraph C.3.c.(2)(d) of this Order.

(4) Permanent repair of foundations for buildings that have not been substantially damaged.

(5) The replacement or repair of caps and anchoring systems (or tiebacks) for seawalls or bulkheads.

(6) Restoration of a dune system damaged by the Hurricane using beach compatible sand from an upland source.

All fill material shall be sand that is similar to the pre-Hurricane beach sand in both coloration and grain size and be free of debris, rocks, clay, organic matter, or other foreign matter and shall meet the specifications set forth by the Department for the location that the fill is being placed. Such specifications are available at <https://floridadep.gov/water/water/content/dwrm-current-season-hurricanes-and-tropical-storms>. No sand may be obtained from the beach, near shore, or below mean high water seaward of the CCCL without specific written authorization from the Department.

(7) Return of sand to the beach dune system which has been deposited upland by the Hurricane.

The recovered sand shall be free of debris and other foreign matter and shall not cover any Hurricane-generated debris or construction debris.

c. Other Activities

(1) Actions taken by local governments, the Department's Division of Recreation and Parks, Florida Department of Transportation, and utility companies under paragraph C.3.a. of this Order, and actions taken by local governments under paragraph C.3.b. of this Order, do not require additional permits from the Department.

(2) Subsection C.3. of this Order does not authorize the following activities:

(a) Permanent repair of foundations of major structures which have been substantially damaged;

(b) Rebuilding of or substantial improvements to major structures;

(c) The repair or reconstruction of coastal or shore protection structures except as allowed under subparagraph C.3.b.(5) of this Order;

(d) Replacement of walkover structures not meeting the criteria of subparagraph C.3.b.(3) of this Order, retaining walls, decks, gazebos, and other similar structures;

(e) Local governments to install or permit geotextile containers as the core of a reconstructed dune for the purposes of temporary armoring; or

(f) Excavation of the beach face, near shore or below the mean high water line.

(3) Activities not covered by subsection C.3. of this Order may require a permit from the Department under Section 161.053, Florida Statutes, and Chapters 62B-33, 62B-34, or 62B-56, Florida Administrative Code. For more information, please contact the Division of Water Resource Management by email at cccl@floridadep.gov, mail at 2600 Blair Stone Road, Mail Station 3522, Tallahassee, Florida 32399-3000, or by phone at 850/245-8336.

4. Joint Coastal Permit Activities

This subsection applies to certain activities along the natural sandy beaches of the Atlantic Ocean, Gulf of Mexico or Straits of Florida that extend onto sovereignty lands of Florida, seaward of the mean high water line and are likely to have a material physical effect on the coastal system or natural beach and inlet processes, i.e., activities that are regulated under the JCP program, pursuant to Sections 161.041 and/or 161.055, Florida Statutes.

a. In lieu of a normal JCP for activities summarized above, federal, state, or local governments may apply to the Division of Water Resource Management for

emergency authorizations to alleviate hazardous conditions resulting from the Hurricane that pose an immediate danger to life or limb, including sudden and unpredictable hazards to navigation. Applications for emergency authorizations shall meet the following criteria:

(1) the application must be received by the Department within 30 days of issuance of this Order;

(2) the hazardous conditions are a result of the Hurricane identified in this Order and did not exist prior to the Hurricane;

(3) the proposed measures are limited to the minimum amount necessary to alleviate the hazardous conditions by temporarily stabilizing the structure or clearing the channel, until a JCP can be processed to address the long-term repair;

(4) fill material shall not extend seaward of the mean high water line that existed immediately before the Hurricane;

(5) navigational dredging shall not exceed channel depths, widths or alignment that existed immediately before the Hurricane;

(6) reconstruction of non-water-dependent structures on sovereign submerged lands unless authorized in a current sovereign submerged lands lease issued by the Department is prohibited;

(7) fill may only be placed seaward of the mean high water line to temporarily stabilize an upland structure if that structure is in danger of imminent collapse and was located behind the primary dune line prior to the Hurricane. The amount of fill allowed is the minimum necessary for the stabilization of the structure;

(8) the placement of fill may only extend the mean high water line seaward of the current (post- Hurricane) location if the applicant provides proof that the riparian

owner(s) has obtained a disclaimer under Rule 18-21.019, Florida Administrative Code, (from the Department's Division of State Lands) for the proposed project site, a memorandum from the Department's Division of State Lands acknowledging the storm-related occurrence of avulsion for the proposed project site, or documentation from the Department that a valid erosion control line has been established at the fill site;

(9) any fill material placed on the beach shall meet the criteria for beach-quality sand in Section 62B-41.007(2)(j), Florida Administrative Code;

(10) the proposed measures shall not cause water quality violations outside of the mixing zone, established pursuant to Rule 62-4.244, Florida Administrative Code; and

(11) the proposed measures shall not adversely affect hardbottom communities, seagrass communities or functional marine turtle nesting habitat that existed before the Hurricane and shall not contribute to erosion of adjacent properties.

b. Emergency authorizations shall expire 90 days after issuance.

c. Application fees and noticing requirements shall be waived for projects that are eligible for this emergency authorization.

d. Activities not covered by subsection C.4. of this Order may require a permit from the Department under Sections 161.041 or 161.055, Florida Statutes, and Rule 62B-49, Florida Administrative Code. For more information, please contact the Division of Water Resource Management's Beaches, Inlets and Ports Program by email at BIPP@floridadep.gov, mail at 2600 Blair Stone Road, Mail Station 3544, Tallahassee, Florida 32399-3000, or by phone at 850/245-7617. If the activities are associated with the repair of damage from the Hurricane identified in this Order, and the applicant can demonstrate that expeditious processing of the JCP application is necessary to meet

state or federal recovery efforts, including funding deadlines, the Division of Water Resource Management may deviate from the standard procedures as follows:

(1) processing fees may be waived; and

(2) the requirement to publish a Notice of Intended Agency Action pursuant to Rule 62B-49.005(10), Florida Administrative Code, may be waived, along with the associated 14-day waiting period.

(3) Pursuant to Rule 62B-49.005(9), Florida Administrative Code, agency actions under paragraph C.4.d of this Order are still subject to rights under Chapter 120, Florida Statutes.

5. National Pollutant Discharge Elimination System Stormwater Construction Generic Permit

This subsection applies to any construction activity authorized by this Order that would require coverage under the Generic Permit for the Discharge of Stormwater Associated with Large and Small Construction Activities pursuant to Rule 62-621.300(4), Florida Administrative Code. For these construction projects, operators of the sites, and their licensed engineers and subcontractors, are authorized to make all necessary repairs to restore essential services and repair or replace (as necessary) all structures to their pre-Hurricane permitted or registered condition without prior notice to the Department. All best management practices must be in accordance with the guidelines and specifications of the *State of Florida Erosion and Sediment Control Designer and Reviewer Manual* (Florida Department of Transportation and Florida Department of Environmental Protection July 2013) <https://www.flrules.org/Gateway/reference.asp?No=Ref-04227>. Within 30 days of commencing the work of such repair or replacement, however,

the owner or operator shall submit to the Department a completed Notice of Intent to Use Generic Permit for Stormwater Discharge from Large and Small Construction Activities [Form Number 62-621.300(4)(b)].

6. General Conditions

a. All activities conducted under subsections C.2, C.3., and C.4 of this Order shall be performed using appropriate best management practices. For activities conducted in, or discharging to, wetlands or other surface waters, best management practices include properly installed and maintained erosion and turbidity control devices to prevent erosion and shoaling, control turbidity, and prevent violations of state water quality standards and protect the functions provided by wetlands and other surface waters to fish, wildlife, and listed species.

b. The authorizations in subsections C.2., C.3., and C.4. of this Order shall not apply to structures and associated activities that were not legally existing or otherwise properly authorized by all applicable agencies before the passage of the Hurricane.

c. Applicable environmental resource, surface water management, dredge and fill, JCP, or CCCL permits shall be required following provisions of statute and rule for other activities not authorized in this Order that do not otherwise qualify as an exempt activity under statute or rule.

d. The nature, timing, and sequence of construction authorized under this Order shall be conducted in such a manner as to provide protection to, and so as to not disturb, dune features, native salt-resistant vegetation, and listed species and their habitat, including threatened or endangered sea turtles, endangered manatees, endangered beach mice, endangered plant communities, and migratory shorebirds. If

activities conducted under subsection C.3 of this Order occur during the marine turtle nesting season (March 1 through October 31 in Brevard, Indian River, St. Lucie, Martin, and Broward counties, May 1 through October 31 in all other coastal counties within the state), such activities must be coordinated with the Florida Fish and Wildlife Conservation Commission's Imperiled Species Management Section to ensure that all activities comply with state and federal requirements for the protection of sea turtles, their nests, hatchlings, and nesting habitat.

e. Nothing in this Order authorizes the taking, attempted taking, pursuing, harassing, capturing or killing of any species (or the nests or eggs of any species) listed under Rule 68A-27, Florida Administrative Code, or the federal Endangered Species Act.

f. Persons are advised that all structures that are rebuilt under subsection C.2. of this Order should be rebuilt in accordance with all applicable local, state, and federal building standards and requirements of the Federal Emergency Management Agency.

g. It is recommended that, where possible, owners of property should maintain documentation (such as photos) of the condition of the structures or lands as they existed prior to initiating any activities authorized under this Order and should provide such documentation to the Department if requested to do so.

h. Activities authorized under subsection C.2. of this Order must be completed as follows:

(1) Within one year from issuance of this Order, for activities that qualify under the No Notice provisions of paragraph C.2.a. of this Order;

(2) By the date specified in the field authorization for activities that qualify under the provisions of subparagraph C.2.b.(1) of this Order. However, the deadline for

completing such activities may be extended if a written request with accompanying documentation as described below is submitted by the person(s) authorized in the field authorization and received by the District Office of the Department that issued the field authorization at least 30 days prior to expiration of the field authorization. Such request must be accompanied by a statement that contractors or supplies are not available to complete the work, or that additional time is needed to obtain any required authorization from the U.S. Army Corps of Engineers. Such permittee should maintain a list of contractors that have been contacted and a record of supplies that are on backorder as needed to demonstrate compliance with this provision.

7. Authorization to Use State-Owned Submerged Lands

The Department has been delegated by the Board of Trustees of the Internal Improvement Trust Fund the authority to grant the following authorizations to use state-owned submerged lands, that is, lands lying waterward of the line of mean high water, erosion control line or ordinary high water line, in association with the structure or activity subject to repair, restoration, removal, or replacement authorized in this section.

a. Except as provided in paragraphs C.6.b., C.6.c., and C.6.d. of this Order, and subsection D.1. of this Order, activities authorized under this Order involving the repair, replacement, or restoration of the activities and structures, and the removal of debris located on submerged lands owned by the state that do not qualify for consent by Rule 18-21.005(1)(b), Florida Administrative Code, are hereby granted a Letter of Consent under Rule 18-21.005(1)(c), Florida Administrative Code, provided:

(1) Such repair, restoration, replacement, or removal is conducted in accordance with the terms, conditions, and limitations of this Order;

(2) The structure or activity subject to repair, restoration, or replacement was authorized by the Board of Trustees of the Internal Improvement Trust Fund prior to the Hurricane, or was otherwise legally existing immediately prior to the Hurricane;

(3) The activities are conducted solely to repair, restore, or replace structures or land that was damaged by the Hurricane, or to remove debris resulting solely from the Hurricane; and

(4) The structures and activities are repaired, restored, or replaced in the same location and configuration as was authorized by the Board of Trustees of the Internal Improvement Trust Fund or which otherwise legally existed immediately prior to the Hurricane.

(5) All the terms and conditions of Rule 18-21.005(1)(b) or 18-21.005(1)(c), Florida Administrative Code, as applicable, are met (including certain restrictions for activities performed within aquatic preserves and Monroe County), and provided that activities that require an easement under Rule 18-21.005(1)(f), Florida Administrative Code, must obtain the applicable state-owned submerged lands easement under Chapter 18-21, Florida Administrative Code, within one year of expiration of this Order. This Order does not limit the provisions of those statutory and rule provisions.

b. Non-water dependent structures that are authorized in a current sovereign submerged lands lease with the Department are not authorized to be repaired, restored, or replaced when more than 50 percent of the structure or activity is lost (based on the cost to repair, restore, or replace the structure or activity);

c. Water-dependent structures that were legally existing immediately before the Hurricane but not in conformance with the current criteria of Chapters 18-18, 18-20,

or 18-21, Florida Administrative Code, as applicable, may be repaired, restored, or replaced to the footprint that existed immediately before the Hurricane, but shall, to the greatest extent practicable, be repaired, restored, or replaced to meet the current criteria of Chapters 18-18, 18-20, and 18-21, Florida Administrative Code, as applicable, with respect to design features such as the elevation of decking surfaces and the spacing of deck planking.

d. This Order does not authorize the reconstruction or repair of unauthorized structures.

8. Water and Wastewater Plants and Collection and Distribution Systems

a. Owners and operators of water and wastewater plants and collection and distribution systems, and their licensed engineers and contractors, are authorized to make all necessary repairs to restore essential services and repair or replace (as necessary) all structures, equipment, and appurtenances of the plants and systems to their pre-Hurricane permitted or registered condition without prior notice to the Department. Within 30 days of commencing the work of such repair or replacement, however, the owner or operator shall notify the Department in writing, describing the nature of the work, giving its location, Department Facility Identification Number, and providing the name, address, and telephone number of the representative of the owner or operator to contact concerning the work.

b. Owners and operators of underground injection control Class V Group 6 lake level control wells in existence and functioning immediately before the Hurricane are authorized, without prior permission by the Department, to lower the intake structure to allow a greater volume of lake water to flow down the wells when not to do so would result

in immediate flooding of structures not usually inundated by such lake waters. Within 72 hours of lowering said structures, written notice shall be provided to the District Office of the Department in which the structure is located.

9. Suspension of Fees

For those activities noted above, subject to the limitations, duration, and other provisions of this Order, the following application fee, base fee, and minimal annual lease fee requirements of Sections 161.041, 161.053, 161.0535, 161.055, and 373.109, Florida Statutes, and Chapters 18-18, 18-20, 18-21, and 62-4, Florida Administrative Code, shall be suspended as follows:

a. For structures and activities authorized under paragraphs C.2.a. or C.3.a of this Order, the lessee may submit a written request to the Division of State Lands, by mail at 3900 Commonwealth Boulevard, Mail Station 130, Tallahassee, Florida 32399-3000, to waive applicable lease fees. In such cases, the owner must identify and document (such as with currently-dated photographs) the area (in square feet) of the structure or facility that is no longer useable. When such documentation is received, and deemed sufficient, lease fees will be waived, but only for that portion of the structure that is no longer useable.

b. When the restoration or replacement of individual structures (such as a dock or pier) or entire facilities (such as marinas) on state-owned submerged lands that are completely destroyed is authorized by a field authorization under paragraph C.2.b. of this Order, applicable lease fees will be waived for the duration described in paragraph C.9.c of this Order.

c. Lease fees that are waived under paragraphs C.9.a. or C.9.b. of this Order will be waived only for the duration of this Order (including subsequent extensions thereto) unless otherwise provided in a field authorization issued under paragraph C.2.b. of this Order, or until the repairs, restoration or replacement commences, whichever is earlier. The duration of the waiver of suspension of lease fees may be extended beyond the duration of this Order (including subsequent extensions thereto) or beyond the date specified in a field authorization issued under paragraph C.2.b of this Order, upon a written request by the lessee to extend the waiver of the lease fees. Such request must be received by the Division of State Lands before the expiration of this Order (or extensions thereto) or before the date specified in the field authorization (whichever date is later), and must be accompanied by a signed statement that construction has not yet commenced because contractors or supplies are not available to commence the necessary repairs, restoration or replacement, or because additional time is needed to obtain any required authorization from the U.S. Army Corps of Engineers or local government. Such request for extension of the waiver of lease fees must also contain a reasonable schedule for when repair, restoration, or replacement will commence.

d. In all cases where lease fees are waived under paragraph a. above, the lessee must notify the Division of State Lands, at the address stated in paragraph C.9.a. of this Order, of the time repair, restoration, or replacement construction commenced.

D. GENERAL PROVISIONS

1. General Limitations

The Department issues this Order solely to address the emergency created by the Hurricane. This Order shall not be construed to authorize any activity within the

jurisdiction of the Department except in accordance with the express terms of this Order. Under no circumstances shall anything contained in this Order be construed to authorize the repair, replacement, or reconstruction of any type of unauthorized or illegal structure, habitable or otherwise. This Order does not convey any property rights or any rights or privileges other than those specified in this Order.

2. Suspension of Statutes and Rules

Within the Emergency Area, the requirements and effects of statutes and rules which conflict with the provisions of this Order are suspended to the extent necessary to implement this Order.

To the extent that any requirement to obtain a permit, lease, consent of use, or other authorization is waived by this Order, it should also be construed that the procedural requirements for obtaining such permit, lease, consent of use or other authorization, including requirements for fees and publication of notices, are suspended for the duration of this Order, except as provided in subsection C.8. of this Order

3. Review of Requests for Field Authorizations

It is the intent of the Department to act on requests for field authorizations in a timely and expeditious manner. The Department may require the submission of additional information as is necessary.

4. Other Authorizations Required

This Order only provides relief from the specific regulatory and proprietary requirements addressed herein for the duration of the Order and does not provide relief from the requirements of other federal, state, water management district or local agencies. This Order therefore does not negate the need for the property owner to obtain

any other required permits or authorizations, nor from the need to comply with all the requirements of those agencies. This Order does not provide relief from any of the requirements of Chapter 471, Florida Statutes, regarding professional engineering.

Activities subject to federal consistency review that are emergency actions necessary for the repair of immediate, demonstrable threats to public health or safety are consistent with the Florida Coastal Management Program if conducted in strict conformance with this Order.

5. Extension of time to comply with specified deadlines

For facilities and activities regulated by the Department in the Emergency Area, this Order extends by 30 days the time to comply with the following specified deadlines that occur between the date of issuance of this Order and the expiration of this Order:

a. The time deadlines to conduct or report periodic monitoring or any other similar monitoring that is required by a permit, lease, easement, consent of use, letter of consent, consent order, consent agreement, administrative order, or other authorization under Chapters 161, 253, 258, 373, 376, or 403, Florida Statutes, and rules adopted thereunder, except for monitoring required by air permits issued under Title IV or V of the Clean Air Act or under the Prevention of Significant Deterioration program;

b. The time deadlines to file an application for an extension of permit duration or renewal of an existing permit, lease, easement, consent of use, letter of consent, or other authorization under Chapters 161, 253, 258, 373, 376, or 403, Florida Statutes, and rules adopted thereunder, except for air permits issued under Title V of the Clean Air Act;

c. The time deadlines to file an application for an operation permit under Chapters 161, 253, 258, 373, 376, or 403, Florida Statutes, and rules adopted thereunder, except for air permits issued under Title V of the Clean Air Act;

d. The expiration date for an existing permit, lease, consent of use, or other authorization under Chapters 161, 253, 258, 373, 376, or 403, Florida Statutes, and rules adopted thereunder, except for air permits issued under Title V of the Clean Air Act; and

e. The time deadlines to obtain a permit for and commence construction of the initial phase of a system for which a conceptual permit was issued pursuant to Part IV of Chapter 373, Florida Statutes, or Sections 403.91 – 403.929, Florida Statutes, and rules adopted thereunder.

6. Permit Extensions During States of Emergency

The public is advised that Section 252.363, Florida Statutes, provides for tolling and extending the expiration dates of certain permits and other authorizations following the declaration of a state of emergency. Affected permits include authorizations granted by the Department, water management district or delegated local government, pursuant to part IV of Chapter 373, Florida Statutes.

The extension provisions of Section 252.363, Florida Statutes, do not apply to:

a. Permits that:

(1) Authorize activities that occur outside the geographic area affected by the declaration of a state of emergency;

(2) Include authorization under a programmatic or regional general permit issued by the U.S. Army Corps of Engineers;

(3) Are held by a permittee in significant non-compliance; or

(4) Are subject to a court order specifying an expiration date or buildout date that would conflict with the extensions granted in this section.

b. State-owned submerged lands authorizations under Chapters 253 or 258, Florida Statutes.

c. Formal determinations of the landward extent of wetlands and other surface waters.

d. Exemptions and verifications of exemptions from permitting criteria.

e. Permits and other authorizations issued under Chapter 161 (including JCP permits), Chapter 373 (except for permits issued under Part IV described above), Chapter 376, and Chapter 403, Florida Statutes.

To receive an extension under Section 252.363, Florida Statutes, the holder of a valid, qualifying permit must notify the authorizing agency in writing within 90 days of the expiration of a declaration of emergency, as established via a State of Florida Executive Order. The duration of the tolled period remaining to exercise the rights under a permit shall be equal to six months in addition to the duration of the declaration of emergency.

7. Deadlines for Agency Actions

For each of the following offices, any deadlines specified in statutes, rules, agreements, or Department orders, under which the Department is required by law to take action within a specified time period, and under which failure by the Department to timely take such action could result in any type of default binding on the Department (including the time to request additional information on permit applications), are hereby suspended and tolled for a period of 30 days, provided such deadline had not expired as of the effective date this Order:

a. Each Department office and delegated local program that sustains within its geographic boundaries any significant physical damage occurring as a direct result of the Hurricane. This includes Department offices located outside the impacted area that perform any of their duties in the impacted area.

b. Any office of the Department not directly impacted by the Hurricane if that office has deployed staff to any District Office of the Department or delegated local program specified above, or to any water management district office in an impacted area, to assist in Hurricane relief efforts or to supplement the normal personnel in those impacted offices.

8. Expiration Date

This Order shall take effect immediately upon execution by the Secretary of the Department, or designee, and shall expire on September 29, 2020, unless modified or extended by further order.

9. Violation of Conditions of Emergency Final Order

Failure to comply with any condition set forth in this Order shall constitute a violation of a Department Final Order under Chapters 161, 253, 258, 373, 376, and 403, Florida Statutes, and enforcement proceedings may be brought in any appropriate administrative or judicial forum.

10. Applicability to Delegated Programs

The provisions of this Order apply in those cases where a water management district, local government, or other entity is acting for the Department in accordance with a delegation agreement, operating agreement, or contract. Such water management district, local government, or other entity shall comply with the terms of this Order to the

extent that it is acting as an agent of the Department. This Order does not apply in those cases where a water management district, local government, or other entity is acting under its own independent authority.

NOTICE OF RIGHTS

Pursuant to Section 120.569(2)(n), Florida Statutes, any party adversely affected by this Order has the right to seek an injunction of this Order in circuit court or judicial review of it under Section 120.68, Florida Statutes. Judicial review must be sought by filing a notice of appeal under Rule 9.110 of the Florida Rules of Appellate Procedure, with the Clerk of the Department in the Office of General Counsel by mail at 3900 Commonwealth Boulevard, Mail Station 35, Tallahassee, Florida 32399-3000, and by filing a copy of the notice of appeal accompanied by the applicable filing fees with the appropriate district court of appeal. The notice of appeal must be filed within 30 days after this Order is filed with the Clerk of the Department.

DONE AND ORDERED on this 31st day of July 2020, in Tallahassee, Florida.

FLORIDA DEPARTMENT OF
ENVIRONMENTAL PROTECTION



Noah Valenstein, Secretary
3900 Commonwealth Boulevard
Tallahassee, Florida 32399-3000

FILED on this date, pursuant to §120.52 Florida Statutes, with the designated Department Clerk, receipt of which is hereby acknowledged.



CLERK

July 31, 2020

DATE