



Compliance Calendar for Florida Perchloroethylene Dry Cleaners

2020

This calendar is designed for perc dry cleaners. It summarizes environmental regulations and provides a place for you to keep required records. Keep these records at your facility for five years.

Provided by: Small Business Environmental Assistance Program, DEP

Environmental Regulations

Dry cleaners are facilities engaged in the cleaning of fabrics in a nonaqueous solvent by means of one or more washes in a solvent, extraction of excess solvent by spinning, and drying by tumbling in an airstream. Such facilities include dry to dry machines, filter and purification systems; emission control equipment; waste disposal systems; holding tanks; pumps and attendant piping and valves.

Dry cleaning facilities utilizing the solvent perchloroethylene, or perc, which is considered an air toxic or hazardous pollutant, are eligible to operate in Florida under the terms of an air general permit (AGP) pursuant to the requirements of [Rule 62-210.310\(5\)\(f\), Florida Administrative Code \(F.A.C.\)](#), [https://www.flrules.org/gateway/RuleNo.asp?title=STATIONARY SOURCES - GENERAL REQUIREMENTS&ID=62-210.310](https://www.flrules.org/gateway/RuleNo.asp?title=STATIONARY_SOURCES_-_GENERAL_REQUIREMENTS&ID=62-210.310).

An AGP is an authorization by rule to construct or operate a specific type of air pollutant emitting facility. Use of such authorization by any individual facility does not require action by the Florida Department of Environmental Protection (DEP). The terms and conditions of an AGP are set forth in the rule, rather than in a separately issued air construction or air operation permit.

Dry cleaners that use only petroleum based cleaning solvents may qualify for an exemption under [Rule 62-210.300\(3\)\(a\)\(25\), F.A.C.](#), [https://www.flrules.org/gateway/RuleNo.asp?title=STATIONARY SOURCES - GENERAL REQUIREMENTS&ID=62-210.300](https://www.flrules.org/gateway/RuleNo.asp?title=STATIONARY_SOURCES_-_GENERAL_REQUIREMENTS&ID=62-210.300), provided the solvent consumption is less than 3,250 gallons per year.

Division of Air Resource Management

For Dry Cleaner operation questions, please contact the Small Business Environmental Assistance Program (SBEAP) at 1-800-722-7457, or by email: Small.Business@dep.state.fl.us.

- The SBEAP provides free and confidential assistance with environmental regulations.
- If it's located in Broward, Duval, Hillsborough, Miami-Dade, Orange, Palm Beach, Pinellas, or Sarasota counties, visit our Local Program at <https://floridadep.gov/air/air-director/content/local-program-air-contacts>. For all other counties, go to our District Air Contacts, <https://floridadep.gov/air/air-director/content/district-air-contacts>.



PERC Purchases Running Total (Example for July 2020)

Record the date you purchased PERC. If you bought 15 gallons, record this amount and add it to the subtotal. This amount will also go on next year's calendar for this same month. The 12-Month running total is now 60 gallons. Record 60 gallons on next month's form.

Running Total from last Month, June 2020	Previous 12 Month's Total (=)	55 gallons
Enter the amount of PERC you bought during this same month last year, from last year's records or calendar. Subtract this amount. July 2019	SUBTRACT (-)	10 gallons
This is your 12-month running total if you do not buy PERC this month	SUBTOTAL (=)	45 gallons

45 GALLONS

+15 GALLONS

= 60 GALLONS

Purchase Date of PERC	Purchase Amount in Gallons	
Wednesday, July 11, 2019	ADD (+)	15 gallons
12 Month Running Total	EQUALS (=)	60 gallons

FACTS

Condenser Temperature Log:

- Check the outlet temperature of the refrigerated condenser every week.
- Record the temperature and date in the space provided.
- In the block marked “Is temp less than or equal to 45° F (7.2° C)?” Check “Y” or “N” for “yes” or “no”. If you checked “N”, the machine must be repaired.

Condenser Temperature Log:

- If you buy 140 gallons or more of PERC per year, you must check your machine weekly for leaks and record the results.
- If you buy less than 140 gallons of PERC per year, you must conduct and record leak inspections at least every other week.
- Record the results of the inspections on the calendar. If leaks are found, they must be repaired within 24 hours. Indicate in the “DATE REPAIRED” block when repairs are completed. If parts must be purchased, indicate the dates they are ordered, and the date installed. Parts must be ordered within 2 working days of leak detection and installed within 5 working days of receipt.

PERC Purchases Running Total		
Running Total from December 2019.	Previous 12-Months Total (=)	_____ gallons
Subtract PERC purchased during January 2019.	SUBTRACT (-)	_____ gallons
This is your 12-month running total if you do not buy PERC this month.	SUBTOTAL (=)	_____ gallons
Purchase Date of PERC	Purchase Amount	12-Month Running Total
Date: _____	+ _____	_____ gallons
Date: _____	ADD (+)	_____ gallons

Condenser Temperature Log		
Date	Temperature	Is temp less than or equal to 45°F (7.2°C)?
		Yes / No
		Yes / No
		Yes / No
		Yes / No
		Yes / No
		Yes / No
		Yes / No
		Yes / No
		Yes / No
		Yes / No
		Yes / No

Component Inspected Weekly	Leaking? (No=No / Y=Yes)					Date Parts Ordered	Date Parts Received	Date Repaired
Date								
Hoses	Yes/No	Yes/No	Yes/No	Yes/No	Yes/No			
Doors	Yes/No	Yes/No	Yes/No	Yes/No	Yes/No			
Pump	Yes/No	Yes/No	Yes/No	Yes/No	Yes/No			
Solvent Tanks	Yes/No	Yes/No	Yes/No	Yes/No	Yes/No			
Water Separator	Yes/No	Yes/No	Yes/No	Yes/No	Yes/No			
Still/Much Cooker	Yes/No	Yes/No	Yes/No	Yes/No	Yes/No			
Halogen Leak Detector	Yes/No	Yes/No	Yes/No	Yes/No	Yes/No			
Diverter Valve/Exhaust Damp	Yes/No	Yes/No	Yes/No	Yes/No	Yes/No			
Gasket/Door Lint/Button Trap	Yes/No	Yes/No	Yes/No	Yes/No	Yes/No			
Cartridge Filter/Spin Disc	Yes/No	Yes/No	Yes/No	Yes/No	Yes/No			
Waste Containers	Yes/No	Yes/No	Yes/No	Yes/No	Yes/No			

January 2020

MONDAY	TUESDAY	WEDNESDAY	THURSDAY	FRIDAY	SATURDAY	SUNDAY
		1	2	3 Temp Logged <input type="checkbox"/> Inspect Logged <input type="checkbox"/>	4	5
6	7	8	9	10 Temp Logged <input type="checkbox"/> Inspect Logged <input type="checkbox"/>	11	12
13	14	15	16	17 Temp Logged <input type="checkbox"/> Inspect Logged <input type="checkbox"/>	18	19
20	21	22	23	24 Temp Logged <input type="checkbox"/> Inspect Logged <input type="checkbox"/>	25	26
27	28	29	30	31 Temp Logged <input type="checkbox"/> Inspect Logged <input type="checkbox"/>		

Tips and Reminders:

You can register, renew, change ownership or make administrative corrections to AGPs online. Air General Permit Electronic Registration System (AGPERS), <http://www.fldeportal.com/go/home/>.

- Have you changed your waste water treatment filter according to the manufacturer's specifications?
- To reduce solid waste, consider providing hanger caddies for collection, return and reuse.

PERC Purchases Running Total		
Running Total from January 2020.	Previous 12-Months Total (=)	_____ gallons
Subtract PERC purchased during February 2019.	SUBTRACT (-)	_____ gallons
This is your 12-month running total if you do not by PERC this month.	SUBTOTAL (=)	_____ gallons
Purchase Date of PERC	Purchase Amount	12-Month Running Total
Date: _____	+ _____	_____ gallons
Date: _____	ADD (+)	_____ gallons

Condenser Temperature Log		
Date	Temperature	Is temp less than or equal to 45°F (7.2°C)?
		Yes / No
		Yes / No
		Yes / No
		Yes / No
		Yes / No
		Yes / No
		Yes / No
		Yes / No
		Yes / No
		Yes / No
		Yes / No
		Yes / No

Component Inspected Weekly	Leaking? (No=No / Y=Yes)					Date Parts Ordered	Date Parts Received	Date Repaired
Date								
Hoses	Yes/No	Yes/No	Yes/No	Yes/No	Yes/No			
Doors	Yes/No	Yes/No	Yes/No	Yes/No	Yes/No			
Pump	Yes/No	Yes/No	Yes/No	Yes/No	Yes/No			
Solvent Tanks	Yes/No	Yes/No	Yes/No	Yes/No	Yes/No			
Water Separator	Yes/No	Yes/No	Yes/No	Yes/No	Yes/No			
Still/Much Cooker	Yes/No	Yes/No	Yes/No	Yes/No	Yes/No			
Halogen Leak Detector	Yes/No	Yes/No	Yes/No	Yes/No	Yes/No			
Diverter Valve/Exhaust Damp	Yes/No	Yes/No	Yes/No	Yes/No	Yes/No			
Gasket/Door Lint/Button Trap	Yes/No	Yes/No	Yes/No	Yes/No	Yes/No			
Cartridge Filter/Spin Disc	Yes/No	Yes/No	Yes/No	Yes/No	Yes/No			
Waste Containers	Yes/No	Yes/No	Yes/No	Yes/No	Yes/No			

February 2020

MONDAY	TUESDAY	WEDNESDAY	THURSDAY	FRIDAY	SATURDAY	SUNDAY
					1	2
3	4	5	6	7 Temp Logged <input type="checkbox"/> Inspect Logged <input type="checkbox"/>	8	9
10	11	12	13	14 Temp Logged <input type="checkbox"/> Inspect Logged <input type="checkbox"/>	15	16
17	18	19	20	21 Temp Logged <input type="checkbox"/> Inspect Logged <input type="checkbox"/>	22	23
24	25	26	27	28 Temp Logged <input type="checkbox"/> Inspect Logged <input type="checkbox"/>	29	

Tips and Reminders:

Click here: Reprint a Receipt for an On-Line Payment, <http://www.fldeportal.com/DepPortal/go/continue/>.

- Have you changed your waste water treatment filter according to the manufacturer's specifications?
- Collect and recycle polyethylene bags.

PERC Purchases Running Total		
Running Total from February 2019.	Previous 12-Months Total (=)	_____ gallons
Subtract PERC purchased during March 2018.	SUBTRACT (-)	_____ gallons
This is your 12-month running total if you do not buy PERC this month.	SUBTOTAL (=)	_____ gallons
Purchase Date of PERC	Purchase Amount	12-Month Running Total
Date: _____	+ _____	_____ gallons
Date: _____	ADD (+)	_____ gallons

Condenser Temperature Log		
Date	Temperature	Is temp less than or equal to 45°F (7.2°C)?
		Yes / No
		Yes / No
		Yes / No
		Yes / No
		Yes / No
		Yes / No
		Yes / No
		Yes / No
		Yes / No
		Yes / No
		Yes / No
		Yes / No
		Yes / No
		Yes / No
		Yes / No
		Yes / No

Component Inspected Weekly	Leaking? (No=No / Y=Yes)					Date Parts Ordered	Date Parts Received	Date Repaired
Date								
Hoses	Yes/No	Yes/No	Yes/No	Yes/No	Yes/No			
Doors	Yes/No	Yes/No	Yes/No	Yes/No	Yes/No			
Pump	Yes/No	Yes/No	Yes/No	Yes/No	Yes/No			
Solvent Tanks	Yes/No	Yes/No	Yes/No	Yes/No	Yes/No			
Water Separator	Yes/No	Yes/No	Yes/No	Yes/No	Yes/No			
Still/Much Cooker	Yes/No	Yes/No	Yes/No	Yes/No	Yes/No			
Halogen Leak Detector	Yes/No	Yes/No	Yes/No	Yes/No	Yes/No			
Diverter Valve/Exhaust Damp	Yes/No	Yes/No	Yes/No	Yes/No	Yes/No			
Gasket/Door Lint/Button Trap	Yes/No	Yes/No	Yes/No	Yes/No	Yes/No			
Cartridge Filter/Spin Disc	Yes/No	Yes/No	Yes/No	Yes/No	Yes/No			
Waste Containers	Yes/No	Yes/No	Yes/No	Yes/No	Yes/No			

March 2020

MONDAY	TUESDAY	WEDNESDAY	THURSDAY	FRIDAY	SATURDAY	SUNDAY
						1
2	3	4	5	6 Temp Logged <input type="checkbox"/> Inspect Logged <input type="checkbox"/>	7	8
9	10	11	12	13 Temp Logged <input type="checkbox"/> Inspect Logged <input type="checkbox"/>	14	15
16	17	18	19	20 Temp Logged <input type="checkbox"/> Inspect Logged <input type="checkbox"/>	21	22
23	24	25	26	27 Temp Logged <input type="checkbox"/> Inspect Logged <input type="checkbox"/>	28	29
30	31	Tip: To Make Administrative Corrections to an Air General Permit, sign into DEP Business Portal, http://www.fldepportal.com/go/ .				

PERC Purchases Running Total		
Running Total from March 2020.	Previous 12-Months Total (=)	_____gallons
Subtract PERC purchased during April 2019.	SUBTRACT (-)	_____gallons
This is your 12-month running total if you do not by PERC this month.	SUBTOTAL (=)	_____gallons
Purchase Date of PERC	Purchase Amount	12-Month Running Total
Date: _____	+ _____	_____gallons
Date: _____	ADD (+)	_____gallons

Condenser Temperature Log		
Date	Temperature	Is temp less than or equal to 45°F (7.2°C)?
		Yes / No
		Yes / No
		Yes / No
		Yes / No
		Yes / No
		Yes / No
		Yes / No

Component Inspected Weekly	Leaking? (No=No / Y=Yes)					Date Parts Ordered	Date Parts Received	Date Repaired
Date								
Hoses	Yes/No	Yes/No	Yes/No	Yes/No	Yes/No			
Doors	Yes/No	Yes/No	Yes/No	Yes/No	Yes/No			
Pump	Yes/No	Yes/No	Yes/No	Yes/No	Yes/No			
Solvent Tanks	Yes/No	Yes/No	Yes/No	Yes/No	Yes/No			
Water Separator	Yes/No	Yes/No	Yes/No	Yes/No	Yes/No			
Still/Much Cooker	Yes/No	Yes/No	Yes/No	Yes/No	Yes/No			
Halogen Leak Detector	Yes/No	Yes/No	Yes/No	Yes/No	Yes/No			
Diverter Valve/Exhaust Damp	Yes/No	Yes/No	Yes/No	Yes/No	Yes/No			
Gasket/Door Lint/Button Trap	Yes/No	Yes/No	Yes/No	Yes/No	Yes/No			
Cartridge Filter/Spin Disc	Yes/No	Yes/No	Yes/No	Yes/No	Yes/No			
Waste Containers	Yes/No	Yes/No	Yes/No	Yes/No	Yes/No			

April 2020

MONDAY	TUESDAY	WEDNESDAY	THURSDAY	FRIDAY	SATURDAY	SUNDAY
		1	2	3 Temp Logged <input type="checkbox"/> Inspect Logged <input type="checkbox"/>	4	5
6	7	8	9	10 Temp Logged <input type="checkbox"/> Inspect Logged <input type="checkbox"/>	11	12
13	14	15	16	17 Temp Logged <input type="checkbox"/> Inspect Logged <input type="checkbox"/>	18	19
20	21	22	23	24 Temp Logged <input type="checkbox"/> Inspect Logged <input type="checkbox"/>	25	26
27	28	29	30			

Tips and Reminders: To Register or Renew an Air General Permit, go to the DEP Business Portal Air Facility page at <http://www.fldeportal.com/go/home/> and sign in or register from the link in the upper right corner of the page.

- Have you changed your waste water treatment filter according to the manufacturer's specifications?
- Collect cardboard, cans and other recyclables at your facility.

May 2020

PERC Purchases Running Total		
Running Total from April 2020.	Previous 12-Months Total (=)	_____ gallons
Subtract PERC purchased during May 2019.	SUBTRACT (-)	_____ gallons
This is your 12-month running total if you do not by PERC this month.	SUBTOTAL (=)	_____ gallons
Purchase Date of PERC	Purchase Amount	12-Month Running Total
Date: _____	+ _____	_____ gallons
Date: _____	ADD (+)	_____ gallons

Condenser Temperature Log		
Date	Temperature	Is temp less than or equal to 45°F (7.2°C)?
		Yes / No
		Yes / No
		Yes / No
		Yes / No
		Yes / No
		Yes / No
		Yes / No
		Yes / No
		Yes / No
		Yes / No
		Yes / No
		Yes / No

Component Inspected Weekly	Leaking? (No=No / Y=Yes)					Date Parts Ordered	Date Parts Received	Date Repaired
Date								
Hoses	Yes/No	Yes/No	Yes/No	Yes/No	Yes/No			
Doors	Yes/No	Yes/No	Yes/No	Yes/No	Yes/No			
Pump	Yes/No	Yes/No	Yes/No	Yes/No	Yes/No			
Solvent Tanks	Yes/No	Yes/No	Yes/No	Yes/No	Yes/No			
Water Separator	Yes/No	Yes/No	Yes/No	Yes/No	Yes/No			
Still/Much Cooker	Yes/No	Yes/No	Yes/No	Yes/No	Yes/No			
Halogen Leak Detector	Yes/No	Yes/No	Yes/No	Yes/No	Yes/No			
Diverter Valve/Exhaust Damp	Yes/No	Yes/No	Yes/No	Yes/No	Yes/No			
Gasket/Door Lint/Button Trap	Yes/No	Yes/No	Yes/No	Yes/No	Yes/No			
Cartridge Filter/Spin Disc	Yes/No	Yes/No	Yes/No	Yes/No	Yes/No			
Waste Containers	Yes/No	Yes/No	Yes/No	Yes/No	Yes/No			

May 2020

MONDAY	TUESDAY	WEDNESDAY	THURSDAY	FRIDAY	SATURDAY	SUNDAY
				1 Temp Logged <input type="checkbox"/> Inspect Logged <input type="checkbox"/>	2	3
4	5	6	7	8 Temp Logged <input type="checkbox"/> Inspect Logged <input type="checkbox"/>	9	10
11	12	13	14	15 Temp Logged <input type="checkbox"/> Inspect Logged <input type="checkbox"/>	16	17
18	19	20	21	22 Temp Logged <input type="checkbox"/> Inspect Logged <input type="checkbox"/>	23	24
25	26	27	28	29 Temp Logged <input type="checkbox"/> Inspect Logged <input type="checkbox"/>	30	31

Tips and Reminders:

For more information on AGPs or assistance with using the online renewal, please contact DEP's Small Business Environmental Assistance Program at 1-800-722-7457.

- Have you changed your waste water treatment filter according to the manufacturer's specifications?
- Regularly replace gaskets/seals on dryer dampers, deodorizers and aeration valves.

June 2020

PERC Purchases Running Total		
Running Total from May 2020.	Previous 12-Months Total (=)	_____ gallons
Subtract PERC purchased during June 2019.	SUBTRACT (-)	_____ gallons
This is your 12-month running total if you do not by PERC this month.	SUBTOTAL (=)	_____ gallons
Purchase Date of PERC	Purchase Amount	12-Month Running Total
Date: _____	+ _____	_____ gallons
Date: _____	ADD (+)	_____ gallons

Condenser Temperature Log		
Date	Temperature	Is temp less than or equal to 45°F (7.2°C)?
		Yes / No
		Yes / No
		Yes / No
		Yes / No
		Yes / No
		Yes / No
		Yes / No
		Yes / No
		Yes / No
		Yes / No
		Yes / No
		Yes / No

Component Inspected Weekly	Leaking? (No=No / Y=Yes)					Date Parts Ordered	Date Parts Received	Date Repaired
Date								
Hoses	Yes/No	Yes/No	Yes/No	Yes/No	Yes/No			
Doors	Yes/No	Yes/No	Yes/No	Yes/No	Yes/No			
Pump	Yes/No	Yes/No	Yes/No	Yes/No	Yes/No			
Solvent Tanks	Yes/No	Yes/No	Yes/No	Yes/No	Yes/No			
Water Separator	Yes/No	Yes/No	Yes/No	Yes/No	Yes/No			
Still/Much Cooker	Yes/No	Yes/No	Yes/No	Yes/No	Yes/No			
Halogen Leak Detector	Yes/No	Yes/No	Yes/No	Yes/No	Yes/No			
Diverter Valve/Exhaust Damp	Yes/No	Yes/No	Yes/No	Yes/No	Yes/No			
Gasket/Door Lint/Button Trap	Yes/No	Yes/No	Yes/No	Yes/No	Yes/No			
Cartridge Filter/Spin Disc	Yes/No	Yes/No	Yes/No	Yes/No	Yes/No			
Waste Containers	Yes/No	Yes/No	Yes/No	Yes/No	Yes/No			

June 2020

MONDAY	TUESDAY	WEDNESDAY	THURSDAY	FRIDAY	SATURDAY	SUNDAY
1	2	3	4	5 Temp Logged <input type="checkbox"/> Inspect Logged <input type="checkbox"/>	6	7
8	9	10	11	12 Temp Logged <input type="checkbox"/> Inspect Logged <input type="checkbox"/>	13	14
15	16	17	18	19 Temp Logged <input type="checkbox"/> Inspect Logged <input type="checkbox"/>	20	21
22	23	24	25	26 Temp Logged <input type="checkbox"/> Inspect Logged <input type="checkbox"/>	27	28
29	30					

Tips and Reminders:

For more information on AGPs or assistance with using AGPERS, please contact DEP's Small Business Environmental Assistance Program at 1-800-722-7457.

- Have you changed your waste water treatment filter according to the manufacturer's specifications?
- Replace faulty or worn gaskets on button trap and around cleaning machine door.

July 2020

PERC Purchases Running Total		
Running Total from June 2020.	Previous 12-Months Total (=)	_____ gallons
Subtract PERC purchased during July 2019.	SUBTRACT (-)	_____ gallons
This is your 12-month running total if you do not by PERC this month.	SUBTOTAL (=)	_____ gallons
Purchase Date of PERC	Purchase Amount	12-Month Running Total
Date: _____	+ _____	_____ gallons
Date: _____	ADD (+)	_____ gallons

Condenser Temperature Log		
Date	Temperature	Is temp less than or equal to 45°F (7.2°C)?
		Yes / No
		Yes / No
		Yes / No
		Yes / No
		Yes / No
		Yes / No
		Yes / No
		Yes / No
		Yes / No
		Yes / No
		Yes / No
		Yes / No

Component Inspected Weekly	Leaking? (No=No / Y=Yes)					Date Parts Ordered	Date Parts Received	Date Repaired
Date								
Hoses	Yes/No	Yes/No	Yes/No	Yes/No	Yes/No			
Doors	Yes/No	Yes/No	Yes/No	Yes/No	Yes/No			
Pump	Yes/No	Yes/No	Yes/No	Yes/No	Yes/No			
Solvent Tanks	Yes/No	Yes/No	Yes/No	Yes/No	Yes/No			
Water Separator	Yes/No	Yes/No	Yes/No	Yes/No	Yes/No			
Still/Much Cooker	Yes/No	Yes/No	Yes/No	Yes/No	Yes/No			
Halogen Leak Detector	Yes/No	Yes/No	Yes/No	Yes/No	Yes/No			
Diverter Valve/Exhaust Damp	Yes/No	Yes/No	Yes/No	Yes/No	Yes/No			
Gasket/Door Lint/Button Trap	Yes/No	Yes/No	Yes/No	Yes/No	Yes/No			
Cartridge Filter/Spin Disc	Yes/No	Yes/No	Yes/No	Yes/No	Yes/No			
Waste Containers	Yes/No	Yes/No	Yes/No	Yes/No	Yes/No			

July 2020

MONDAY	TUESDAY	WEDNESDAY	THURSDAY	FRIDAY	SATURDAY	SUNDAY
		1	2	3 Temp Logged <input type="checkbox"/> Inspect Logged <input type="checkbox"/>	4	5
6	7	8	9	10 Temp Logged <input type="checkbox"/> Inspect Logged <input type="checkbox"/>	11	12
13	14	15	16	17 Temp Logged <input type="checkbox"/> Inspect Logged <input type="checkbox"/>	18	19
20	21	22	23	24 Temp Logged <input type="checkbox"/> Inspect Logged <input type="checkbox"/>	25	26
27	28	29	30	31 Temp Logged <input type="checkbox"/> Inspect Logged <input type="checkbox"/>		

Tips and Reminders:

Compliance Assistance Information, Informational Handout, <https://floridadep.gov/air/permitting-compliance/content/printing-operations>.

- Have you changed your waste water treatment filter according to the manufacturer's specifications?
- After a filter change, check gaskets and sealing of new filter.

August 2020

PERC Purchases Running Total		
Running Total from July 2020.	Previous 12-Months Total (=)	_____ gallons
Subtract PERC purchased during August 2019.	SUBTRACT (-)	_____ gallons
This is your 12-month running total if you do not by PERC this month.	SUBTOTAL (=)	_____ gallons
Purchase Date of PERC	Purchase Amount	12-Month Running Total
Date: _____	+ _____	_____ gallons
Date: _____	ADD (+)	_____ gallons

Condenser Temperature Log		
Date	Temperature	Is temp less than or equal to 45°F (7.2°C)?
		Yes / No
		Yes / No
		Yes / No
		Yes / No
		Yes / No
		Yes / No
		Yes / No
		Yes / No
		Yes / No
		Yes / No
		Yes / No

Component Inspected Weekly	Leaking? (No=No / Y=Yes)					Date Parts Ordered	Date Parts Received	Date Repaired
Date								
Hoses	Yes/No	Yes/No	Yes/No	Yes/No	Yes/No			
Doors	Yes/No	Yes/No	Yes/No	Yes/No	Yes/No			
Pump	Yes/No	Yes/No	Yes/No	Yes/No	Yes/No			
Solvent Tanks	Yes/No	Yes/No	Yes/No	Yes/No	Yes/No			
Water Separator	Yes/No	Yes/No	Yes/No	Yes/No	Yes/No			
Still/Much Cooker	Yes/No	Yes/No	Yes/No	Yes/No	Yes/No			
Halogen Leak Detector	Yes/No	Yes/No	Yes/No	Yes/No	Yes/No			
Diverter Valve/Exhaust Damp	Yes/No	Yes/No	Yes/No	Yes/No	Yes/No			
Gasket/Door Lint/Button Trap	Yes/No	Yes/No	Yes/No	Yes/No	Yes/No			
Cartridge Filter/Spin Disc	Yes/No	Yes/No	Yes/No	Yes/No	Yes/No			
Waste Containers	Yes/No	Yes/No	Yes/No	Yes/No	Yes/No			

August 2020

MONDAY	TUESDAY	WEDNESDAY	THURSDAY	FRIDAY	SATURDAY	SUNDAY
					1	2
3	4	5	6	7 Temp Logged <input type="checkbox"/> Inspect Logged <input type="checkbox"/>	8	9
10	11	12	13	14 Temp Logged <input type="checkbox"/> Inspect Logged <input type="checkbox"/>	15	16
17	18	19	20	21 Temp Logged <input type="checkbox"/> Inspect Logged <input type="checkbox"/>	22	23
24	25	26	27	28 Temp Logged <input type="checkbox"/> Inspect Logged <input type="checkbox"/>	29	30
31	Reminder: <ul style="list-style-type: none"> • If your 12-month total is 140 gallons or more or PERC, you must conduct and record leak inspections weekly. • Monitor equipment efficiency (e.g. pounds of clothes cleaned per drum of solvent). 					

PERC Purchases Running Total		
Running Total from August 2020.	Previous 12-Months Total (=)	_____ gallons
Subtract PERC purchased during September 2019.	SUBTRACT (-)	_____ gallons
This is your 12-month running total if you do not buy PERC this month.	SUBTOTAL (=)	_____ gallons
Purchase Date of PERC	Purchase Amount	12-Month Running Total
Date: _____	+ _____	_____ gallons
Date: _____	ADD (+)	_____ gallons

Condenser Temperature Log		
Date	Temperature	Is temp less than or equal to 45°F (7.2°C)?
		Yes / No
		Yes / No
		Yes / No
		Yes / No
		Yes / No
		Yes / No
		Yes / No
		Yes / No
		Yes / No
		Yes / No
		Yes / No
		Yes / No

Component Inspected Weekly	Leaking? (No=No / Y=Yes)					Date Parts Ordered	Date Parts Received	Date Repaired
Date								
Hoses	Yes/No	Yes/No	Yes/No	Yes/No	Yes/No			
Doors	Yes/No	Yes/No	Yes/No	Yes/No	Yes/No			
Pump	Yes/No	Yes/No	Yes/No	Yes/No	Yes/No			
Solvent Tanks	Yes/No	Yes/No	Yes/No	Yes/No	Yes/No			
Water Separator	Yes/No	Yes/No	Yes/No	Yes/No	Yes/No			
Still/Much Cooker	Yes/No	Yes/No	Yes/No	Yes/No	Yes/No			
Halogen Leak Detector	Yes/No	Yes/No	Yes/No	Yes/No	Yes/No			
Diverter Valve/Exhaust Damp	Yes/No	Yes/No	Yes/No	Yes/No	Yes/No			
Gasket/Door Lint/Button Trap	Yes/No	Yes/No	Yes/No	Yes/No	Yes/No			
Cartridge Filter/Spin Disc	Yes/No	Yes/No	Yes/No	Yes/No	Yes/No			
Waste Containers	Yes/No	Yes/No	Yes/No	Yes/No	Yes/No			

September 2020

MONDAY	TUESDAY	WEDNESDAY	THURSDAY	FRIDAY	SATURDAY	SUNDAY
	1	2	3	4 Temp Logged <input type="checkbox"/> Inspect Logged <input type="checkbox"/>	5	6
7	8	9	10	11 Temp Logged <input type="checkbox"/> Inspect Logged <input type="checkbox"/>	12	13
14	15	16	17	18 Temp Logged <input type="checkbox"/> Inspect Logged <input type="checkbox"/>	19	20
21	22	23	24	25 Temp Logged <input type="checkbox"/> Inspect Logged <input type="checkbox"/>	26	27
28	29	30				

Tips and Reminders:

You can register, renew, change ownership or make administrative corrections to AGPs online at Air General Permit Electronic Registration System (AGPERS), <http://www.fldeportal.com/go/home/>.

- Have you changed your waste water treatment filter according to the manufacturer's specifications?
- Size loads (neither over nor under-loading) to maximize solvent efficiency.

October 2020

PERC Purchases Running Total		
Running Total from September 2020.	Previous 12-Months Total (=)	_____ gallons
Subtract PERC purchased during October 2019.	SUBTRACT (-)	_____ gallons
This is your 12-month running total if you do not by PERC this month.	SUBTOTAL (=)	_____ gallons
Purchase Date of PERC	Purchase Amount	12-Month Running Total
Date: _____	+ _____	_____ gallons
Date: _____	ADD (+)	_____ gallons

Condenser Temperature Log		
Date	Temperature	Is temp less than or equal to 45°F (7.2°C)?
		Yes / No
		Yes / No
		Yes / No
		Yes / No
		Yes / No
		Yes / No
		Yes / No
		Yes / No
		Yes / No
		Yes / No
		Yes / No
		Yes / No

Component Inspected Weekly	Leaking? (No=No / Y=Yes)					Date Parts Ordered	Date Parts Received	Date Repaired
Date								
Hoses	Yes/No	Yes/No	Yes/No	Yes/No	Yes/No			
Doors	Yes/No	Yes/No	Yes/No	Yes/No	Yes/No			
Pump	Yes/No	Yes/No	Yes/No	Yes/No	Yes/No			
Solvent Tanks	Yes/No	Yes/No	Yes/No	Yes/No	Yes/No			
Water Separator	Yes/No	Yes/No	Yes/No	Yes/No	Yes/No			
Still/Much Cooker	Yes/No	Yes/No	Yes/No	Yes/No	Yes/No			
Halogen Leak Detector	Yes/No	Yes/No	Yes/No	Yes/No	Yes/No			
Diverter Valve/Exhaust Damp	Yes/No	Yes/No	Yes/No	Yes/No	Yes/No			
Gasket/Door Lint/Button Trap	Yes/No	Yes/No	Yes/No	Yes/No	Yes/No			
Cartridge Filter/Spin Disc	Yes/No	Yes/No	Yes/No	Yes/No	Yes/No			
Waste Containers	Yes/No	Yes/No	Yes/No	Yes/No	Yes/No			

October 2020

MONDAY	TUESDAY	WEDNESDAY	THURSDAY	FRIDAY	SATURDAY	SUNDAY
			1	2 Temp Logged <input type="checkbox"/> Inspect Logged <input type="checkbox"/>	3	4
5	6	7	8	9 Temp Logged <input type="checkbox"/> Inspect Logged <input type="checkbox"/>	10	11
12	13	14	15	16 Temp Logged <input type="checkbox"/> Inspect Logged <input type="checkbox"/>	17	18
19	20	21	22	23 Temp Logged <input type="checkbox"/> Inspect Logged <input type="checkbox"/>	24	25
26	27	28	29	30 Temp Logged <input type="checkbox"/> Inspect Logged <input type="checkbox"/>	31	

Tips and Reminders

You can register, renew, change ownership or make administrative corrections to AGPs online at Air General Permit Electronic Registration System (AGPERS), <http://www.fldepportal.com/go/home/>.

- Have you changed your waste water treatment filter according to the manufacturer's specifications?
- A tiny drip or leak through a door gasket valve or bearing seal may add to many gallons of solvent \$\$\$ in a very short time.

November 2020

PERC Purchases Running Total		
Running Total from October 2020.	Previous 12-Months Total (=)	_____ gallons
Subtract PERC purchased during November 2019.	SUBTRACT (-)	_____ gallons
This is your 12-month running total if you do not by PERC this month.	SUBTOTAL (=)	_____ gallons
Purchase Date of PERC	Purchase Amount	12-Month Running Total
Date: _____	+ _____	_____ gallons
Date: _____	ADD (+)	_____ gallons

Condenser Temperature Log		
Date	Temperature	Is temp less than or equal to 45°F (7.2°C)?
		Yes / No
		Yes / No
		Yes / No
		Yes / No
		Yes / No
		Yes / No
		Yes / No
		Yes / No
		Yes / No
		Yes / No
		Yes / No
		Yes / No
		Yes / No
		Yes / No
		Yes / No

Component Inspected Weekly	Leaking? (No=No / Y=Yes)					Date Parts Ordered	Date Parts Received	Date Repaired
Date								
Hoses	Yes/No	Yes/No	Yes/No	Yes/No	Yes/No			
Doors	Yes/No	Yes/No	Yes/No	Yes/No	Yes/No			
Pump	Yes/No	Yes/No	Yes/No	Yes/No	Yes/No			
Solvent Tanks	Yes/No	Yes/No	Yes/No	Yes/No	Yes/No			
Water Separator	Yes/No	Yes/No	Yes/No	Yes/No	Yes/No			
Still/Much Cooker	Yes/No	Yes/No	Yes/No	Yes/No	Yes/No			
Halogen Leak Detector	Yes/No	Yes/No	Yes/No	Yes/No	Yes/No			
Diverter Valve/Exhaust Damp	Yes/No	Yes/No	Yes/No	Yes/No	Yes/No			
Gasket/Door Lint/Button Trap	Yes/No	Yes/No	Yes/No	Yes/No	Yes/No			
Cartridge Filter/Spin Disc	Yes/No	Yes/No	Yes/No	Yes/No	Yes/No			
Waste Containers	Yes/No	Yes/No	Yes/No	Yes/No	Yes/No			

November 2020

MONDAY	TUESDAY	WEDNESDAY	THURSDAY	FRIDAY	SATURDAY	SUNDAY
						1
2	3	4	5	6 Temp Logged <input type="checkbox"/> Inspect Logged <input type="checkbox"/>	7	8
9	10	11	12	13 Temp Logged <input type="checkbox"/> Inspect Logged <input type="checkbox"/>	14	15
16	17	18	19	20 Temp Logged <input type="checkbox"/> Inspect Logged <input type="checkbox"/>	21	22
23	24	25	26	27 Temp Logged <input type="checkbox"/> Inspect Logged <input type="checkbox"/>	28	29
30	Tip: For more information on AGPs or assistance with using AGPERS, please contact DEP's Small Business Environmental Assistance Program at 1-800-722-7457.					

PERC Purchases Running Total		
Running Total from November 2020.	Previous 12-Months Total (=)	_____ gallons
Subtract PERC purchased during December 2019.	SUBTRACT (-)	_____ gallons
This is your 12-month running total if you do not by PERC this month.	SUBTOTAL (=)	_____ gallons
Purchase Date of PERC	Purchase Amount	12-Month Running Total
Date: _____	+ _____	_____ gallons
Date: _____	ADD (+)	_____ gallons

Condenser Temperature Log		
Date	Temperature	Is temp less than or equal to 45°F (7.2°C)?
		Yes / No
		Yes / No
		Yes / No
		Yes / No
		Yes / No
		Yes / No
		Yes / No
		Yes / No
		Yes / No
		Yes / No
		Yes / No
		Yes / No

Component Inspected Weekly	Leaking? (No=No / Y=Yes)					Date Parts Ordered	Date Parts Received	Date Repaired
Date								
Hoses	Yes/No	Yes/No	Yes/No	Yes/No	Yes/No			
Doors	Yes/No	Yes/No	Yes/No	Yes/No	Yes/No			
Pump	Yes/No	Yes/No	Yes/No	Yes/No	Yes/No			
Solvent Tanks	Yes/No	Yes/No	Yes/No	Yes/No	Yes/No			
Water Separator	Yes/No	Yes/No	Yes/No	Yes/No	Yes/No			
Still/Much Cooker	Yes/No	Yes/No	Yes/No	Yes/No	Yes/No			
Halogen Leak Detector	Yes/No	Yes/No	Yes/No	Yes/No	Yes/No			
Diverter Valve/Exhaust Damp	Yes/No	Yes/No	Yes/No	Yes/No	Yes/No			
Gasket/Door Lint/Button Trap	Yes/No	Yes/No	Yes/No	Yes/No	Yes/No			
Cartridge Filter/Spin Disc	Yes/No	Yes/No	Yes/No	Yes/No	Yes/No			
Waste Containers	Yes/No	Yes/No	Yes/No	Yes/No	Yes/No			

December 2020

MONDAY	TUESDAY	WEDNESDAY	THURSDAY	FRIDAY	SATURDAY	SUNDAY
	1	2	3	4 Temp Logged <input type="checkbox"/> Inspect Logged <input type="checkbox"/>	5	6
7	8	9	10	11 Temp Logged <input type="checkbox"/> Inspect Logged <input type="checkbox"/>	12	13
14	15	16	17	18 Temp Logged <input type="checkbox"/> Inspect Logged <input type="checkbox"/>	19	20
21	22	23	24	25 Temp Logged <input type="checkbox"/> Inspect Logged <input type="checkbox"/>	26	27
28	29	30	31			

Tips and Reminders:

For questions related to compliance procedures such as test notifications, report submittals, record keeping, inspections, etc., please contact the compliance authority specific to the county where your facility is located.

- Install energy efficient fluorescent lighting such as T8, T10 fixtures and bulbs, electronic ballasts or metal halide and/or sodium vapor lamps.
- Open button traps and lint gaskets only long enough to clean. Clean lint screens regularly to avoid clogging fans and condensers.

District and County Air Program Contacts

Office	Location	Contact Person	Telephone	email
Northwest District	Pensacola	Carol Melton	850-595-0616	Carol.Melton@dep.state.fl.us
Northwest District	Pensacola	Blaine Mershon	850-595-0634	Blaine.Mershon@floridadep.gov
Northwest District Branch	Pensacola	Tracy White	850-245-7628	Tracy.A.White@dep.state.fl.us
Northeast District	Jacksonville	Marc Lovallo	904-256-1566	Marc.Lovallo@FloridaDEP.gov
Northeast District	Jacksonville	Chris Kirts	904-256-1553	Christopher.Kirts@FloridaDEP.gov
Southwest District	Tampa	Michael Lynch	813-470-5746	Michael.Lynch@dep.state.fl.us
Central District	Orlando	Daniel Hall	407-897-4167	Daniel.K.Hall@FloridaDEP.gov
Southeast District	West Palm Beach	Alannah Irwin	561-681-6626	Alannah.Irwin@FloridaDEP.gov
South District	Fort Myers	Katie O'Gara	239-344-5690	Katie.Ogara@FloridaDEP.gov
Miami-Dade County	Miami	Air Facilities Steven Bedoya	305-372-6925 305-372-6825	AirFacilities@miamidade.gov Steven.Bedoya@miamidade.gov
Broward County	Plantation	D'Arcy Damveld-Ansel	954-519-1459	DDAMVELDANSEL@broward.org
Duval County	Jacksonville	Patricia Gee-Jones	904-255-7199	PATRICIA@coj.net
Hillsborough County	Tampa	Sahand Nasseris	813-627-2600, Extension 1355	nasseris@epchc.org
Palm Beach County	West Palm Beach	Jeff Dizek	561-837-5925	Jeff.Dizek@flhealth.gov
Pinellas County	Clearwater	Sherrill Culliver	727-464-4422	sculliver@pinellascounty.org
Orange County	Orlando	Ilka Bundy	407-836-1476	ilka.bundy@ocfl.net
Sarasota County	Sarasota	Michael Storino	941-861-0909	mstorino@scgov.net

The Dry Cleaner Air General Permit is NOT TRANSFERABLE and does not follow a change in ownership of the facility. If you are a new owner and have not submitted a registration worksheet and/or have any permitting questions, please contact the Small Business Environmental Assistance Program at 1-800-722-7457.

You can register online electronically at:
<https://floridadep.gov/air/permitting-compliance/content/air-general-permits>.

If you prefer to register manually by hardcopy, then print the “Printing Operations Air General Permit Registration Worksheet” located at:

<https://floridadep.gov/air/permitting-compliance/content/perchloroethylene-dry-cleaners>.

Registrations and fees should be mailed to the following address:

FDEP Receipts

P.O. Box 3070

Tallahassee, FL 32315-3070

If you are a Florida dry cleaner that uses perc, you need to be permitted with the Division of Air Resources Management AND you need to be registered with the Division of Waste.

Division of Waste Management

Federal E. P.A. I. D. #: Tiffaney Noland Hazardous Waste Section at 850-245-8727. As a dry cleaner, it is likely that you are a small quantity generator of hazardous waste. Call to obtain your required federal I.D. number.

Dry Cleaning Facility Registration: Andrea McGill at 850-245-8840. Dry cleaning facilities and wholesale supply facilities that use dry cleaning solvents are required to be registered with the Division of Waste Management. Regulated solvents include: perchloroethylene (“perc”), tetrachloroethylene, valcene, carbon tetrachloride, and other petroleum-based solvents. The Waste Division issues invoices each November for an \$100 annual registration fee due from every facility that operated in the calendar year. You must be registered in order to purchase perc from your supplier.

Dry Cleaning Solvent Cleanup Program: Aaron Cohen at 850-245-8974. Dry cleaning facilities and wholesale supply facilities that reported dry cleaning solvent contamination to FDEP no later than December 31, 1998, may be eligible for site rehabilitation assistance. Call for more information on this program and to see if your facility is eligible.

Septic tank recommendations: Check with your Local County Health Department.

Sewer recommendations: Check with your Local public/private utility.