



FLORIDA DEPARTMENT OF Environmental Protection

Ron DeSantis
Governor

Jeanette Nuñez
Lt. Governor

Noah Valenstein
Secretary

Southwest District Office
13051 North Telecom Parkway #101
Temple Terrace, Florida 33637-0926

2021 Chemical Monitoring for Community Systems

The Village at Charlie Creek

PWS-ID No. 6250278

MONITORING & REPORTS		DUE	COMMENTS
Raw Water Microbiological ("Bacteriological")		Monthly	1 Raw Water Sample per well.
Distribution Microbiological ("Bacteriological")		Monthly	1 Distribution Samples per month. Disinfectant residuals must be reported.
Nitrate and Nitrite		2021	Sample at each POE every year.*
Primary Inorganics		2021	Sample at each POE every three years.
Secondaries		2021	Sample at each POE every three years.
Radiologicals	Gross Alpha	2024	Sample at each POE every three, six or nine years.
	Uranium	2024	Sample at each POE every three, six or nine years.
	Radium-226	2021	Sample at each POE every three, six or nine years.
	Radium-228	2021	Sample at each POE every three, six or nine years.
Volatile Organic Contaminants (VOCs)		2021	Sample at each POE every three years.
Synthetic Organic Contaminants (SOCs)		2021	Sample at each POE every three years, or submit SOC reduced monitoring waiver, if applicable. Use Form 62-560.545(2), F.A.C.
Stage II Disinfection Byproducts (DBPs) <i>Total Trihalomethanes & Haloacetic Acids (5)</i>		July - Sept 2021	Sample according to approved Stage 2 D/DBPR Monitoring Plan.
Asbestos		2021	Certification or results due every nine years. Use Form 62-555.900(10), F.A.C.
Lead & Copper		June - Sept 2021	Sample from sites approved on the Lead and Copper Sampling Plan every three years.
Consumer Confidence Report (CCR) & CCR Certification of Delivery		July 1, 2021	CCR must be delivered by July 1, 2021. The CCR Certification of Delivery must be submitted to the Department by August 10, 2021. Use Form 62-555.900(alternate 19), F.A.C.
Tank(s) Inspection & cleaning		Last 5-year Inspection: Jun 2018	Pursuant to 62-555.350(2) F.A.C. all finished drinking water storage tanks with access manholes shall be inspected and cleaned at a maximum interval of every 5 years.
Meter(s) Calibration		Last Calibration: 2017 (New)	Pursuant to 62-555.350(2) F.A.C. requires that water systems maintain and calibrate master meters in accordance to manufacturer specifications at no less than interval of every 5 years.

*POE = Point of entry to the distribution system. Sample at each POE that is representative of each source after treatment.

This is a good faith assessment of monitoring requirements for the above-referenced public water system for calendar year 2021 and may not include additional sampling required during the year due to special circumstances. If you have questions or disagree with the assessment, please contact the appropriate personnel at (813) 470-5700. Monitoring schedules are subject to change, at any time, based on results of analyses or other factors. This chart shall not relieve any person from any requirement of Florida law.

It is important for you to provide this information to your operator and/or sampler:

- **It is strongly recommended that testing be conducted early in the monitoring period to allow time for retests due to possible sampling or lab errors. Annual and triennial sampling should be completed by 9/30/2021 to provide time for revisions, re-tests, and/or corrections.**
- **Test results must be submitted to DEP within the first ten days following the end of the required monitoring period, or the first ten days following the month in which the sample results were received, whichever time is the shortest. Failure to comply may result in enforcement action.**



FLORIDA DEPARTMENT OF Environmental Protection

Ron DeSantis
Governor

Jeanette Nuñez
Lt. Governor

Noah Valenstein
Secretary

Southwest District Office
13051 North Telecom Parkway #101
Temple Terrace, Florida 33637-0926

2021 Chemical Monitoring for Community Systems

Wauchula City Water Department

PWS-ID No. 6250329

MONITORING & REPORTS		DUE	COMMENTS
Microbiological ("Bacteriological")		Monthly	Disinfectant residuals must be reported.
Nitrate and Nitrite		2021	Sample at each POE every year. *
Primary Inorganics		2023	Sample at each POE every three years.
Secondaries		2023	Sample at each POE every three years.
Radiologicals	Gross Alpha	2023	Sample at each POE every three, six or nine years.
	Uranium	2026	Sample at each POE every three, six or nine years.
	Radium-226	2023	Sample at each POE every three, six or nine years.
	Radium-228	2023	Sample at each POE every three, six or nine years.
Volatile Organic Contaminants (VOCs)		2023	Sample at each POE every three years.
Synthetic Organic Contaminants (SOCs)		2023	Sample at each POE every three years, or submit SOC reduced monitoring waiver, if applicable. Use Form 62-560.545(2), F.A.C.
Stage II Disinfection Byproducts (DBPs) <i>Total Trihalomethanes & Haloacetic Acids (5)</i>		July - Sept 2021	Sample according to approved Stage 2 D/DBPR Monitoring Plan.
Asbestos		2029	Certification or results due every nine years. Use Form 62-555.900(10), F.A.C.
Lead & Copper		June - Sept 2023	Sample from sites approved on the Lead and Copper Sampling Plan every three years.
Consumer Confidence Report (CCR) & CCR Certification of Delivery		July 1, 2021	CCR must be delivered by July 1, 2021. The CCR Certification of Delivery must be submitted to the Department by August 10, 2021. Use Form 62-555.900(alternate 19), F.A.C.
Tank(s) Inspection & cleaning		Last 5-year Inspection: Elev. #1 - Feb 2016 Elev. #2 - Feb 2016	Pursuant to 62-555.350(2) F.A.C. all finished drinking water storage tanks with access manholes shall be inspected and cleaned at a maximum interval of every 5 years.
Meter(s) Calibration		Last Calibration: Jan 2018	Pursuant to 62-555.350(2) F.A.C. requires that water systems maintain and calibrate master meters in accordance to manufacturer specifications at no less than interval of every 5 years.

*POE = Point of entry to the distribution system. Sample at each POE that is representative of each source after treatment.

This is a good faith assessment of monitoring requirements for the above-referenced public water system for calendar year 2021 and may not include additional sampling required during the year due to special circumstances. If you have questions or disagree with the assessment, please contact the appropriate personnel at (813) 470-5700. Monitoring schedules are subject to change, at any time, based on results of analyses or other factors. This chart shall not relieve any person from any requirement of Florida law.

It is important for you to provide this information to your operator and/or sampler:

- **It is strongly recommended that testing be conducted early in the monitoring period to allow time for retests due to possible sampling or lab errors. Annual and triennial sampling should be completed by 9/30/2021 to provide time for revisions, re-tests, and/or corrections.**
- **Test results must be submitted to DEP within the first ten days following the end of the required monitoring period, or the first ten days following the month in which the sample results were received, whichever time is the shortest. Failure to comply may result in enforcement action.**



FLORIDA DEPARTMENT OF Environmental Protection

Ron DeSantis
Governor

Jeanette Nuñez
Lt. Governor

Noah Valenstein
Secretary

Southwest District Office
13051 North Telecom Parkway #101
Temple Terrace, Florida 33637-0926

2021 Chemical Monitoring for Community Systems

City of Zolfo Springs

PWS-ID No. 6250332

MONITORING & REPORTS		DUE	COMMENTS
Raw Water Microbiological ("Bacteriological")		Monthly	1 Raw Water Sample per well.
Distribution Microbiological ("Bacteriological")		Monthly	1 Distribution Samples per month. Disinfectant residuals must be reported.
Nitrate and Nitrite		2021	Sample at each POE every year.*
Primary Inorganics		2021	Sample at each POE every three years.
Secondaries		2021	Sample at each POE every three years.
Radiologicals	Gross Alpha	2021	Sample at each POE every three, six or nine years.
	Uranium	2021	Sample at each POE every three, six or nine years.
	Radium-226	2021	Sample at each POE every three, six or nine years.
	Radium-228	2021	Sample at each POE every three, six or nine years.
Volatile Organic Contaminants (VOCs)		2021	Sample at each POE every three years.
Synthetic Organic Contaminants (SOCs)		2021	Sample at each POE every three years, or submit SOC reduced monitoring waiver, if applicable. Use Form 62-560.545(2), F.A.C.
Stage II Disinfection Byproducts (DBPs) <i>Total Trihalomethanes & Haloacetic Acids (5)</i>		July - Sept 2021	Sample according to approved Stage 2 D/DBPR Monitoring Plan.
Asbestos		2021	Certification or results due every nine years. Use Form 62-555.900(10), F.A.C.
Lead & Copper		June - Sept 2021	Sample from sites approved on the Lead and Copper Sampling Plan every three years.
Consumer Confidence Report (CCR) & CCR Certification of Delivery		July 1, 2021	CCR must be delivered by July 1, 2021. The CCR Certification of Delivery must be submitted to the Department by August 10, 2021. Use Form 62-555.900(alternate 19), F.A.C.
Tank(s) Inspection & cleaning		Last 5-year Inspection: #1 Hydro - Jun 2019 #2 GST - May 2013 #3 S. Hydro - Dec 2019	Pursuant to 62-555.350(2) F.A.C. all finished drinking water storage tanks with access manholes shall be inspected and cleaned at a maximum interval of every 5 years.

*POE = Point of entry to the distribution system. Sample at each POE that is representative of each source after treatment.

This is a good faith assessment of monitoring requirements for the above-referenced public water system for calendar year 2021 and may not include additional sampling required during the year due to special circumstances. If you have questions or disagree with the assessment, please contact the appropriate personnel at (813) 470-5700. Monitoring schedules are subject to change, at any time, based on results of analyses or other factors. This chart shall not relieve any person from any requirement of Florida law.

It is important for you to provide this information to your operator and/or sampler:

- **It is strongly recommended that testing be conducted early in the monitoring period to allow time for retests due to possible sampling or lab errors. Annual and triennial sampling should be completed by 9/30/2021 to provide time for revisions, re-tests, and/or corrections.**
- **Test results must be submitted to DEP within the first ten days following the end of the required monitoring period, or the first ten days following the month in which the sample results were received, whichever time is the shortest. Failure to comply may result in enforcement action.**



FLORIDA DEPARTMENT OF Environmental Protection

Ron DeSantis
Governor

Jeanette Nuñez
Lt. Governor

Noah Valenstein
Secretary

Southwest District Office
13051 North Telecom Parkway #101
Temple Terrace, Florida 33637-0926

2021 Chemical Monitoring for Community Systems

Peace River Heights

PWS-ID No. 6251954

MONITORING & REPORTS		DUE	COMMENTS
Raw Water Microbiological ("Bacteriological")		Monthly	1 Raw Water Sample per well.
Distribution Microbiological ("Bacteriological")		Monthly	1 Distribution Samples per month. Disinfectant residuals must be reported.
Nitrate and Nitrite		2021	Sample at each POE every year.*
Primary Inorganics		2021	Sample at each POE every three years.
Secondaries		2021	Sample at each POE every three years.
Radiologicals	Gross Alpha	2021	Sample at each POE every three, six or nine years.
	Uranium	2021	Sample at each POE every three, six or nine years.
	Radium-226	2021	Sample at each POE every three, six or nine years.
	Radium-228	2021	Sample at each POE every three, six or nine years.
Volatile Organic Contaminants (VOCs)		2021	Sample at each POE every three years.
Synthetic Organic Contaminants (SOCs)		2021	Sample at each POE every three years, or submit SOC reduced monitoring waiver, if applicable. Use Form 62-560.545(2), F.A.C.
Stage II Disinfection Byproducts (DBPs) <i>Total Trihalomethanes & Haloacetic Acids (5)</i>		July - Sept 2021	Sample according to approved Stage 2 D/DBPR Monitoring Plan.
Asbestos		2021	Certification or results due every nine years. Use Form 62-555.900(10), F.A.C.
Lead & Copper		June - Sept 2021	Sample from sites approved on the Lead and Copper Sampling Plan every three years.
Consumer Confidence Report (CCR) & CCR Certification of Delivery		July 1, 2021	CCR must be delivered by July 1, 2021. The CCR Certification of Delivery must be submitted to the Department by August 10, 2021. Use Form 62-555.900(alternate 19), F.A.C.
Tank(s) Inspection & cleaning		Last 5-year Inspection: May 2016	Pursuant to 62-555.350(2) F.A.C. all finished drinking water storage tanks with access manholes shall be inspected and cleaned at a maximum interval of every 5 years.
Meter(s) Calibration		Last Calibration - July 2015	Pursuant to 62-555.350(2) F.A.C. requires that water systems maintain and calibrate master meters in accordance to manufacturer specifications at no less than interval of every 5 years.

*POE = Point of entry to the distribution system. Sample at each POE that is representative of each source after treatment.

This is a good faith assessment of monitoring requirements for the above-referenced public water system for calendar year 2021 and may not include additional sampling required during the year due to special circumstances. If you have questions or disagree with the assessment, please contact the appropriate personnel at (813) 470-5700. Monitoring schedules are subject to change, at any time, based on results of analyses or other factors. This chart shall not relieve any person from any requirement of Florida law.

It is important for you to provide this information to your operator and/or sampler:

- **It is strongly recommended that testing be conducted early in the monitoring period to allow time for retests due to possible sampling or lab errors. Annual and triennial sampling should be completed by 9/30/2021 to provide time for revisions, re-tests, and/or corrections.**
- **Test results must be submitted to DEP within the first ten days following the end of the required monitoring period, or the first ten days following the month in which the sample results were received, whichever time is the shortest. Failure to comply may result in enforcement action.**



FLORIDA DEPARTMENT OF Environmental Protection

Ron DeSantis
Governor

Jeanette Nuñez
Lt. Governor

Noah Valenstein
Secretary

Southwest District Office
13051 North Telecom Parkway #101
Temple Terrace, Florida 33637-0926

2021 Chemical Monitoring for Community Systems

City of Bowling Green

PWS-ID No. 6252022

MONITORING & REPORTS		DUE	COMMENTS
Raw Water Microbiological ("Bacteriological")		Monthly	1 Raw Water Sample per well.
Distribution Microbiological ("Bacteriological")		Monthly	1 Distribution Samples per month. Disinfectant residuals must be reported.
Nitrate and Nitrite		2021	Sample at each POE every year.*
Primary Inorganics		2021	Sample at each POE every three years.
Secondaries		2021	Sample at each POE every three years.
Radiologicals	Gross Alpha	2024	Sample at each POE every three, six or nine years.
	Uranium	2024	Sample at each POE every three, six or nine years.
	Radium-226	2021	Sample at each POE every three, six or nine years.
	Radium-228	2021	Sample at each POE every three, six or nine years.
Volatile Organic Contaminants (VOCs)		2021	Sample at each POE every three years.
Synthetic Organic Contaminants (SOCs)		2021	Sample at each POE every three years, or submit SOC reduced monitoring waiver, if applicable. Use Form 62-560.545(2), F.A.C.
Stage II Disinfection Byproducts (DBPs) <i>Total Trihalomethanes & Haloacetic Acids (5)</i>		Quarterly	Sample according to approved Stage 2 D/DBPR Monitoring Plan.
Asbestos		2021	Certification or results due every nine years. Use Form 62-555.900(10), F.A.C.
Lead & Copper		June - Sept 2021	Sample from sites approved on the Lead and Copper Sampling Plan every three years.
Consumer Confidence Report (CCR) & CCR Certification of Delivery		July 1, 2021	CCR must be delivered by July 1, 2021. The CCR Certification of Delivery must be submitted to the Department by August 10, 2021. Use Form 62-555.900(alternate 19), F.A.C.
Tank(s) Inspection & cleaning		Last 5-year Inspection: Elevated - May 2013 Aeration - May 2014	Pursuant to 62-555.350(2) F.A.C. all finished drinking water storage tanks with access manholes shall be inspected and cleaned at a maximum interval of every 5 years.
Meter(s) Calibration		Last Calibration: Well 4 - June 2015 Well 5 & 6 - Apr 2015	Pursuant to 62-555.350(2) F.A.C. requires that water systems maintain and calibrate master meters in accordance to manufacturer specifications at no less than interval of every 5 years.

*POE = Point of entry to the distribution system. Sample at each POE that is representative of each source after treatment.

This is a good faith assessment of monitoring requirements for the above-referenced public water system for calendar year 2021 and may not include additional sampling required during the year due to special circumstances. If you have questions or disagree with the assessment, please contact the appropriate personnel at (813) 470-5700. Monitoring schedules are subject to change, at any time, based on results of analyses or other factors. This chart shall not relieve any person from any requirement of Florida law.

It is important for you to provide this information to your operator and/or sampler:

- **It is strongly recommended that testing be conducted early in the monitoring period to allow time for retests due to possible sampling or lab errors. Annual and triennial sampling should be completed by 9/30/2021 to provide time for revisions, re-tests, and/or corrections.**
- **Test results must be submitted to DEP within the first ten days following the end of the required monitoring period, or the first ten days following the month in which the sample results were received, whichever time is the shortest. Failure to comply may result in enforcement action.**



FLORIDA DEPARTMENT OF Environmental Protection

Ron DeSantis
Governor

Jeanette Nuñez
Lt. Governor

Noah Valenstein
Secretary

Southwest District Office
13051 North Telecom Parkway #101
Temple Terrace, Florida 33637-0926

2021 Chemical Monitoring for Community Systems PWS-ID No. 6252030

Resthaven

MONITORING & REPORTS		DUE	COMMENTS
Raw Water Microbiological ("Bacteriological")		Monthly	1 Raw Water Sample per well.
Distribution Microbiological ("Bacteriological")		Monthly	1 Distribution Samples per month. Disinfectant residuals must be reported.
Nitrate and Nitrite		2021	Sample at each POE every year.*
Primary Inorganics		2021	Sample at each POE every three years.
Secondaries		2021	Sample at each POE every three years.
Radiologicals	Gross Alpha	2021	Sample at each POE every three, six or nine years.
	Uranium	2021	Sample at each POE every three, six or nine years.
	Radium-226	2021	Sample at each POE every three, six or nine years.
	Radium-228	2021	Sample at each POE every three, six or nine years.
Volatile Organic Contaminants (VOCs)		2021	Sample at each POE every three years.
Synthetic Organic Contaminants (SOCs)		2021	Sample at each POE every three years, or submit SOC reduced monitoring waiver, if applicable. Use Form 62-560.545(2), F.A.C.
Stage II Disinfection Byproducts (DBPs) <i>Total Trihalomethanes & Haloacetic Acids (5)</i>		July - Sept 2021	Sample according to approved Stage 2 D/DBPR Monitoring Plan.
Asbestos		2021	Certification or results due every nine years. Use Form 62-555.900(10), F.A.C.
Lead & Copper		June - Sept 2021	Sample from sites approved on the Lead and Copper Sampling Plan every three years.
Consumer Confidence Report (CCR) & CCR Certification of Delivery		July 1, 2021	CCR must be delivered by July 1, 2021. The CCR Certification of Delivery must be submitted to the Department by August 10, 2021. Use Form 62-555.900(alternate 19), F.A.C.
Meter(s) Calibration		Last Calibration: Sept 2020	Pursuant to 62-555.350(2) F.A.C. requires that water systems maintain and calibrate master meters in accordance to manufacturer specifications at no less than interval of every 5 years.

*POE = Point of entry to the distribution system. Sample at each POE that is representative of each source after treatment.

This is a good faith assessment of monitoring requirements for the above-referenced public water system for calendar year 2021 and may not include additional sampling required during the year due to special circumstances. If you have questions or disagree with the assessment, please contact the appropriate personnel at (813) 470-5700. Monitoring schedules are subject to change, at any time, based on results of analyses or other factors. This chart shall not relieve any person from any requirement of Florida law.

It is important for you to provide this information to your operator and/or sampler:

- **It is strongly recommended that testing be conducted early in the monitoring period to allow time for retests due to possible sampling or lab errors. Annual and triennial sampling should be completed by 9/30/2021 to provide time for revisions, re-tests, and/or corrections.**
- **Test results must be submitted to DEP within the first ten days following the end of the required monitoring period, or the first ten days following the month in which the sample results were received, whichever time is the shortest. Failure to comply may result in enforcement action.**



FLORIDA DEPARTMENT OF Environmental Protection

Ron DeSantis
Governor

Jeanette Nuñez
Lt. Governor

Noah Valenstein
Secretary

Southwest District Office
13051 North Telecom Parkway #101
Temple Terrace, Florida 33637-0926

2021 Chemical Monitoring for NTNC

Mosaic Fertilizer (North Pasture)

PWS-ID No. 6252045

MONITORING & REPORTS		DUE	COMMENTS
Raw Water Microbiological ("Bacteriological")		Quarterly	1 Raw Water Sample per well.
Distribution Microbiological ("Bacteriological")		Quarterly	1 Distribution Sample per quarter. Disinfectant residuals must be reported.
Nitrate and Nitrite		2021	Sample at each POE every year.*
Primary Inorganics		2022	Sample at each POE every three years.
Radiologicals	Gross Alpha	Waived	Sample at each POE every quarterly, six, nine years, or Waived use of Grandfather Data (date of sample)
	Uranium	Waived	Sample at each POE every quarterly, six, nine years, or Waived use of Grandfather Data (date of sample)
	Radium-226	2025	Sample at each POE every quarterly, six, nine years, or Waived use of Grandfather Data (date of sample)
	Radium-228	2025	Sample at each POE every quarterly, six, nine years, or Waived use of Grandfather Data (date of sample)
Volatile Organic Contaminants (VOCs)		2022	Sample at each POE every three years.
Synthetic Organic Contaminants (SOCs)		2022	Sample at each POE every three years, or submit SOC reduced monitoring waiver, if applicable. Use Form 62-560.545(2), F.A.C.
Stage II Disinfection Byproducts (DBPs) <i>Total Trihalomethanes & Haloacetic Acids (5)</i>		Jul - Sept 2022	Sample according to approved Stage 2 D/DBPR Monitoring Plan.
Asbestos		2022	Certification or results due every nine years. Use Form 62-555.900(10), F.A.C.
Lead & Copper		Jun - Sept 2022	Sample from sites approved on the Lead and Copper Sampling Plan every three years.

*POE = Point of entry to the distribution system. Sample at each POE that is representative of each source after treatment.

This is a good faith assessment of monitoring requirements for the above-referenced public water system for calendar year 2021 and may not include additional sampling required during the year due to special circumstances. If you have questions or disagree with the assessment, please contact the appropriate personnel at (813) 470-5700. Monitoring schedules are subject to change, at any time, based on results of analyses or other factors. This chart shall not relieve any person from any requirement of Florida law.

It is important for you to provide this information to your operator and/or sampler:

- **It is strongly recommended that testing be conducted early in the monitoring period to allow time for retests due to possible sampling or lab errors. Annual and triennial sampling should be completed by 9/30/2021 to provide time for revisions, retests, and/or corrections.**
- **Test results must be submitted to DEP within the first ten days following the end of the required monitoring period, or the first ten days following the month in which the sample results were received, whichever time is the shortest. Failure to comply may result in enforcement action.**



FLORIDA DEPARTMENT OF Environmental Protection

Ron DeSantis
Governor

Jeanette Nuñez
Lt. Governor

Noah Valensteln
Secretary

Southwest District Office
13051 North Telecom Parkway #101
Temple Terrace, Florida 33637-0926

2021 Chemical Monitoring for NTNC

Thousand Trails RV Resort

PWS-ID No. 6254750

MONITORING & REPORTS		DUE	COMMENTS
Raw Water Microbiological ("Bacteriological")		Quarterly	1 Raw Water Sample per well.
Distribution Microbiological ("Bacteriological")		Quarterly	1 Distribution Sample per quarter. Disinfectant residuals must be reported.
Nitrate and Nitrite		2021	Sample at each POE every year.*
Primary Inorganics		2022	Sample at each POE every three years.
Radiologicals	Gross Alpha	2022	Sample at each POE every quarterly, six, nine years, or Waived use of Grandfather Data (date of sample)
	Uranium	2022	Sample at each POE every quarterly, six, nine years, or Waived use of Grandfather Data (date of sample)
	Radium-226	2022	Sample at each POE every quarterly, six, nine years, or Waived use of Grandfather Data (date of sample)
	Radium-228	2022	Sample at each POE every quarterly, six, nine years, or Waived use of Grandfather Data (date of sample)
Volatile Organic Contaminants (VOCs)		2022	Sample at each POE every three years.
Synthetic Organic Contaminants (SOCs)		2022	Sample at each POE every three years, or submit SOC reduced monitoring waiver, if applicable. Use Form 62-560.545(2), F.A.C.
Di(2-ethylhexyl)Phthalate (2039)		Annually April - June	Sample at each POE.
Stage II Disinfection Byproducts (DBPs) Total Trihalomethanes & Haloacetic Acids (5)		Jul - Sept 2022	Sample according to approved Stage 2 D/DBPR Monitoring Plan.
Asbestos		2022	Certification or results due every nine years. Use Form 62-555.900(10), F.A.C.
Lead & Copper		Jun - Sept 2022	Sample from sites approved on the Lead and Copper Sampling Plan every three years.
Tank(s) Inspection & cleaning		Last 5-year Inspection: Jun 2015	Pursuant to 62-555.350(2) F.A.C. all finished drinking water storage tanks with access manholes shall be inspected and cleaned at a maximum interval of every 5 years.
Meter(s) Calibration		Last Calibration: Dec 2011	Pursuant to 62-555.350(2) F.A.C. requires that water systems maintain and calibrate master meters in accordance to manufacturer specifications at no less than interval of every 5 years.

*POE = Point of entry to the distribution system. Sample at each POE that is representative of each source after treatment.

This is a good faith assessment of monitoring requirements for the above-referenced public water system for calendar year 2021 and may not include additional sampling required during the year due to special circumstances. If you have questions or disagree with the assessment, please contact the appropriate personnel at (813) 470-5700. Monitoring schedules are subject to change, at any time, based on results of analyses or other factors. This chart shall not relieve any person from any requirement of Florida law.

It is important for you to provide this information to your operator and/or sampler:

- It is strongly recommended that testing be conducted early in the monitoring period to allow time for retests due to possible sampling or lab errors. Annual and triennial sampling should be completed by 9/30/2021 to provide time for revisions, re-tests, and/or corrections.
- Test results must be submitted to DEP within the first ten days following the end of the required monitoring period, or the first ten days following the month in which the sample results were received, whichever time is the shortest. Failure to comply may result in enforcement action.



FLORIDA DEPARTMENT OF Environmental Protection

Ron DeSantis
Governor

Jeanette Nuñez
Lt. Governor

Noah Valensteln
Secretary

Southwest District Office
13051 North Telecom Parkway #101
Temple Terrace, Florida 33637-0926

2021 Chemical Monitoring for NTNC

Florida SKP RV Resort

PWS-ID No. 6254752

MONITORING & REPORTS		DUE	COMMENTS
Raw Water Microbiological ("Bacteriological")		Quarterly	1 Raw Water Sample per well.
Distribution Microbiological ("Bacteriological")		Quarterly	1 Distribution Sample per quarter. Disinfectant residuals must be reported.
Nitrate and Nitrite		2021	Sample at each POE every year.*
Primary Inorganics		2022	Sample at each POE every three years.
Radiologicals	Gross Alpha	2022	Sample at each POE every quarterly, six, nine years, or Waived use of Grandfather Data (date of sample)
	Uranium	Waived	Sample at each POE every quarterly, six, nine years, or Waived use of Grandfather Data (date of sample)
	Radium-226	2022	Sample at each POE every quarterly, six, nine years, or Waived use of Grandfather Data (date of sample)
	Radium-228	2022	Sample at each POE every quarterly, six, nine years, or Waived use of Grandfather Data (date of sample)
Volatile Organic Contaminants (VOCs)		2022	Sample at each POE every three years.
Total Xylene (2955)		Annually during 2 nd quarter	Sample at each POE.
Synthetic Organic Contaminants (SOCs)		2022	Sample at each POE every three years, or submit SOC reduced monitoring waiver, if applicable. Use Form 62-560.545(2), F.A.C.
Stage II Disinfection Byproducts (DBPs) Total Trihalomethanes & Haloacetic Acids (5)		Jul - Sept 2022	Sample according to approved Stage 2 D/DBPR Monitoring Plan.
Asbestos		2022	Certification or results due every nine years. Use Form 62-555.900(10), F.A.C.
Lead & Copper		Jun - Sept 2022	Sample from sites approved on the Lead and Copper Sampling Plan every three years.
Tank(s) Inspection & cleaning		Last 5-year Inspection: Aug 2018	Pursuant to 62-555.350(2) F.A.C. all finished drinking water storage tanks with access manholes shall be inspected and cleaned at a maximum interval of every 5 years.
Meter(s) Calibration		Last Calibration: May 2015	Pursuant to 62-555.350(2) F.A.C. requires that water systems maintain and calibrate master meters in accordance to manufacturer specifications at no less than interval of every 5 years.

*POE = Point of entry to the distribution system. Sample at each POE that is representative of each source after treatment.

This is a good faith assessment of monitoring requirements for the above-referenced public water system for calendar year 2021 and may not include additional sampling required during the year due to special circumstances. If you have questions or disagree with the assessment, please contact the appropriate personnel at (813) 470-5700. Monitoring schedules are subject to change, at any time, based on results of analyses or other factors. This chart shall not relieve any person from any requirement of Florida law.

It is important for you to provide this information to your operator and/or sampler:

- It is strongly recommended that testing be conducted early in the monitoring period to allow time for retests due to possible sampling or lab errors. Annual and triennial sampling should be completed by 9/30/2021 to provide time for revisions, re-tests, and/or corrections.
- Test results must be submitted to DEP within the first ten days following the end of the required monitoring period, or the first ten days following the month in which the sample results were received, whichever time is the shortest. Failure to comply may result in enforcement action.



FLORIDA DEPARTMENT OF Environmental Protection

Ron DeSantis
Governor

Jeanette Nuñez
Lt. Governor

Noah Valensteln
Secretary

Southwest District Office
13051 North Telecom Parkway #101
Temple Terrace, Florida 33637-0926

2021 Chemical Monitoring for NTNC

Little Charlie Creek RV Park

PWS-ID No. 6254753

MONITORING & REPORTS		DUE	COMMENTS
Raw Water Microbiological ("Bacteriological")		Quarterly	1 Raw Water Sample per well.
Distribution Microbiological ("Bacteriological")		Quarterly	1 Distribution Sample per quarter. Disinfectant residuals must be reported.
Nitrate and Nitrite		2021	Sample at each POE every year.*
Primary Inorganics		2022	Sample at each POE every three years.
Radiologicals	Gross Alpha	2028	Sample at each POE every quarterly, six, nine years, or Waived use of Grandfather Data (date of sample)
	Uranium	2028	Sample at each POE every quarterly, six, nine years, or Waived use of Grandfather Data (date of sample)
	Radium-226	2028	Sample at each POE every quarterly, six, nine years, or Waived use of Grandfather Data (date of sample)
	Radium-228	2028	Sample at each POE every quarterly, six, nine years, or Waived use of Grandfather Data (date of sample)
Volatile Organic Contaminants (VOCs)		2022	Sample at each POE every three years.
Synthetic Organic Contaminants (SOCs)		2022	Sample at each POE every three years, or submit SOC reduced monitoring waiver, if applicable. Use Form 62-560.545(2), F.A.C.
Stage II Disinfection Byproducts (DBPs) <i>Total Trihalomethanes & Haloacetic Acids (5)</i>		Jul - Sept 2022	Sample according to approved Stage 2 D/DBPR Monitoring Plan.
Asbestos		2022	Certification or results due every nine years. Use Form 62-555.900(10), F.A.C.
Lead & Copper		Jun - Sept 2022	Sample from sites approved on the Lead and Copper Sampling Plan every three years.
Tank(s) Inspection & cleaning		Last 5-year Inspection: Jan 2013	Pursuant to 62-555.350(2) F.A.C. all finished drinking water storage tanks with access manholes shall be inspected and cleaned at a maximum interval of every 5 years.
Meter(s) Calibration		Last Calibration: May 2012	Pursuant to 62-555.350(2) F.A.C. requires that water systems maintain and calibrate master meters in accordance to manufacturer specifications at no less than interval of every 5 years.

*POE = Point of entry to the distribution system. Sample at each POE that is representative of each source after treatment.

This is a good faith assessment of monitoring requirements for the above-referenced public water system for calendar year 2021 and may not include additional sampling required during the year due to special circumstances. If you have questions or disagree with the assessment, please contact the appropriate personnel at (813) 470-5700. Monitoring schedules are subject to change, at any time, based on results of analyses or other factors. This chart shall not relieve any person from any requirement of Florida law.

It is important for you to provide this information to your operator and/or sampler:

- **It is strongly recommended that testing be conducted early in the monitoring period to allow time for retests due to possible sampling or lab errors. Annual and triennial sampling should be completed by 9/30/2021 to provide time for revisions, re-tests, and/or corrections.**
- **Test results must be submitted to DEP within the first ten days following the end of the required monitoring period, or the first ten days following the month in which the sample results were received, whichever time is the shortest. Failure to comply may result in enforcement action.**



FLORIDA DEPARTMENT OF Environmental Protection

Ron DeSantis
Governor

Jeanette Nuñez
Lt. Governor

Noah Valenstein
Secretary

Southwest District Office
13051 North Telecom Parkway #101
Temple Terrace, Florida 33637-0926

2021 Chemical Monitoring for Community Systems

Hardee Correctional Institute

PWS-ID No. 6254754

MONITORING & REPORTS		DUE	COMMENTS
Raw Water Microbiological ("Bacteriological")		Monthly	1 Raw Water Sample per well.
Distribution Microbiological ("Bacteriological")		Monthly	1 Distribution Samples per month. Disinfectant residuals must be reported.
Nitrate and Nitrite		2021	Sample at each POE every year.*
Primary Inorganics		2022	Sample at each POE every three years.
Secondaries		2021	Sample at each POE every three years.
Radiologicals	Gross Alpha	2024	Sample at each POE every three, six or nine years.
	Uranium	2024	Sample at each POE every three, six or nine years.
	Radium-226	2024	Sample at each POE every three, six or nine years.
	Radium-228	2024	Sample at each POE every three, six or nine years.
Volatile Organic Contaminants (VOCs)		2021	Sample at each POE every three years.
Synthetic Organic Contaminants (SOCs)		2021	Sample at each POE every three years, or submit SOC reduced monitoring waiver, if applicable. Use Form 62-560.545(2), F.A.C.
Stage II Disinfection Byproducts (DBPs) <i>Total Trihalomethanes & Haloacetic Acids (5)</i>		July - Sept 2021	Sample according to approved Stage 2 D/DBPR Monitoring Plan.
Asbestos		2021	Certification or results due every nine years. Use Form 62-555.900(10), F.A.C.
Lead & Copper		June - Sept 2021	Sample from sites approved on the Lead and Copper Sampling Plan every three years.
Consumer Confidence Report (CCR) & CCR Certification of Delivery		July 1, 2021	CCR must be delivered by July 1, 2021. The CCR Certification of Delivery must be submitted to the Department by August 10, 2021. Use Form 62-555.900(alternate 19), F.A.C.
Tank(s) Inspection & cleaning		Last Inspection: Elevated - Jun 2019; Aeration - Dec 2013	Pursuant to 62-555.350(2) F.A.C. all finished drinking water storage tanks with access manholes shall be inspected and cleaned at a maximum interval of every 5 years.
Meter(s) Calibration		Last Calibration: Mar 2017	Pursuant to 62-555.350(2) F.A.C. requires that water systems maintain and calibrate master meters in accordance to manufacturer specifications at no less than interval of every 5 years.

*POE = Point of entry to the distribution system. Sample at each POE that is representative of each source after treatment.

This is a good faith assessment of monitoring requirements for the above-referenced public water system for calendar year 2021 and may not include additional sampling required during the year due to special circumstances. If you have questions or disagree with the assessment, please contact the appropriate personnel at (813) 470-5700. Monitoring schedules are subject to change, at any time, based on results of analyses or other factors. This chart shall not relieve any person from any requirement of Florida law.

It is important for you to provide this information to your operator and/or sampler:

- **It is strongly recommended that testing be conducted early in the monitoring period to allow time for retests due to possible sampling or lab errors. Annual and triennial sampling should be completed by 9/30/2021 to provide time for revisions, re-tests, and/or corrections.**
- **Test results must be submitted to DEP within the first ten days following the end of the required monitoring period, or the first ten days following the month in which the sample results were received, whichever time is the shortest. Failure to comply may result in enforcement action.**



FLORIDA DEPARTMENT OF Environmental Protection

Ron DeSantis
Governor

Jeanette Nuñez
Lt. Governor

Noah Valenstein
Secretary

Southwest District Office
13051 North Telecom Parkway #101
Temple Terrace, Florida 33637-0926

2021 Chemical Monitoring for Community Systems

Brookside Bluff RV Park

PWS-ID No. 6254762

MONITORING & REPORTS		DUE	COMMENTS
Raw Water Microbiological ("Bacteriological")		Monthly	1 Raw Water Sample per well.
Distribution Microbiological ("Bacteriological")		Monthly	1 Distribution Samples per month. Disinfectant residuals must be reported.
Nitrate and Nitrite		2021	Sample at each POE every year.*
Primary Inorganics		2021	Sample at each POE every three years.
Secondaries		2021	Sample at each POE every three years.
Radiologicals	Gross Alpha	2024	Sample at each POE every three, six or nine years.
	Uranium	2024	Sample at each POE every three, six or nine years.
	Radium-226	2024	Sample at each POE every three, six or nine years.
	Radium-228	2024	Sample at each POE every three, six or nine years.
Volatile Organic Contaminants (VOCs)		2021	Sample at each POE every three years.
Synthetic Organic Contaminants (SOCs)		2021	Sample at each POE every three years, or submit SOC reduced monitoring waiver, if applicable. Use Form 62-560.545(2), F.A.C.
Stage II Disinfection Byproducts (DBPs) <i>Total Trihalomethanes & Haloacetic Acids (5)</i>		July - Sept 2021	Sample according to approved Stage 2 D/DBPR Monitoring Plan.
Asbestos		2021	Certification or results due every nine years. Use Form 62-555.900(10), F.A.C.
Lead & Copper		June - Sept 2021	Sample from sites approved on the Lead and Copper Sampling Plan every three years.
Consumer Confidence Report (CCR) & CCR Certification of Delivery		July 1, 2021	CCR must be delivered by July 1, 2021. The CCR Certification of Delivery must be submitted to the Department by August 10, 2021. Use Form 62-555.900(alternate 19), F.A.C.
Meter(s) Calibration		Last Calibration: 2017	Pursuant to 62-555.350(2) F.A.C. requires that water systems maintain and calibrate master meters in accordance to manufacturer specifications at no less than interval of every 5 years.

*POE = Point of entry to the distribution system. Sample at each POE that is representative of each source after treatment.

This is a good faith assessment of monitoring requirements for the above-referenced public water system for calendar year 2021 and may not include additional sampling required during the year due to special circumstances. If you have questions or disagree with the assessment, please contact the appropriate personnel at (813) 470-5700. Monitoring schedules are subject to change, at any time, based on results of analyses or other factors. This chart shall not relieve any person from any requirement of Florida law.

It is important for you to provide this information to your operator and/or sampler:

- **It is strongly recommended that testing be conducted early in the monitoring period to allow time for retests due to possible sampling or lab errors. Annual and triennial sampling should be completed by 9/30/2021 to provide time for revisions, re-tests, and/or corrections.**
- **Test results must be submitted to DEP within the first ten days following the end of the required monitoring period, or the first ten days following the month in which the sample results were received, whichever time is the shortest. Failure to comply may result in enforcement action.**



FLORIDA DEPARTMENT OF Environmental Protection

Ron DeSantis
Governor

Jeanette Nuñez
Lt. Governor

Noah Valenstein
Secretary

Southwest District Office
13051 North Telecom Parkway #101
Temple Terrace, Florida 33637-0926

2021 Chemical Monitoring for NTNC

Peace River Electric-Operation

PWS-ID No. 6254769

MONITORING & REPORTS		DUE	COMMENTS
Raw Water Microbiological ("Bacteriological")		Quarterly	1 Raw Water Sample per well.
Distribution Microbiological ("Bacteriological")		Quarterly	1 Distribution Sample per quarter. Disinfectant residuals must be reported.
Nitrate and Nitrite		2021	Sample at each POE every year.*
Primary Inorganics		2022	Sample at each POE every three years.
Radiologicals	Gross Alpha	2025	Sample at each POE every quarterly, six, nine years, or Waived use of Grandfather Data (date of sample)
	Uranium	Waived	Sample at each POE every quarterly, six, nine years, or Waived use of Grandfather Data (date of sample)
	Radium-226	2022	Sample at each POE every quarterly, six, nine years, or Waived use of Grandfather Data (date of sample)
	Radium-228	2022	Sample at each POE every quarterly, six, nine years, or Waived use of Grandfather Data (date of sample)
Volatile Organic Contaminants (VOCs)		2022	Sample at each POE every three years.
Synthetic Organic Contaminants (SOCs)		2022	Sample at each POE every three years, or submit SOC reduced monitoring waiver, if applicable. Use Form 62-560.545(2), F.A.C.
Stage II Disinfection Byproducts (DBPs) <i>Total Trihalomethanes & Haloacetic Acids (5)</i>		Jul - Sept 2022	Sample according to approved Stage 2 D/DBPR Monitoring Plan.
Asbestos		2022	Certification or results due every nine years. Use Form 62-555.900(10), F.A.C.
Lead & Copper		Jun - Sept 2022	Sample from sites approved on the Lead and Copper Sampling Plan every three years.
Meter(s) Calibration		Last Calibrated: Feb 2018	Pursuant to 62-555.350(2) F.A.C. requires that water systems maintain and calibrate master meters in accordance to manufacturer specifications at no less than interval of every 5 years.

*POE = Point of entry to the distribution system. Sample at each POE that is representative of each source after treatment.

This is a good faith assessment of monitoring requirements for the above-referenced public water system for calendar year 2021 and may not include additional sampling required during the year due to special circumstances. If you have questions or disagree with the assessment, please contact the appropriate personnel at (813) 470-5700. Monitoring schedules are subject to change, at any time, based on results of analyses or other factors. This chart shall not relieve any person from any requirement of Florida law.

It is important for you to provide this information to your operator and/or sampler:

- It is strongly recommended that testing be conducted early in the monitoring period to allow time for retests due to possible sampling or lab errors. Annual and triennial sampling should be completed by 9/30/2021 to provide time for revisions, re-tests, and/or corrections.
- Test results must be submitted to DEP within the first ten days following the end of the required monitoring period, or the first ten days following the month in which the sample results were received, whichever time is the shortest. Failure to comply may result in enforcement action.



FLORIDA DEPARTMENT OF Environmental Protection

Ron DeSantis
Governor

Jeanette Nuñez
Lt. Governor

Noah Valenstein
Secretary

Southwest District Office
13051 North Telecom Parkway #101
Temple Terrace, Florida 33637-0926

2021 Chemical Monitoring for Community Systems

Lakeside Neurological (FKA F.I.N.R.)

PWS-ID No. 6254774

MONITORING & REPORTS		DUE	COMMENTS
Raw Water Microbiological ("Bacteriological")		Monthly	1 Raw Water Sample per well.
Distribution Microbiological ("Bacteriological")		Monthly	1 Distribution Samples per month. Disinfectant residuals must be reported.
Nitrate and Nitrite		2021	Sample at each POE every year.*
Primary Inorganics		2021	Sample at each POE every three years.
Secondaries		2021	Sample at each POE every three years.
Radiologicals	Gross Alpha	2027	Sample at each POE every three, six or nine years.
	Uranium	2027	Sample at each POE every three, six or nine years.
	Radium-226	2024	Sample at each POE every three, six or nine years.
	Radium-228	2024	Sample at each POE every three, six or nine years.
Volatile Organic Contaminants (VOCs)		2021	Sample at each POE every three years.
Synthetic Organic Contaminants (SOCs)		2021	Sample at each POE every three years, or submit SOC reduced monitoring waiver, if applicable. Use Form 62-560.545(2), F.A.C.
Stage II Disinfection Byproducts (DBPs) <i>Total Trihalomethanes & Haloacetic Acids (5)</i>		July - Sept 2021	Sample according to approved Stage 2 D/DBPR Monitoring Plan.
Asbestos		2021	Certification or results due every nine years. Use Form 62-555.900(10), F.A.C.
Lead & Copper		June - Sept 2021	Sample from sites approved on the Lead and Copper Sampling Plan every three years.
Consumer Confidence Report (CCR) & CCR Certification of Delivery		July 1, 2021	CCR must be delivered by July 1, 2021. The CCR Certification of Delivery must be submitted to the Department by August 10, 2021. Use Form 62-555.900(alternate 19), F.A.C.
Tank(s) Inspection & cleaning		Last Inspection: Aug 2018	Pursuant to 62-555.350(2) F.A.C. all finished drinking water storage tanks with access manholes shall be inspected and cleaned at a maximum interval of every 5 years.
Meter(s) Calibration		Last Calibration: Mar 2016	Pursuant to 62-555.350(2) F.A.C. requires that water systems maintain and calibrate master meters in accordance to manufacturer specifications at no less than interval of every 5 years.

*POE = Point of entry to the distribution system. Sample at each POE that is representative of each source after treatment.

This is a good faith assessment of monitoring requirements for the above-referenced public water system for calendar year 2021 and may not include additional sampling required during the year due to special circumstances. If you have questions or disagree with the assessment, please contact the appropriate personnel at (813) 470-5700. Monitoring schedules are subject to change, at any time, based on results of analyses or other factors. This chart shall not relieve any person from any requirement of Florida law.

It is important for you to provide this information to your operator and/or sampler:

- **It is strongly recommended that testing be conducted early in the monitoring period to allow time for retests due to possible sampling or lab errors. Annual and triennial sampling should be completed by 9/30/2021 to provide time for revisions, re-tests, and/or corrections.**
- **Test results must be submitted to DEP within the first ten days following the end of the required monitoring period, or the first ten days following the month in which the sample results were received, whichever time is the shortest. Failure to comply may result in enforcement action.**



FLORIDA DEPARTMENT OF Environmental Protection

Ron DeSantis
Governor

Jeanette Nuñez
Lt. Governor

Noah Valenstein
Secretary

Southwest District Office
13051 North Telecom Parkway #101
Temple Terrace, Florida 33637-0926

2021 Chemical Monitoring for Community Systems

Wauchula Hills (Hardee County Utilities)

PWS-ID No. 6254799

MONITORING & REPORTS		DUE	COMMENTS
Raw Water Microbiological ("Bacteriological")		Monthly	1 Raw Water Sample per well.
Distribution Microbiological ("Bacteriological")		Monthly	1 Distribution Samples per month. Disinfectant residuals must be reported.
Nitrate and Nitrite		2021	Sample at each POE every year.*
Primary Inorganics		2021	Sample at each POE every three years.
Secondaries		2021	Sample at each POE every three years.
Radiologicals	Gross Alpha	2024	Sample at each POE every three, six or nine years.
	Uranium	2024	Sample at each POE every three, six or nine years.
	Radium-226	2024	Sample at each POE every three, six or nine years.
	Radium-228	2024	Sample at each POE every three, six or nine years.
Volatile Organic Contaminants (VOCs)		2021	Sample at each POE every three years.
Synthetic Organic Contaminants (SOCs)		2021	Sample at each POE every three years, or submit SOC reduced monitoring waiver, if applicable. Use Form 62-560.545(2), F.A.C.
Stage II Disinfection Byproducts (DBPs) <i>Total Trihalomethanes & Haloacetic Acids (5)</i>		July – Sept 2021	Sample according to approved Stage 2 D/DBPR Monitoring Plan.
Asbestos		2021	Certification or results due every nine years. Use Form 62-555.900(10), F.A.C.
Lead & Copper		June – Sept 2021	Sample from sites approved on the Lead and Copper Sampling Plan every three years.
Consumer Confidence Report (CCR) & CCR Certification of Delivery		July 1, 2021	CCR must be delivered by July 1, 2021. The CCR Certification of Delivery must be submitted to the Department by August 10, 2021. Use Form 62-555.900(alternate 19), F.A.C.
Tank(s) Inspection & cleaning		Last Inspection: Aug 2018	Pursuant to 62-555.350(2) F.A.C. all finished drinking water storage tanks with access manholes shall be inspected and cleaned at a maximum interval of every 5 years.

*POE = Point of entry to the distribution system. Sample at each POE that is representative of each source after treatment.

This is a good faith assessment of monitoring requirements for the above-referenced public water system for calendar year 2021 and may not include additional sampling required during the year due to special circumstances. If you have questions or disagree with the assessment, please contact the appropriate personnel at (813) 470-5700. Monitoring schedules are subject to change, at any time, based on results of analyses or other factors. This chart shall not relieve any person from any requirement of Florida law.

It is important for you to provide this information to your operator and/or sampler:

- **It is strongly recommended that testing be conducted early in the monitoring period to allow time for retests due to possible sampling or lab errors. Annual and triennial sampling should be completed by 9/30/2021 to provide time for revisions, re-tests, and/or corrections.**
- **Test results must be submitted to DEP within the first ten days following the end of the required monitoring period, or the first ten days following the month in which the sample results were received, whichever time is the shortest. Failure to comply may result in enforcement action.**



FLORIDA DEPARTMENT OF Environmental Protection

Ron DeSantis
Governor

Jeanette Nuñez
Lt. Governor

Noah Valenstein
Secretary

Southwest District Office
13051 North Telecom Parkway #101
Temple Terrace, Florida 33637-0926

2021 Chemical Monitoring for NTNC

Old Castle Lawn & Garden

PWS-ID No. 6254803

MONITORING & REPORTS		DUE	COMMENTS
Raw Water Microbiological ("Bacteriological")		Quarterly	1 Raw Water Sample per well.
Distribution Microbiological ("Bacteriological")		Quarterly	1 Distribution Sample per quarter. Disinfectant residuals must be reported.
Nitrate and Nitrite		2021	Sample at each POE every year.*
Primary Inorganics		2022	Sample at each POE every three years.
Radiologicals	Gross Alpha	Waived	Sample at each POE every quarterly, six, nine years, or Waived use of Grandfather Data (date of sample)
	Uranium	Waived	Sample at each POE every quarterly, six, nine years, or Waived use of Grandfather Data (date of sample)
	Radium-226	Waived	Sample at each POE every quarterly, six, nine years, or Waived use of Grandfather Data (date of sample)
	Radium-228	Waived	Sample at each POE every quarterly, six, nine years, or Waived use of Grandfather Data (date of sample)
Volatile Organic Contaminants (VOCs)		2022	Sample at each POE every three years.
Synthetic Organic Contaminants (SOCs)		2022	Sample at each POE every three years, or submit SOC reduced monitoring waiver, if applicable. Use Form 62-560.545(2), F.A.C.
Stage II Disinfection Byproducts (DBPs) <i>Total Trihalomethanes & Haloacetic Acids (5)</i>		Jul - Sept 2022	Sample according to approved Stage 2 D/DBPR Monitoring Plan.
Asbestos		2022	Certification or results due every nine years. Use Form 62-555.900(10), F.A.C.
Lead & Copper		Jun - Sept 2022	Sample from sites approved on the Lead and Copper Sampling Plan every three years.
Meter(s) Calibration		Last Calibrated: Dec 2019	Pursuant to 62-555.350(2) F.A.C. requires that water systems maintain and calibrate master meters in accordance to manufacturer specifications at no less than interval of every 5 years

*POE = Point of entry to the distribution system. Sample at each POE that is representative of each source after treatment.

This is a good faith assessment of monitoring requirements for the above-referenced public water system for calendar year 2021 and may not include additional sampling required during the year due to special circumstances. If you have questions or disagree with the assessment, please contact the appropriate personnel at (813) 470-5700. Monitoring schedules are subject to change, at any time, based on results of analyses or other factors. This chart shall not relieve any person from any requirement of Florida law.

It is important for you to provide this information to your operator and/or sampler:

- **It is strongly recommended that testing be conducted early in the monitoring period to allow time for retests due to possible sampling or lab errors. Annual and triennial sampling should be completed by 9/30/2021 to provide time for revisions, re-tests, and/or corrections.**
- **Test results must be submitted to DEP within the first ten days following the end of the required monitoring period, or the first ten days following the month in which the sample results were received, whichever time is the shortest. Failure to comply may result in enforcement action.**



FLORIDA DEPARTMENT OF Environmental Protection

Ron DeSantis
Governor

Jeanette Nuñez
Lt. Governor

Noah Valenstein
Secretary

Southwest District Office
13051 North Telecom Parkway #101
Temple Terrace, Florida 33637-0926

2021 Chemical Monitoring for NTNC

PFH Grove Holdings, LLC

PWS-ID No. 6254808

MONITORING & REPORTS		DUE	COMMENTS
Raw Water Microbiological ("Bacteriological")		Quarterly	1 Raw Water Sample per well.
Distribution Microbiological ("Bacteriological")		Quarterly	1 Distribution Sample per quarter. Disinfectant residuals must be reported.
Nitrate and Nitrite		2021	Sample at each POE every year.*
Primary Inorganics		2022	Sample at each POE every three years.
Radiologicals	Gross Alpha	2027	Sample at each POE every quarterly, six, nine years, or Waived use of Grandfather Data (date of sample)
	Uranium	2027	Sample at each POE every quarterly, six, nine years, or Waived use of Grandfather Data (date of sample)
	Radium-226	2023	Sample at each POE every quarterly, six, nine years, or Waived use of Grandfather Data (date of sample)
	Radium-228	2023	Sample at each POE every quarterly, six, nine years, or Waived use of Grandfather Data (date of sample)
Volatile Organic Contaminants (VOCs)		2022	Sample at each POE every three years.
Synthetic Organic Contaminants (SOCs)		2022	Sample at each POE every three years, or submit SOC reduced monitoring waiver, if applicable. Use Form 62-560.545(2), F.A.C.
Stage II Disinfection Byproducts (DBPs) <i>Total Trihalomethanes & Haloacetic Acids (5)</i>		Jul - Sept 2022	Sample according to approved Stage 2 D/DBPR Monitoring Plan.
Asbestos		2022 or Waiver	Certification or results due every nine years. Use Form 62-555.900(10), F.A.C.
Lead & Copper		Jan - Jun 2021	Sample from sites approved on the Lead and Copper Sampling Plan for first six months.
Tank(s) Inspection & cleaning		Last 5-year Inspection: New System	Pursuant to 62-555.350(2) F.A.C. all finished drinking water storage tanks with access manholes shall be inspected and cleaned at a maximum interval of every 5 years.
Meter(s) Calibration		Last Calibrated: New Meter	Pursuant to 62-555.350(2) F.A.C. requires that water systems maintain and calibrate master meters in accordance to manufacturer specifications at no less than interval of every 5 years.

*POE = Point of entry to the distribution system. Sample at each POE that is representative of each source after treatment.

This is a good faith assessment of monitoring requirements for the above-referenced public water system for calendar year 2021 and may not include additional sampling required during the year due to special circumstances. If you have questions or disagree with the assessment, please contact the appropriate personnel at (813) 470-5700. Monitoring schedules are subject to change, at any time, based on results of analyses or other factors. This chart shall not relieve any person from any requirement of Florida law.

It is important for you to provide this information to your operator and/or sampler:

- **It is strongly recommended that testing be conducted early in the monitoring period to allow time for retests due to possible sampling or lab errors. Annual and triennial sampling should be completed by 9/30/2021 to provide time for revisions, re-tests, and/or corrections.**
- **Test results must be submitted to DEP within the first ten days following the end of the required monitoring period, or the first ten days following the month in which the sample results were received, whichever time is the shortest. Failure to comply may result in enforcement action.**



FLORIDA DEPARTMENT OF Environmental Protection

Ron DeSantis
Governor

Jeanette Nuñez
Lt. Governor

Noah Valenstein
Secretary

Southwest District Office
13051 North Telecom Parkway #101
Temple Terrace, Florida 33637-0926

2021 Chemical Monitoring for NTNC

Mosaic Fertilizer LLC – ONA Compound

PWS-ID No. 6254810

MONITORING & REPORTS		DUE	COMMENTS
Raw Water Microbiological ("Bacteriological")		Quarterly	1 Raw Water Sample per well.
Distribution Microbiological ("Bacteriological")		Quarterly	1 Distribution Sample per quarter. Disinfectant residuals must be reported.
Nitrate and Nitrite		2021	Sample at each POE every year.*
Primary Inorganics		2023	Sample at each POE every three years.
Radiologicals	Gross Alpha	Quarterly	Sample at each POE every quarterly, six, nine years, or Waived use of Grandfather Data (date of sample)
	Uranium	Quarterly	Sample at each POE every quarterly, six, nine years, or Waived use of Grandfather Data (date of sample)
	Radium-226	Quarterly	Sample at each POE every quarterly, six, nine years, or Waived use of Grandfather Data (date of sample)
	Radium-228	Quarterly	Sample at each POE every quarterly, six, nine years, or Waived use of Grandfather Data (date of sample)
Volatile Organic Contaminants (VOCs)		Quarterly	Sample at each POE every three years.
Synthetic Organic Contaminants (SOCs)		Quarterly	Sample at each POE every three years, or submit SOC reduced monitoring waiver, if applicable. Use Form 62-560.545(2), F.A.C.
Stage II Disinfection Byproducts (DBPs) <i>Total Trihalomethanes & Haloacetic Acids (5)</i>		Jul - Sept 2021	Sample according to approved Stage 2 D/DBPR Monitoring Plan.
Asbestos		2021	Certification or results due every nine years. Use Form 62-555.900(10), F.A.C.
Lead & Copper		Jan - June 2021 Jul - Dec 2021	Sample from sites approved on the Lead and Copper Sampling Plan every three years.

*POE = Point of entry to the distribution system. Sample at each POE that is representative of each source after treatment.

This is a good faith assessment of monitoring requirements for the above-referenced public water system for calendar year 2021 and may not include additional sampling required during the year due to special circumstances. If you have questions or disagree with the assessment, please contact the appropriate personnel at (813) 470-5700. Monitoring schedules are subject to change, at any time, based on results of analyses or other factors. This chart shall not relieve any person from any requirement of Florida law.

It is important for you to provide this information to your operator and/or sampler:

- **It is strongly recommended that testing be conducted early in the monitoring period to allow time for retests due to possible sampling or lab errors. Annual and triennial sampling should be completed by 9/30/2021 to provide time for revisions, re-tests, and/or corrections.**
- **Test results must be submitted to DEP within the first ten days following the end of the required monitoring period, or the first ten days following the month in which the sample results were received, whichever time is the shortest. Failure to comply may result in enforcement action.**