

PETROLEUM RESTORATION PROGRAM
SCHEDULE OF PAY ITEM
WEIGHT FACTORS

PAY ITEM	DESCRIPTION	UNIT	WEIGHT FACTOR
1-1.	File Review	Per Review	3.33
1-2.	Site Health & Safety Plan	Per Site	3.33
1-2.a.	Site Health & Safety Plan for Continued Work at no cost to FDEP	Per Site	0.00
1-3.	Notice of Discovery of Contamination Package (Initial or TPOC)	Per Package	2.50
1-4.	Permit Fees - actual fee only, cost to obtain permit is included in applicable pay items	Reimbursable	0.00
1-5.	Off-Site Property Access Agreement	Per Agreement	3.17
1-5.a.	Site Property Access Agreement for Source Property at no cost to FDEP	Per Agreement	0.00
1-6.	Project Specific Financial Guarantee Bond (if required by DEP)	Reimbursable	0.00
1-7.	6% Handling Fee for Cost Reimbursable Items	% Surcharge	0.00
2-1.	Site Reconnaissance/Field Measurement Visit	Per Visit	3.00
2-2.	Receptor Survey and Exposure Pathway Identification (Excludes report)	Per Survey	2.33
2-3.	Professional Land Survey	Reimbursable	0.00
2-4.	Contractor Oversight for Non-Price Schedule Activities	Per Day	3.17
3-1.	Mobilization, Light Duty Vehicle (car or 1/2 ton truck) - ≤ 100 miles each way	Per Round Trip	4.00
3-2.	Mobilization, Light Duty Vehicle (car or 1/2 ton truck) - > 100 miles each way	Per Round Trip	4.00
3-3.	Heavy Duty/Stakebed Truck (3/4 ton +) - ≤ 100 miles each way	Per Round Trip	2.67
3-4.	Heavy Duty/Stakebed Truck (3/4 ton +) - > 100 miles each way	Per Round Trip	2.67
3-5.	Work Trailer - ≤ 100 miles each way	Per Round Trip	2.50
3-6.	Work Trailer - > 100 miles each way	Per Round Trip	2.50
3-7.a.	DPT Rig and Support Vehicles Mobilization - ≤ 100 miles each way	Per Round Trip	3.83
3-8.a.	DPT Rig and Support Vehicles Mobilization - > 100 miles each way	Per Round Trip	3.67
3-9.a.	Drill Rig and Support Vehicles Mobilization (hollow stem auger, mud rotary or sonic) - ≤ 100 miles each way	Per Round Trip	3.83
3-10.a.	Drill Rig and Support Vehicles Mobilization (hollow stem auger, mud rotary or sonic) - > 100 miles each way	Per Round Trip	3.67
3-11.	Excavator Mobilization - ≤ 100 miles each way	Per Round Trip	3.17
3-12.	Excavator Mobilization - > 100 miles each way	Per Round Trip	3.00
3-13.a.	LDA Rig and Support Vehicles Mobilization - ≤ 100 miles each way	Per Round Trip	2.67
3-14.a.	LDA Rig and Support Vehicles Mobilization - > 100 miles each way	Per Round Trip	2.67
3-15.	Loader/Backhoe Mobilization - ≤ 100 miles each way	Per Round Trip	3.17
3-16.	Loader/Backhoe Mobilization - > 100 miles each way	Per Round Trip	3.00
3-17.	Mini Excavator/Loader (Bobcat™) Mobilization - ≤ 100 miles each way	Per Round Trip	3.00
3-18.	Mini Excavator/Loader (Bobcat™) Mobilization - > 100 miles each way	Per Round Trip	2.83
3-19.	Drum Compactor mobilization - ≤ 100 miles each way	Per Round Trip	1.75
3-20.	Drum Compactor mobilization - > 100 miles each way	Per Round Trip	1.00
4-1.a.	Per Diem - For Travel > 1 Consecutive day (prorated in quarter day increments)	Per Person, Per Day	0.00
4-1.b.	Meals Lodging	Reimbursable	0.00
5-1.a.1.	Split Spoon Sampling – 2 foot (during boring) < 50 feet	Per Spoon	4.00
5-1.a.2.	Split Spoon Sampling – 2 foot (during boring) 50 to 100 feet	Per Spoon	2.50
5-1.a.3.	Split Spoon Sampling – 2 foot (during boring) > 100 feet	Per Spoon	1.25
5-1.b.	Sonic Core Sampling - 5 or 10 foot (during boring)	Per Core	4.00
5-2.	Hand Auger Boring ≤ 10 foot total depth	Per Boring	3.50
5-3.a.	Direct Push Technology (DPT) Rig and Equipment	Full Day	4.00
5-5.a.	DPT Membrane Interface Probe (MIP) Equipped with PID and ECD (Add-on Cost to DPT Base Rate)	Full Day	1.00
5-6.	HSA or MR Boring, ≤ 6 inch diameter, < 50 foot total depth	Per Foot	3.00

PAY ITEM	DESCRIPTION	UNIT	WEIGHT FACTOR
5-7.	HSA or MR Boring, ≤ 6 inch diameter, 50 to 100 foot total depth	Per Foot	2.50
5-8.	HSA or MR Boring, ≤ 6 inch diameter, > 100 foot total depth	Per Foot	1.67
5-9.	HSA or MR Boring, > 6 to 10 inch diameter, < 50 foot total depth	Per Foot	2.50
5-10.	HSA or MR Boring, > 6 to 10 inch diameter, 50 to 100 foot total depth	Per Foot	2.00
5-11.	HSA or MR Boring, > 6 to 10 inch diameter, > 100 foot total depth	Per Foot	1.67
5-12.	HSA or MR Boring, > 10 to 14 inch diameter, < 50 foot total depth	Per Foot	1.83
5-13.	HSA or MR Boring, > 10 to 14 inch diameter, 50 to 100 foot total depth	Per Foot	1.67
5-14.	HSA or MR Boring, > 10 to 14 inch diameter, > 100 foot total depth	Per Foot	1.50
5-15.	Sonic Boring, ≤ 6 inch diameter, < 50 foot total depth	Per Foot	2.50
5-16.	Sonic Boring, ≤ 6 inch diameter, 50 to 100 foot total depth	Per Foot	2.50
5-17.	Sonic Boring, ≤ 6 inch diameter, > 100 foot total depth	Per Foot	1.83
5-18.	Sonic Boring, > 6 to 10 inch diameter, < 50 foot total depth	Per Foot	2.33
5-19.	Sonic Boring, > 6 to 10 inch diameter, 50 to 100 foot total depth	Per Foot	2.00
5-20.	Sonic Boring, > 6 to 10 inch diameter, > 100 foot total depth	Per Foot	1.50
5-21.	Sonic Boring, > 10 to 14 inch diameter, < 50 foot total depth	Per Foot	1.67
5-22.	Sonic Boring, > 10 to 14 inch diameter, 50 to 100 foot total depth	Per Foot	1.50
5-23.	Sonic Boring, > 10 to 14 inch diameter, > 100 foot total depth	Per Foot	1.50
6-1.	Well Installation - 1 inch diameter	Per Foot	2.67
6-2.a.	Well Installation - 2 inch diameter (Vertical)	Per Foot	4.00
6-2.b.	Well Installation - 2 inch diameter (Horizontal, by trenching, not directional drilling)	Per Foot	2.00
6-3.a.	Well Installation - 4 inch diameter (Vertical)	Per Foot	3.00
6-3.b.	Well Installation - 4 inch diameter (Horizontal, by trenching, not directional drilling)	Per Foot	2.00
6-4.	Well Installation - 6 inch diameter	Per Foot	2.33
6-5.	Surface Casing - 6 inch diameter	Per Foot	3.67
6-6.	Surface Casing - 8 inch diameter	Per Foot	3.00
6-7.	Surface Casing - 10 inch diameter	Per Foot	1.83
6-8.	Surface Casing - 12 inch diameter	Per Foot	1.50
6-9.a.	Additional Well Screen > 20 feet - 1 inch diameter	Per Foot	3.00
6-9.b.	Additional Well Screen > 20 feet - 2 inch diameter	Per Foot	3.00
6-9.c.	Additional Well Screen > 20 feet - 4 inch diameter	Per Foot	3.00
6-9.d.	Additional Well Screen > 20 feet - 6 inch diameter	Per Foot	3.00
6-10.	Above Grade Well Completion	Per Well	3.00
6-11.	Installation of Well Vault - 2 x 2 x 2 foot	Per Vault	3.67
6-12.	Installation of Well Vault - 4 x 4 x 2 foot	Per Vault	3.00
6-13.	Well Redevelopment	Per Well	1.75
6-14.	Removal and Reinstallation of 8-inch Manhole and well pad when a well pad/manhole has been damaged or destroyed	Per Well	1.50
6-15.	Removal and Reinstallation of 12-inch Manhole and well pad when a well pad/manhole has been damaged or destroyed	Per Well	1.25
7-1.	Grout and Abandon Well, 1 to 2 inch diameter	Per Foot	3.83
7-2.	Grout and Abandon Well, > 2 to 4 inch diameter	Per Foot	3.50
7-3.	Grout and Abandon Well, > 4 to 6 inch diameter	Per Foot	2.83
7-4.	Grout and Abandon Well, > 6 inch diameter	Per Foot	2.00
7-5.	Removal of Well Vault - 2 x 2 x 2 foot	Per Vault	3.33
7-6.	Removal of Well Vault - 4 x 4 x 2 foot	Per Vault	2.83
7-7.	Removal of Well Pad and Manhole	Per Well	3.00
8-1.	Monitoring Well Sampling with Water Level, ≤ 100 foot depth	Per Well	4.00
8-2.	Monitoring Well Sampling with Water Level, > 100 foot depth	Per Well	2.00

PAY ITEM	DESCRIPTION	UNIT	WEIGHT FACTOR
8-3.	Domestic Water Well Sampling	Per Well	1.83
8-4.	Other Water Sampling	Per Sample	1.50
8-5.	Free Product Sample Collection	Per Sample	2.00
8-6.	Soil/Sediment Sample Collection	Per Sample	3.00
8-7.	Water Level or Free Product Gauging	Per Well	4.00
8-8.	Free Product Gauging & Bailing	Per Well	3.17
8-9.	Vapor/Ambient Air Sample Collection - Passive Dosimeter, Sorbent Tube, Tedlar™ Bag (or Equivalent)	Per Sample	2.50
8-10.	Vapor/Ambient Air Sample Collection - SUMMA™ Canister (or Equivalent)	Per Sample	1.83
8-11.	Electronic Data Deliverables (EDD)	Per Sampling Event	3.25
8-12.	Survey Latitude/Longitude of Existing Monitor Wells	Per Well	2.00
8-13.	Survey Latitude/Longitude of New Monitor Wells	Per Well	1.75
8-14.	Encore (25 gram) for SPLP Soil Sample Collection: [Per Encore]. The cost will include the 25 gram Encore samples submitted to the laboratory for SPLP testing and the 25 gram Encore samples collected in the field but not submitted to the laboratory for testing (discarded).	Per Sample	2.50
9-1.	Soil, Used Oil/Unknown Product Group-Table D of Ch. 62-780, F.A.C., except for non-Priority Pollutant Organics (Multiple Methods)	Per Sample	2.50
9-2.	Soil, BTEX + MTBE (EPA 8021 or EPA 8260)	Per Sample	4.00
9-3.	Soil, Volatile Organic Halocarbons (EPA 8021 or EPA 8260)	Per Sample	3.33
9-4.	Soil, BTEX + MTBE + VOHs (EPA 8021 or EPA 8260)	Per Sample	3.17
9-5.	Soil, Polycyclic Aromatic Hydrocarbons (EPA 8270 or EPA 8310)	Per Sample	3.83
9-6.	Soil, Priority Pollutant Volatile Organics (EPA 8260)	Per Sample	3.17
9-7.	Soil, Priority Pollutant Extractable Organics-Base Neutral and Acid Extractables (EPA 8270 list [e.g., EPA 8081/8082 + EPA 8270])	Per Sample	2.33
9-8.	Soil, Total Recoverable Petroleum Hydrocarbons (FL-PRO)	Per Sample	3.83
9-8.a.	Soil, TRPH Fractionation (MADEP-EPH/VPH Method or TPHCWG Direct Method)	Per Sample	2.75
9-9.	Soil, PCBs [or Aroclors] (EPA 8082)	Per Sample	1.50
9-10.	Soil, 8 RCRA Metals (EPA 6010 or EPA 6020 [Arsenic, Barium, Cadmium, Chromium, Lead, Silver] and EPA 6020 or EPA 7471 [Mercury])	Per Sample	2.83
9-11.	Soil, Arsenic (EPA 6010 or EPA 6020)	Per Sample	2.50
9-12.	Soil, Cadmium (EPA 6010 or EPA 6020)	Per Sample	2.17
9-13.	Soil, Chromium (EPA 6010 or EPA 6020)	Per Sample	2.17
9-14.	Soil, Lead (EPA 6010 or EPA 6020)	Per Sample	3.17
9-15.	Soil, Toxicity Characteristic Leaching Procedure-Extraction Only (EPA 1311)	Per Sample	2.67
9-16.	Soil, Synthetic Precipitation Leaching Procedure-Extraction Only (EPA1312)	Per Sample	3.17
9-17.	Soil, Organic Carbon, Total (EPA 9060 or Walkey-Black)	Per Sample	1.83
9-18.	Soil, Dry Bulk Density (ASTM D1556-07, ASTM D2167-08, ASTM D2922-01, -04, -04e, -96e1 or ASTM D2937-10)	Per Sample	1.67
9-19.	Soil, Moisture Content (ASTM D2216-10)	Per Sample	1.67
9-20.	Soil, Texture, (See Gee 7 Bauder [1966])	Per Sample	1.17
9-21.	Soil, GC/MS Full Scan, Alkanes, Isoalkanes, Cycloalkanes, Aromatics, Bicyclane, Sterane, and Terpane Biomarkers (ASTM D5739 High Resolution GC/MS)	Per Sample	1.33
9-22.	Soil, Gasoline Hydrocarbon Composition, Gasoline PIANO (paraffins, isoparaffins, aromatics, naphthenes and olefins) (EPA 8260Mod, High Resolution GC/MS)	Per Sample	1.33
9-23.	Soil, 5 Fuel Oxygenates, MTBE, DIPE, TAME, ETBE and TBA (EPA 8260Mod, High Resolution GC/MS)	Per Sample	1.50
9-24.	Soil, C10-C40 Alkane Fingerprint, N-Alkanes and Isoalkanes (ASTM D3328 GC/MS)	Per Sample	1.33

PAY ITEM	DESCRIPTION	UNIT	WEIGHT FACTOR
9-25.	Water, Gasoline/Kerosene Analytical Group-Table C of Ch. 62-780, F.A.C. (Multiple Methods)	Per Sample	2.50
9-26.	Water, Used Oil/Unknown Product Group-Table C of Ch. 62-780, F.A.C., except for non-Priority Pollutant Organics (Multiple Methods)	Per Sample	2.50
9-27.	Water, BTEX + MTBE (EPA 602, EPA 624, EPA 8021 or EPA 8260)	Per Sample	4.00
9-28.	Water, Volatile Organic Halocarbons, except EDB (EPA 8021 or EPA 8260)	Per Sample	3.00
9-29.	Water, BTEX + MTBE + VOHs (EPA 601/602, EPA 624, EPA 6021 or EPA 8260)	Per Sample	3.17
9-30.	Water, Polycyclic Aromatic Hydrocarbons, including 1-methylnaphthalene + 2-methylnaphthalene (EPA 610 [HPLC], EPA 625, EPA 8270 or EPA 8310)	Per Sample	3.83
9-31.	Water, EDB [1,2-dibromoethane or ethylene dibromide] (EPA 504.1 or EPA 8011)	Per Sample	2.50
9-31.a.	Water, EDB [1,2-dibromoethane or ethylene dibromide] (EPA 8260 SIM)	Per Sample	1.50
9-32.	Water, Priority Pollutant Volatile Organics [for NPDES purposes only] (EPA 624)	Per Sample	2.50
9-33.	Water, Priority Pollutant Volatile Organics (EPA 8260)	Per Sample	2.67
9-34.	Water, Priority Pollutant Extractable Organics-Base Neutral and Acid Extractables [for NPDES purposes only] (EPA 625 list [e.g., EPA 608 + EPA 625])	Per Sample	1.67
9-35.	Water, Priority Pollutant Extractable Organics-Base Neutral and Acid Extractables (EPA 8270 list [e.g., EPA 8081/8082 + EPA 8270 or EPA 608 + EPA 8270])	Per Sample	1.83
9-36.	Water, Total Recoverable Petroleum Hydrocarbons (FL-PRO)	Per Sample	4.00
9-37.	Water, PCBs [or Aroclors] (EPA 608 or EPA 8082)	Per Sample	1.33
9-38.	Water, Arsenic, Total (EPA 200.7, EPA 200.8, EPA 6010 or EPA 6020)	Per Sample	3.00
9-39.	Water, Cadmium, Total (EPA 200.7, EPA 200.8, EPA 6010 or EPA 6020)	Per Sample	1.83
9-40.	Water, Chromium, Total (EPA 200.7, EPA 200.8, EPA 6010 or EPA 6020)	Per Sample	1.83
9-41.	Water, Lead, Total (EPA 200.7, EPA 200.8, EPA 6010 or EPA 6020)	Per Sample	3.17
9-41.a.	Water, Dissolved Lead (includes filter appropriate to sample method - EPA 200.7, 200.9, 6010B, or 7380)	Per Sample	2.25
9-42.	Water, Mercury, Total (EPA 245.1, EPA 6020 or EPA 7470)	Per Sample	1.83
9-43.	Water, Calcium, Total (EPA 200.7, EPA 6010 or EPA 6020)	Per Sample	1.67
9-44.	Water, Iron, Total (EPA 200.7, EPA 6010 or EPA 6020)	Per Sample	2.33
9-44.a.	Water, Dissolved Iron (includes filter appropriate to sample method - EPA 200.7, 200.9, 6010B, or 7380)	Per Sample	3.00
9-45.	Water, Magnesium, Total (EPA 200.7, EPA 6010 or EPA 6020)	Per Sample	1.67
9-46.	Water, Manganese, Total (EPA 200.7, EPA 200.8, EPA 6010 or EPA 6020)	Per Sample	1.67
9-47.	Water, Potassium, Total (EPA 200.7, EPA 6010 or EPA 6020)	Per Sample	1.67
9-48.	Water, Sodium, Total (EPA 200.7, EPA 6010 or EPA 6020)	Per Sample	1.67
9-49.	Water, Alkalinity [as CaCO ₃] (EPA 310.2 or SM 2320 B)	Per Sample	1.67
9-50.	Water, Ammonia [as N] (EPA 350.1, SM 4500-NH ₃ C, SM 4500-NH ₃ D, SM 4500-NH ₃ G or SM 4500-NH ₃ H)	Per Sample	1.50
9-51.	Water, Chloride (EPA 300.0, EPA 9056, EPA 9251, EPA 9053, SM 4500CI B, SM 4500CI C or SM 4500CI E)	Per Sample	1.67
9-52.	Water, Hardness, Total [as CaCO ₃] (SM 2340 B or SM 2340 C)	Per Sample	1.83
9-53.	Water, Nitrate [as N] (EPA 300.0 or EPA 353.2)	Per Sample	1.67
9-54.	Water, Nitrate-Nitrite [as N] (EPA 300.0, EPA 353.2, SM 4500-NO ₃ E or SM 4500-NO ₃ F)	Per Sample	1.67
9-55.	Water, Nitrite [as N] (EPA 300.0, EPA 300.1, SM 4500-NO ₂ B or SM 4500-NO ₃ F)	Per Sample	1.67
9-56.	Water, Organic Carbon, Total (SM 5310 B, SM 5310 C or EPA 9060)	Per Sample	1.67
9-57.	Water, Orthophosphate [as P] (EPA 300.0, EPA 300.1, EPA 365.1, EPA 365.3, EPA 9056, SM 4500-PE or SM 4500-PF)	Per Sample	1.67
9-58.	Water, Residue-filterable [Total Dissolved Solids] (SM 2540 C)	Per Sample	2.00
9-59.	Water, Residue-nonfilterable [Total Suspended Solids] (SM 2540 D)	Per Sample	1.83

PAY ITEM	DESCRIPTION	UNIT	WEIGHT FACTOR
9-60.	Water, Sulfate (ASTM D516-02, ASTM D516-90, EPA 300.0, EPA 300.1, EPA 375.2, EPA 9038, EPA 9056 or SM 4500-SO4 C)	Per Sample	1.67
9-61.	Water, Heterotrophic Plate Count (SM 9215 B)	Per Sample	1.67
9-62.	Water, Acute Bioassay-96 Hour, Freshwater, Vertebrate/Invertebrate [Vertebrate: Pimephales promelas or Cyprinella leedsii/Invertebrate: Ceriodaphnia dubia] (EPA 2000.0/2002.0)	Per Sample	1.83
9-63.	Water, Acute Bioassay-96 Hour, Estuarine + Marine, Vertebrate/Invertebrate [Vertebrate: Menidia beryllina, Meridia menidia or Menida peninsulae/Invertebrate: Mysidopsis bahia] (EPA 2006.0/2007.0)	Per Sample	1.50
9-64.	Water, GC/MS Full Scan, Alkanes, Isoalkanes, Cycloalkanes, Aromatics, Bicyclane, Sterane, and Terpane Biomarkers (ASTM D5739 High Resolution GC/MS)	Per Sample	1.33
9-65.	Water, Gasoline Hydrocarbon Composition, Gasoline PIANO [paraffins, isoparaffins, aromatics, naphthenes and olefins] (EPA 8260Mod, High Resolution GC/MS)	Per Sample	1.50
9-66.	Water, 5 Fuel Oxygenates, MTBE, DIPE, TAME, ETBE and TBA (EPA 8260Mod, High Resolution GC/MS)	Per Sample	1.50
9-67.	Water, C10-C40 Alkane Fingerprint, N-Alkanes and Isoalkanes (ASTM D3328 GC/MS)	Per Sample	1.50
9-78.	Water, BTEX/MTBE + Naphthalene (EPA 8260)	Per Sample	2.00
9-79.	Water, EDC [1,2-dichloroethane] (EPA Method 8021 or 8260)	Per Sample	1.25
9-80.	Water, Methane (EPA SOP RSK-175)	Per Sample	2.75
9-68.	Air, Total Petroleum Hydrocarbons (EPA Method 18 or TO-3)	Per Sample	3.67
9-69.	Air, Volatile Organic Aromatics (EPA Method TO-15)	Per Sample	1.67
9-70.	Air, Polycyclic Aromatic Hydrocarbons (EPA Method TO-13)	Per Sample	1.67
9-71.	Air, Volatile Organic Compounds (EPA Method TO-17)	Per Sample	1.67
9-72.	Product, C3-C44 Hydrocarbon Fingerprint, Gasoline PIANO [paraffins, isoparaffins, aromatics, naphthenes and olefins], alkanes and isoalkanes (ASTM D3328 High Resolution GC/FID)	Per Sample	1.50
9-73.	Product, GC/MS Full Scan, alkanes, isoalkanes, cycloalkanes, aromatics, bicyclane, sterane, and terpane biomarkers (ASTM D5739 High Resolution GC/MS)	Per Sample	1.50
9-74.	Other Analysis, Not Otherwise Specified	Reimbursable	0.00
9-75.	Additional Laboratory Charge for 7 Day Turnaround (percent surcharge is in addition to lab fee) ^a	% Surcharge	2.83
9-76.	Additional Laboratory Charge for 3 Day Turnaround (percent surcharge in addition to lab fee) ^a	% Surcharge	2.33
9-77.	Additional Laboratory Charge for 1 Day Turnaround (percent surcharge in addition to lab fee) ^a	% Surcharge	2.33
10-1.a.	Sheet Piling Installation for ≤ 20 feet deep Excavation	Per Sq. Foot	2.25
10-1.b.	Sheet Piling Rental for ≤ 20 feet deep Excavation	Per Sq. Foot/Day	2.00
10-1.c.	Sheet Piling Rental for ≤ 20 feet deep Excavation	Per Sq. Foot/Week	2.67
10-1.d.	Sheet Piling Rental for ≤ 20 feet deep Excavation	Per Sq. Foot/Month	1.67
10-2.a.	Sheet Piling Installation for > 20 feet deep Excavation	Per Sq. Foot	3.00
10-2.b.	Sheet Piling Rental for > 20 feet deep Excavation	Per Sq. Foot/Day	2.33
10-2.c.	Sheet Piling Rental for > 20 feet deep Excavation	Per Sq. Foot/Week	3.00
10-2.d.	Sheet Piling Rental for > 20 feet deep Excavation	Per Sq. Foot/Month	2.00
10-7.	Conventional Soil Excavation and Loading ≤ 300 cubic yards	Per Cubic Yard	3.33
10-8.	Conventional Soil Excavation and Loading > 300 cubic yards	Per Cubic Yard	3.83
10-9.	LDA Excavation and Loading Without Casing ≤ 300 cubic yards	Per Cubic Yard	2.50
10-10.	LDA Excavation and Loading Without Casing > 300 cubic yards	Per Cubic Yard	3.50
10-11.a.	LDA Excavation and Loading With Surface Casing ≤ 300 cubic yards	Per Cubic Yard	2.17

PAY ITEM	DESCRIPTION	UNIT	WEIGHT FACTOR
10-11.b.	LDA Excavation and Loading With Driven Casing \leq 300 cubic yards	Per Cubic Yard	2.17
10-12.a.	LDA Excavation and Loading With Surface Casing > 300 cubic yards	Per Cubic Yard	2.83
10-12.b.	LDA Excavation and Loading With Driven Casing > 300 cubic yards	Per Cubic Yard	2.83
10-13.	Flowable Fill Concrete and Installation	Per Cubic Yard	3.50
10-14.	Clean Backfill Material, Compaction and Testing (includes transport) \leq 300 cubic yards	Per Cubic Yard	3.50
10-15.	Clean Backfill Material, Compaction and Testing (includes transport) > 300 cubic yards	Per Cubic Yard	3.83
10-15.a.	Clean Overburden Used As Backfill, Compaction and Testing \leq 300 cubic yards	Per Cubic Yard	2.67
10-15.b.	Clean Overburden Used As Backfill, Compaction and Testing > 300 cubic yards	Per Cubic Yard	1.67
10-16.	Pea Gravel	Per Ton	3.00
10-17.	#57 Stone	Per Ton	3.00
10-18.	Dewatering System, up to 12 well points (includes installation)	Per Day	3.17
10-19.	Additional Dewatering System Well Points (2) (includes installation)	Per Day	3.17
10-20.	Dewatering System, up to 12 well points (includes installation)	Per Week	3.33
10-21.	Additional Dewatering System Well Points (2) (includes installation)	Per Week	3.33
10-22.	Dewatering System, up to 12 well points (includes installation)	Per Month	2.73
10-23.	Additional Dewatering System Well Points (2) (includes installation)	Per Month	2.83
11-1.	Remove and Dispose Petroleum Storage Tank - \leq 1,000 gal. capacity	Per Tank	2.17
11-2.	Remove and Dispose Petroleum Storage Tank - > 1,000 to 5,000 gal. capacity	Per Tank	2.00
11-3.	Remove and Dispose Petroleum Storage Tank - > 5,000 to 10,000 gal. capacity	Per Tank	1.83
11-4.	Remove and Dispose Petroleum Storage Tank - > 10,000 gal. capacity	Per Tank	1.83
12-1.	Removal and Loading of Asphalt and/or Concrete - up to 4 inch thickness	Per Square Foot	3.67
12-2.	Additional Removal/Loading Cost for Concrete - > 4 inch thickness	Per Square Foot	2.33
12-3.	Loading, Transport and Disposal/Recycle Clean Overburden	Per Ton	3.50
12-4.	Transport and Disposal of Clean Concrete	Per Ton	2.83
12-5.	Transport and Disposal of Mixed Debris	Per Ton	3.33
12-6.	Transport and Disposal of Petroleum Impacted Soil (includes drum)	Per Drum	3.83
12-7.	Transport Petroleum Impacted Soil (bulk) \leq 100 miles	Per Ton	3.83
12-8.	Transport Petroleum Impacted Soil (bulk) > 100 miles	Per Ton	3.50
12-9.	Disposal of Petroleum Impacted Soil at a Landfill (bulk) \leq 450 tons	Per Ton	3.50
12-10.	Disposal of Petroleum Impacted Soil at a Landfill (bulk) > 450 tons	Per Ton	3.50
12-11.	Disposal of Petroleum Impacted Soil at a Thermal Treatment Facility (bulk) \leq 450 tons	Per Ton	3.00
12-12.	Disposal of Petroleum Impacted Soil at a Thermal Treatment Facility (bulk) > 450 tons	Per Ton	3.00
12-13.	Transport and Disposal of Petroleum Contact Water (includes drum)	Per Drum	3.17
12-14.	Transport and Disposal of Petroleum Contact Water (bulk)	Per Gallon	3.17
12-15.	Transport and Disposal of Petroleum Product (includes drum)	Per Drum	2.67
12-16.	Transport and Disposal of Petroleum Product (bulk)	Per Gallon	2.33
12-17.	Delivery, Pick Up and Rental of 20 Cubic Yard Roll-Off Container	Per Week	2.50
12-18.	Additional Rental of 20 Cubic Yard Roll-Off Container	Per Week	2.50
13-1.	Asphalt Paving - 2 inch thickness (includes sub-base)	Per Square Foot	3.83
13-2.	Asphalt Paving - additional 1 inch thickness	Per Square Foot	3.33
13-3.	Concrete Paving - 4 inch thickness (includes sub-base)	Per Square Foot	3.83
13-4.	Concrete Paving - additional 1 inch thickness	Per Square Foot	3.00
13-5.	Crushed Lime Rock Cover - 2 inch thickness	Per Square Foot	3.33
13-6.	Grass - Sod	Per Square Foot	3.00
13-7.	Grass - Seed and Mulch	Per Square Foot	2.83
14-1.	Direct Push Boring with In-Situ Injection	Per Foot	2.50
14-2.	In-Situ Injection Into Existing Well/Treatment Point	Per Injection Point	2.50
14-3.	Materials to be Injected	Reimbursable	0.00

PAY ITEM	DESCRIPTION	UNIT	WEIGHT FACTOR
14-4.	Groundwater Injection System (not by direct push)	Per Week	2.25
14-5.	Groundwater Injection System (not by direct push)	Per Month	1.50
15-1.a.	Trenching and Installation of 1-10 Plumbing (and Electrical) Lines in Trench	Per Linear Foot of Trench	3.50
15-1.b.	Trenching and Installation of 11 - 20 Lines	Per Linear Foot of Trench	3.25
15-1.c.	Trenching and Installation of 21 - 30 Lines	Per Linear Foot of Trench	2.25
15-1.d.	Trenching and Installation of Additional 1-10 Lines Greater Than 30 Lines	Per Linear Foot of Trench	1.50
15-2.a.	Installation of Plumbing (and Electrical) Lines Above Ground: Per Linear Foot of Piping. Electrical lines are not counted in determination of costs.	Per Foot	1.75
15-3.	Plumbing and Electrical Materials/Equipment Installed in Trench	Reimbursable	0.00
15-3.a.	Traffic Bearing Trench Plates (materials)	Reimbursable*	0.00
15-3.b.	Infiltration Gallery Installation	Reimbursable*	0.00
15-4.a.	System Installation/Integration/Startup - 1 technology component - 1-10 recovery/treatment points	Per Startup	3.25
15-4.b.	System Installation/Integration/Startup - 1 technology component - 11-20 recovery/treatment points	Per Startup	3.00
15-4.c.	System Installation/Integration/Startup - 1 technology component - 21-30 recovery/treatment points	Per Startup	2.25
15-4.d.	System Installation/Integration/Startup - 1 technology component - 1-10 additional recovery/treatment points greater than 30. This item is used in conjunction with 15.4.c when needed.	Per Startup	1.50
15-5.	System Installation/Integration/Startup – Addition of 1 technology component	Per Additional Tech Component	3.67
15-7.	Compound Construction/fencing (materials)	Reimbursable*	0.00
15-8.	Utility Drop	Reimbursable*	0.00
15-9.	Utility Connection	Reimbursable*	0.00
15-10.	Utility Disconnect	Reimbursable*	0.00
16-1.	Groundwater Recovery System Pilot Test - 8 hours	Per Test	2.33
16-2.	Groundwater Recovery System Pilot Test - Additional Time	Per 2 Hrs	1.83
16-3.	Air Sparging or Biosparging Pilot Test - 8 hours	Per Test	3.17
16-4.	Air Sparging or Biosparging Pilot Test - Additional Time	Per 2 Hrs	2.17
16-5.	Vapor Extraction Pilot Test - 8 hours	Per Test	3.00
16-6.	Vapor Extraction Pilot Test - Additional Time	Per 2 Hrs	2.17
16-7.	Vapor Extraction/Aquifer Pumping Test - 8 hours	Per Test	2.67
16-8.	Vapor Extraction/Aquifer Pumping Test - Additional Time	Per 2 Hrs	2.17
16-9.	Air Sparging/Vapor Extraction Pilot Test - 8 hours	Per Test	3.67
16-10.	Air Sparging/Vapor Extraction Pilot Test - Additional Time	Per 2 Hrs	2.83
16-11.	Multi-Phase Pilot Test - 8 hours	Per Test	3.17
16-12.	Multi-Phase Pilot Test - Additional Time	Per 2 Hrs	2.17
16-13.	Air Sparging/Multiphase Extraction Pilot Test - 8 hours	Per Test	2.75
16-14.	Air Sparging/Multiphase Extraction Pilot Test - Additional Time	Per 2 Hours	2.00
16-17.	Groundwater Treatment System Package - Medium	Per Day	2.67
16-18.	Groundwater Treatment System Package - Medium	Per Week	2.83
16-19.	Air Sparge System Package - Medium	Per Day	2.83
16-20.	Air Sparge System Package - Medium	Per Week	3.00

PAY ITEM	DESCRIPTION	UNIT	WEIGHT FACTOR
16-21.	AS/SVE System Package - Medium	Per Day	3.33
16-22.	AS/SVE System Package - Medium	Per Week	3.67
16-23.	MPE System Package - Medium	Per Day	2.50
16-24.	MPE System Package - Medium	Per Week	2.83
16-25.	AS/MPE System Package - Medium	Per Day	2.00
16-26.	AS/MPE System Package - Medium	Per Week	2.25
16-27.	SVE System Package - Medium	Per Day	2.00
16-28.	SVE System Package - Medium	Per Week	2.25
17-1.	System O&M Package - Small	Per Month	3.00
17-2.	System O&M Package - Medium	Per Month	3.67
17-3.	System O&M Package - Large	Per Month	3.00
17-4.	System O&M Package - Extra Large	Per Month	2.00
17-5.	Supplemental System O&M Package - Add Thermax or Catox Treatment	Per Month	3.00
18-1.	Medium Holding Tank - 2,000 to 6,000 gal. capacity - Short Term ≤ 6 mos.	Per Month	2.67
18-2.	Medium Holding Tank - 2,000 to 6,000 gal. capacity - Long Term > 6 mos.	Per Month	2.33
18-3.	Large Holding Tank > 6,000 to 10,000 gal. capacity - Short Term ≤ 6 mos.	Per Month	2.33
18-4.	Large Holding Tank > 6,000 to 10,000 gal. capacity - Long Term > 6 mos.	Per Month	2.17
18-5.	Groundwater Treatment System - Stand Alone Small - Short Term ≤ 6 mos.	Per Month	2.83
18-6.	Groundwater Treatment System - Stand Alone Small - Long Term > 6 mos.	Per Month	2.83
18-7.	Groundwater Treatment System - Stand Alone Medium - Short Term ≤ 6 mos.	Per Month	2.83
18-8.	Groundwater Treatment System - Stand Alone Medium - Long Term > 6 mos.	Per Month	2.83
18-9.	Groundwater Treatment System - Stand Alone Large - Short Term ≤ 6 mos.	Per Month	2.67
18-10.	Groundwater Treatment System - Stand Alone Large - Long Term > 6 mos.	Per Month	2.67
18-11.	Air Sparge System - Small - Short Term ≤ 6 mos.	Per Month	2.83
18-12.	Air Sparge System - Small - Long Term > 6 mos.	Per Month	3.33
18-13.	Air Sparge System - Medium - Short Term ≤ 6 mos.	Per Month	3.00
18-14.	Air Sparge System - Medium - Long Term > 6 mos.	Per Month	3.33
18-15.	Air Sparge System - Large - Short Term ≤ 6 mos.	Per Month	2.83
18-16.	Air Sparge System - Large - Long Term > 6 mos.	Per Month	3.17
18-17.	AS/SVE System - Small - Short Term ≤ 6 mos.	Per Month	3.50
18-18.	AS/SVE System - Small - Long Term > 6 mos.	Per Month	3.67
18-19.	AS/SVE System - Medium - Short Term ≤ 6 mos.	Per Month	3.67
18-20.	AS/SVE System - Medium - Long Term > 6 mos.	Per Month	3.83
18-21.	AS/SVE System - Large - Short Term ≤ 6 mos.	Per Month	3.33
18-22.	AS/SVE System - Large - Long Term > 6 mos.	Per Month	3.50
18-23.	MPE System - Small - Short Term ≤ 6 mos.	Per Month	3.00
18-24.	MPE System - Small - Long Term > 6 mos.	Per Month	3.17
18-25.	MPE System - Medium - Short Term ≤ 6 mos.	Per Month	2.83
18-26.	MPE System - Medium - Long Term > 6 mos.	Per Month	3.50
18-27.	MPE System - Large - Short Term ≤ 6 mos.	Per Month	2.67
18-28.	MPE System - Large - Long Term > 6 mos.	Per Month	3.17
18-29.	Groundwater Treatment - Add On - Small - Short Term ≤ 6 mos.	Per Month	2.50
18-30.	Groundwater Treatment - Add On - Medium - Short Term ≤ 6 mos.	Per Month	2.66
18-31.	Groundwater Treatment - Add On - Large - Short Term ≤ 6 mos.	Per Month	2.50
18-32.	Groundwater Treatment - Add On - Small - Long Term > 6 mos.	Per Month	2.83
18-33.	Groundwater Treatment - Add On - Medium - Long Term > 6 mos.	Per Month	3.00
18-34.	Groundwater Treatment - Add On - Large - Long Term > 6 mos.	Per Month	2.83
18-35.	Carbon Off Gas Treatment - Add On - Small - Short Term ≤ 6 mos.	Per Month	3.83

PAY ITEM	DESCRIPTION	UNIT	WEIGHT FACTOR
18-36.	Carbon Off Gas Treatment - Add On - Medium - Short Term ≤ 6 mos.	Per Month	3.67
18-37.	Carbon Off Gas Treatment - Add On - Large - Short Term ≤ 6 mos.	Per Month	3.50
18-38.	Carbon Off Gas Treatment - Add On - Small- Long Term > 6 mos.	Per Month	3.33
18-39.	Carbon Off Gas Treatment - Add On - Medium - Long Term > 6 mos.	Per Month	3.50
18-40.	Carbon Off Gas Treatment - Add On - Large - Long Term > 6 mos.	Per Month	3.33
18-41.	Thermox/Catox Off Gas Treatment - Add On - Small - Short Term ≤ 6 mos.	Per Month	3.17
18-42.	Thermox/Catox Off Gas Treatment - Add On - Medium - Short Term ≤ 6 mos.	Per Month	3.00
18-43.	Thermox/Catox Off Gas Treatment - Add On - Large - Short Term ≤ 6 mos.	Per Month	2.83
18-44.	Thermox/Catox Off Gas Treatment - Add On - Small - Long Term > 6 mos.	Per Month	2.83
18-45.	Thermox/Catox Off Gas Treatment - Add On - Medium - Long Term > 6 mos.	Per Month	2.83
18-46.	Thermox/Catox Off Gas Treatment - Add On - Large - Long Term > 6 mos.	Per Month	2.83
18-47.	Soil Vapor Extraction (SVE) System - Small - Short Term ≤ 6 Months	Per Month	2.25
18-48.	Soil Vapor Extraction (SVE) System - Small - Long Term > 6 Months	Per Month	2.50
18-49.	Soil Vapor Extraction (SVE) System - Medium - Short Term ≤ 6 Months	Per Month	2.50
18-50.	Soil Vapor Extraction (SVE) System - Medium - Long Term > 6 Months	Per Month	2.75
18-51.	Soil Vapor Extraction (SVE) System - Large - Short Term ≤ 6 Months	Per Month	2.00
18-52.	Soil Vapor Extraction (SVE) System - Large - Long Term > 6 Months	Per Month	2.25
18-53.	Air Sparge/Multiphase Extraction (AS/MPE) System - Small - Short Term ≤ 6 Months	Per Month	2.75
18-54.	Air Sparge/Multiphase Extraction (AS/MPE) System - Small - Long Term > 6 Months	Per Month	2.50
18-55.	Air Sparge/Multiphase Extraction (AS/MPE) System - Medium - Short Term ≤ 6 Months	Per Month	2.75
18-56.	Air Sparge/Multiphase Extraction (AS/MPE) System - Medium - Long Term > 6 Months	Per Month	3.00
18-57.	Air Sparge/Multiphase Extraction (AS/MPE) System - Large - Short Term ≤ 6 Months	Per Month	2.00
18-58.	Air Sparge/Multiphase Extraction (AS/MPE) System - Large - Long Term > 6 Months	Per Month	2.75
19-1.	Soil Source Removal Report	Per Report	3.00
19-3.	General Site Assessment Report	Per Report	3.33
19-4.	Supplemental Site Assessment Report	Per Report	3.83
19-5.	Receptor and Exposure Pathway Report	Per Report	2.00
19-6.	Level 2 Natural Attenuation Monitoring Plan	Per Plan	2.16
19-7.	Natural Attenuation or Post RA Monitoring Report, Quarterly or Non-Annual	Per Report	3.83
19-8.	Natural Attenuation or Post RA Monitoring Report, Annual	Per Report	2.67
19-9.	Pilot Test Plan	Per Plan	3.50
19-10.	Pilot Test Report	Per Report	3.50
19-11.	Level 1 Remedial Action Plan	Per Plan	3.50
19-12.	Level 2 Remedial Action Plan	Per Plan	3.50
19-13.	Level 1 Limited Scope Remedial Action Plan or RAP Modification Plan	Per Plan	3.33
19-14.	Level 2 Limited Scope Remedial Action Plan or RAP Modification Plan	Per Plan	3.33
19-15.	Level 3 Limited Scope Remedial Action Plan or RAP Modification Plan	Per Plan	3.33
19-16.	Level 4 Limited Scope Remedial Action Plan or RAP Modification Plan	Per Plan	3.50
19-17.	Construction Drawings and Specs Report	Per Report	3.67
19-18.	As-Built Drawings (P.E. sealed red lined modifications)	Per Drawings	3.00
19-19.	Remedial Action Startup Report	Per Report	3.50
19-20.	Letter/NPDES Report	Per Report	3.00
19-21.	Operation & Maintenance Report, Quarterly or Non-Annual	Per Report	3.83
19-22.	Operation & Maintenance Annual Report	Per Report	3.33
19-23.	Remedial Action General Report	Per Report	3.17
19-24.	Remedial Action Interim Report	Per Report	3.33
19-25.	Free Product Recovery Report	Per Report	1.83
19-26.	Well Abandonment/Site Restoration Report	Per Report	3.50

PAY ITEM	DESCRIPTION	UNIT	WEIGHT FACTOR
19-27.	Interim Assessment Report	Per Report	3.00
20-1.	Program Manager (Key)	Per Hour	2.50
20-2.	Project Manager (Key)	Per Hour	3.50
20-3.	Engineer (Key)	Per Hour	3.67
20-4.	Geologist/Geoscientist (Key)	Per Hour	3.67
20-5.	Hydrogeologist/Modeler (Key)	Per Hour	3.00
20-6.	Scientist/Technical Specialist (Key)	Per Hour	3.83
20-7.	Assistant Scientist/Technical Specialist	Per Hour	3.33
20-8.	Field Technician (Key)	Per Hour	3.67
20-9.	Draftsperson	Per Hour	3.17
20-10.	Administrative	Per Hour	3.00
20-11.	Laborers and Security Guards	Per Hour	2.67
21-1.	Professional Engineer (Key)	Per Hour	3.00
21-2.	Professional Geologist (Key)	Per Hour	2.75
21-3.	P.G. Field Oversight of Drilling and Boring and Soil-Boring Logging (Use hourly rate on site specific basis)	Per Hour	1.00
21-4.	P.G. Field Oversight of Well Installation (Use hourly rate on site specific basis)	Per Hour	1.00
21-5.	P.E. Project Oversight for Remediation Technology Pilot Testing	Per Test	2.75
21-6.a.	P.E. Project Oversight for Remediation System Integration and Startup - Small System	Per System	2.75
21-6.b.	P.E. Project Oversight for Remediation System Integration and Startup - Medium System	Per System	3.00
21-6.c.	P.E. Project Oversight for Remediation System Integration and Startup - Large System	Per System	3.00
21-6.d.	P.E. Project Oversight for Remediation System Integration and Startup - Extra Large System	Per System	2.50
21-7.a.	P.E. Project Oversight for Short Term or Episodic Remediation System Operation - Daily Basis	Per Day	1.75
21-7.b.	P.E. Project Oversight for Short Term or Episodic Remediation System Operation - Weekly Basis	Per Week	1.75
21-8.	P.E. Project Oversight for Remediation System Operation and Maintenance	Per Month	3.25
21-9.	P.E. Review and Certification of Sufficiency of Engineering Controls (other than permanent, impermeable surface or top two feet of clean fill), with Monitoring and Maintenance Recommendations Required for a Conditional NFA	Per Review and Certification	1.25
21-10.	P.G. Review and Certification of Sufficiency of Engineering Controls Limited to Permanent, Impermeable Surface or Top Two Feet of Clean Fill with Monitoring and Maintenance Recommendations Required for a Conditional NFA	Per Review and Certification	1.50
21-11.	P.E. Design and Certification of Plans and Project Oversight of Installation for Engineering Controls (other than permanent, impermeable surface or top two feet of clean fill) required for a conditional NFA	Per Engineering Controls Installation	1.25
21-12.	P.G. Review, Evaluation and Certification of Plans and Project Oversight for Installation of Engineering Controls Limited to Permanent, Impermeable Surface or Top Two Feet of Clean Fill Required for a Conditional NFA	Per Engineering Controls Installation	1.25
21-13.	P.G. or P.E. Review, Evaluation and Certification of a Soil Source Removal Report That Includes a Recommendation for NFA	Per Report	2.50
21-15.	P.G. or Qualified P.E. Review, Evaluation and Certification of a General Site Assessment Report	Per Report	3.50
21-16.	P.G. or Qualified P.E. Review, Evaluation and Certification of a Supplemental Site Assessment Report	Per Report	3.25
21-17.	P.G. or P.E. Review, Evaluation and Certification of a Receptor and Exposure Pathway Report	Per Report	1.25
21-18.	P.E. Review, Evaluation and Certification of a Level 2 Natural Attenuation Monitoring Plan	Per Plan	1.75

PAY ITEM	DESCRIPTION	UNIT	WEIGHT FACTOR
21-19.	P.E. Review, Evaluation and Certification of a Non-Annual Natural Attenuation or Post RA Monitoring Report That Includes a Recommendation for NFA or a Recommendation to Modify the Approved Monitoring Plan	Per Report	2.50
21-20.	P.G or P.E. Review, Evaluation and Certification of an Annual Natural Attenuation Monitoring Report	Per Report	3.00
21-21.	P.E. Review, Evaluation and Certification of a Pilot Test Plan	Per Plan	2.50
21-22.	P.E. Review, Evaluation and Certification of a Pilot Test Report	Per Report	2.25
21-23.	P.E. Review, Evaluation and Certification of a Level 1 Remedial Action Plan	Per Plan	2.25
21-24.	P.E. Review, Evaluation and Certification of a Level 2 Remedial Action Plan	Per Plan	2.25
21-25.	P.E. Review, Evaluation and Certification of a Level 1 Limited Scope Remedial Action Plan or RAP Modification Plan	Per Plan	2.50
21-26.	P.E. Review, Evaluation and Certification of a Level 2 Limited Scope Remedial Action Plan or RAP Modification Plan	Per Plan	2.75
21-27.	P.E. Review, Evaluation and Certification of a Level 3 Limited Scope Remedial Action Plan or RAP Modification Plan	Per Plan	2.75
21-28.	P.E. Review, Evaluation and Certification of a Level 4 Limited Scope Remedial Action Plan or RAP Modification Plan	Per Plan	2.25
21-29.	P.E. Review, Evaluation and Certification of As-Built Drawings (P.E. sealed red lined modifications)	Per Set of Drawings	2.75
21-30.	P.E. Review, Evaluation and Certification of a Remedial Action Startup Report That Includes a Recommendation for System Modification or Significant Change in the Course of Action	Per Report	1.75
21-31.	P.E. Review, Evaluation and Certification of a Non-Annual Operation and Maintenance Report That Includes Significant Proposed Changes to the Approved RAP	Per Report	2.25
21-32.	P.E. Review, Evaluation and Certification of an Annual Operation and Maintenance Report	Per Report	3.00
21-33.	P.G or P.E. Review, Evaluation and Certification of a Remedial Action General Report	Per Report	2.50
21-34.	P.G or P.E. Review, Evaluation and Certification of an Interim Remedial Action Report That Includes a Recommendation for System Modification or Significant Change in the Course of Action	Per Report	1.75
21-35.	P.E. Review, Evaluation, and Certification of Construction Drawings	Per Set of Drawings	3.00
21-36.	P.E. Review, Evaluation, and Certification of Annual PARM Report	Per Report	2.75