

Northeast District

PWS ID: 2100150 System Type: Community

PWS Name: CAMP BLANDING JOINT TRAINING CENTER

2018 Drinking Water Chemical Monitoring Requirements

This below table summarizes the current monitoring requirements for the above facility and is <u>subject to change</u>. This information is a good faith assessment of the monitoring requirements for your system and we have sought to provide accurate information. Any errors in the table below <u>does not exempt your system from state or federal monitoring requirements</u>. If you are unsure or believe the information below is incorrect, please contact your inspector immediately. We encourage you to use the below tables to assist in scheduling and tracking your sampling events.

It is ultimately the responsibility of the facility owners to ensure all monitoring is completed and results are submitted timely to the Department.

Chemical monitoring requirements can be found under Rule 62-550 of the Florida Administrative Code (Fla. Admin. Code),

	Chemical Monitoring					
Date Scheduled	Date Sampled	Contaminant	Frequency	Next Due	Location & Comments	
	•	Nitrate & Nitrite	Annually	2018		
		Primary Inorganics	Triennially	2018		
		Secondary Contaminants	Triennially	2018	Sample at each Point of Entry to the distribution (Raw/Well samples will not	
		Volatile Organics (VOCs)	Triennially	2018	be accepted for compliance)	
		Radionuclides	9 years	2018		
		Asbestos	Every 9 years	2020	Sample within distribution or certification if no asbestos pipes within the system, use Form 62-555.900(10) for Asbestos Free Certification or Asbestos Sampling Plan*	
		Synthetic Organics (SOCs)	Triennially	2018	Sample at <u>each</u> Point of Entry to the distribution (2 quarterly samples required if population >3,300) or submit a request to waive samples using Form 62-560.545(2)*	
		Stage 2 Disinfection Byproducts (S2 DBPs)	Annually	for '	Jul-Sep 2018 at BLDG 2300 TTHMs and HAA5s**	
		Lead and Copper (tap samples)	Triennially	Jun-Sept 2018	Sample at pre-approved sample plan sites	

^{*}Note on Asbestos Free Certification and SOC Waiver: Submit certification/waiver requests by October 31st to allow time for department review. Form submittal does not automatically waive sampling, which will be required if the request is not approved.

^{**}Note on DBPs: TTHMs = Total Trihalomethanes and HAA5s = Haloacetic Acids. Locations indicated are the pre-approved sample plan sites. If sites need to be altered, a new plan and justification should be submitted for review.

PWS Name: CAMP BLANDING JOINT TRAINING CENTER

Bacteriological requirements can be found in Rules 62-550.310, 62-550.828, and 62-550.830, Fla. Admin. Code.

Bacteriological Monitoring				
Current Population on Record 900				
Monitoring Frequency	Monthly			
Raw Sampling	1 Raw (pretreatment) per well			
Distribution Sampling	1			

When you receive results from the laboratory, **review the report immediately** to verify the information is complete, verify all contaminants were analyzed, and results are below levels requiring additional monitoring under 62-550, Fla. Admin. Code.

- ➤ Please take samples early in the monitoring period to allow for possible lab delays and unforeseen events.
- Reports must include system cover page, lab cover page, chains of custody, results page, and lab certification pages.
- Reports are due to the Department *within 10 days* following the end of sample period <u>or</u> following your receipt of the laboratory report, whichever time is less. We recommend submitting reports as soon as available. <u>Do not rely on the laboratory to submit monitoring results to the Department.</u>
- > All samples must be taken during the required monitoring period and from the correct location(s) to be accepted for compliance.
- Failure to sample in accordance with rule requirements may result in enforcement action.



Northeast District

PWS ID: 2100418 System Type: Non-Transient Non-Community

PWS Name: GILMAN MAXVILLE

2018 Drinking Water Chemical Monitoring Requirements

This below table summarizes the current monitoring requirements for the above facility and is <u>subject to change</u>. This information is a good faith assessment of the monitoring requirements for your system and we have sought to provide accurate information. Any errors in the table below <u>does not exempt your system from state or federal monitoring requirements</u>. If you are unsure or believe the information below is incorrect, please contact your inspector immediately. We encourage you to use the below tables to assist in scheduling and tracking your sampling events.

It is ultimately the responsibility of the facility owners to ensure all monitoring is completed and results are submitted timely to the Department.

Chemical monitoring requirements can be found under Rule 62-550 of the Florida Administrative Code (Fla. Admin. Code),

_	Chemical Monitoring						
Date Scheduled	Date Sampled	Contaminant	Frequency	Next Due	Location & Comments		
		Nitrate & Nitrite	Annually	2018			
		Primary Inorganics	Triennially	2019	Sample at each Point of Entry to the distribution (Raw/Well samples will not		
		Volatile Organics (VOCs)	Triennially	2019	be accepted for compliance)		
		Asbestos	Every 9 years	2022	Sample within distribution or certification if no asbestos pipes within the system, use Form 62-555.900(10) for Asbestos Free Certification or Asbestos Sampling Plan*		
		Synthetic Organics (SOCs)	Triennially	2019	Sample at <u>each</u> Point of Entry to the distribution (2 quarterly samples required if population >3,300) or submit a request to waive samples using Form 62-560.545(2)*		
		Stage 2 Disinfection Byproducts (S2 DBPs)	Triennially		at MAIN OFFICE MEN'S SINK TTHMs and HAA5s**		
		Lead and Copper (tap samples)	Triennially	Jun-Sept 2019	Sample at pre-approved sample plan sites		

^{*}Note on Asbestos Free Certification and SOC Waiver: Submit certification/waiver requests by October 31st to allow time for department review. Form submittal does not automatically waive sampling, which will be required if the request is not approved.

^{**}Note on DBPs: TTHMs = Total Trihalomethanes and HAA5s = Haloacetic Acids. Locations indicated are the pre-approved sample plan sites. If sites need to be altered, a new plan and justification should be submitted for review.

PWS Name: GILMAN MAXVILLE

Bacteriological requirements can be found in Rules 62-550.310, 62-550.828, and 62-550.830, Fla. Admin. Code.

Bacteriological Monitoring				
Current Population on Record 90				
Monitoring Frequency	Quarterly			
Raw Sampling	1 Raw (pretreatment) per well			
Distribution Sampling	1			

When you receive results from the laboratory, **review the report immediately** to verify the information is complete, verify all contaminants were analyzed, and results are below levels requiring additional monitoring under 62-550, Fla. Admin. Code.

- Please take samples early in the monitoring period to allow for possible lab delays and unforeseen events.
- Reports must include system cover page, lab cover page, chains of custody, results page, and lab certification pages.
- Reports are due to the Department *within 10 days* following the end of sample period <u>or</u> following your receipt of the laboratory report, whichever time is less. We recommend submitting reports as soon as available. <u>Do not rely on the laboratory to submit monitoring results to the Department</u>.
- All samples must be taken during the required monitoring period and from the correct location(s) to be accepted for compliance.
- Failure to sample in accordance with rule requirements may result in enforcement action.



Northeast District

PWS ID: 2100437 System Type: Community

PWS Name: GREEN COVE SPRINGS WTP

2018 Drinking Water Chemical Monitoring Requirements

This below table summarizes the current monitoring requirements for the above facility and is <u>subject to change</u>. This information is a good faith assessment of the monitoring requirements for your system and we have sought to provide accurate information. Any errors in the table below <u>does not exempt your system from state or federal monitoring requirements</u>. If you are unsure or believe the information below is incorrect, please contact your inspector immediately. We encourage you to use the below tables to assist in scheduling and tracking your sampling events.

It is ultimately the responsibility of the facility owners to ensure all monitoring is completed and results are submitted timely to the Department.

Chemical monitoring requirements can be found under Rule 62-550 of the Florida Administrative Code (Fla. Admin. Code),

	Chemical Monitoring					
Date Scheduled	Date Sampled	Contaminant	Frequency	Next Due	Location & Comments	
		Nitrate & Nitrite	Annually	2018		
		Primary Inorganics	Triennially	2020		
		Secondary Contaminants	Triennially	2020	Sample at each Point of Entry to the distribution (Raw/Well samples will not	
		Volatile Organics (VOCs)	Triennially	2020	be accepted for compliance)	
		Radionuclides	9 years	2026		
		Asbestos	Every 9 years	2020	Sample within distribution or certification if no asbestos pipes within the system, use Form 62-555.900(10) for Asbestos Free Certification or Asbestos Sampling Plan*	
		Synthetic Organics (SOCs)	Triennially	2020	Sample at <u>each</u> Point of Entry to the distribution (2 quarterly samples required if population >3,300) or submit a request to waive samples using Form 62-560.545(2)*	
		Stage 2 Disinfection Byproducts (S2 DBPs)	Annually		Jul-Sep 2018 A DRIVER'S LICSENSE BLDG TTHMs and HAA5s**	
		Lead and Copper (tap samples)	Triennially	Jun-Sept 2019	Sample at pre-approved sample plan sites	

^{*}Note on Asbestos Free Certification and SOC Waiver: Submit certification/waiver requests by October 31st to allow time for department review. Form submittal does not automatically waive sampling, which will be required if the request is not approved.

^{**}Note on DBPs: TTHMs = Total Trihalomethanes and HAA5s = Haloacetic Acids. Locations indicated are the pre-approved sample plan sites. If sites need to be altered, a new plan and justification should be submitted for review.

PWS Name: GREEN COVE SPRINGS WTP

Bacteriological requirements can be found in Rules 62-550.310, 62-550.828, and 62-550.830, Fla. Admin. Code.

Bacteriological Monitoring				
Current Population on Record	6500			
Monitoring Frequency	Monthly			
Raw Sampling	4-log: Raw not required, recommend quarterly			
Distribution Sampling	7			

When you receive results from the laboratory, **review the report immediately** to verify the information is complete, verify all contaminants were analyzed, and results are below levels requiring additional monitoring under 62-550, Fla. Admin. Code.

- ➤ Please take samples early in the monitoring period to allow for possible lab delays and unforeseen events.
- Reports must include system cover page, lab cover page, chains of custody, results page, and lab certification pages.
- Reports are due to the Department *within 10 days* following the end of sample period <u>or</u> following your receipt of the laboratory report, whichever time is less. We recommend submitting reports as soon as available. <u>Do not rely on the laboratory to submit monitoring results to the Department.</u>
- > All samples must be taken during the required monitoring period and from the correct location(s) to be accepted for compliance.
- Failure to sample in accordance with rule requirements may result in enforcement action.



Northeast District

PWS ID: 2100610 System Type: Community

PWS Name: KEYSTONE POSTMASTER GRID

2018 Drinking Water Chemical Monitoring Requirements

This below table summarizes the current monitoring requirements for the above facility and is <u>subject to change</u>. This information is a good faith assessment of the monitoring requirements for your system and we have sought to provide accurate information. Any errors in the table below <u>does not exempt your system from state or federal monitoring requirements</u>. If you are unsure or believe the information below is incorrect, please contact your inspector immediately. We encourage you to use the below tables to assist in scheduling and tracking your sampling events.

It is ultimately the responsibility of the facility owners to ensure all monitoring is completed and results are submitted timely to the Department.

Chemical monitoring requirements can be found under Rule 62-550 of the Florida Administrative Code (Fla. Admin. Code),

	Chemical Monitoring						
Date Scheduled	Date Sampled	Contaminant	Frequency	Next Due	Location & Comments		
		Nitrate & Nitrite	Annually	2018			
		Primary Inorganics	Triennially	2020			
		Secondary Contaminants	Triennially	2020	Sample at <u>each</u> Point of Entry to the distribution (Raw/Well samples will not		
		Volatile Organics (VOCs)	Triennially	2020	be accepted for compliance)		
		Radionuclides	9 years	2026			
		Asbestos	Every 9 years	2020	Sample within distribution or certification if no asbestos pipes within the system, use Form 62-555.900(10) for Asbestos Free Certification or Asbestos Sampling Plan*		
		Synthetic Organics (SOCs)	Triennially	2020	Sample at <u>each</u> Point of Entry to the distribution (2 quarterly samples required if population >3,300) or submit a request to waive samples using Form 62-560.545(2)*		
		Stage 2 Disinfection Byproducts (S2 DBPs)	Annually	1	Jul-Sep 2018 at 6121 MILLGAN RD for TTHMs and HAA5s**		
		Lead and Copper (tap samples)	Triennially	Jun-Sept 2020	Sample at pre-approved sample plan sites		

^{*}Note on Asbestos Free Certification and SOC Waiver: Submit certification/waiver requests by October 31st to allow time for department review. Form submittal does not automatically waive sampling, which will be required if the request is not approved.

^{**}Note on DBPs: TTHMs = Total Trihalomethanes and HAA5s = Haloacetic Acids. Locations indicated are the pre-approved sample plan sites. If sites need to be altered, a new plan and justification should be submitted for review.

PWS Name: KEYSTONE POSTMASTER GRID

Bacteriological requirements can be found in Rules 62-550.310, 62-550.828, and 62-550.830, Fla. Admin. Code.

Bacteriological Monitoring				
Current Population on Record 6255				
Monitoring Frequency	Monthly			
Raw Sampling	1 Raw (pretreatment) per well			
Distribution Sampling	7			

When you receive results from the laboratory, **review the report immediately** to verify the information is complete, verify all contaminants were analyzed, and results are below levels requiring additional monitoring under 62-550, Fla. Admin. Code.

- ➤ Please take samples early in the monitoring period to allow for possible lab delays and unforeseen events.
- Reports must include system cover page, lab cover page, chains of custody, results page, and lab certification pages.
- Reports are due to the Department *within 10 days* following the end of sample period <u>or</u> following your receipt of the laboratory report, whichever time is less. We recommend submitting reports as soon as available. <u>Do not rely on the laboratory to submit monitoring results to the Department.</u>
- > All samples must be taken during the required monitoring period and from the correct location(s) to be accepted for compliance.
- Failure to sample in accordance with rule requirements may result in enforcement action.



Northeast District

PWS ID: 2100626 System Type: Community

PWS Name: LAKE ASBURY WTP

2018 Drinking Water Chemical Monitoring Requirements

This below table summarizes the current monitoring requirements for the above facility and is <u>subject to change</u>. This information is a good faith assessment of the monitoring requirements for your system and we have sought to provide accurate information. Any errors in the table below <u>does not exempt your system from state or federal monitoring requirements</u>. If you are unsure or believe the information below is incorrect, please contact your inspector immediately. We encourage you to use the below tables to assist in scheduling and tracking your sampling events.

It is ultimately the responsibility of the facility owners to ensure all monitoring is completed and results are submitted timely to the Department.

Chemical monitoring requirements can be found under Rule 62-550 of the Florida Administrative Code (Fla. Admin. Code),

	Chemical Monitoring							
Date Scheduled	Date Sampled	Contaminant	Frequency	Next Due	Location & Comments			
	•	Nitrate & Nitrite	Annually	2018				
		Primary Inorganics	Triennially	2020	Samuela at analy Daint of Entwy to the			
		Secondary Contaminants	Triennially	2020	Sample at <u>each</u> Point of Entry to the distribution (Raw/Well samples will not			
		Volatile Organics (VOCs)	Triennially	2020	be accepted for compliance)			
		Radionuclides	9 years	2026				
		Asbestos	Every 9 years	2020	Sample within distribution or certification if no asbestos pipes within the system, use Form 62-555.900(10) for Asbestos Free Certification or Asbestos Sampling Plan*			
		Synthetic Organics (SOCs)	Triennially	2020	Sample at <u>each</u> Point of Entry to the distribution (2 quarterly samples required if population >3,300) or submit a request to waive samples using Form 62-560.545(2)*			
		Stage 2 Disinfection Byproducts (S2 DBPs)	Annually	Apr-Jun 2018 at 3392 SPRING VALLEY C and 2404 ROYAL POINTE DR for TTHMs and HAA5s**				
		Lead and Copper (tap samples)	Triennially	Jun-Sept 2020	Sample at pre-approved sample plan sites			

^{*}Note on Asbestos Free Certification and SOC Waiver: Submit certification/waiver requests by October 31st to allow time for department review. Form submittal does not automatically waive sampling, which will be required if the request is not approved.

^{**}Note on DBPs: TTHMs = Total Trihalomethanes and HAA5s = Haloacetic Acids. Locations indicated are the pre-approved sample plan sites. If sites need to be altered, a new plan and justification should be submitted for review.

PWS Name: LAKE ASBURY WTP

Bacteriological requirements can be found in Rules 62-550.310, 62-550.828, and 62-550.830, Fla. Admin. Code.

Bacteriological Monitoring				
Current Population on Record	10294			
Monitoring Frequency	Monthly			
Raw Sampling	4-log: Raw not required, recommend quarterly			
Distribution Sampling	10			

When you receive results from the laboratory, **review the report immediately** to verify the information is complete, verify all contaminants were analyzed, and results are below levels requiring additional monitoring under 62-550, Fla. Admin. Code.

- ➤ Please take samples early in the monitoring period to allow for possible lab delays and unforeseen events.
- Reports must include system cover page, lab cover page, chains of custody, results page, and lab certification pages.
- Reports are due to the Department *within 10 days* following the end of sample period <u>or</u> following your receipt of the laboratory report, whichever time is less. We recommend submitting reports as soon as available. <u>Do not rely on the laboratory to submit monitoring results to the Department.</u>
- > All samples must be taken during the required monitoring period and from the correct location(s) to be accepted for compliance.
- Failure to sample in accordance with rule requirements may result in enforcement action.



Northeast District

PWS ID: 2100636 System Type: Community

PWS Name: LAKE GENEVA MHP

2018 Drinking Water Chemical Monitoring Requirements

This below table summarizes the current monitoring requirements for the above facility and is <u>subject to change</u>. This information is a good faith assessment of the monitoring requirements for your system and we have sought to provide accurate information. Any errors in the table below <u>does not exempt your system from state or federal monitoring requirements</u>. If you are unsure or believe the information below is incorrect, please contact your inspector immediately. We encourage you to use the below tables to assist in scheduling and tracking your sampling events.

It is ultimately the responsibility of the facility owners to ensure all monitoring is completed and results are submitted timely to the Department.

Chemical monitoring requirements can be found under Rule 62-550 of the Florida Administrative Code (Fla. Admin. Code),

	Chemical Monitoring					
Date Scheduled	Date Sampled	Contaminant	Frequency	Next Due	Location & Comments	
		Nitrate & Nitrite	Annually	2018		
		Primary Inorganics	Triennially	2018		
		Secondary Contaminants	Triennially	2018	Sample at each Point of Entry to the distribution (Raw/Well samples will not	
		Volatile Organics (VOCs)	Triennially	2018	be accepted for compliance)	
		Radionuclides	9 years	2018		
		Asbestos	Every 9 years	2021	Sample within distribution or certification if no asbestos pipes within the system, use Form 62-555.900(10) for Asbestos Free Certification or Asbestos Sampling Plan*	
		Synthetic Organics (SOCs)	Triennially	2018	Sample at <u>each</u> Point of Entry to the distribution (2 quarterly samples required if population >3,300) or submit a request to waive samples using Form 62-560.545(2)*	
		Stage 2 Disinfection Byproducts (S2 DBPs)	Triennially		Jul-Sep 2018 R #7755 SE SIDE HOSE BIB TTHMs and HAA5s**	
		Lead and Copper (tap samples)	Triennially	Jun-Sept 2019	Sample at pre-approved sample plan sites	

^{*}Note on Asbestos Free Certification and SOC Waiver: Submit certification/waiver requests by October 31st to allow time for department review. Form submittal does not automatically waive sampling, which will be required if the request is not approved.

^{**}Note on DBPs: TTHMs = Total Trihalomethanes and HAA5s = Haloacetic Acids. Locations indicated are the pre-approved sample plan sites. If sites need to be altered, a new plan and justification should be submitted for review.

PWS Name: LAKE GENEVA MHP

Bacteriological requirements can be found in Rules 62-550.310, 62-550.828, and 62-550.830, Fla. Admin. Code.

Bacteriological Monitoring				
Current Population on Record	66			
Monitoring Frequency	Monthly			
Raw Sampling	1 Raw (pretreatment) per well			
Distribution Sampling	1			

When you receive results from the laboratory, **review the report immediately** to verify the information is complete, verify all contaminants were analyzed, and results are below levels requiring additional monitoring under 62-550, Fla. Admin. Code.

- Please take samples early in the monitoring period to allow for possible lab delays and unforeseen events.
- Reports must include system cover page, lab cover page, chains of custody, results page, and lab certification pages.
- Reports are due to the Department *within 10 days* following the end of sample period <u>or</u> following your receipt of the laboratory report, whichever time is less. We recommend submitting reports as soon as available. <u>Do not rely on the laboratory to submit monitoring results to the Department.</u>
- > All samples must be taken during the required monitoring period and from the correct location(s) to be accepted for compliance.
- Failure to sample in accordance with rule requirements may result in enforcement action.



Northeast District

PWS ID: 2100709 System Type: Community

PWS Name: ST. JOHNS LANDING

2018 Drinking Water Chemical Monitoring Requirements

This below table summarizes the current monitoring requirements for the above facility and is <u>subject to change</u>. This information is a good faith assessment of the monitoring requirements for your system and we have sought to provide accurate information. Any errors in the table below <u>does not exempt your system from state or federal monitoring requirements</u>. If you are unsure or believe the information below is incorrect, please contact your inspector immediately. We encourage you to use the below tables to assist in scheduling and tracking your sampling events.

It is ultimately the responsibility of the facility owners to ensure all monitoring is completed and results are submitted timely to the Department.

Chemical monitoring requirements can be found under Rule 62-550 of the Florida Administrative Code (Fla. Admin. Code),

	Chemical Monitoring					
Date Scheduled	Date Sampled	Contaminant	Frequency	Next Due	Location & Comments	
		Nitrate & Nitrite	Annually	2018		
		Primary Inorganics	Triennially	2018		
		Secondary Contaminants	Triennially	2018	Sample at <u>each</u> Point of Entry to the distribution (Raw/Well samples will not	
		Volatile Organics (VOCs)	Triennially	2018	be accepted for compliance)	
		Radionuclides	9 years	2018		
		Asbestos	Every 9 years	2021	Sample within distribution or certification if no asbestos pipes within the system, use Form 62-555.900(10) for Asbestos Free Certification or Asbestos Sampling Plan*	
		Synthetic Organics (SOCs)	Triennially	2021	Sample at <u>each</u> Point of Entry to the distribution (2 quarterly samples required if population >3,300) or submit a request to waive samples using Form 62-560.545(2)*	
		Stage 2 Disinfection Byproducts (S2 DBPs)	Annually	Jul-Sep 2018 at 301	HAVEN AVE for TTHMs and HAA5s**	
		Lead and Copper (tap samples)	Triennially	Jun-Sept 2020	Sample at pre-approved sample plan sites	

^{*}Note on Asbestos Free Certification and SOC Waiver: Submit certification/waiver requests by October 31st to allow time for department review. Form submittal does not automatically waive sampling, which will be required if the request is not approved.

^{**}Note on DBPs: TTHMs = Total Trihalomethanes and HAA5s = Haloacetic Acids. Locations indicated are the pre-approved sample plan sites. If sites need to be altered, a new plan and justification should be submitted for review.

PWS Name: ST. JOHNS LANDING

Bacteriological requirements can be found in Rules 62-550.310, 62-550.828, and 62-550.830, Fla. Admin. Code.

Bacteriological Monitoring				
Current Population on Record	1172			
Monitoring Frequency	Monthly			
Raw Sampling	1 Raw (pretreatment) per well			
Distribution Sampling	2			

When you receive results from the laboratory, **review the report immediately** to verify the information is complete, verify all contaminants were analyzed, and results are below levels requiring additional monitoring under 62-550, Fla. Admin. Code.

- ➤ Please take samples early in the monitoring period to allow for possible lab delays and unforeseen events.
- > Reports must include system cover page, lab cover page, chains of custody, results page, and lab certification pages.
- Reports are due to the Department *within 10 days* following the end of sample period <u>or</u> following your receipt of the laboratory report, whichever time is less. We recommend submitting reports as soon as available. <u>Do not rely on the laboratory to submit monitoring results to the Department.</u>
- All samples must be taken during the required monitoring period and from the correct location(s) to be accepted for compliance.
- Failure to sample in accordance with rule requirements may result in enforcement action.



Northeast District

PWS ID: 2100741 System Type: Community

PWS Name: ORANGE PARK GRID

2018 Drinking Water Chemical Monitoring Requirements

This below table summarizes the current monitoring requirements for the above facility and is <u>subject to change</u>. This information is a good faith assessment of the monitoring requirements for your system and we have sought to provide accurate information. Any errors in the table below <u>does not exempt your system from state or federal monitoring requirements</u>. If you are unsure or believe the information below is incorrect, please contact your inspector immediately. We encourage you to use the below tables to assist in scheduling and tracking your sampling events.

It is ultimately the responsibility of the facility owners to ensure all monitoring is completed and results are submitted timely to the Department.

Chemical monitoring requirements can be found under Rule 62-550 of the Florida Administrative Code (Fla. Admin. Code),

Chemical Monitoring						
Date Scheduled	Date Sampled	Contaminant	Frequency	Next Due	Location & Comments	
		Nitrate & Nitrite	Annually	2018		
		Primary Inorganics	Triennially	2020	Sample at each Point of Entry to the	
		Secondary Contaminants	Triennially	2020	distribution (Raw/Well samples will not be	
		Volatile Organics (VOCs)	Triennially	2020	accepted for compliance)	
		VOCs - Toluene	Annually	2018		
		Radionuclides – GROSS ALPHA and URANIUM	Triennially	2020	OLD JENNINGS ROAD WTP 8 only. Sample at each Point of Entry to the distribution	
		Radionuclides	9 years	2026	Sample at each Point of Entry to the distribution	
		Asbestos	Every 9 years	2020	Sample within distribution or certification if no asbestos pipes within the system, use Form 62-555.900(10) for Asbestos Free Certification or Asbestos Sampling Plan*	
		Synthetic Organics (SOCs)	Triennially	2020	Sample at <u>each</u> Point of Entry to the distribution (2 quarterly samples required if population >3,300) or submit a request to waive samples using Form 62-560.545(2)*	
		Stage 2 Disinfection Byproducts (S2 DBPs)	Quarterly	2018 at 248	1 SYLVAN CHASE and 1495 WELLS RD for TTHMs and HAA5s**	
		Lead and Copper (tap samples)	Triennially	Jun-Sept 2019	Sample at pre-approved sample plan sites	
		Water Quality Parameters (WQPs)	Every 2 weeks		pH only - Sample at <u>each</u> Point of Entry to distribution, and sites indicated in plan	
		Water Quality Parameters (WQPs)	Triennially, along with Lead/Copper tap samples		All WQP - Sample at <u>each</u> Point of Entry to distribution, and sites indicated in plan	

^{*}Note on Asbestos Free Certification and SOC Waiver: Submit certification/waiver requests by October 31st to allow time for department review. Form submittal does not automatically waive sampling, which will be required if the request is not approved.

PWS Name: ORANGE PARK GRID

**Note on DBPs: TTHMs = Total Trihalomethanes and HAA5s = Haloacetic Acids. Locations indicated are the pre-approved sample plan sites. If sites need to be altered, a new plan and justification should be submitted for review.

Bacteriological requirements can be found in Rules 62-550.310, 62-550.828, and 62-550.830, Fla. Admin. Code.

Bacteriological Monitoring				
Current Population on Record	109991			
Monitoring Frequency	Monthly			
Raw Sampling	4-log: Raw not required, recommend quarterly			
Distribution Sampling	100			

When you receive results from the laboratory, **review the report immediately** to verify the information is complete, verify all contaminants were analyzed, and results are below levels requiring additional monitoring under 62-550, Fla. Admin. Code.

- Please take samples early in the monitoring period to allow for possible lab delays and unforeseen events.
- > Reports must include system cover page, lab cover page, chains of custody, results page, and lab certification pages.
- Reports are due to the Department *within 10 days* following the end of sample period <u>or</u> following your receipt of the laboratory report, whichever time is less. We recommend submitting reports as soon as available. <u>Do not rely on the laboratory to submit monitoring results to the Department.</u>
- > All samples must be taken during the required monitoring period and from the correct location(s) to be accepted for compliance.
- Failure to sample in accordance with rule requirements may result in enforcement action.



Northeast District

PWS ID: 2100801 System Type: Community

PWS Name: KINGSLEY COVE

2018 Drinking Water Chemical Monitoring Requirements

This below table summarizes the current monitoring requirements for the above facility and is <u>subject to change</u>. This information is a good faith assessment of the monitoring requirements for your system and we have sought to provide accurate information. Any errors in the table below <u>does not exempt your system from state or federal monitoring requirements</u>. If you are unsure or believe the information below is incorrect, please contact your inspector immediately. We encourage you to use the below tables to assist in scheduling and tracking your sampling events.

It is ultimately the responsibility of the facility owners to ensure all monitoring is completed and results are submitted timely to the Department.

Chemical monitoring requirements can be found under Rule 62-550 of the Florida Administrative Code (Fla. Admin. Code),

	Chemical Monitoring					
Date Scheduled	Date Sampled	Contaminant	Frequency	Next Due	Location & Comments	
	•	Nitrate & Nitrite	Annually	2018		
		Primary Inorganics	Triennially	2018		
		Secondary Contaminants	Triennially	2018	Sample at each Point of Entry to the distribution (Raw/Well samples will not	
		Volatile Organics (VOCs)	Quarterly	2018	be accepted for compliance)	
		Radionuclides	Quarterly	2018		
		Asbestos	Every 9 years	2021	Sample within distribution or certification if no asbestos pipes within the system, use Form 62-555.900(10) for Asbestos Free Certification or Asbestos Sampling Plan*	
		Synthetic Organics (SOCs)	Quarterly	2018	Sample at <u>each</u> Point of Entry to the distribution (2 quarterly samples required if population >3,300) or submit a request to waive samples using Form 62-560.545(2)*	
		Stage 2 Disinfection Byproducts (S2 DBPs)	Annually		at Location pending plan submittal TTHMs and HAA5s**	
		Lead and Copper (tap samples)	Biannually	Jan-Jun Jul-Dec 2018	Sample at pre-approved sample plan sites	

^{*}Note on Asbestos Free Certification and SOC Waiver: Submit certification/waiver requests by October 31st to allow time for department review. Form submittal does not automatically waive sampling, which will be required if the request is not approved.

^{**}Note on DBPs: TTHMs = Total Trihalomethanes and HAA5s = Haloacetic Acids. Locations indicated are the pre-approved sample plan sites. If sites need to be altered, a new plan and justification should be submitted for review.

PWS Name: KINGSLEY COVE

Bacteriological requirements can be found in Rules 62-550.310, 62-550.828, and 62-550.830, Fla. Admin. Code.

Bacteriological Monitoring				
Current Population on Record	2			
Monitoring Frequency	Monthly			
Raw Sampling	1 Raw (pretreatment) per well			
Distribution Sampling	1			

When you receive results from the laboratory, **review the report immediately** to verify the information is complete, verify all contaminants were analyzed, and results are below levels requiring additional monitoring under 62-550, Fla. Admin. Code.

- > Please take samples early in the monitoring period to allow for possible lab delays and unforeseen events.
- Reports must include system cover page, lab cover page, chains of custody, results page, and lab certification pages.
- Reports are due to the Department *within 10 days* following the end of sample period <u>or</u> following your receipt of the laboratory report, whichever time is less. We recommend submitting reports as soon as available. <u>Do not rely on the laboratory to submit monitoring results to the Department.</u>
- All samples must be taken during the required monitoring period <u>and</u> from the correct location(s) to be accepted for compliance.
- Failure to sample in accordance with rule requirements may result in enforcement action.



Northeast District

PWS ID: 2100882 System Type: Community

PWS Name: PENNEY FARMS RETIREMENT COMMUNITY WTP

2018 Drinking Water Chemical Monitoring Requirements

This below table summarizes the current monitoring requirements for the above facility and is <u>subject to change</u>. This information is a good faith assessment of the monitoring requirements for your system and we have sought to provide accurate information. Any errors in the table below <u>does not exempt your system from state or federal monitoring requirements</u>. If you are unsure or believe the information below is incorrect, please contact your inspector immediately. We encourage you to use the below tables to assist in scheduling and tracking your sampling events.

It is ultimately the responsibility of the facility owners to ensure all monitoring is completed and results are submitted timely to the Department.

Chemical monitoring requirements can be found under Rule 62-550 of the Florida Administrative Code (Fla. Admin. Code),

avanable at w	Chemical Monitoring					
Date Scheduled	Date Sampled	Contaminant	Frequency	Next Due	Location & Comments	
		Nitrate & Nitrite	Annually	2018		
		Primary Inorganics	Triennially	2018		
		Secondary Contaminants	Triennially	2018	Sample at each Point of Entry to the distribution (Raw/Well samples will not	
		Volatile Organics (VOCs)	Triennially	2018	be accepted for compliance)	
		Radionuclides	9 years	2024		
		Asbestos	Every 9 years	2021	Sample within distribution or certification if no asbestos pipes within the system, use Form 62-555.900(10) for Asbestos Free Certification or Asbestos Sampling Plan*	
		Synthetic Organics (SOCs)	Triennially	2021	Sample at <u>each</u> Point of Entry to the distribution (2 quarterly samples required if population >3,300) or submit a request to waive samples using Form 62-560.545(2)*	
		Stage 2 Disinfection Byproducts (S2 DBPs)	Triennially	Jul-Sep 2018 at BLI	OG 405 TAP for TTHMs and HAA5s**	
		Lead and Copper (tap samples)	Triennially	Jun-Sept 2020	Sample at pre-approved sample plan sites	

^{*}Note on Asbestos Free Certification and SOC Waiver: Submit certification/waiver requests by October 31st to allow time for department review. Form submittal does not automatically waive sampling, which will be required if the request is not approved.

^{**}Note on DBPs: TTHMs = Total Trihalomethanes and HAA5s = Haloacetic Acids. Locations indicated are the pre-approved sample plan sites. If sites need to be altered, a new plan and justification should be submitted for review.

PWS Name: PENNEY FARMS RETIREMENT COMMUNITY WTP

Bacteriological requirements can be found in Rules 62-550.310, 62-550.828, and 62-550.830, Fla. Admin. Code.

Bacteriological Monitoring					
Current Population on Record	450				
Monitoring Frequency	Monthly				
Raw Sampling	1 Raw (pretreatment) per well				
Distribution Sampling	1				

When you receive results from the laboratory, **review the report immediately** to verify the information is complete, verify all contaminants were analyzed, and results are below levels requiring additional monitoring under 62-550, Fla. Admin. Code.

- > Please take samples early in the monitoring period to allow for possible lab delays and unforeseen events.
- Reports must include system cover page, lab cover page, chains of custody, results page, and lab certification pages.
- Reports are due to the Department *within 10 days* following the end of sample period <u>or</u> following your receipt of the laboratory report, whichever time is less. We recommend submitting reports as soon as available. <u>Do not rely on the laboratory to submit monitoring results to the Department.</u>
- All samples must be taken during the required monitoring period <u>and</u> from the correct location(s) to be accepted for compliance.
- Failure to sample in accordance with rule requirements may result in enforcement action.



Northeast District

PWS ID: 2101019 System Type: Community

PWS Name: PENNEY FARMS WTP

2018 Drinking Water Chemical Monitoring Requirements

This below table summarizes the current monitoring requirements for the above facility and is <u>subject to change</u>. This information is a good faith assessment of the monitoring requirements for your system and we have sought to provide accurate information. Any errors in the table below <u>does not exempt your system from state or federal monitoring requirements</u>. If you are unsure or believe the information below is incorrect, please contact your inspector immediately. We encourage you to use the below tables to assist in scheduling and tracking your sampling events.

It is ultimately the responsibility of the facility owners to ensure all monitoring is completed and results are submitted timely to the Department.

Chemical monitoring requirements can be found under Rule 62-550 of the Florida Administrative Code (Fla. Admin. Code),

	Chemical Monitoring					
Date Scheduled	Date Sampled	Contaminant	Frequency	Next Due	Location & Comments	
	•	Nitrate & Nitrite	Annually	2018		
		Primary Inorganics	Triennially	2018		
		Secondary Contaminants	Triennially	2018	Sample at each Point of Entry to the distribution (Raw/Well samples will not	
		Volatile Organics (VOCs)	Triennially	2018	be accepted for compliance)	
		Radionuclides	6 years	2021		
		Asbestos	Every 9 years	2021	Sample within distribution or certification if no asbestos pipes within the system, use Form 62-555.900(10) for Asbestos Free Certification or Asbestos Sampling Plan*	
		Synthetic Organics (SOCs)	Triennially	2018	Sample at <u>each</u> Point of Entry to the distribution (2 quarterly samples required if population >3,300) or submit a request to waive samples using Form 62-560.545(2)*	
		Stage 2 Disinfection Byproducts (S2 DBPs)	Triennially		8 at 106 SOUTH KENTUCKY TTHMs and HAA5s**	
		Lead and Copper (tap samples)	Triennially	Jun-Sept 2020	Sample at pre-approved sample plan sites	

^{*}Note on Asbestos Free Certification and SOC Waiver: Submit certification/waiver requests by October 31st to allow time for department review. Form submittal does not automatically waive sampling, which will be required if the request is not approved.

^{**}Note on DBPs: TTHMs = Total Trihalomethanes and HAA5s = Haloacetic Acids. Locations indicated are the pre-approved sample plan sites. If sites need to be altered, a new plan and justification should be submitted for review.

PWS Name: PENNEY FARMS WTP

Bacteriological requirements can be found in Rules 62-550.310, 62-550.828, and 62-550.830, Fla. Admin. Code.

Bacteriological Monitoring				
Current Population on Record	350			
Monitoring Frequency	Monthly			
Raw Sampling	1 Raw (pretreatment) per well			
Distribution Sampling	1			

When you receive results from the laboratory, **review the report immediately** to verify the information is complete, verify all contaminants were analyzed, and results are below levels requiring additional monitoring under 62-550, Fla. Admin. Code.

- Please take samples early in the monitoring period to allow for possible lab delays and unforeseen events.
- Reports must include system cover page, lab cover page, chains of custody, results page, and lab certification pages.
- Reports are due to the Department *within 10 days* following the end of sample period <u>or</u> following your receipt of the laboratory report, whichever time is less. We recommend submitting reports as soon as available. <u>Do not rely on the laboratory to submit monitoring results to the Department.</u>
- > All samples must be taken during the required monitoring period and from the correct location(s) to be accepted for compliance.
- Failure to sample in accordance with rule requirements may result in enforcement action.



Northeast District

PWS ID: 2101182 System Type: Community

PWS Name: ORANGE PARK WATER PLANT

2018 Drinking Water Chemical Monitoring Requirements

This below table summarizes the current monitoring requirements for the above facility and is <u>subject to change</u>. This information is a good faith assessment of the monitoring requirements for your system and we have sought to provide accurate information. Any errors in the table below <u>does not exempt your system from state or federal monitoring requirements</u>. If you are unsure or believe the information below is incorrect, please contact your inspector immediately. We encourage you to use the below tables to assist in scheduling and tracking your sampling events.

It is ultimately the responsibility of the facility owners to ensure all monitoring is completed and results are submitted timely to the Department.

Chemical monitoring requirements can be found under Rule 62-550 of the Florida Administrative Code (Fla. Admin. Code),

	Chemical Monitoring					
Date Scheduled	Date Sampled	Contaminant	Frequency	Next Due	Location & Comments	
	•	Nitrate & Nitrite	Annually	2018		
		Primary Inorganics	Triennially	2020		
		Secondary Contaminants	Triennially	2020	Sample at each Point of Entry to the distribution (Raw/Well samples will not	
		Volatile Organics (VOCs)	Triennially	2020	be accepted for compliance)	
		Radionuclides	9 years	2026		
		Asbestos	Every 9 years	2020	Sample within distribution or certification if no asbestos pipes within the system, use Form 62-555.900(10) for Asbestos Free Certification or Asbestos Sampling Plan*	
		Synthetic Organics (SOCs)	Triennially	2020	Sample at <u>each</u> Point of Entry to the distribution (2 quarterly samples required if population >3,300) or submit a request to waive samples using Form 62-560.545(2)*	
		Stage 2 Disinfection Byproducts (S2 DBPs)	Annually	Jul-Sep 2018 at ST. l	FRANCIS ST for TTHMs and HAA5s**	
		Lead and Copper (tap samples)	Triennially	Jun-Sept 2020	Sample at pre-approved sample plan sites	

^{*}Note on Asbestos Free Certification and SOC Waiver: Submit certification/waiver requests by October 31st to allow time for department review. Form submittal does not automatically waive sampling, which will be required if the request is not approved.

^{**}Note on DBPs: TTHMs = Total Trihalomethanes and HAA5s = Haloacetic Acids. Locations indicated are the pre-approved sample plan sites. If sites need to be altered, a new plan and justification should be submitted for review.

PWS Name: ORANGE PARK WATER PLANT

Bacteriological requirements can be found in Rules 62-550.310, 62-550.828, and 62-550.830, Fla. Admin. Code.

Bacteriological Monitoring				
Current Population on Record	9042			
Monitoring Frequency	Monthly			
Raw Sampling	1 Raw (pretreatment) per well			
Distribution Sampling	10			

When you receive results from the laboratory, **review the report immediately** to verify the information is complete, verify all contaminants were analyzed, and results are below levels requiring additional monitoring under 62-550, Fla. Admin. Code.

- Please take samples early in the monitoring period to allow for possible lab delays and unforeseen events.
- Reports must include system cover page, lab cover page, chains of custody, results page, and lab certification pages.
- Reports are due to the Department *within 10 days* following the end of sample period <u>or</u> following your receipt of the laboratory report, whichever time is less. We recommend submitting reports as soon as available. <u>Do not rely on the laboratory to submit monitoring results to the Department.</u>
- > All samples must be taken during the required monitoring period and from the correct location(s) to be accepted for compliance.
- Failure to sample in accordance with rule requirements may result in enforcement action.



Northeast District

PWS ID: 2104332 System Type: Community

PWS Name: RAVINES WTP

2018 Drinking Water Chemical Monitoring Requirements

This below table summarizes the current monitoring requirements for the above facility and is <u>subject to change</u>. This information is a good faith assessment of the monitoring requirements for your system and we have sought to provide accurate information. Any errors in the table below <u>does not exempt your system from state or federal monitoring requirements</u>. If you are unsure or believe the information below is incorrect, please contact your inspector immediately. We encourage you to use the below tables to assist in scheduling and tracking your sampling events.

It is ultimately the responsibility of the facility owners to ensure all monitoring is completed and results are submitted timely to the Department.

Chemical monitoring requirements can be found under Rule 62-550 of the Florida Administrative Code (Fla. Admin. Code),

	Chemical Monitoring						
Date Scheduled	Date Sampled	Contaminant	Frequency	Next Due	Location & Comments		
		Nitrate & Nitrite	Annually	2018			
		Primary Inorganics	Triennially	2020			
		Secondary Contaminants	Triennially	2020	Sample at <u>each</u> Point of Entry to the distribution (Raw/Well samples will not		
		Volatile Organics (VOCs)	Triennially	2020	be accepted for compliance)		
		Radionuclides	9 years	2026			
		Asbestos	Every 9 years	2020	Sample within distribution or certification if no asbestos pipes within the system, use Form 62-555.900(10) for Asbestos Free Certification or Asbestos Sampling Plan*		
		Synthetic Organics (SOCs)	Triennially	2020	Sample at <u>each</u> Point of Entry to the distribution (2 quarterly samples required if population >3,300) or submit a request to waive samples using Form 62-560.545(2)*		
		Stage 2 Disinfection Byproducts (S2 DBPs)	Annually		762 BLANDING BLVD for HAA5s only, CORNELL RD for TTHMs only**		
		Lead and Copper (tap samples)	Triennially	Jun-Sept 2020	Sample at pre-approved sample plan sites		

^{*}Note on Asbestos Free Certification and SOC Waiver: Submit certification/waiver requests by October 31st to allow time for department review. Form submittal does not automatically waive sampling, which will be required if the request is not approved.

^{**}Note on DBPs: TTHMs = Total Trihalomethanes and HAA5s = Haloacetic Acids. Locations indicated are the pre-approved sample plan sites. If sites need to be altered, a new plan and justification should be submitted for review.

PWS Name: RAVINES WTP

Bacteriological requirements can be found in Rules 62-550.310, 62-550.828, and 62-550.830, Fla. Admin. Code.

Bacteriological Monitoring			
Current Population on Record	3353		
Monitoring Frequency	Monthly		
Raw Sampling	4-log: Raw not required, recommend quarterly		
Distribution Sampling	4		

When you receive results from the laboratory, **review the report immediately** to verify the information is complete, verify all contaminants were analyzed, and results are below levels requiring additional monitoring under 62-550, Fla. Admin. Code.

- Please take samples early in the monitoring period to allow for possible lab delays and unforeseen events.
- Reports must include system cover page, lab cover page, chains of custody, results page, and lab certification pages.
- Reports are due to the Department *within 10 days* following the end of sample period <u>or</u> following your receipt of the laboratory report, whichever time is less. We recommend submitting reports as soon as available. <u>Do not rely on the laboratory to submit monitoring results to the Department.</u>
- > All samples must be taken during the required monitoring period and from the correct location(s) to be accepted for compliance.
- Failure to sample in accordance with rule requirements may result in enforcement action.



Northeast District

PWS ID: 2104333 System Type: Non-Transient Non-Community

PWS Name: CLAY HILL ELEMENTARY SCHOOL

2018 Drinking Water Chemical Monitoring Requirements

This below table summarizes the current monitoring requirements for the above facility and is <u>subject to change</u>. This information is a good faith assessment of the monitoring requirements for your system and we have sought to provide accurate information. Any errors in the table below <u>does not exempt your system from state or federal monitoring requirements</u>. If you are unsure or believe the information below is incorrect, please contact your inspector immediately. We encourage you to use the below tables to assist in scheduling and tracking your sampling events.

It is ultimately the responsibility of the facility owners to ensure all monitoring is completed and results are submitted timely to the Department.

Chemical monitoring requirements can be found under Rule 62-550 of the Florida Administrative Code (Fla. Admin. Code),

	Chemical Monitoring					
Date Scheduled	Date Sampled	Contaminant	Frequency	Next Due	Location & Comments	
	•	Nitrate & Nitrite	Annually	2018		
		Primary Inorganics	Triennially	2019	Sample at <u>each</u> Point of Entry to the	
		Volatile Organics (VOCs)	Triennially	2019	distribution (Raw/Well samples will not be accepted for compliance)	
		Radionuclides, Combined Radium 226+228	9 years	2025	be accepted for compliance)	
		Asbestos	Every 9 years	2022	Sample within distribution or certification if no asbestos pipes within the system, use Form 62-555.900(10) for Asbestos Free Certification or Asbestos Sampling Plan*	
		Synthetic Organics (SOCs)	Triennially	2019	Sample at <u>each</u> Point of Entry to the distribution (2 quarterly samples required if population >3,300) or submit a request to waive samples using Form 62-560.545(2)*	
		Stage 2 Disinfection Byproducts (S2 DBPs)	Annually		Jul-Sep 2018 WW PLANT HOSE BIB TTHMs and HAA5s**	
		Lead and Copper (tap samples)	Triennially	Jun-Sept 2018	Sample at pre-approved sample plan sites	

^{*}Note on Asbestos Free Certification and SOC Waiver: Submit certification/waiver requests by October 31st to allow time for department review. Form submittal does not automatically waive sampling, which will be required if the request is not approved.

^{**}Note on DBPs: TTHMs = Total Trihalomethanes and HAA5s = Haloacetic Acids. Locations indicated are the pre-approved sample plan sites. If sites need to be altered, a new plan and justification should be submitted for review.

PWS Name: CLAY HILL ELEMENTARY SCHOOL

Bacteriological requirements can be found in Rules 62-550.310, 62-550.828, and 62-550.830, Fla. Admin. Code.

Bacteriological Monitoring				
Current Population on Record	553			
Monitoring Frequency	Quarterly			
Raw Sampling	1 Raw (pretreatment) per well			
Distribution Sampling	1			

When you receive results from the laboratory, **review the report immediately** to verify the information is complete, verify all contaminants were analyzed, and results are below levels requiring additional monitoring under 62-550, Fla. Admin. Code.

- Please take samples early in the monitoring period to allow for possible lab delays and unforeseen events.
- > Reports must include system cover page, lab cover page, chains of custody, results page, and lab certification pages.
- Reports are due to the Department *within 10 days* following the end of sample period <u>or</u> following your receipt of the laboratory report, whichever time is less. We recommend submitting reports as soon as available. <u>Do not rely on the laboratory to submit monitoring results to the Department.</u>
- All samples must be taken during the required monitoring period <u>and</u> from the correct location(s) to be accepted for compliance.
- Failure to sample in accordance with rule requirements may result in enforcement action.



Northeast District

PWS ID: 2104345 System Type: Community

PWS Name: MIDDLEBURG BLUFF APARTMENTS

2018 Drinking Water Chemical Monitoring Requirements

This below table summarizes the current monitoring requirements for the above facility and is <u>subject to change</u>. This information is a good faith assessment of the monitoring requirements for your system and we have sought to provide accurate information. Any errors in the table below <u>does not exempt your system from state or federal monitoring requirements</u>. If you are unsure or believe the information below is incorrect, please contact your inspector immediately. We encourage you to use the below tables to assist in scheduling and tracking your sampling events.

It is ultimately the responsibility of the facility owners to ensure all monitoring is completed and results are submitted timely to the Department.

Chemical monitoring requirements can be found under Rule 62-550 of the Florida Administrative Code (Fla. Admin. Code),

	Chemical Monitoring					
Date Scheduled	Date Sampled	Contaminant	Frequency	Next Due	Location & Comments	
		Nitrate & Nitrite	Annually	2018		
		Primary Inorganics	Triennially	2018	Sample at <u>each</u> Point of Entry to the	
		Volatile Organics (VOCs)	Triennially	2018	distribution (Raw/Well samples will not be accepted for compliance)	
		Radionuclides	9 years	2018		
		Asbestos	Every 9 years	2021	Sample within distribution or certification if no asbestos pipes within the system, use Form 62-555.900(10) for Asbestos Free Certification or Asbestos Sampling Plan*	
		Synthetic Organics (SOCs)	Triennially	2021	Sample at <u>each</u> Point of Entry to the distribution (2 quarterly samples required if population >3,300) or submit a request to waive samples using Form 62-560.545(2)*	
		Stage 2 Disinfection Byproducts (S2 DBPs)	Triennially		3 at LAUNDRY ROOM SINK for THMs and HAA5s**	
		Lead and Copper (tap samples)	Triennially	Jun-Sept 2020	Sample at pre-approved sample plan sites	

^{*}Note on Asbestos Free Certification and SOC Waiver: Submit certification/waiver requests by October 31st to allow time for department review. Form submittal does not automatically waive sampling, which will be required if the request is not approved.

^{**}Note on DBPs: TTHMs = Total Trihalomethanes and HAA5s = Haloacetic Acids. Locations indicated are the pre-approved sample plan sites. If sites need to be altered, a new plan and justification should be submitted for review.

PWS Name: MIDDLEBURG BLUFF APARTMENTS

Bacteriological requirements can be found in Rules 62-550.310, 62-550.828, and 62-550.830, Fla. Admin. Code.

Bacteriological Monitoring				
Current Population on Record	95			
Monitoring Frequency	Monthly			
Raw Sampling	1 Raw (pretreatment) per well			
Distribution Sampling	1			

When you receive results from the laboratory, **review the report immediately** to verify the information is complete, verify all contaminants were analyzed, and results are below levels requiring additional monitoring under 62-550, Fla. Admin. Code.

- Please take samples early in the monitoring period to allow for possible lab delays and unforeseen events.
- Reports must include system cover page, lab cover page, chains of custody, results page, and lab certification pages.
- Reports are due to the Department *within 10 days* following the end of sample period <u>or</u> following your receipt of the laboratory report, whichever time is less. We recommend submitting reports as soon as available. <u>Do not rely on the laboratory to submit monitoring results to the Department.</u>
- > All samples must be taken during the required monitoring period and from the correct location(s) to be accepted for compliance.
- Failure to sample in accordance with rule requirements may result in enforcement action.



Northeast District

PWS ID: 2104351 System Type: Community

PWS Name: PIER STATION WTP

2018 Drinking Water Chemical Monitoring Requirements

This below table summarizes the current monitoring requirements for the above facility and is <u>subject to change</u>. This information is a good faith assessment of the monitoring requirements for your system and we have sought to provide accurate information. Any errors in the table below <u>does not exempt your system from state or federal monitoring requirements</u>. If you are unsure or believe the information below is incorrect, please contact your inspector immediately. We encourage you to use the below tables to assist in scheduling and tracking your sampling events.

It is ultimately the responsibility of the facility owners to ensure all monitoring is completed and results are submitted timely to the Department.

Chemical monitoring requirements can be found under Rule 62-550 of the Florida Administrative Code (Fla. Admin. Code),

	Chemical Monitoring					
Date Scheduled	Date Sampled	Contaminant	Frequency	Next Due	Location & Comments	
		Nitrate & Nitrite	Annually	2018		
		Primary Inorganics	Triennially	2018	Sample at <u>each</u> Point of Entry to the	
		Volatile Organics (VOCs)	Triennially	2018	distribution (Raw/Well samples will not be accepted for compliance)	
		Radionuclides	9 years	2018		
		Asbestos	Every 9 years	2021	Sample within distribution or certification if no asbestos pipes within the system, use Form 62-555.900(10) for Asbestos Free Certification or Asbestos Sampling Plan*	
		Synthetic Organics (SOCs)	Triennially	2018	Sample at <u>each</u> Point of Entry to the distribution (2 quarterly samples required if population >3,300) or submit a request to waive samples using Form 62-560.545(2)*	
		Stage 2 Disinfection Byproducts (S2 DBPs)	Triennially		Jul-Sep 2018 573 MARSHALL LN FTHMs and HAA5s**	
		Lead and Copper (tap samples)	Triennially	Jun-Sept 2020	Sample at pre-approved sample plan sites	

^{*}Note on Asbestos Free Certification and SOC Waiver: Submit certification/waiver requests by October 31st to allow time for department review. Form submittal does not automatically waive sampling, which will be required if the request is not approved.

^{**}Note on DBPs: TTHMs = Total Trihalomethanes and HAA5s = Haloacetic Acids. Locations indicated are the pre-approved sample plan sites. If sites need to be altered, a new plan and justification should be submitted for review.

PWS Name: PIER STATION WTP

Bacteriological requirements can be found in Rules 62-550.310, 62-550.828, and 62-550.830, Fla. Admin. Code.

Bacteriological Monitoring				
Current Population on Record	193			
Monitoring Frequency	Monthly			
Raw Sampling	4-log: Raw not required, recommend quarterly			
Distribution Sampling	1			

When you receive results from the laboratory, **review the report immediately** to verify the information is complete, verify all contaminants were analyzed, and results are below levels requiring additional monitoring under 62-550, Fla. Admin. Code.

- Please take samples early in the monitoring period to allow for possible lab delays and unforeseen events.
- Reports must include system cover page, lab cover page, chains of custody, results page, and lab certification pages.
- Reports are due to the Department *within 10 days* following the end of sample period <u>or</u> following your receipt of the laboratory report, whichever time is less. We recommend submitting reports as soon as available. <u>Do not rely on the laboratory to submit monitoring results to the Department.</u>
- > All samples must be taken during the required monitoring period and from the correct location(s) to be accepted for compliance.
- Failure to sample in accordance with rule requirements may result in enforcement action.



Northeast District

PWS ID: 2104389 System Type: Non-Transient Non-Community

PWS Name: JACK WILKINSON SCHOOLS

2018 Drinking Water Chemical Monitoring Requirements

This below table summarizes the current monitoring requirements for the above facility and is <u>subject to change</u>. This information is a good faith assessment of the monitoring requirements for your system and we have sought to provide accurate information. Any errors in the table below <u>does not exempt your system from state or federal monitoring requirements</u>. If you are unsure or believe the information below is incorrect, please contact your inspector immediately. We encourage you to use the below tables to assist in scheduling and tracking your sampling events.

It is ultimately the responsibility of the facility owners to ensure all monitoring is completed and results are submitted timely to the Department.

Chemical monitoring requirements can be found under Rule 62-550 of the Florida Administrative Code (Fla. Admin. Code),

	Chemical Monitoring					
Date Scheduled	Date Sampled	Contaminant	Frequency	Next Due	Location & Comments	
		Nitrate & Nitrite	Annually	2018		
		Primary Inorganics	Triennially	2019		
		Volatile Organics (VOCs)	Triennially	2019	Sample at <u>each</u> Point of Entry to the distribution (Raw/Well samples will not	
		Radionuclides, Combined Radium 226+228	9 years	2025	be accepted for compliance)	
		Asbestos	Every 9 years	2022	Sample within distribution or certification if no asbestos pipes within the system, use Form 62-555.900(10) for Asbestos Free Certification or Asbestos Sampling Plan*	
		Synthetic Organics (SOCs)	Triennially	2019	Sample at <u>each</u> Point of Entry to the distribution (2 quarterly samples required if population >3,300) or submit a request to waive samples using Form 62-560.545(2)*	
		Stage 2 Disinfection Byproducts (S2 DBPs)	Annually		Jul-Sep 2018 WW PLANTS HOSE BIB or TTHMs and HAA5s**	
		Lead and Copper (tap samples)	Triennially	Jun-Sept 2020	Sample at pre-approved sample plan sites	

^{*}Note on Asbestos Free Certification and SOC Waiver: Submit certification/waiver requests by October 31st to allow time for department review. Form submittal does not automatically waive sampling, which will be required if the request is not approved.

^{**}Note on DBPs: TTHMs = Total Trihalomethanes and HAA5s = Haloacetic Acids. Locations indicated are the pre-approved sample plan sites. If sites need to be altered, a new plan and justification should be submitted for review.

PWS Name: JACK WILKINSON SCHOOLS

Bacteriological requirements can be found in Rules 62-550.310, 62-550.828, and 62-550.830, Fla. Admin. Code.

Bacteriological Monitoring				
Current Population on Record	1822			
Monitoring Frequency	Monthly			
Raw Sampling	1 Raw (pretreatment) per well			
Distribution Sampling	2			

When you receive results from the laboratory, **review the report immediately** to verify the information is complete, verify all contaminants were analyzed, and results are below levels requiring additional monitoring under 62-550, Fla. Admin. Code.

- Please take samples early in the monitoring period to allow for possible lab delays and unforeseen events.
- Reports must include system cover page, lab cover page, chains of custody, results page, and lab certification pages.
- Reports are due to the Department *within 10 days* following the end of sample period <u>or</u> following your receipt of the laboratory report, whichever time is less. We recommend submitting reports as soon as available. <u>Do not rely on the laboratory to submit monitoring results to the Department.</u>
- > All samples must be taken during the required monitoring period and from the correct location(s) to be accepted for compliance.
- Failure to sample in accordance with rule requirements may result in enforcement action.



Northeast District

PWS ID: 2104391 System Type: Community

PWS Name: PACE/FLEMING GRID

2018 Drinking Water Chemical Monitoring Requirements

This below table summarizes the current monitoring requirements for the above facility and is <u>subject to change</u>. This information is a good faith assessment of the monitoring requirements for your system and we have sought to provide accurate information. Any errors in the table below <u>does not exempt your system from state or federal monitoring requirements</u>. If you are unsure or believe the information below is incorrect, please contact your inspector immediately. We encourage you to use the below tables to assist in scheduling and tracking your sampling events.

It is ultimately the responsibility of the facility owners to ensure all monitoring is completed and results are submitted timely to the Department.

Chemical monitoring requirements can be found under Rule 62-550 of the Florida Administrative Code (Fla. Admin. Code),

	Chemical Monitoring						
Date Scheduled	Date Sampled	Contaminant	Frequency	Next Due	Location & Comments		
		Nitrate & Nitrite	Annually	2018			
		Primary Inorganics	Triennially	2020			
		Secondary Contaminants	Triennially	2020	Sample at <u>each</u> Point of Entry to the distribution (Raw/Well samples will not be accepted for compliance)		
		Volatile Organics (VOCs)	Triennially	2020	accepted for compliance)		
		Radionuclides	9 years	2026			
		Asbestos	Every 9 years	2020	Sample within distribution or certification if no asbestos pipes within the system, use Form 62-555.900(10) for Asbestos Free Certification or Asbestos Sampling Plan*		
		Synthetic Organics (SOCs)	Triennially	2020	Sample at <u>each</u> Point of Entry to the distribution (2 quarterly samples required if population >3,300) or submit a request to waive samples using Form 62-560.545(2)*		
		Stage 2 Disinfection Byproducts (S2 DBPs)	Annually		3 at 2015 CR 220 for TTHMs and HAA5s** 3027 US HWY 17for TTHMs and HAA5s**		
		Lead and Copper (tap samples)	Triennially	Jun-Sept 2019	Sample at pre-approved sample plan sites		

^{*}Note on Asbestos Free Certification and SOC Waiver: Submit certification/waiver requests by October 31st to allow time for department review. Form submittal does not automatically waive sampling, which will be required if the request is not approved.

^{**}Note on DBPs: TTHMs = Total Trihalomethanes and HAA5s = Haloacetic Acids. Locations indicated are the pre-approved sample plan sites. If sites need to be altered, a new plan and justification should be submitted for review.

PWS Name: PACE/FLEMING GRID

Bacteriological requirements can be found in Rules 62-550.310, 62-550.828, and 62-550.830, Fla. Admin. Code.

Bacteriological Monitoring				
Current Population on Record	36327			
Monitoring Frequency	Monthly			
Raw Sampling	4-log: Raw not required, recommend quarterly			
Distribution Sampling	40			

When you receive results from the laboratory, **review the report immediately** to verify the information is complete, verify all contaminants were analyzed, and results are below levels requiring additional monitoring under 62-550, Fla. Admin. Code.

- Please take samples early in the monitoring period to allow for possible lab delays and unforeseen events.
- Reports must include system cover page, lab cover page, chains of custody, results page, and lab certification pages.
- Reports are due to the Department *within 10 days* following the end of sample period <u>or</u> following your receipt of the laboratory report, whichever time is less. We recommend submitting reports as soon as available. <u>Do not rely on the laboratory to submit monitoring results to the Department.</u>
- > All samples must be taken during the required monitoring period and from the correct location(s) to be accepted for compliance.
- Failure to sample in accordance with rule requirements may result in enforcement action.



Northeast District

PWS ID: 2104400 System Type: Non-Transient Non-Community

PWS Name: KID'S WORLD CHILD CARE CENTER INC.

2018 Drinking Water Chemical Monitoring Requirements

This below table summarizes the current monitoring requirements for the above facility and is <u>subject to change</u>. This information is a good faith assessment of the monitoring requirements for your system and we have sought to provide accurate information. Any errors in the table below <u>does not exempt your system from state or federal monitoring requirements</u>. If you are unsure or believe the information below is incorrect, please contact your inspector immediately. We encourage you to use the below tables to assist in scheduling and tracking your sampling events.

It is ultimately the responsibility of the facility owners to ensure all monitoring is completed and results are submitted timely to the Department.

Chemical monitoring requirements can be found under Rule 62-550 of the Florida Administrative Code (Fla. Admin. Code),

	Chemical Monitoring						
Date Scheduled	Date Sampled	Contaminant	Frequency	Next Due	Location & Comments		
		Nitrate & Nitrite	Annually	2018			
		Primary Inorganics	Triennially	2019	Sample at <u>each</u> Point of Entry to the		
		Volatile Organics (VOCs)	Triennially	2019	distribution (Raw/Well samples will not be accepted for compliance)		
		Radionuclides	9 years	2025			
		Asbestos	Every 9 years	2022	Sample within distribution or certification if no asbestos pipes within the system, use Form 62-555.900(10) for Asbestos Free Certification or Asbestos Sampling Plan*		
		Synthetic Organics (SOCs)	Triennially	2019	Sample at <u>each</u> Point of Entry to the distribution (2 quarterly samples required if population >3,300) or submit a request to waive samples using Form 62-560.545(2)*		
		Stage 2 Disinfection Byproducts (S2 DBPs)	Triennially		Jul-Sep 2019 ASSROOM SMALL SINK r TTHMs and HAA5s**		
		Lead and Copper (tap samples)	Triennially	Jun-Sept 2020	Sample at pre-approved sample plan sites		

^{*}Note on Asbestos Free Certification and SOC Waiver: Submit certification/waiver requests by October 31st to allow time for department review. Form submittal does not automatically waive sampling, which will be required if the request is not approved.

^{**}Note on DBPs: TTHMs = Total Trihalomethanes and HAA5s = Haloacetic Acids. Locations indicated are the pre-approved sample plan sites. If sites need to be altered, a new plan and justification should be submitted for review.

PWS Name: KID'S WORLD CHILD CARE CENTER INC.

Bacteriological requirements can be found in Rules 62-550.310, 62-550.828, and 62-550.830, Fla. Admin. Code.

Bacteriological Monitoring				
Current Population on Record	164			
Monitoring Frequency	Quarterly			
Raw Sampling	1 Raw (pretreatment) per well			
Distribution Sampling	1			

When you receive results from the laboratory, **review the report immediately** to verify the information is complete, verify all contaminants were analyzed, and results are below levels requiring additional monitoring under 62-550, Fla. Admin. Code.

- Please take samples early in the monitoring period to allow for possible lab delays and unforeseen events.
- Reports must include system cover page, lab cover page, chains of custody, results page, and lab certification pages.
- Reports are due to the Department *within 10 days* following the end of sample period <u>or</u> following your receipt of the laboratory report, whichever time is less. We recommend submitting reports as soon as available. <u>Do not rely on the laboratory to submit monitoring results to the Department.</u>
- All samples must be taken during the required monitoring period <u>and</u> from the correct location(s) to be accepted for compliance.
- Failure to sample in accordance with rule requirements may result in enforcement action.



Northeast District

PWS ID: 2104402 System Type: Non-Transient Non-Community

PWS Name: CHEMOURS - TRAILRIDGE PLANT

2018 Drinking Water Chemical Monitoring Requirements

This below table summarizes the current monitoring requirements for the above facility and is <u>subject to change</u>. This information is a good faith assessment of the monitoring requirements for your system and we have sought to provide accurate information. Any errors in the table below <u>does not exempt your system from state or federal monitoring requirements</u>. If you are unsure or believe the information below is incorrect, please contact your inspector immediately. We encourage you to use the below tables to assist in scheduling and tracking your sampling events.

It is ultimately the responsibility of the facility owners to ensure all monitoring is completed and results are submitted timely to the Department.

Chemical monitoring requirements can be found under Rule 62-550 of the Florida Administrative Code (Fla. Admin. Code),

avanable at w	Chemical Monitoring					
Date Scheduled	Date Sampled	Contaminant	Frequency	Next Due	Location & Comments	
		Nitrate & Nitrite	Annually	2018		
		Primary Inorganics	Triennially	2019	Sample at <u>each</u> Point of Entry to the distribution (Raw/Well samples will not	
		Volatile Organics (VOCs)	Triennially	2019	be accepted for compliance)	
		Asbestos	Every 9 years	2022	Sample within distribution or certification if no asbestos pipes within the system, use Form 62-555.900(10) for Asbestos Free Certification or Asbestos Sampling Plan*	
		Synthetic Organics (SOCs)	Triennially	2019	Sample at <u>each</u> Point of Entry to the distribution (2 quarterly samples required if population >3,300) or submit a request to waive samples using Form 62-560.545(2)*	
		Stage 2 Disinfection Byproducts (S2 DBPs)	Triennially		Jul-Sep 2019 R&D LAB-OUTSIDE SINK TTHMs and HAA5s**	
		Lead and Copper (tap samples)	Triennially	Jun-Sept 2020	Sample at pre-approved sample plan sites	

^{*}Note on Asbestos Free Certification and SOC Waiver: Submit certification/waiver requests by October 31st to allow time for department review. Form submittal does not automatically waive sampling, which will be required if the request is not approved.

^{**}Note on DBPs: TTHMs = Total Trihalomethanes and HAA5s = Haloacetic Acids. Locations indicated are the pre-approved sample plan sites. If sites need to be altered, a new plan and justification should be submitted for review.

PWS Name: CHEMOURS - TRAILRIDGE PLANT

Bacteriological requirements can be found in Rules 62-550.310, 62-550.828, and 62-550.830, Fla. Admin. Code.

Bacteriological Monitoring				
Current Population on Record	35			
Monitoring Frequency	Quarterly			
Raw Sampling	1 Raw (pretreatment) per well			
Distribution Sampling	1			

When you receive results from the laboratory, **review the report immediately** to verify the information is complete, verify all contaminants were analyzed, and results are below levels requiring additional monitoring under 62-550, Fla. Admin. Code.

- ➤ Please take samples early in the monitoring period to allow for possible lab delays and unforeseen events.
- Reports must include system cover page, lab cover page, chains of custody, results page, and lab certification pages.
- Reports are due to the Department *within 10 days* following the end of sample period <u>or</u> following your receipt of the laboratory report, whichever time is less. We recommend submitting reports as soon as available. <u>Do not rely on the laboratory to submit monitoring results to the Department.</u>
- All samples must be taken during the required monitoring period <u>and</u> from the correct location(s) to be accepted for compliance.
- Failure to sample in accordance with rule requirements may result in enforcement action.



Northeast District

PWS ID: 2104412 System Type: Non-Transient Non-Community

PWS Name: MCRAE ELEMENTARY SCHOOL WTP

2018 Drinking Water Chemical Monitoring Requirements

This below table summarizes the current monitoring requirements for the above facility and is <u>subject to change</u>. This information is a good faith assessment of the monitoring requirements for your system and we have sought to provide accurate information. Any errors in the table below <u>does not exempt your system from state or federal monitoring requirements</u>. If you are unsure or believe the information below is incorrect, please contact your inspector immediately. We encourage you to use the below tables to assist in scheduling and tracking your sampling events.

It is ultimately the responsibility of the facility owners to ensure all monitoring is completed and results are submitted timely to the Department.

Chemical monitoring requirements can be found under Rule 62-550 of the Florida Administrative Code (Fla. Admin. Code),

			Chemical	Monitoring	
Date Scheduled	Date Sampled	Contaminant	Frequency	Next Due	Location & Comments
		Nitrate & Nitrite	Annually	2018	
		Primary Inorganics	Triennially	2019	
		Volatile Organics (VOCs)	Triennially	2019	Sample at <u>each</u> Point of Entry to the distribution (Raw/Well samples will not
		Radionuclides, RADIUM-226 and RADIUM-228	9 years	2025	be accepted for compliance)
		Asbestos	Every 9 years	2022	Sample within distribution or certification if no asbestos pipes within the system, use Form 62-555.900(10) for Asbestos Free Certification or Asbestos Sampling Plan*
		Synthetic Organics (SOCs)	Triennially	2019	Sample at <u>each</u> Point of Entry to the distribution (2 quarterly samples required if population >3,300) or submit a request to waive samples using Form 62-560.545(2)*
		Stage 2 Disinfection Byproducts (S2 DBPs)	Annually		Jul-Sep 2018 OSE BIB and WESTSIDE HOSE BIB TTHMs and HAA5s**
		Lead and Copper (tap samples)	Biannually	Jan-Jun 2018	Sample at pre-approved sample plan sites

^{*}Note on Asbestos Free Certification and SOC Waiver: Submit certification/waiver requests by October 31st to allow time for department review. Form submittal does not automatically waive sampling, which will be required if the request is not approved.

^{**}Note on DBPs: TTHMs = Total Trihalomethanes and HAA5s = Haloacetic Acids. Locations indicated are the pre-approved sample plan sites. If sites need to be altered, a new plan and justification should be submitted for review.

PWS Name: MCRAE ELEMENTARY SCHOOL WTP

Bacteriological requirements can be found in Rules 62-550.310, 62-550.828, and 62-550.830, Fla. Admin. Code.

Bacteriological Monitoring				
Current Population on Record	529			
Monitoring Frequency	Quarterly			
Raw Sampling	1 Raw (pretreatment) per well			
Distribution Sampling	1			

When you receive results from the laboratory, **review the report immediately** to verify the information is complete, verify all contaminants were analyzed, and results are below levels requiring additional monitoring under 62-550, Fla. Admin. Code.

- Please take samples early in the monitoring period to allow for possible lab delays and unforeseen events.
- Reports must include system cover page, lab cover page, chains of custody, results page, and lab certification pages.
- Reports are due to the Department *within 10 days* following the end of sample period <u>or</u> following your receipt of the laboratory report, whichever time is less. We recommend submitting reports as soon as available. <u>Do not rely on the laboratory to submit monitoring results to the Department.</u>
- All samples must be taken during the required monitoring period and from the correct location(s) to be accepted for compliance.
- Failure to sample in accordance with rule requirements may result in enforcement action.



Northeast District

PWS ID: 2104413 System Type: Non-Transient Non-Community PWS Name: AAT OMEGA

2018 Drinking Water Chemical Monitoring Requirements

This below table summarizes the current monitoring requirements for the above facility and is <u>subject to change</u>. This information is a good faith assessment of the monitoring requirements for your system and we have sought to provide accurate information. Any errors in the table below <u>does not exempt your system from state or federal monitoring requirements</u>. If you are unsure or believe the information below is incorrect, please contact your inspector immediately. We encourage you to use the below tables to assist in scheduling and tracking your sampling events.

It is ultimately the responsibility of the facility owners to ensure all monitoring is completed and results are submitted timely to the Department.

Chemical monitoring requirements can be found under Rule 62-550 of the Florida Administrative Code (Fla. Admin. Code),

	Chemical Monitoring					
Date Scheduled	Date Sampled	Contaminant	Frequency	Next Due	Location & Comments	
		Nitrate & Nitrite	Annually	2018		
		Primary Inorganics	Triennially	2019	Sample at <u>each</u> Point of Entry to the	
		Volatile Organics (VOCs)	Triennially	2019	distribution (Raw/Well samples will not be accepted for compliance)	
		Radionuclides, RADIUM-226 and RADIUM-228	9 years	2025	be accepted for compliance)	
		Asbestos	Every 9 years	2022	Sample within distribution or certification if no asbestos pipes within the system, use Form 62-555.900(10) for Asbestos Free Certification or Asbestos Sampling Plan*	
		Synthetic Organics (SOCs)	Triennially	2019	Sample at each Point of Entry to the distribution (2 quarterly samples required if population >3,300) or submit a request to waive samples using Form 62-560.545(2)*	
		Stage 2 Disinfection Byproducts (S2 DBPs)	Triennially	fo	Jul-Sep 2019 at PLANT SINK or TTHMs and HAA5s**	
		Lead and Copper (tap samples)	Triennially	Jun-Sept 2020	Sample at pre-approved sample plan sites	

^{*}Note on Asbestos Free Certification and SOC Waiver: Submit certification/waiver requests by October 31st to allow time for department review. Form submittal does not automatically waive sampling, which will be required if the request is not approved.

^{**}Note on DBPs: TTHMs = Total Trihalomethanes and HAA5s = Haloacetic Acids. Locations indicated are the pre-approved sample plan sites. If sites need to be altered, a new plan and justification should be submitted for review.

PWS Name: AAT OMEGA

Bacteriological requirements can be found in Rules 62-550.310, 62-550.828, and 62-550.830, Fla. Admin. Code.

Bacteriological Monitoring				
Current Population on Record	75			
Monitoring Frequency	Quarterly			
Raw Sampling	1 Raw (pretreatment) per well			
Distribution Sampling	1			

When you receive results from the laboratory, **review the report immediately** to verify the information is complete, verify all contaminants were analyzed, and results are below levels requiring additional monitoring under 62-550, Fla. Admin. Code.

- Please take samples early in the monitoring period to allow for possible lab delays and unforeseen events.
- Reports must include system cover page, lab cover page, chains of custody, results page, and lab certification pages.
- Reports are due to the Department *within 10 days* following the end of sample period <u>or</u> following your receipt of the laboratory report, whichever time is less. We recommend submitting reports as soon as available. <u>Do not rely on the laboratory to submit monitoring results to the Department.</u>
- > All samples must be taken during the required monitoring period and from the correct location(s) to be accepted for compliance.
- Failure to sample in accordance with rule requirements may result in enforcement action.



Northeast District

PWS ID: 2104420 System Type: Non-Transient Non-Community

PWS Name: CALVARY BAPTIST CHURCH

2018 Drinking Water Chemical Monitoring Requirements

This below table summarizes the current monitoring requirements for the above facility and is <u>subject to change</u>. This information is a good faith assessment of the monitoring requirements for your system and we have sought to provide accurate information. Any errors in the table below <u>does not exempt your system from state or federal monitoring requirements</u>. If you are unsure or believe the information below is incorrect, please contact your inspector immediately. We encourage you to use the below tables to assist in scheduling and tracking your sampling events.

It is ultimately the responsibility of the facility owners to ensure all monitoring is completed and results are submitted timely to the Department.

Chemical monitoring requirements can be found under Rule 62-550 of the Florida Administrative Code (Fla. Admin. Code),

	Chemical Monitoring						
Date Scheduled	Date Sampled	Contaminant	Frequency	Next Due	Location & Comments		
		Nitrate & Nitrite	Annually	2018			
		Primary Inorganics	Triennially	2019	Sample at <u>each</u> Point of Entry to the		
		Volatile Organics (VOCs)	Triennially	2019	distribution (Raw/Well samples will not be accepted for compliance)		
		Radionuclides	6 years	2022			
		Asbestos	Every 9 years	2022	Sample within distribution or certification if no asbestos pipes within the system, use Form 62-555.900(10) for Asbestos Free Certification or Asbestos Sampling Plan*		
		Synthetic Organics (SOCs)	Triennially	2019	Sample at <u>each</u> Point of Entry to the distribution (2 quarterly samples required if population >3,300) or submit a request to waive samples using Form 62-560.545(2)*		
		Stage 2 Disinfection Byproducts (S2 DBPs)	Triennially	Jul-Sep 2019 at TA	P AT FRONT for TTHMs and HAA5s**		
		Lead and Copper (tap samples)	Triennially	Jun-Sept 2019	Sample at pre-approved sample plan sites		

^{*}Note on Asbestos Free Certification and SOC Waiver: Submit certification/waiver requests by October 31st to allow time for department review. Form submittal does not automatically waive sampling, which will be required if the request is not approved.

^{**}Note on DBPs: TTHMs = Total Trihalomethanes and HAA5s = Haloacetic Acids. Locations indicated are the pre-approved sample plan sites. If sites need to be altered, a new plan and justification should be submitted for review.

PWS Name: CALVARY BAPTIST CHURCH

Bacteriological requirements can be found in Rules 62-550.310, 62-550.828, and 62-550.830, Fla. Admin. Code.

Bacteriological Monitoring				
Current Population on Record	50			
Monitoring Frequency	Quarterly			
Raw Sampling	1 Raw (pretreatment) per well			
Distribution Sampling	1			

When you receive results from the laboratory, **review the report immediately** to verify the information is complete, verify all contaminants were analyzed, and results are below levels requiring additional monitoring under 62-550, Fla. Admin. Code.

- Please take samples early in the monitoring period to allow for possible lab delays and unforeseen events.
- Reports must include system cover page, lab cover page, chains of custody, results page, and lab certification pages.
- Reports are due to the Department *within 10 days* following the end of sample period <u>or</u> following your receipt of the laboratory report, whichever time is less. We recommend submitting reports as soon as available. <u>Do not rely on the laboratory to submit monitoring results to the Department.</u>
- > All samples must be taken during the required monitoring period and from the correct location(s) to be accepted for compliance.
- Failure to sample in accordance with rule requirements may result in enforcement action.



Northeast District

PWS ID: 2104430 System Type: Non-Transient Non-Community

PWS Name: MOBRO MARINE INC.

2018 Drinking Water Chemical Monitoring Requirements

This below table summarizes the current monitoring requirements for the above facility and is <u>subject to change</u>. This information is a good faith assessment of the monitoring requirements for your system and we have sought to provide accurate information. Any errors in the table below <u>does not exempt your system from state or federal monitoring requirements</u>. If you are unsure or believe the information below is incorrect, please contact your inspector immediately. We encourage you to use the below tables to assist in scheduling and tracking your sampling events.

It is ultimately the responsibility of the facility owners to ensure all monitoring is completed and results are submitted timely to the Department.

Chemical monitoring requirements can be found under Rule 62-550 of the Florida Administrative Code (Fla. Admin. Code),

_	Chemical Monitoring						
Date Scheduled	Date Sampled	Contaminant	Frequency	Next Due	Location & Comments		
		Nitrate & Nitrite	Annually	2018			
		Primary Inorganics	Triennially	2019	Sample at <u>each</u> Point of Entry to the distribution (Raw/Well samples will not		
		Volatile Organics (VOCs)	Triennially	2019	be accepted for compliance)		
		Asbestos	Every 9 years	2022	Sample within distribution or certification if no asbestos pipes within the system, use Form 62-555.900(10) for Asbestos Free Certification or Asbestos Sampling Plan*		
		Synthetic Organics (SOCs)	Triennially	2019	Sample at <u>each</u> Point of Entry to the distribution (2 quarterly samples required if population >3,300) or submit a request to waive samples using Form 62-560.545(2)*		
		Stage 2 Disinfection Byproducts (S2 DBPs)	Triennially		9 at SMALL BOAT FAB SHOP TTHMs and HAA5s**		
		Lead and Copper (tap samples)	Triennially	Jun-Sept 2019	Sample at pre-approved sample plan sites		

^{*}Note on Asbestos Free Certification and SOC Waiver: Submit certification/waiver requests by October 31st to allow time for department review. Form submittal does not automatically waive sampling, which will be required if the request is not approved.

^{**}Note on DBPs: TTHMs = Total Trihalomethanes and HAA5s = Haloacetic Acids. Locations indicated are the pre-approved sample plan sites. If sites need to be altered, a new plan and justification should be submitted for review.

PWS Name: MOBRO MARINE INC.

Bacteriological requirements can be found in Rules 62-550.310, 62-550.828, and 62-550.830, Fla. Admin. Code.

Bacteriological Monitoring				
Current Population on Record	80			
Monitoring Frequency	Quarterly			
Raw Sampling	1 Raw (pretreatment) per well			
Distribution Sampling	1			

When you receive results from the laboratory, **review the report immediately** to verify the information is complete, verify all contaminants were analyzed, and results are below levels requiring additional monitoring under 62-550, Fla. Admin. Code.

- Please take samples early in the monitoring period to allow for possible lab delays and unforeseen events.
- Reports must include system cover page, lab cover page, chains of custody, results page, and lab certification pages.
- Reports are due to the Department *within 10 days* following the end of sample period <u>or</u> following your receipt of the laboratory report, whichever time is less. We recommend submitting reports as soon as available. <u>Do not rely on the laboratory to submit monitoring results to the Department.</u>
- > All samples must be taken during the required monitoring period and from the correct location(s) to be accepted for compliance.
- Failure to sample in accordance with rule requirements may result in enforcement action.



Northeast District

PWS ID: 2104441 System Type: Non-Transient Non-Community

PWS Name: WHITLEY STEEL CO. INC.

2018 Drinking Water Chemical Monitoring Requirements

This below table summarizes the current monitoring requirements for the above facility and is <u>subject to change</u>. This information is a good faith assessment of the monitoring requirements for your system and we have sought to provide accurate information. Any errors in the table below <u>does not exempt your system from state or federal monitoring requirements</u>. If you are unsure or believe the information below is incorrect, please contact your inspector immediately. We encourage you to use the below tables to assist in scheduling and tracking your sampling events.

It is ultimately the responsibility of the facility owners to ensure all monitoring is completed and results are submitted timely to the Department.

Chemical monitoring requirements can be found under Rule 62-550 of the Florida Administrative Code (Fla. Admin. Code),

Chemical Monitoring					
Date Scheduled	Date Sampled	Contaminant	Frequency	Next Due	Location & Comments
		Nitrate & Nitrite	Annually	2018	
		Primary Inorganics	Triennially	2019	
		Volatile Organics (VOCs)	Triennially	2019	Sample at <u>each</u> Point of Entry to the distribution (Raw/Well samples will not be accepted for compliance)
		Radionuclides, RADIUM-226 and RADIUM-228	Quarterly	2018 2nd Quarter (April-June) (last quarterly sample)	
		Asbestos	Every 9 years	2022	Sample within distribution or certification if no asbestos pipes within the system, use Form 62-555.900(10) for Asbestos Free Certification or Asbestos Sampling Plan*
		Synthetic Organics (SOCs)	Triennially	2019	Sample at <u>each</u> Point of Entry to the distribution (2 quarterly samples required if population >3,300) or submit a request to waive samples using Form 62-560.545(2)*
		SOC-DEHP	Annually	2018, 2 nd Quarter (April-June)	Sample at <u>each</u> Point of Entry to the distribution (2 quarterly samples required if population >3,300) or submit a request to waive samples using Form 62-560.545(2)*
		Stage 2 Disinfection Byproducts (S2 DBPs)	Triennially	Jul-Sep 2019 at SAMPLE SITE C ADMIN BLDG for TTHMs and HAA5s**	
		Lead and Copper (tap samples)	Triennially	Jun-Sept 2019	Sample at pre-approved sample plan sites

^{*}Note on Asbestos Free Certification and SOC Waiver: Submit certification/waiver requests by October 31st to allow time for department review. Form submittal does not automatically waive sampling, which will be required if the request is not approved.

PWS Name: WHITLEY STEEL CO. INC.

**Note on DBPs: TTHMs = Total Trihalomethanes and HAA5s = Haloacetic Acids. Locations indicated are the pre-approved sample plan sites. If sites need to be altered, a new plan and justification should be submitted for review.

Bacteriological requirements can be found in Rules 62-550.310, 62-550.828, and 62-550.830, Fla. Admin. Code.

Bacteriological Monitoring		
Current Population on Record	35	
Monitoring Frequency	Quarterly	
Raw Sampling	1 Raw (pretreatment) per well	
Distribution Sampling	1	

When you receive results from the laboratory, **review the report immediately** to verify the information is complete, verify all contaminants were analyzed, and results are below levels requiring additional monitoring under 62-550, Fla. Admin. Code.

- Please take samples early in the monitoring period to allow for possible lab delays and unforeseen events.
- Reports must include system cover page, lab cover page, chains of custody, results page, and lab certification pages.
- Reports are due to the Department *within 10 days* following the end of sample period <u>or</u> following your receipt of the laboratory report, whichever time is less. We recommend submitting reports as soon as available. <u>Do not rely on the laboratory to submit monitoring results to the Department.</u>
- > All samples must be taken during the required monitoring period and from the correct location(s) to be accepted for compliance.
- Failure to sample in accordance with rule requirements may result in enforcement action.



Northeast District

PWS ID: 2104448 System Type: Community

PWS Name: PETER'S CREEK WTP

2018 Drinking Water Chemical Monitoring Requirements

This below table summarizes the current monitoring requirements for the above facility and is <u>subject to change</u>. This information is a good faith assessment of the monitoring requirements for your system and we have sought to provide accurate information. Any errors in the table below <u>does not exempt your system from state or federal monitoring requirements</u>. If you are unsure or believe the information below is incorrect, please contact your inspector immediately. We encourage you to use the below tables to assist in scheduling and tracking your sampling events.

It is ultimately the responsibility of the facility owners to ensure all monitoring is completed and results are submitted timely to the Department.

Chemical monitoring requirements can be found under Rule 62-550 of the Florida Administrative Code (Fla. Admin. Code),

Chemical Monitoring					
Date Scheduled	Date Sampled	Contaminant	Frequency	Next Due	Location & Comments
		Nitrate & Nitrite	Annually	2018	
		Primary Inorganics	Triennially	2018	Sample at <u>each</u> Point of Entry to the distribution (Raw/Well samples will not be accepted for compliance)
		Secondary Contaminants	Triennially	2018	
		Volatile Organics (VOCs)	Triennially	2018	
		Radionuclides	9 years	2018	
		Asbestos	Every 9 years	2021	Sample within distribution or certification if no asbestos pipes within the system, use Form 62-555.900(10) for Asbestos Free Certification or Asbestos Sampling Plan*
		Synthetic Organics (SOCs)	Triennially	2018	Sample at <u>each</u> Point of Entry to the distribution (2 quarterly samples required if population >3,300) or submit a request to waive samples using Form 62-560.545(2)*
		Stage 2 Disinfection Byproducts (S2 DBPs)	Triennially		2018 at 3895 FALCON CREST DR for TTHMs and HAA5s**
		Lead and Copper (tap samples)	Triennially	Jun-Sept 2020	Sample at pre-approved sample plan sites

^{*}Note on Asbestos Free Certification and SOC Waiver: Submit certification/waiver requests by October 31st to allow time for department review. Form submittal does not automatically waive sampling, which will be required if the request is not approved.

^{**}Note on DBPs: TTHMs = Total Trihalomethanes and HAA5s = Haloacetic Acids. Locations indicated are the pre-approved sample plan sites. If sites need to be altered, a new plan and justification should be submitted for review.

PWS Name: PETER'S CREEK WTP

Bacteriological requirements can be found in Rules 62-550.310, 62-550.828, and 62-550.830, Fla. Admin. Code.

Bacteriological Monitoring			
Current Population on Record	231		
Monitoring Frequency	Monthly		
Raw Sampling	4-log: Raw not required, recommend quarterly		
Distribution Sampling	1		

When you receive results from the laboratory, **review the report immediately** to verify the information is complete, verify all contaminants were analyzed, and results are below levels requiring additional monitoring under 62-550, Fla. Admin. Code.

- Please take samples early in the monitoring period to allow for possible lab delays and unforeseen events.
- > Reports must include system cover page, lab cover page, chains of custody, results page, and lab certification pages.
- Reports are due to the Department *within 10 days* following the end of sample period <u>or</u> following your receipt of the laboratory report, whichever time is less. We recommend submitting reports as soon as available. <u>Do not rely on the laboratory to submit monitoring results to the Department.</u>
- All samples must be taken during the required monitoring period <u>and</u> from the correct location(s) to be accepted for compliance.
- Failure to sample in accordance with rule requirements may result in enforcement action.



Northeast District

PWS ID: 2104450 System Type: Non-Transient Non-Community

PWS Name: OLIVER PLAZA

2018 Drinking Water Chemical Monitoring Requirements

This below table summarizes the current monitoring requirements for the above facility and is <u>subject to change</u>. This information is a good faith assessment of the monitoring requirements for your system and we have sought to provide accurate information. Any errors in the table below <u>does not exempt your system from state or federal monitoring requirements</u>. If you are unsure or believe the information below is incorrect, please contact your inspector immediately. We encourage you to use the below tables to assist in scheduling and tracking your sampling events.

It is ultimately the responsibility of the facility owners to ensure all monitoring is completed and results are submitted timely to the Department.

Chemical monitoring requirements can be found under Rule 62-550 of the Florida Administrative Code (Fla. Admin. Code),

Chemical Monitoring						
Date Scheduled	Date Sampled	Contaminant	Frequency	Next Due	Location & Comments	
		Nitrate & Nitrite	Annually	2018	C. I. C. I. D. C. C. C. A.	
		Primary Inorganics	Triennially	2019	Sample at <u>each</u> Point of Entry to the distribution (Raw/Well samples will not	
		Volatile Organics (VOCs)	Triennially	2019	be accepted for compliance)	
		Asbestos	Every 9 years	2022	Sample within distribution or certification if no asbestos pipes within the system, use Form 62-555.900(10) for Asbestos Free Certification or Asbestos Sampling Plan*	
		Synthetic Organics (SOCs)	Triennially	2019	Sample at <u>each</u> Point of Entry to the distribution (2 quarterly samples required if population >3,300) or submit a request to waive samples using Form 62-560.545(2)*	
		Stage 2 Disinfection Byproducts (S2 DBPs)	Triennially		9 at SOUTHSIDE HOSE BIBB FTHMs and HAA5s**	
		Lead and Copper (tap samples)	Triennially	Jun-Sept 2019	Sample at pre-approved sample plan sites	

^{*}Note on Asbestos Free Certification and SOC Waiver: Submit certification/waiver requests by October 31st to allow time for department review. Form submittal does not automatically waive sampling, which will be required if the request is not approved.

^{**}Note on DBPs: TTHMs = Total Trihalomethanes and HAA5s = Haloacetic Acids. Locations indicated are the pre-approved sample plan sites. If sites need to be altered, a new plan and justification should be submitted for review.

PWS Name: OLIVER PLAZA

Bacteriological requirements can be found in Rules 62-550.310, 62-550.828, and 62-550.830, Fla. Admin. Code.

Bacteriological Monitoring			
Current Population on Record	40		
Monitoring Frequency	Quarterly		
Raw Sampling	1 Raw (pretreatment) per well		
Distribution Sampling	1		

When you receive results from the laboratory, **review the report immediately** to verify the information is complete, verify all contaminants were analyzed, and results are below levels requiring additional monitoring under 62-550, Fla. Admin. Code.

- > Please take samples early in the monitoring period to allow for possible lab delays and unforeseen events.
- > Reports must include system cover page, lab cover page, chains of custody, results page, and lab certification pages.
- Reports are due to the Department *within 10 days* following the end of sample period <u>or</u> following your receipt of the laboratory report, whichever time is less. We recommend submitting reports as soon as available. <u>Do not rely on the laboratory to submit monitoring results to the Department.</u>
- All samples must be taken during the required monitoring period <u>and</u> from the correct location(s) to be accepted for compliance.
- Failure to sample in accordance with rule requirements may result in enforcement action.