



# **Expanded Monitoring Parameters for Solid Waste Facilities**



# Basis of Modification

## 62-701.510(1)(c), F.A.C.

“The requirements of this rule are the minimum standards for monitoring water quality. Nothing in this rule shall be construed to prevent the Department from imposing more stringent standards as necessary to protect the environment and the public health and safety due to site specific conditions and types of wastes to be disposed of in landfills or solid waste disposal units.”



# Rule Modification

62-701.510, F.A.C. and 62-701.730, F.A.C.

- ***Rule 62-701.510, F.A.C.***

*Update of paragraphs (7)(a) and (b) listed parameters to include Boron and Hydrogen Sulfide.*

- ***Rule 62-701.730, F.A.C.***

*Update of paragraph (8)(c) listed parameters to include Boron and Hydrogen Sulfide.*



# Boron

- **Groundwater CTL of 1400 (ug/L) as provided in Table I of 62-777, F.A.C.**



# Hydrogen Sulfide

- **Groundwater CTL of 21 (ug/L) as provided in Table I of 62-777, F.A.C.**



# Proposed parameters

To be added to relevant parameter list

**Boron**

**Unionized Hydrogen sulfide (by Calculation)**

**Total dissolved sulfide**



# Contact Information

**Cory D. Dilmore, P.E.**  
**Environmental Administrator**  
Florida Department of Environmental Protection  
Solid Waste Section  
[cory.dilmore@dep.state.fl.us](mailto:cory.dilmore@dep.state.fl.us)

(850) 245.8712