



Expanded Monitoring Parameters for Solid Waste Facilities



Basis of Modification

62-701.510(1)(c), F.A.C.

“The requirements of this rule are the minimum standards for monitoring water quality. Nothing in this rule shall be construed to prevent the Department from imposing more stringent standards as necessary to protect the environment and the public health and safety due to site specific conditions and types of wastes to be disposed of in landfills or solid waste disposal units.”



Rule Modification

62-701.510, F.A.C. and 62-701.730, F.A.C.

- **Rule 62-701.510, F.A.C.**
 - *Update of subparagraph (6)(a)(2) and (b) to include Boron and Un-ionized Hydrogen Sulfide as part of evaluation monitoring.*
 - *Addition of paragraph (7)(d) regarding unlined landfill disposal units.*
- **Rule 62-701.730, F.A.C.**
 - *Update of paragraph (8)(c) listed parameters to include Boron, Un-ionized Hydrogen Sulfide and Total sulfide (for Calculation of hydrogen sulfide).*



Boron

- **Groundwater CTL of 1400 (ug/L) as provided in Table I of 62-777, F.A.C.**



Hydrogen Sulfide

- **Groundwater CTL of 21 (ug/L) as provided in Table I of 62-777, F.A.C.**



Housekeeping

Minor clerical fixes

Paragraph 62-701.510(7)(a), F.A.C.

- update Unionized ammonia to Un-ionized

Paragraph 62-701.730(8)(d), F.A.C.

- update “sulfate” to sulfate in last sentence

Subsection 62-701.730(10), F.A.C.

- update “remedication” to remediation



Contact Information

Cory D. Dilmore, P.E.
Environmental Administrator
Florida Department of Environmental Protection
Solid Waste Section
cory.dilmore@dep.state.fl.us

(850) 245.8712