

Northeast District

PWS ID: 2180002 System Type: Community

PWS Name: BEVERLY BEACH WATER SYSTEM

### 2018 Drinking Water Chemical Monitoring Requirements

This below table summarizes the current monitoring requirements for the above facility and is <u>subject to change</u>. This information is a good faith assessment of the monitoring requirements for your system and we have sought to provide accurate information. Any errors in the table below <u>does not exempt your system from state or federal monitoring requirements</u>. If you are unsure or believe the information below is incorrect, please contact your inspector immediately. We encourage you to use the below tables to assist in scheduling and tracking your sampling events.

It is ultimately the responsibility of the facility owners to ensure all monitoring is completed and results are submitted timely to the Department.

Chemical monitoring requirements can be found under Rule 62-550 of the Florida Administrative Code (Fla. Admin. Code),

available at www.flrules.org.

Chemical Monitoring						
Date Scheduled	Date Sampled	Contaminant	Frequency	Next Due	Location & Comments	
		Asbestos	Every 9 years	2021	Sample within distribution or certification if no asbestos pipes within the system, use Form 62-555.900(10) for Asbestos Free Certification or Asbestos Sampling Plan*	
		Stage 2 Disinfection Byproducts (S2 DBPs)	Annually	_ <u> </u>	N Oceanshore Blvd. and 79 Hawks Lane THMs and HAA5s**	
		Lead and Copper (tap samples)	Triennially	Jun-Sept 2018	Sample at pre-approved sample plan sites	

<sup>\*</sup>Note on Asbestos Free Certification and SOC Waiver: Submit certification/waiver requests by October 31st to allow time for department review. Form submittal does not automatically waive sampling, which will be required if the request is not approved.

Bacteriological requirements can be found in Rules 62-550.310, 62-550.828, and 62-550.830, Fla. Admin. Code.

Bacteriological Monitoring			
Current Population on Record	1413		
Monitoring Frequency	Monthly		
Raw Sampling	1 Raw (pretreatment) per well		
Distribution Sampling	2		

When you receive results from the laboratory, **review the report immediately** to verify the information is complete, verify all contaminants were analyzed, and results are below levels requiring additional monitoring under 62-550, Fla. Admin. Code.

#### Important Reminders:

> Please take samples early in the monitoring period to allow for possible lab delays and unforeseen events.

<sup>\*\*</sup>Note on DBPs: TTHMs = Total Trihalomethanes and HAA5s = Haloacetic Acids. Locations indicated are the pre-approved sample plan sites. If sites need to be altered, a new plan and justification should be submitted for review.

PWS Name: BEVERLY BEACH WATER SYSTEM

> Reports must include system cover page, lab cover page, chains of custody, results page, and lab certification pages.

- Reports are due to the Department *within 10 days* following the end of sample period <u>or</u> following your receipt of the laboratory report, whichever time is less. We recommend submitting reports as soon as available. <u>Do not rely on the laboratory to submit monitoring results to the Department.</u>
- All samples must be taken during the required monitoring period and from the correct location(s) to be accepted for compliance.
- Failure to sample in accordance with rule requirements may result in enforcement action.



Northeast District

PWS ID: 2180132 System Type: Community

PWS Name: BULOW PLANTATION

### 2018 Drinking Water Chemical Monitoring Requirements

This below table summarizes the current monitoring requirements for the above facility and is <u>subject to change</u>. This information is a good faith assessment of the monitoring requirements for your system and we have sought to provide accurate information. Any errors in the table below <u>does not exempt your system from state or federal monitoring requirements</u>. If you are unsure or believe the information below is incorrect, please contact your inspector immediately. We encourage you to use the below tables to assist in scheduling and tracking your sampling events.

It is ultimately the responsibility of the facility owners to ensure all monitoring is completed and results are submitted timely to the Department.

Chemical monitoring requirements can be found under Rule 62-550 of the Florida Administrative Code (Fla. Admin. Code),

	Chemical Monitoring					
Date Scheduled	Date Sampled	Contaminant	Frequency	Next Due	Location & Comments	
	_	Nitrate & Nitrite	Annually	2018		
		Primary Inorganics	Triennially	2018		
		Secondary Contaminants	Triennially	2018	Sample at <u>each</u> Point of Entry to the distribution (Raw/Well samples will	
		Volatile Organics (VOCs)	Triennially	2018	not be accepted for compliance)	
		Radionuclides	6 years	2018		
		Asbestos	Every 9 years	2021	Sample within distribution or certification if no asbestos pipes within the system, use Form 62-555.900(10) for Asbestos Free Certification or Asbestos Sampling Plan*	
		Synthetic Organics (SOCs)	Triennially	2021	Sample at <u>each</u> Point of Entry to the distribution (2 quarterly samples required if population >3,300) or submit a request to waive samples using Form 62-560.545(2)*	
		Stage 2 Disinfection Byproducts (S2 DBPs)	Annually	Jul-Sep 2018 at Ma	arina Cove for TTHMs and HAA5s**	
		Lead and Copper (tap samples)	Triennially	Jun-Sept 2020	Sample at pre-approved sample plan sites	

<sup>\*</sup>Note on Asbestos Free Certification and SOC Waiver: Submit certification/waiver requests by October 31st to allow time for department review. Form submittal does not automatically waive sampling, which will be required if the request is not approved.

<sup>\*\*</sup>Note on DBPs: TTHMs = Total Trihalomethanes and HAA5s = Haloacetic Acids. Locations indicated are the pre-approved sample plan sites. If sites need to be altered, a new plan and justification should be submitted for review.

PWS Name: BULOW PLANTATION

Bacteriological requirements can be found in Rules 62-550.310, 62-550.828, and 62-550.830, Fla. Admin. Code.

Bacteriological Monitoring				
Current Population on Record	1001			
Monitoring Frequency	Monthly			
Raw Sampling	1 Raw (pretreatment) per well			
Distribution Sampling	2			

When you receive results from the laboratory, **review the report immediately** to verify the information is complete, verify all contaminants were analyzed, and results are below levels requiring additional monitoring under 62-550, Fla. Admin. Code.

- > Please take samples early in the monitoring period to allow for possible lab delays and unforeseen events.
- Reports must include system cover page, lab cover page, chains of custody, results page, and lab certification pages.
- Reports are due to the Department *within 10 days* following the end of sample period <u>or</u> following your receipt of the laboratory report, whichever time is less. We recommend submitting reports as soon as available. <u>Do not rely on the laboratory to submit monitoring results to the Department.</u>
- All samples must be taken during the required monitoring period and from the correct location(s) to be accepted for compliance.
- > Failure to sample in accordance with rule requirements may result in enforcement action.



Northeast District

PWS ID: 2180134 System Type: Community

PWS Name: BUNNELL WATER PLANT

### 2018 Drinking Water Chemical Monitoring Requirements

This below table summarizes the current monitoring requirements for the above facility and is <u>subject to change</u>. This information is a good faith assessment of the monitoring requirements for your system and we have sought to provide accurate information. Any errors in the table below <u>does not exempt your system from state or federal monitoring requirements</u>. If you are unsure or believe the information below is incorrect, please contact your inspector immediately. We encourage you to use the below tables to assist in scheduling and tracking your sampling events.

It is ultimately the responsibility of the facility owners to ensure all monitoring is completed and results are submitted timely to the Department.

Chemical monitoring requirements can be found under Rule 62-550 of the Florida Administrative Code (Fla. Admin. Code),

Chemical Monitoring					
Date Scheduled	Date Sampled	Contaminant	Frequency	Next Due	<b>Location &amp; Comments</b>
		Nitrate & Nitrite	Annually	2018	
		Primary Inorganics	Triennially	2018	Sample at <u>each</u> Point of Entry to the
		Volatile Organics (VOCs)	Triennially	2018	distribution (Raw/Well samples will not be accepted for compliance)
		Radionuclides	6 years	2018	
		Asbestos	Every 9 years	2021	Sample within distribution or certification if no asbestos pipes within the system, use Form 62-555.900(10) for Asbestos Free Certification or Asbestos Sampling Plan*
		Synthetic Organics (SOCs)	Triennially	2018	Sample at <u>each</u> Point of Entry to the distribution (2 quarterly samples required if population >3,300) or submit a request to waive samples using Form 62-560.545(2)*
		SOCs – Dalapon	Annually	Apr-Jun 2018	Sample at <u>each</u> Point of Entry to the distribution
		Stage 2 Disinfection Byproducts (S2 DBPs)	Annually		5 Old Haw Creek and 201A 4 <sup>th</sup> St. for HMs and HAA5s**
		Lead and Copper (tap samples)	Triennially	Jun-Sept 2019	Sample at pre-approved sample plan sites
		Water Quality Parameters (WQPs)	Ev	ery 2 weeks	Sample at <u>each</u> Point of Entry to the distribution

<sup>\*</sup>Note on Asbestos Free Certification and SOC Waiver: Submit certification/waiver requests by October 31st to allow time for department review. Form submittal does not automatically waive sampling, which will be required if the request is not approved.

PWS Name: BUNNELL WATER PLANT

\*\*Note on DBPs: TTHMs = Total Trihalomethanes and HAA5s = Haloacetic Acids. Locations indicated are the pre-approved sample plan sites. If sites need to be altered, a new plan and justification should be submitted for review.

Bacteriological requirements can be found in Rules 62-550.310, 62-550.828, and 62-550.830, Fla. Admin. Code.

Bacteriological Monitoring				
Current Population on Record	2648			
Monitoring Frequency	Monthly			
Raw Sampling	1 Raw (pretreatment) per well			
Distribution Sampling	3			

When you receive results from the laboratory, **review the report immediately** to verify the information is complete, verify all contaminants were analyzed, and results are below levels requiring additional monitoring under 62-550, Fla. Admin. Code.

- Please take samples early in the monitoring period to allow for possible lab delays and unforeseen events.
- Reports must include system cover page, lab cover page, chains of custody, results page, and lab certification pages.
- Reports are due to the Department *within 10 days* following the end of sample period <u>or</u> following your receipt of the laboratory report, whichever time is less. We recommend submitting reports as soon as available. <u>Do not rely on the laboratory to submit monitoring results to the Department.</u>
- All samples must be taken during the required monitoring period and from the correct location(s) to be accepted for compliance.
- Failure to sample in accordance with rule requirements may result in enforcement action.



Northeast District

PWS ID: 2180349 System Type: Community

PWS Name: FLAGLER BEACH WTP

### 2018 Drinking Water Chemical Monitoring Requirements

This below table summarizes the current monitoring requirements for the above facility and is <u>subject to change</u>. This information is a good faith assessment of the monitoring requirements for your system and we have sought to provide accurate information. Any errors in the table below <u>does not exempt your system from state or federal monitoring requirements</u>. If you are unsure or believe the information below is incorrect, please contact your inspector immediately. We encourage you to use the below tables to assist in scheduling and tracking your sampling events.

It is ultimately the responsibility of the facility owners to ensure all monitoring is completed and results are submitted timely to the Department.

Chemical monitoring requirements can be found under Rule 62-550 of the Florida Administrative Code (Fla. Admin. Code),

	Chemical Monitoring					
Date Scheduled	Date Sampled	Contaminant	Frequency	Next Due	Location & Comments	
	•	Nitrate & Nitrite	Annually	2019		
		Primary Inorganics	Triennially	2020		
		Secondary Contaminants	Triennially	2020	Sample at <u>each</u> Point of Entry to the distribution (Raw/Well samples will not be accepted for compliance)	
		Volatile Organics (VOCs)	Triennially	2020	not be accepted for compliance)	
		Radionuclides	9 years	2026		
		Asbestos	Every 9 years	2020	Sample within distribution or certification if no asbestos pipes within the system, use Form 62-555.900(10) for Asbestos Free Certification or Asbestos Sampling Plan*	
		Synthetic Organics (SOCs)	Triennially	2020	Sample at <u>each</u> Point of Entry to the distribution (2 quarterly samples required if population >3,300) or submit a request to waive samples using Form 62-560.545(2)*	
		Stage 2 Disinfection Byproducts (S2 DBPs)	Annually		cean Palm Dr. and 2285 Lantana Rd. for HMs and HAA5s**	
		Lead and Copper (tap samples)	Triennially	Jun-Sept 2018	Sample at pre-approved sample plan sites	

<sup>\*</sup>Note on Asbestos Free Certification and SOC Waiver: Submit certification/waiver requests by October 31st to allow time for department review. Form submittal does not automatically waive sampling, which will be required if the request is not approved.

<sup>\*\*</sup>Note on DBPs: TTHMs = Total Trihalomethanes and HAA5s = Haloacetic Acids. Locations indicated are the pre-approved sample plan sites. If sites need to be altered, a new plan and justification should be submitted for review.

PWS Name: FLAGLER BEACH WTP

Bacteriological requirements can be found in Rules 62-550.310, 62-550.828, and 62-550.830, Fla. Admin. Code.

Bacteriological Monitoring			
Current Population on Record	4823		
Monitoring Frequency	Monthly		
Raw Sampling	4-log: Raw not required, recommend quarterly		
Distribution Sampling	5		

When you receive results from the laboratory, **review the report immediately** to verify the information is complete, verify all contaminants were analyzed, and results are below levels requiring additional monitoring under 62-550, Fla. Admin. Code.

- > Please take samples early in the monitoring period to allow for possible lab delays and unforeseen events.
- Reports must include system cover page, lab cover page, chains of custody, results page, and lab certification pages.
- Reports are due to the Department *within 10 days* following the end of sample period <u>or</u> following your receipt of the laboratory report, whichever time is less. We recommend submitting reports as soon as available. <u>Do not rely on the laboratory to submit monitoring results to the Department.</u>
- All samples must be taken during the required monitoring period and from the correct location(s) to be accepted for compliance.
- Failure to sample in accordance with rule requirements may result in enforcement action.



Northeast District

PWS ID: 2180722 System Type: Non-Transient Non-Community

PWS Name: MARINE PARK OF FLAGLER LP

### 2018 Drinking Water Chemical Monitoring Requirements

This below table summarizes the current monitoring requirements for the above facility and is <u>subject to change</u>. This information is a good faith assessment of the monitoring requirements for your system and we have sought to provide accurate information. Any errors in the table below <u>does not exempt your system from state or federal monitoring requirements</u>. If you are unsure or believe the information below is incorrect, please contact your inspector immediately. We encourage you to use the below tables to assist in scheduling and tracking your sampling events.

It is ultimately the responsibility of the facility owners to ensure all monitoring is completed and results are submitted timely to the Department.

Chemical monitoring requirements can be found under Rule 62-550 of the Florida Administrative Code (Fla. Admin. Code),

available at www.flrules.org.

Chemical Monitoring					
Date Scheduled	Date Sampled	Contaminant	Frequency	Next Due	<b>Location &amp; Comments</b>
		Asbestos	Every 9 years	2022	Sample within distribution or certification if no asbestos pipes within the system, use Form 62- 555.900(10) for Asbestos Free Certification or Asbestos Sampling Plan*
		Stage 2 Disinfection Byproducts (S2 DBPs)	Triennially	I .	farine Center Dr. for HAA5s only** and Marine Center Dr. for TTHMs only**
		Lead and Copper (tap samples)	Triennially	Jun-Sept 2019	Sample at pre-approved sample plan sites

<sup>\*</sup>Note on Asbestos Free Certification and SOC Waiver: Submit certification/waiver requests by October 31st to allow time for department review. Form submittal does not automatically waive sampling, which will be required if the request is not approved.

Bacteriological requirements can be found in Rules 62-550.310, 62-550.828, and 62-550.830, Fla. Admin. Code.

Bacteriological Monitoring			
Current Population on Record 85			
Monitoring Frequency	Quarterly		
Raw Sampling	N/A, Consecutive System		
Distribution Sampling	1		

When you receive results from the laboratory, **review the report immediately** to verify the information is complete, verify all contaminants were analyzed, and results are below levels requiring additional monitoring under 62-550, Fla. Admin. Code.

#### Important Reminders:

> Please take samples early in the monitoring period to allow for possible lab delays and unforeseen events.

<sup>\*\*</sup>Note on DBPs: TTHMs = Total Trihalomethanes and HAA5s = Haloacetic Acids. Locations indicated are the pre-approved sample plan sites. If sites need to be altered, a new plan and justification should be submitted for review.

PWS Name: MARINE PARK OF FLAGLER LP

Reports must include system cover page, lab cover page, chains of custody, results page, and lab certification pages.

- Reports are due to the Department *within 10 days* following the end of sample period <u>or</u> following your receipt of the laboratory report, whichever time is less. We recommend submitting reports as soon as available. <u>Do not rely on the laboratory to submit monitoring results to the Department.</u>
- All samples must be taken during the required monitoring period <u>and</u> from the correct location(s) to be accepted for compliance.
- Failure to sample in accordance with rule requirements may result in enforcement action.



Northeast District

PWS ID: 2180863 System Type: Community

PWS Name: PALM COAST UTILITY

### 2018 Drinking Water Chemical Monitoring Requirements

This below table summarizes the current monitoring requirements for the above facility and is <u>subject to change</u>. This information is a good faith assessment of the monitoring requirements for your system and we have sought to provide accurate information. Any errors in the table below <u>does not exempt your system from state or federal monitoring requirements</u>. If you are unsure or believe the information below is incorrect, please contact your inspector immediately. We encourage you to use the below tables to assist in scheduling and tracking your sampling events.

It is ultimately the responsibility of the facility owners to ensure all monitoring is completed and results are submitted timely to the Department.

Chemical monitoring requirements can be found under Rule 62-550 of the Florida Administrative Code (Fla. Admin. Code),

	Chemical Monitoring					
Date Scheduled	Date Sampled	Contaminant	Frequency	Next Due	Location & Comments	
	•	Nitrate & Nitrite	All WTPs: Annually	2018		
		Primary Inorganics	All WTPs: Triennially	2020	Sample at <u>each</u> Point of Entry to the	
		Secondary Contaminants	All WTPs: Triennially	2020	distribution (Raw/Well samples will not be accepted for compliance)	
		Volatile Organics (VOCs)	All WTPs: Triennially	2020	not be accepted for compliance)	
		Radionuclides	9 years	2028		
		Asbestos	Every 9 years	2020	Sample within distribution or certification if no asbestos pipes within the system, use Form 62-555.900(10) for Asbestos Free Certification or Asbestos Sampling Plan*	
		Synthetic Organics (SOCs)	All WTPs: Triennially	2020	Sample at <u>each</u> Point of Entry to the distribution (2 quarterly samples required if population >3,300) or submit a request to waive samples using Form 62-560.545(2)*	
		SOCs – WTP #2 - Dalapon	Quarterly	2018	Sample at <u>each</u> Point of Entry to the distribution	
		Stage 2 Disinfection Byproducts (S2 DBPs)	Annually		2018 at Lake Place @ Fire Hydrant for FHMs and HAA5s**	
		Lead and Copper (tap samples)	Triennially	Jun-Sept 2019	Sample at pre-approved sample plan sites	
		Water Quality Parameters (WQPs)	All WTF	Ps: Every 2 weeks	Sample at <u>each</u> Point of Entry to the distribution	

PWS Name: PALM COAST UTILITY

\*Note on Asbestos Free Certification and SOC Waiver: Submit certification/waiver requests by October 31st to allow time for department review. Form submittal does not automatically waive sampling, which will be required if the request is not approved.

\*\*Note on DBPs: TTHMs = Total Trihalomethanes and HAA5s = Haloacetic Acids. Locations indicated are the pre-approved sample plan sites. If sites need to be altered, a new plan and justification should be submitted for review.

Bacteriological requirements can be found in Rules 62-550.310, 62-550.828, and 62-550.830, Fla. Admin. Code.

Bacteriological Monitoring				
Current Population on Record	80325			
Monitoring Frequency	Monthly			
Raw Sampling	4-log: Raw not required, recommend quarterly			
Distribution Sampling	80			

When you receive results from the laboratory, **review the report immediately** to verify the information is complete, verify all contaminants were analyzed, and results are below levels requiring additional monitoring under 62-550, Fla. Admin. Code.

- > Please take samples early in the monitoring period to allow for possible lab delays and unforeseen events.
- > Reports must include system cover page, lab cover page, chains of custody, results page, and lab certification pages.
- Reports are due to the Department *within 10 days* following the end of sample period <u>or</u> following your receipt of the laboratory report, whichever time is less. We recommend submitting reports as soon as available. <u>Do not rely on the laboratory to submit monitoring results to the Department.</u>
- All samples must be taken during the required monitoring period and from the correct location(s) to be accepted for compliance.
- Failure to sample in accordance with rule requirements may result in enforcement action.



Northeast District

PWS ID: 2181288 System Type: Community

PWS Name: HOLIDAY TRAVEL PARK

#### 2018 Drinking Water Chemical Monitoring Requirements

This below table summarizes the current monitoring requirements for the above facility and is <u>subject to change</u>. This information is a good faith assessment of the monitoring requirements for your system and we have sought to provide accurate information. Any errors in the table below <u>does not exempt your system from state or federal monitoring requirements</u>. If you are unsure or believe the information below is incorrect, please contact your inspector immediately. We encourage you to use the below tables to assist in scheduling and tracking your sampling events.

It is ultimately the responsibility of the facility owners to ensure all monitoring is completed and results are submitted timely to the Department.

Chemical monitoring requirements can be found under Rule 62-550 of the Florida Administrative Code (Fla. Admin. Code),

		<del></del>	Chemical	Monitoring	
Date Scheduled	Date Sampled	Contaminant	Frequency	Next Due	Location & Comments
		Nitrate & Nitrite	Annually	2018	
		Primary Inorganics	Triennially	2018	
		Secondary Contaminants	Triennially	2018	Sample at <u>each</u> Point of Entry to the distribution (Raw/Well samples will
		Volatile Organics (VOCs)	Triennially	2018	not be accepted for compliance)
		Radionuclides	6 years	2021	
		Asbestos	Every 9 years	2021	Sample within distribution or certification if no asbestos pipes within the system, use Form 62-555.900(10) for Asbestos Free Certification or Asbestos Sampling Plan*
		Synthetic Organics (SOCs)	Triennially	2018	Sample at <u>each</u> Point of Entry to the distribution (2 quarterly samples required if population >3,300) or submit a request to waive samples using Form 62-560.545(2)*
		Dalapon (SOC)	Annual	3 <sup>rd</sup> Q 2018	Sample at <u>each</u> Point of Entry to the distribution
		Stage 2 Disinfection Byproducts (S2 DBPs)	Annually	Oct-Dec 2018 at 158	8 Deer Run for TTHMs and HAA5s**
		Lead and Copper (tap samples)	Triennially	Jun-Sept 2019	Sample at pre-approved sample plan sites

<sup>\*</sup>Note on Asbestos Free Certification and SOC Waiver: Submit certification/waiver requests by October 31st to allow time for department review. Form submittal does not automatically waive sampling, which will be required if the request is not approved.

PWS Name: HOLIDAY TRAVEL PARK

\*\*Note on DBPs: TTHMs = Total Trihalomethanes and HAA5s = Haloacetic Acids. Locations indicated are the pre-approved sample plan sites. If sites need to be altered, a new plan and justification should be submitted for review.

Bacteriological requirements can be found in Rules 62-550.310, 62-550.828, and 62-550.830, Fla. Admin. Code.

Bacteriological Monitoring			
Current Population on Record	82		
Monitoring Frequency	Monthly		
Raw Sampling	1 Raw (pretreatment) per well		
Distribution Sampling	1		

When you receive results from the laboratory, **review the report immediately** to verify the information is complete, verify all contaminants were analyzed, and results are below levels requiring additional monitoring under 62-550, Fla. Admin. Code.

- > Please take samples early in the monitoring period to allow for possible lab delays and unforeseen events.
- Reports must include system cover page, lab cover page, chains of custody, results page, and lab certification pages.
- Reports are due to the Department *within 10 days* following the end of sample period <u>or</u> following your receipt of the laboratory report, whichever time is less. We recommend submitting reports as soon as available. <u>Do **not** rely on the laboratory to submit monitoring results to the Department.</u>
- All samples must be taken during the required monitoring period and from the correct location(s) to be accepted for compliance.
- Failure to sample in accordance with rule requirements may result in enforcement action.



Northeast District

PWS ID: 2184251 System Type: Community

PWS Name: PLANTATION BAY WTP

#### 2018 Drinking Water Chemical Monitoring Requirements

This below table summarizes the current monitoring requirements for the above facility and is <u>subject to change</u>. This information is a good faith assessment of the monitoring requirements for your system and we have sought to provide accurate information. Any errors in the table below <u>does not exempt your system from state or federal monitoring requirements</u>. If you are unsure or believe the information below is incorrect, please contact your inspector immediately. We encourage you to use the below tables to assist in scheduling and tracking your sampling events.

It is ultimately the responsibility of the facility owners to ensure all monitoring is completed and results are submitted timely to the Department.

Chemical monitoring requirements can be found under Rule 62-550 of the Florida Administrative Code (Fla. Admin. Code),

Chemical Monitoring					
Date Scheduled	Date Sampled	Contaminant	Frequency	Next Due	<b>Location &amp; Comments</b>
		Nitrate & Nitrite	Annually	2018	
		Primary Inorganics	Triennially	2018	
		Secondary Contaminants	Triennially	2018	Sample at <u>each</u> Point of Entry to the distribution (Raw/Well samples will
		Volatile Organics (VOCs)	Triennially	2018	not be accepted for compliance)
		Radionuclides	9 years	2024	
		Asbestos	Every 9 years	2021	Sample within distribution or certification if no asbestos pipes within the system, use Form 62-555.900(10) for Asbestos Free Certification or Asbestos Sampling Plan*
		Synthetic Organics (SOCs)	Triennially	2018	Sample at <u>each</u> Point of Entry to the distribution (2 quarterly samples required if population >3,300) or submit a request to waive samples using Form 62-560.545(2)*
		Dalapon (SOC)	Annual	1 <sup>st</sup> Q 2018	Sample at <u>each</u> Point of Entry to the distribution
		Stage 2 Disinfection Byproducts (S2 DBPs)	Annually	•	rry Lift Station for TTHMs and HAA5s  **  nam Lift Station for TTHMs and HAA5s  **
		Lead and Copper (tap samples)	Triennially	Jun-Sept 2020	Sample at pre-approved sample plan sites

<sup>\*</sup>Note on Asbestos Free Certification and SOC Waiver: Submit certification/waiver requests by October 31st to allow time for department review. Form submittal does not automatically waive sampling, which will be required if the request is not approved.

PWS Name: PLANTATION BAY WTP

\*\*Note on DBPs: TTHMs = Total Trihalomethanes and HAA5s = Haloacetic Acids. Locations indicated are the pre-approved sample plan sites. If sites need to be altered, a new plan and justification should be submitted for review.

Bacteriological requirements can be found in Rules 62-550.310, 62-550.828, and 62-550.830, Fla. Admin. Code.

Bacteriological Monitoring			
Current Population on Record	3000		
Monitoring Frequency	Monthly		
Raw Sampling	1 Raw (pretreatment) per well		
Distribution Sampling	3		

When you receive results from the laboratory, **review the report immediately** to verify the information is complete, verify all contaminants were analyzed, and results are below levels requiring additional monitoring under 62-550, Fla. Admin. Code.

- > Please take samples early in the monitoring period to allow for possible lab delays and unforeseen events.
- Reports must include system cover page, lab cover page, chains of custody, results page, and lab certification pages.
- Reports are due to the Department *within 10 days* following the end of sample period <u>or</u> following your receipt of the laboratory report, whichever time is less. We recommend submitting reports as soon as available. <u>Do **not** rely on the laboratory to submit monitoring results to the Department.</u>
- All samples must be taken during the required monitoring period <u>and</u> from the correct location(s) to be accepted for compliance.
- Failure to sample in accordance with rule requirements may result in enforcement action.



Northeast District

PWS ID: 2184259 System Type: Community

PWS Name: DUNES COMMUNITY DEVELOPMENT DISTRICT

### 2018 Drinking Water Chemical Monitoring Requirements

This below table summarizes the current monitoring requirements for the above facility and is <u>subject to change</u>. This information is a good faith assessment of the monitoring requirements for your system and we have sought to provide accurate information. Any errors in the table below <u>does not exempt your system from state or federal monitoring requirements</u>. If you are unsure or believe the information below is incorrect, please contact your inspector immediately. We encourage you to use the below tables to assist in scheduling and tracking your sampling events.

It is ultimately the responsibility of the facility owners to ensure all monitoring is completed and results are submitted timely to the Department.

Chemical monitoring requirements can be found under Rule 62-550 of the Florida Administrative Code (Fla. Admin. Code),

			Chemical	Monitoring	
Date Scheduled	Date Sampled	Contaminant	Frequency	Next Due	Location & Comments
	_	Nitrate & Nitrite	Annually	2018	
		Primary Inorganics	Triennially	2020	
		Secondary Contaminants	Triennially	2020	Sample at <u>each</u> Point of Entry to the distribution (Raw/Well samples will
		Volatile Organics (VOCs)	Triennially	2020	not be accepted for compliance)
		Radionuclides	9 years	2026	
		Asbestos	Every 9 years	2020	Sample within distribution or certification if no asbestos pipes within the system, use Form 62- 555.900(10) for Asbestos Free Certification or Asbestos Sampling Plan*
		Synthetic Organics (SOCs)	Triennially	2020	Sample at <u>each</u> Point of Entry to the distribution (2 quarterly samples required if population >3,300) or submit a request to waive samples using Form 62-560.545(2)*
		Stage 2 Disinfection Byproducts (S2 DBPs)	Annually		at 170 Island Estates Pkwy for HMs and HAA5s**
		Lead and Copper (tap samples)	Triennially	Jun-Sept 2018	Sample at pre-approved sample plan sites

<sup>\*</sup>Note on Asbestos Free Certification and SOC Waiver: Submit certification/waiver requests by October 31st to allow time for department review. Form submittal does not automatically waive sampling, which will be required if the request is not approved.

<sup>\*\*</sup>Note on DBPs: TTHMs = Total Trihalomethanes and HAA5s = Haloacetic Acids. Locations indicated are the pre-approved sample plan sites. If sites need to be altered, a new plan and justification should be submitted for review.

PWS Name: DUNES COMMUNITY DEVELOPMENT DISTRICT

Bacteriological requirements can be found in Rules 62-550.310, 62-550.828, and 62-550.830, Fla. Admin. Code.

Bacteriological Monitoring			
Current Population on Record	4392		
Monitoring Frequency	Monthly		
Raw Sampling	1 Raw (pretreatment) per well		
Distribution Sampling	5		

When you receive results from the laboratory, **review the report immediately** to verify the information is complete, verify all contaminants were analyzed, and results are below levels requiring additional monitoring under 62-550, Fla. Admin. Code.

- > Please take samples early in the monitoring period to allow for possible lab delays and unforeseen events.
- > Reports must include system cover page, lab cover page, chains of custody, results page, and lab certification pages.
- Reports are due to the Department *within 10 days* following the end of sample period <u>or</u> following your receipt of the laboratory report, whichever time is less. We recommend submitting reports as soon as available. <u>Do not rely on the laboratory to submit monitoring results to the Department.</u>
- All samples must be taken during the required monitoring period and from the correct location(s) to be accepted for compliance.
- Failure to sample in accordance with rule requirements may result in enforcement action.



Northeast District

PWS ID: 2184278 System Type: Community

PWS Name: DAYTONA NORTH WATER SYSTEM

### 2018 Drinking Water Chemical Monitoring Requirements

This below table summarizes the current monitoring requirements for the above facility and is <u>subject to change</u>. This information is a good faith assessment of the monitoring requirements for your system and we have sought to provide accurate information. Any errors in the table below <u>does not exempt your system from state or federal monitoring requirements</u>. If you are unsure or believe the information below is incorrect, please contact your inspector immediately. We encourage you to use the below tables to assist in scheduling and tracking your sampling events.

It is ultimately the responsibility of the facility owners to ensure all monitoring is completed and results are submitted timely to the Department.

Chemical monitoring requirements can be found under Rule 62-550 of the Florida Administrative Code (Fla. Admin. Code),

_		<del></del>	Chemical	Monitoring	
Date Scheduled	Date Sampled	Contaminant	Frequency	Next Due	Location & Comments
		Nitrate & Nitrite	Annually	2018	
		Primary Inorganics	Triennially	2018	
		Secondary Contaminants	Triennially	2018	Sample at <u>each</u> Point of Entry to the distribution (Raw/Well samples will
		Volatile Organics (VOCs)	Triennially	2018	not be accepted for compliance)
		Radionuclides	9 years	2024	
		Asbestos	Every 9 years	2021	Sample within distribution or certification if no asbestos pipes within the system, use Form 62-555.900(10) for Asbestos Free Certification or Asbestos Sampling Plan*
		Synthetic Organics (SOCs)	Triennially	2018	Sample at <u>each</u> Point of Entry to the distribution (2 quarterly samples required if population >3,300) or submit a request to waive samples using Form 62-560.545(2)*
		Di(2-ethylhexyl) Phthalate	Annual	3 <sup>rd</sup> Q 2018	Sample at <u>each</u> Point of Entry to the distribution
		Stage 2 Disinfection Byproducts (S2 DBPs)	Triennially	Jul-Sep 2018 at	CCKF for TTHMs and HAA5s**
		Lead and Copper (tap samples)	Triennially	Jun-Sept 2019	Sample at pre-approved sample plan sites

<sup>\*</sup>Note on Asbestos Free Certification and SOC Waiver: Submit certification/waiver requests by October 31st to allow time for department review. Form submittal does not automatically waive sampling, which will be required if the request is not approved.

PWS Name: DAYTONA NORTH WATER SYSTEM

\*\*Note on DBPs: TTHMs = Total Trihalomethanes and HAA5s = Haloacetic Acids. Locations indicated are the pre-approved sample plan sites. If sites need to be altered, a new plan and justification should be submitted for review.

Bacteriological requirements can be found in Rules 62-550.310, 62-550.828, and 62-550.830, Fla. Admin. Code.

Bacteriological Monitoring			
Current Population on Record	100		
Monitoring Frequency	Monthly		
Raw Sampling	1 Raw (pretreatment) per well		
Distribution Sampling	1		

When you receive results from the laboratory, **review the report immediately** to verify the information is complete, verify all contaminants were analyzed, and results are below levels requiring additional monitoring under 62-550, Fla. Admin. Code.

- > Please take samples early in the monitoring period to allow for possible lab delays and unforeseen events.
- > Reports must include system cover page, lab cover page, chains of custody, results page, and lab certification pages.
- Reports are due to the Department *within 10 days* following the end of sample period <u>or</u> following your receipt of the laboratory report, whichever time is less. We recommend submitting reports as soon as available. <u>Do not rely on the laboratory to submit monitoring results to the Department.</u>
- All samples must be taken during the required monitoring period <u>and</u> from the correct location(s) to be accepted for compliance.
- > Failure to sample in accordance with rule requirements may result in enforcement action.