

Northeast District

PWS ID: 2240443 System Type: Non-Transient Non-Community

PWS Name: GREENWOOD SCHOOL CENTER

2017 Drinking Water Chemical Monitoring Requirements

This below table summarizes the current monitoring requirements for the above facility and is <u>subject to change</u>. This information is a good faith assessment of the monitoring requirements for your system and we have sought to provide accurate information. Any errors in the table below <u>does not exempt your system from state or federal monitoring requirements</u>. If you are unsure or believe the information below is incorrect, please contact your inspector immediately. <u>It is ultimately the responsibility of the facility owners to ensure all monitoring is completed and results are submitted timely to the Department.</u> We encourage you to use the below tables to assist in scheduling and tracking your sampling events.

| | | | Chemical | Monitoring | |
|-------------------|-----------------|--|---------------|--------------------|---|
| Date Scheduled | Date Sampled | Contaminant | Frequency | Next Due | Location & Comments |
| | • | Nitrate & Nitrite | Annually | 2017 | |
| | | Primary Inorganics | Triennially | 2019 | Sample at <u>each</u> Point of Entry to the distribution (Raw/Well samples will not be accepted for compliance) |
| | | Volatile Organics (VOCs) | Triennially | 2019 | |
| | | Radionuclides | 9 years | 2022 | |
| | | Asbestos | Every 9 years | 2022 | Sample within distribution or certification if no asbestos pipes within the system, use Form 62-555.900(10) for Asbestos Free Certification or Asbestos Sampling Plan* |
| | | Synthetic Organics (SOCs) | Triennially | 2019 | Sample at <u>each</u> Point of Entry to the distribution (2 quarterly samples required if population >3,300) or submit a request to waive samples using Form 62-560.545(2)* |
| | | Stage 2 Disinfection Byproducts (S2 DBPs) | Triennially | Jul-Sep 2019 at MA | AIN BLDG for TTHMs and HAA5s** |
| | | Lead and Copper (tap samples) | Triennially | Jun-Sept 2017 | Sample at pre-approved sample plan sites |

^{*}Note on Asbestos Free Certification and SOC Waiver: Submit certification/waiver requests by October 31st to allow time for department review. Form submittal does not automatically waive sampling, which will be required if the request is not approved.

^{**&}lt;u>Note on DBPs</u>: TTHMs = Total Trihalomethanes and HAA5s = Haloacetic Acids. Locations indicated are the pre-approved sample plan sites. If sites need to be altered, a new plan and justification should be submitted for review.

PWS Name: GREENWOOD SCHOOL CENTER

Bacteriological requirements can be found in Rules 62-550.310, 62-550.828, and 62-550.830, Fla. Admin. Code.

| Bacteriological Monitoring | | | | | |
|------------------------------|--------------------------------|--|--|--|--|
| Current Population on Record | 60 | | | | |
| Monitoring Frequency | Quarterly | | | | |
| Raw Sampling | 1 Raw (pre-treatment) per well | | | | |
| Distribution Sampling | 1 | | | | |

When you receive results from the laboratory, **review the report immediately** to verify the information is complete, verify all contaminants were analyzed, and results are below levels requiring additional monitoring under 62-550, Fla. Admin. Code.

- > Please take samples early in the monitoring period to allow for possible lab delays and unforeseen events.
- Reports must include system cover page, lab cover page, chains of custody, results page, and lab certification pages.
- Reports are due to the Department *within 10 days* following the end of sample period <u>or</u> following your receipt of the laboratory report, whichever time is less. We recommend submitting reports as soon as available. <u>Do **not** rely on the laboratory to submit monitoring results to the Department.</u>
- All samples must be taken during the required monitoring period <u>and</u> from the correct location(s) to be accepted for compliance.
- Failure to sample in accordance with rule requirements may result in enforcement action.



Northeast District

PWS ID: 2240570 System Type: Community

PWS Name: JASPER WTP

2017 Drinking Water Chemical Monitoring Requirements

This below table summarizes the current monitoring requirements for the above facility and is <u>subject to change</u>. This information is a good faith assessment of the monitoring requirements for your system and we have sought to provide accurate information. Any errors in the table below <u>does not exempt your system from state or federal monitoring requirements</u>. If you are unsure or believe the information below is incorrect, please contact your inspector immediately. <u>It is ultimately the responsibility of the facility</u> <u>owners to ensure all monitoring is completed and results are submitted timely to the Department.</u> We encourage you to use the below tables to assist in scheduling and tracking your sampling events.

| Chemical Monitoring | | | | | |
|---------------------|-----------------|--|---------------|---------------|--|
| Date Scheduled | Date Sampled | Contaminant | Frequency | Next Due | Location & Comments |
| | | Nitrate & Nitrite | Annually | 2017 | |
| | | Primary Inorganics | Triennially | 2017 | |
| | | Secondary Contaminants | Triennially | 2017 | Sample at <u>each</u> Point of Entry to the distribution (Raw/Well samples will |
| | | Volatile Organics (VOCs) | Triennially | 2017 | not be accepted for compliance) |
| | | Radionuclides | 6 years | 2019 | |
| | | Asbestos | Every 9 years | 2020 | Sample within distribution or certification if no asbestos pipes within the system, use Form 62- 555.900(10) for Asbestos Free Certification or Asbestos Sampling Plan* |
| | | Synthetic Organics (SOCs) | Triennially | 2017 | Sample at <u>each</u> Point of Entry to the distribution (2 quarterly samples required if population >3,300) or submit a request to waive samples using Form 62-560.545(2)* |
| | | Stage 2 Disinfection Byproducts (S2 DBPs) | Annually | • | ON 129 S and FH SCOUT HUT for THMs and HAA5s** |
| | | Lead and Copper (tap samples) | Triennially | Jun-Sept 2017 | Sample at pre-approved sample plan sites |

^{*}Note on Asbestos Free Certification and SOC Waiver: Submit certification/waiver requests by October 31st to allow time for department review. Form submittal does not automatically waive sampling, which will be required if the request is not approved.

^{**}Note on DBPs: TTHMs = Total Trihalomethanes and HAA5s = Haloacetic Acids. Locations indicated are the pre-approved sample plan sites. If sites need to be altered, a new plan and justification should be submitted for review.

PWS Name: JASPER WTP

Bacteriological requirements can be found in Rules 62-550.310, 62-550.828, and 62-550.830, Fla. Admin. Code.

| Bacteriological Monitoring | | | | |
|------------------------------|--------------------------------|--|--|--|
| Current Population on Record | 4,221 | | | |
| Monitoring Frequency | Monthly | | | |
| Raw Sampling | 1 Raw (pre-treatment) per well | | | |
| Distribution Sampling | 5 | | | |

When you receive results from the laboratory, **review the report immediately** to verify the information is complete, verify all contaminants were analyzed, and results are below levels requiring additional monitoring under 62-550, Fla. Admin. Code.

- Please take samples early in the monitoring period to allow for possible lab delays and unforeseen events.
- Reports must include system cover page, lab cover page, chains of custody, results page, and lab certification pages.
- Reports are due to the Department *within 10 days* following the end of sample period <u>or</u> following your receipt of the laboratory report, whichever time is less. We recommend submitting reports as soon as available. <u>Do **not** rely on the laboratory to submit monitoring results to the Department.</u>
- All samples must be taken during the required monitoring period <u>and</u> from the correct location(s) to be accepted for compliance.
- Failure to sample in accordance with rule requirements may result in enforcement action.



Northeast District

PWS ID: 2240579 System Type: Community

PWS Name: JENNINGS WTP

2017 Drinking Water Chemical Monitoring Requirements

This below table summarizes the current monitoring requirements for the above facility and is <u>subject to change</u>. This information is a good faith assessment of the monitoring requirements for your system and we have sought to provide accurate information. Any errors in the table below <u>does not exempt your system from state or federal monitoring requirements</u>. If you are unsure or believe the information below is incorrect, please contact your inspector immediately. <u>It is ultimately the responsibility of the facility</u> <u>owners to ensure all monitoring is completed and results are submitted timely to the Department.</u> We encourage you to use the below tables to assist in scheduling and tracking your sampling events.

| | | | Chemical | Monitoring | |
|-------------------|-----------------|---|---------------|---------------|---|
| Date Scheduled | Date Sampled | Contaminant | Frequency | Next Due | Location & Comments |
| | | Nitrate & Nitrite | Annually | 2017 | |
| | | Primary Inorganics | Triennially | 2018 | |
| | | Secondary Contaminants | Triennially | 2018 | Sample at <u>each</u> Point of Entry to the distribution (Raw/Well samples will |
| | | Volatile Organics (VOCs) | Triennially | 2018 | not be accepted for compliance) |
| | | Radionuclides | 6 years | 2021 | |
| | | Asbestos | Every 9 years | 2021 | Sample within distribution or certification if no asbestos pipes within the system, use Form 62-555.900(10) for Asbestos Free Certification or Asbestos Sampling Plan* |
| | | Synthetic Organics (SOCs) | Triennially | 2018 | Sample at <u>each</u> Point of Entry to the distribution (2 quarterly samples required if population >3,300) or submit a request to waive samples using Form 62-560.545(2)* |
| | | Stage 2 Disinfection Byproducts (S2 DBPs) | Annually | | 75 FDOT WELCOME/NORTH <u>and</u> RT SITE #1 for TTHMs and HAA5s** |
| | | Lead and Copper (tap samples) | Triennially | Jun-Sept 2017 | Sample at pre-approved sample plan sites |
| | | Water Quality Parameters (WQPs) | Every 2 weeks | | Sample at <u>each</u> Point of Entry to the distribution |

^{*}Note on Asbestos Free Certification and SOC Waiver: Submit certification/waiver requests by October 31st to allow time for department review. Form submittal does not automatically waive sampling, which will be required if the request is not approved.

^{** &}lt;u>Note on DBPs</u>: TTHMs = Total Trihalomethanes and HAA5s = Haloacetic Acids. Locations indicated are the pre-approved sample plan sites. If sites need to be altered, a new plan and justification should be submitted for review.

PWS Name: JENNINGS WTP

Bacteriological requirements can be found in Rules 62-550.310, 62-550.828, and 62-550.830, Fla. Admin. Code.

| Bacteriological Monitoring | | | | | |
|----------------------------------|--------------------------------|--|--|--|--|
| Current Population on Record 894 | | | | | |
| Monitoring Frequency | Monthly | | | | |
| Raw Sampling | 1 Raw (pre-treatment) per well | | | | |
| Distribution Sampling | 1 | | | | |

When you receive results from the laboratory, **review the report immediately** to verify the information is complete, verify all contaminants were analyzed, and results are below levels requiring additional monitoring under 62-550, Fla. Admin. Code.

- > Please take samples early in the monitoring period to allow for possible lab delays and unforeseen events.
- Reports must include system cover page, lab cover page, chains of custody, results page, and lab certification pages.
- Reports are due to the Department *within 10 days* following the end of sample period <u>or</u> following your receipt of the laboratory report, whichever time is less. We recommend submitting reports as soon as available. <u>Do **not** rely on the laboratory to submit monitoring results to the Department.</u>
- All samples must be taken during the required monitoring period <u>and</u> from the correct location(s) to be accepted for compliance.
- Failure to sample in accordance with rule requirements may result in enforcement action.



Northeast District

PWS ID: 2240826 System Type: Non-Transient Non-Community

PWS Name: PCS-SUWANNEE RIVER CHEM COMPL

2017 Drinking Water Chemical Monitoring Requirements

This below table summarizes the current monitoring requirements for the above facility and is <u>subject to change</u>. This information is a good faith assessment of the monitoring requirements for your system and we have sought to provide accurate information. Any errors in the table below <u>does not exempt your system from state or federal monitoring requirements</u>. If you are unsure or believe the information below is incorrect, please contact your inspector immediately. <u>It is ultimately the responsibility of the facility</u> <u>owners to ensure all monitoring is completed and results are submitted timely to the Department.</u> We encourage you to use the below tables to assist in scheduling and tracking your sampling events.

Chemical monitoring requirements can be found under Rule 62-550 of the Florida Administrative Code (Fla. Admin. Code), available at www.flrules.org.

| | | | Chemical | Monitoring | |
|-------------------|-----------------|--|---------------|---------------|---|
| Date Scheduled | Date Sampled | Contaminant | Frequency | Next Due | Location & Comments |
| | | Nitrate & Nitrite | Annually | 2017 | |
| | | Primary Inorganics | Triennially | 2019 | Sample at <u>each</u> Point of Entry to the distribution (Raw/Well samples will |
| | | Volatile Organics (VOCs) | Triennially | 2019 | not be accepted for compliance) |
| | | Asbestos | Every 9 years | 2022 | Sample within distribution or certification if no asbestos pipes within the system, use Form 62-555.900(10) for Asbestos Free Certification or Asbestos Sampling Plan* |
| | | Synthetic Organics (SOCs) – Dalapon Only | Annually | Oct- Dec 2017 | Sample at each Point of Entry to the distribution (2 quarterly samples required if population >3,300) or submit a request to waive samples using Form 62-560.545(2)* SRC4-ADMIN BLDG COOLER for THMs and HAA5s** |
| | | Synthetic Organics (SOCs) – Full Set | Triennially | 2019 | |
| | | Stage 2 Disinfection Byproducts (S2 DBPs) | Triennially | * | |
| | | Lead and Copper (tap samples) | Triennially | Jun-Sept 2019 | Sample at pre-approved sample plan sites |

^{*}Note on Asbestos Free Certification and SOC Waiver: Submit certification/waiver requests by October 31st to allow time for department review. Form submittal does not automatically waive sampling, which will be required if the request is not approved.

Bacteriological requirements can be found in Rules 62-550.310, 62-550.828, and 62-550.830, Fla. Admin. Code.

^{**&}lt;u>Note on DBPs</u>: TTHMs = Total Trihalomethanes and HAA5s = Haloacetic Acids. Locations indicated are the pre-approved sample plan sites. If sites need to be altered, a new plan and justification should be submitted for review.

PWS Name: PCS-SUWANNEE RIVER CHEM COMPL

| Bacteriological Monitoring | | | | | |
|----------------------------------|--------------------------------|--|--|--|--|
| Current Population on Record 290 | | | | | |
| Monitoring Frequency | Quarterly | | | | |
| Raw Sampling | 1 Raw (pre-treatment) per well | | | | |
| Distribution Sampling | 1 | | | | |

When you receive results from the laboratory, **review the report immediately** to verify the information is complete, verify all contaminants were analyzed, and results are below levels requiring additional monitoring under 62-550, Fla. Admin. Code.

- Please take samples early in the monitoring period to allow for possible lab delays and unforeseen events.
- > Reports must include system cover page, lab cover page, chains of custody, results page, and lab certification pages.
- Reports are due to the Department *within 10 days* following the end of sample period <u>or</u> following your receipt of the laboratory report, whichever time is less. We recommend submitting reports as soon as available. <u>Do not rely on the laboratory to submit monitoring results to the Department.</u>
- > All samples must be taken during the required monitoring period and from the correct location(s) to be accepted for compliance.
- Failure to sample in accordance with rule requirements may result in enforcement action.



Northeast District

PWS ID: 2240827 System Type: Non-Transient Non-Community

PWS Name: PCS-SWIFT CREEK MINES

2017 Drinking Water Chemical Monitoring Requirements

This below table summarizes the current monitoring requirements for the above facility and is <u>subject to change</u>. This information is a good faith assessment of the monitoring requirements for your system and we have sought to provide accurate information. Any errors in the table below <u>does not exempt your system from state or federal monitoring requirements</u>. If you are unsure or believe the information below is incorrect, please contact your inspector immediately. <u>It is ultimately the responsibility of the facility owners to ensure all monitoring is completed and results are submitted timely to the Department.</u> We encourage you to use the below tables to assist in scheduling and tracking your sampling events.

Chemical monitoring requirements can be found under Rule 62-550 of the Florida Administrative Code (Fla. Admin. Code), available at www.flrules.org.

| Chemical Monitoring | | | | | |
|---------------------|-----------------|--|---------------|---------------|---|
| Date Scheduled | Date Sampled | Contaminant | Frequency | Next Due | Location & Comments |
| | | Nitrate & Nitrite | Annually | 2017 | |
| | | Primary Inorganics | Triennially | 2019 | Sample at <u>each</u> Point of Entry to the distribution (Raw/Well samples wil |
| | | Volatile Organics (VOCs) | Triennially | 2019 | not be accepted for compliance) |
| | | Asbestos | Every 9 years | 2022 | Sample within distribution or certification if no asbestos pipes within the system, use Form 62-555.900(10) for Asbestos Free Certification or Asbestos Sampling Plan* |
| | | Synthetic Organics (SOCs) | Triennially | 2019 | Sample at <u>each</u> Point of Entry to the distribution (2 quarterly samples required if population >3,300) or submit a request to waive samples using Form 62-560.545(2)* |
| | | Stage 2 Disinfection Byproducts (S2 DBPs) | Annually | | at SCM1-MOBILE SHOP for HMs and HAA5s** |
| | | Lead and Copper (tap samples) | Triennially | Jun-Sept 2019 | Sample at pre-approved sample plan sites |

^{*}Note on Asbestos Free Certification and SOC Waiver: Submit certification/waiver requests by October 31st to allow time for department review. Form submittal does not automatically waive sampling, which will be required if the request is not approved.

Bacteriological requirements can be found in Rules 62-550.310, 62-550.828, and 62-550.830, Fla. Admin. Code.

| Bacteriological Monitoring | | | | |
|------------------------------|--------------------------------|--|--|--|
| Current Population on Record | 60 | | | |
| Monitoring Frequency | Quarterly | | | |
| Raw Sampling | 1 Raw (pre-treatment) per well | | | |
| Distribution Sampling | 1 | | | |

^{***}Note on DBPs: TTHMs = Total Trihalomethanes and HAA5s = Haloacetic Acids. Locations indicated are the pre-approved sample plan sites. If sites need to be altered, a new plan and justification should be submitted for review.

PWS Name: PCS-SWIFT CREEK MINES

When you receive results from the laboratory, **review the report immediately** to verify the information is complete, verify all contaminants were analyzed, and results are below levels requiring additional monitoring under 62-550, Fla. Admin. Code.

- Please take samples early in the monitoring period to allow for possible lab delays and unforeseen events.
- > Reports must include system cover page, lab cover page, chains of custody, results page, and lab certification pages.
- Reports are due to the Department *within 10 days* following the end of sample period <u>or</u> following your receipt of the laboratory report, whichever time is less. We recommend submitting reports as soon as available. <u>Do not rely on the laboratory to submit monitoring results to the Department.</u>
- > All samples must be taken during the required monitoring period and from the correct location(s) to be accepted for compliance.
- Failure to sample in accordance with rule requirements may result in enforcement action.



Northeast District

PWS ID: 2240828 System Type: Non-Transient Non-Community

PWS Name: PCS-ADMINISTRATION BLDG

2017 Drinking Water Chemical Monitoring Requirements

This below table summarizes the current monitoring requirements for the above facility and is <u>subject to change</u>. This information is a good faith assessment of the monitoring requirements for your system and we have sought to provide accurate information. Any errors in the table below <u>does not exempt your system from state or federal monitoring requirements</u>. If you are unsure or believe the information below is incorrect, please contact your inspector immediately. <u>It is ultimately the responsibility of the facility</u> <u>owners to ensure all monitoring is completed and results are submitted timely to the Department.</u> We encourage you to use the below tables to assist in scheduling and tracking your sampling events.

| | Chemical Monitoring | | | | | |
|-------------------|---------------------|--|---------------|---|---|--|
| Date Scheduled | Date Sampled | Contaminant | Frequency | Next Due | Location & Comments | |
| | | Nitrate & Nitrite | Annually | 2017 | | |
| | | Primary Inorganics | Triennially | 2019 | Sample at each Point of Entry to the | |
| | | Volatile Organics (VOCs) | Triennially | 2019 | distribution (Raw/Well samples will not be accepted for compliance) | |
| | | Radionuclides | 6 years | 2022 | | |
| | | Asbestos | Every 9 years | 2022 | Sample within distribution or certification if no asbestos pipes within the system, use Form 62-555.900(10) for Asbestos Free Certification or Asbestos Sampling Plan* | |
| | | Synthetic Organics (SOCs) | Triennially | 2019 | Sample at <u>each</u> Point of Entry to the distribution (2 quarterly samples required if population >3,300) or submit a request to waive samples using Form 62-560.545(2)* | |
| | | Stage 2 Disinfection Byproducts (S2 DBPs) | Triennially | | ADM1-TRAINING CENTER for HMs and HAA5s** | |
| | | Lead and Copper (tap samples) | Triennially | Jun-Sept 2017 | Sample at pre-approved sample plan sites | |
| | | Water Quality Parameters (WQPs) | Ev | Every 2 weeks Sample at <u>each</u> Point of Entry to the distribution | | |

^{*}Note on Asbestos Free Certification and SOC Waiver: Submit certification/waiver requests by October 31st to allow time for department review. Form submittal does not automatically waive sampling, which will be required if the request is not approved.

^{**}Note on DBPs: TTHMs = Total Trihalomethanes and HAA5s = Haloacetic Acids. Locations indicated are the pre-approved sample plan sites. If sites need to be altered, a new plan and justification should be submitted for review.

PWS Name: PCS-ADMINISTRATION BLDG

Bacteriological requirements can be found in Rules 62-550.310, 62-550.828, and 62-550.830, Fla. Admin. Code.

| Bacteriological Monitoring | | | | |
|------------------------------|--------------------------------|--|--|--|
| Current Population on Record | 75 | | | |
| Monitoring Frequency | Quarterly | | | |
| Raw Sampling | 1 Raw (pre-treatment) per well | | | |
| Distribution Sampling | 1 | | | |

When you receive results from the laboratory, **review the report immediately** to verify the information is complete, verify all contaminants were analyzed, and results are below levels requiring additional monitoring under 62-550, Fla. Admin. Code.

- > Please take samples early in the monitoring period to allow for possible lab delays and unforeseen events.
- > Reports must include system cover page, lab cover page, chains of custody, results page, and lab certification pages.
- Reports are due to the Department *within 10 days* following the end of sample period <u>or</u> following your receipt of the laboratory report, whichever time is less. We recommend submitting reports as soon as available. <u>Do **not** rely on the laboratory to submit monitoring results to the Department.</u>
- All samples must be taken during the required monitoring period <u>and</u> from the correct location(s) to be accepted for compliance.
- Failure to sample in accordance with rule requirements may result in enforcement action.



Northeast District

PWS ID: 2240830 System Type: Non-Transient Non-Community

PWS Name: PCS-SUWANNEE RIVER MINES

2017 Drinking Water Chemical Monitoring Requirements

This below table summarizes the current monitoring requirements for the above facility and is <u>subject to change</u>. This information is a good faith assessment of the monitoring requirements for your system and we have sought to provide accurate information. Any errors in the table below <u>does not exempt your system from state or federal monitoring requirements</u>. If you are unsure or believe the information below is incorrect, please contact your inspector immediately. <u>It is ultimately the responsibility of the facility</u> <u>owners to ensure all monitoring is completed and results are submitted timely to the Department.</u> We encourage you to use the below tables to assist in scheduling and tracking your sampling events.

| Chemical Monitoring | | | | | |
|---------------------|-----------------|---|---------------|---------------|--|
| Date Scheduled | Date Sampled | Contaminant | Frequency | Next Due | Location & Comments |
| | | Nitrate & Nitrite | Annually | 2017 | |
| | | Primary Inorganics | Triennially | 2019 | Sample at <u>each</u> Point of Entry to the |
| | | Volatile Organics (VOCs) | Triennially | 2019 | distribution (Raw/Well samples will not be accepted for compliance) |
| | | Radionuclides | 9 years | 2022 | |
| | | Asbestos | Every 9 years | 2022 | Sample within distribution or certification if no asbestos pipes within the system, use Form 62-555.900(10) for Asbestos Free Certification or Asbestos Sampling Plan* |
| | | Di(2- ethylhexyl)phthala te, Synthetic Organics (SOCs) | Quarterly | 2017 | Sample at <u>each</u> Point of Entry to the distribution (2 quarterly samples required if population >3,300) or submit a request to waive samples using Form 62-560.545(2)* 1-MOBILE ADMIN OFFICE BLDG for THMs and HAA5s** |
| | | Full Set, SOCs | Triennially | 2019 | |
| | | Stage 2 Disinfection Byproducts (S2 DBPs) | Annually | | |
| | | Lead and Copper (tap samples) | Triennially | Jun-Sept 2017 | Sample at pre-approved sample plan sites |
| | | Water Quality Parameters (WQPs) | Ev | ery 2 weeks | Sample at <u>each</u> Point of Entry to the distribution |

^{*}Note on Asbestos Free Certification and SOC Waiver: Submit certification/waiver requests by October 31st to allow time for department review. Form submittal does not automatically waive sampling, which will be required if the request is not approved.

^{**&}lt;u>Note on DBPs</u>: TTHMs = Total Trihalomethanes and HAA5s = Haloacetic Acids. Locations indicated are the pre-approved sample plan sites. If sites need to be altered, a new plan and justification should be submitted for review.

PWS Name: PCS-SUWANNEE RIVER MINES

Bacteriological requirements can be found in Rules 62-550.310, 62-550.828, and 62-550.830, Fla. Admin. Code.

| Bacteriological Monitoring | | | |
|------------------------------|--------------------------------|--|--|
| Current Population on Record | 60 | | |
| Monitoring Frequency | Quarterly | | |
| Raw Sampling | 1 Raw (pre-treatment) per well | | |
| Distribution Sampling | 1 | | |

When you receive results from the laboratory, **review the report immediately** to verify the information is complete, verify all contaminants were analyzed, and results are below levels requiring additional monitoring under 62-550, Fla. Admin. Code.

- > Please take samples early in the monitoring period to allow for possible lab delays and unforeseen events.
- Reports must include system cover page, lab cover page, chains of custody, results page, and lab certification pages.
- Reports are due to the Department *within 10 days* following the end of sample period <u>or</u> following your receipt of the laboratory report, whichever time is less. We recommend submitting reports as soon as available. <u>Do not rely on the laboratory to submit monitoring results to the Department</u>.
- All samples must be taken during the required monitoring period <u>and</u> from the correct location(s) to be accepted for compliance.
- Failure to sample in accordance with rule requirements may result in enforcement action.



Northeast District

PWS ID: 2241264 System Type: Community

PWS Name: WHITE SPRINGS WTP

2017 Drinking Water Chemical Monitoring Requirements

This below table summarizes the current monitoring requirements for the above facility and is <u>subject to change</u>. This information is a good faith assessment of the monitoring requirements for your system and we have sought to provide accurate information. Any errors in the table below <u>does not exempt your system from state or federal monitoring requirements</u>. If you are unsure or believe the information below is incorrect, please contact your inspector immediately. <u>It is ultimately the responsibility of the facility</u> <u>owners to ensure all monitoring is completed and results are submitted timely to the Department.</u> We encourage you to use the below tables to assist in scheduling and tracking your sampling events.

| | Chemical Monitoring | | | | |
|-------------------|---------------------|---|---------------|---------------|---|
| Date Scheduled | Date Sampled | Contaminant | Frequency | Next Due | Location & Comments |
| Scheduled | Sampleu | Nitrate & Nitrite | Annually | 2017 | |
| | | Primary Inorganics | Triennially | 2018 | |
| | | Secondary Contaminants | Triennially | 2018 | Sample at <u>each</u> Point of Entry to the distribution (Raw/Well samples will |
| | | Volatile Organics (VOCs) | Triennially | 2018 | not be accepted for compliance) |
| | | Radionuclides | 9 years | 2024 | |
| | | Asbestos | Every 9 years | 2021 | Sample within distribution or certification if no asbestos pipes within the system, use Form 62-555.900(10) for Asbestos Free Certification or Asbestos Sampling Plan* |
| | | Synthetic Organics (SOCs) | Triennially | 2018 | Sample at <u>each</u> Point of Entry to the distribution (2 quarterly samples required if population >3,300) or submit a request to waive samples using Form 62-560.545(2)* |
| | | Stage 2 Disinfection Byproducts (S2 DBPs) | Annually | 1 | 16145 SE 103RD TERRACE for THMs and HAA5s** |
| | | Lead and Copper (tap samples) | Triennially | Jun-Sept 2018 | Sample at pre-approved sample plan sites |

^{*}Note on Asbestos Free Certification and SOC Waiver: Submit certification/waiver requests by October 31st to allow time for department review. Form submittal does not automatically waive sampling, which will be required if the request is not approved.

^{**}Note on DBPs: TTHMs = Total Trihalomethanes and HAA5s = Haloacetic Acids. Locations indicated are the pre-approved sample plan sites. If sites need to be altered, a new plan and justification should be submitted for review.

PWS Name: WHITE SPRINGS WTP

Bacteriological requirements can be found in Rules 62-550.310, 62-550.828, and 62-550.830, Fla. Admin. Code.

| Bacteriological Monitoring | | | |
|------------------------------|--------------------------------|--|--|
| Current Population on Record | 819 | | |
| Monitoring Frequency | Monthly | | |
| Raw Sampling | 1 Raw (pre-treatment) per well | | |
| Distribution Sampling | 1 | | |

When you receive results from the laboratory, **review the report immediately** to verify the information is complete, verify all contaminants were analyzed, and results are below levels requiring additional monitoring under 62-550, Fla. Admin. Code.

- > Please take samples early in the monitoring period to allow for possible lab delays and unforeseen events.
- Reports must include system cover page, lab cover page, chains of custody, results page, and lab certification pages.
- Reports are due to the Department *within 10 days* following the end of sample period <u>or</u> following your receipt of the laboratory report, whichever time is less. We recommend submitting reports as soon as available. <u>Do **not** rely on the laboratory to submit monitoring results to the Department.</u>
- All samples must be taken during the required monitoring period <u>and</u> from the correct location(s) to be accepted for compliance.
- Failure to sample in accordance with rule requirements may result in enforcement action.



Northeast District

PWS ID: 2244129 System Type: Non-Transient Non-Community

PWS Name: PCS-SWIFT CREEK CHEMICAL COMP

2017 Drinking Water Chemical Monitoring Requirements

This below table summarizes the current monitoring requirements for the above facility and is <u>subject to change</u>. This information is a good faith assessment of the monitoring requirements for your system and we have sought to provide accurate information. Any errors in the table below <u>does not exempt your system from state or federal monitoring requirements</u>. If you are unsure or believe the information below is incorrect, please contact your inspector immediately. <u>It is ultimately the responsibility of the facility</u> <u>owners to ensure all monitoring is completed and results are submitted timely to the Department.</u> We encourage you to use the below tables to assist in scheduling and tracking your sampling events.

Chemical monitoring requirements can be found under Rule 62-550 of the Florida Administrative Code (Fla. Admin. Code), available at www.flrules.org.

| | Chemical Monitoring | | | | |
|-------------------|---------------------|---|--|------------------------------|---|
| Date Scheduled | Date Sampled | Contaminant | Frequency | Next Due | Location & Comments |
| | | Nitrate & Nitrite | Annually | 2017 | |
| | | Primary Inorganics | Triennially | 2019 | |
| | | Xylenes and Ethylbenzene, Volatile Organics (VOCs) | Annually | 1 st Quarter 2017 | Sample at <u>each</u> Point of Entry to the distribution (Raw/Well samples will not be accepted for compliance) |
| | | Full Set, VOCs | Triennially | 2019 | |
| | | Radionuclides | 9 years | 2022 | |
| | | Asbestos | Every 9 years | 2022 | Sample within distribution or certification if no asbestos pipes within the system, use Form 62-555.900(10) for Asbestos Free Certification or Asbestos Sampling Plan* |
| | | Dalapon, Synthetic Organics (SOCs) | Quarterly at East Well and West Well | 2017 | Sample at <u>each</u> Point of Entry to the distribution (2 quarterly samples required if population >3,300) or submit a request to waive samples using Form 62-560.545(2)* |
| | | Di(2- ethylhexyl)phthala te, SOC | Quarterly at West Well | 2017 | |
| | | Diquat, SOC | Annually | 4 th Quarter 2017 | |
| | | Full Set SOCs | Triennially | 2019 | |
| | | Stage 2 Disinfection Byproducts (S2 DBPs) | Annually | Jul-Sep 2017 at SCCI- | ADMIN BLDG for TTHMs and HAA5s ** |
| | | Lead and Copper (tap samples) | Triennially | Jun-Sept 2018 | Sample at pre-approved sample plan sites |
| | | Water Quality Parameters (WQPs) | Ev | ery 2 weeks | Sample at <u>each</u> Point of Entry to the distribution |

PWS Name: PCS-SWIFT CREEK CHEMICAL COMP

*Note on Asbestos Free Certification and SOC Waiver: Submit certification/waiver requests by October 31st to allow time for department review. Form submittal does not automatically waive sampling, which will be required if the request is not approved.

**Note on DBPs: TTHMs = Total Trihalomethanes and HAA5s = Haloacetic Acids. Locations indicated are the pre-approved sample plan sites. If sites need to be altered, a new plan and justification should be submitted for review.

Bacteriological requirements can be found in Rules 62-550.310, 62-550.828, and 62-550.830, Fla. Admin. Code.

| Bacteriological Monitoring | | | |
|------------------------------|--------------------------------|--|--|
| Current Population on Record | 200 | | |
| Monitoring Frequency | Quarterly | | |
| Raw Sampling | 1 Raw (pre-treatment) per well | | |
| Distribution Sampling | 1 | | |

When you receive results from the laboratory, **review the report immediately** to verify the information is complete, verify all contaminants were analyzed, and results are below levels requiring additional monitoring under 62-550, Fla. Admin. Code.

- > Please take samples early in the monitoring period to allow for possible lab delays and unforeseen events.
- Reports must include system cover page, lab cover page, chains of custody, results page, and lab certification pages.
- Reports are due to the Department *within 10 days* following the end of sample period <u>or</u> following your receipt of the laboratory report, whichever time is less. We recommend submitting reports as soon as available. <u>Do not rely on the laboratory to submit monitoring results to the Department.</u>
- All samples must be taken during the required monitoring period and from the correct location(s) to be accepted for compliance.
- Failure to sample in accordance with rule requirements may result in enforcement action.



Northeast District

PWS ID: 2244150 System Type: Non-Transient Non-Community

PWS Name: SR-6 / I-75 HAMILTON COUNTY WTP

2017 Drinking Water Chemical Monitoring Requirements

This below table summarizes the current monitoring requirements for the above facility and is <u>subject to change</u>. This information is a good faith assessment of the monitoring requirements for your system and we have sought to provide accurate information. Any errors in the table below <u>does not exempt your system from state or federal monitoring requirements</u>. If you are unsure or believe the information below is incorrect, please contact your inspector immediately. <u>It is ultimately the responsibility of the facility</u> <u>owners to ensure all monitoring is completed and results are submitted timely to the Department.</u> We encourage you to use the below tables to assist in scheduling and tracking your sampling events.

| | | | Chemical | Monitoring | |
|-------------------|-----------------|--|---------------|------------------------------|--|
| Date Scheduled | Date Sampled | Contaminant | Frequency | Next Due | Location & Comments |
| | | Nitrate & Nitrite | Annually | 2017 | |
| | | Primary Inorganics | Triennially | 2019 | Sample at <u>each</u> Point of Entry to the distribution (Raw/Well samples will not be accepted for compliance) |
| | | 1,1- Dichloroethene, Volatile Organics (VOCs) | Annually | 1 st Quarter 2017 | |
| | | Full set VOCs | Triennially | 2019 | |
| | | Asbestos | Every 9 years | 2022 | Sample within distribution or certification if no asbestos pipes within the system, use Form 62-555.900(10) for Asbestos Free Certification or Asbestos Sampling Plan* |
| | | Synthetic Organics (SOCs) | Triennially | 2019 | Sample at each Point of Entry to the distribution (2 quarterly samples required if population >3,300) or submit a request to waive samples using Form 62-560.545(2)* ANT E ON SR6 for TTHMs and HAA5s ** |
| | | Stage 2 Disinfection Byproducts (S2 DBPs) | Quarterly | 2017 at LAST HYDRA | |
| | | Lead and Copper (tap samples) | Triennially | Jun-Sept 2017 | Sample at pre-approved sample plan sites |

^{*}Note on Asbestos Free Certification and SOC Waiver: Submit certification/waiver requests by October 31st to allow time for department review. Form submittal does not automatically waive sampling, which will be required if the request is not approved.

^{**&}lt;u>Note on DBPs</u>: TTHMs = Total Trihalomethanes and HAA5s = Haloacetic Acids. Locations indicated are the pre-approved sample plan sites. If sites need to be altered, a new plan and justification should be submitted for review.

PWS Name: SR-6 / I-75 HAMILTON COUNTY WTP

Bacteriological requirements can be found in Rules 62-550.310, 62-550.828, and 62-550.830, Fla. Admin. Code.

| Bacteriological Monitoring | | | |
|------------------------------|--------------------------------|--|--|
| Current Population on Record | 50 | | |
| Monitoring Frequency | Quarterly | | |
| Raw Sampling | 1 Raw (pre-treatment) per well | | |
| Distribution Sampling | 1 | | |

When you receive results from the laboratory, **review the report immediately** to verify the information is complete, verify all contaminants were analyzed, and results are below levels requiring additional monitoring under 62-550, Fla. Admin. Code.

- > Please take samples early in the monitoring period to allow for possible lab delays and unforeseen events.
- > Reports must include system cover page, lab cover page, chains of custody, results page, and lab certification pages.
- Reports are due to the Department *within 10 days* following the end of sample period <u>or</u> following your receipt of the laboratory report, whichever time is less. We recommend submitting reports as soon as available. <u>Do not rely on the laboratory to submit monitoring results to the Department.</u>
- All samples must be taken during the required monitoring period and from the correct location(s) to be accepted for compliance.
- Failure to sample in accordance with rule requirements may result in enforcement action.