

DEPARTMENT OF ENVIRONMENTAL PROTECTION

Division of Air Resource Management

RULE NO.: RULE TITLE:

62-204.800 Federal Regulations Adopted by Reference

PURPOSE, EFFECT AND SUMMARY: The proposed rule amendments update the Department’s adoption by reference of air pollution regulations promulgated by the U.S. Environmental Protection Agency (EPA) at Title 40, Code of Federal Regulations (C.F.R.), to incorporate requirements of the Department's federally approved and delegated air pollution programs. These rule amendments include deletion of obsolete and unnecessary federal regulations that the Department had previously adopted by reference and streamlines adoptions by reference where appropriate.

RULEMAKING AUTHORITY: 403.061, 403.8055 FS.

LAW IMPLEMENTED: 403.061, 403.087, 403.8055, FS.

THIS RULEMAKING IS UNDERTAKEN PURSUANT TO SECTION 403.8055, F.S. WRITTEN COMMENTS MAY BE SUBMITTED WITHIN 21 DAYS OF THE DATE OF THIS NOTICE TO: Terri Long, Division of Air Resource Management, 2600 Blair Stone Road, MS 5500, Tallahassee, Florida 32399-2400, or Terri.Long@dep.state.fl.us.

SUBSTANTIALLY AFFECTED PERSONS MAY WITHIN 14 DAYS OF THE DATE OF THIS NOTICE, FILE AN OBJECTION TO THIS RULEMAKING WITH THE ENVIRONMENTAL REGULATION COMMISSION, ADMINISTRATIVE ASSISTANT, DEP, MS 35, 3900 COMMONWEALTH BOULEVARD, TALLAHASSEE, FLORIDA 32399-3000. THE OBJECTION SHALL SPECIFY THE PORTIONS OF THE PROPOSED RULE TO WHICH THE PERSON OBJECTS AND THE SPECIFIC REASONS FOR THE OBJECTION.

THE FULL TEXT OF THE PROPOSED RULE IS:

62-204.800 Federal Regulations Adopted by Reference.

All federal regulations cited throughout the air pollution rules of the Department are adopted and incorporated by reference in this rule. The purpose and effect of each such federal regulation is determined by the context in which it is cited. Procedural and substantive requirements in the incorporated federal regulations are binding as a matter of state law only where the context so provides.

(1) No change.

(2) Title 40, Code of Federal Regulations, Part 51, Requirements for Preparation, Adoption, and Submittal of Implementation Plans.

(a) No change.

(b) Appendices M, P, W, and Y of 40 C.F.R. Part 51, revised as of July 1, 2017 ([http://www.flrules.org/Gateway/reference.asp?No=Ref-](http://www.flrules.org/Gateway/reference.asp?No=Ref-08864)

[08864](http://www.flrules.org/Gateway/reference.asp?No=Ref-08864)); amended March 21, 2018, at 83 FR 12260 (link), are adopted and incorporated by reference.

(3) Title 40, Code of Federal Regulations, Part 52, Approval and Promulgation of Implementation Plans. The following subparts of 40 C.F.R. Part 52, are adopted and incorporated by reference:

(a) 40 C.F.R. Part 52, Subpart A, General Provisions; revised as of July 1, ~~2017~~²⁰¹⁶ ([link](http://www.flrules.org/Gateway/reference.asp?No=Ref-08866)) (<http://www.flrules.org/Gateway/reference.asp?No=Ref-08866>), or later as specifically indicated, are adopted and incorporated by reference; amended January 10, 2017, at 82 FR 3078 (<http://www.flrules.org/Gateway/reference.asp?No=Ref-08895>).

(b) 40 C.F.R. Part 52, Subpart K, Florida; revised as of July 1, ~~2017~~²⁰¹⁶ ([link](http://www.flrules.org/Gateway/reference.asp?No=Ref-08876)) (<http://www.flrules.org/Gateway/reference.asp?No=Ref-08876>); ~~amended August 2, 2016, at 81 FR 50628 (<https://www.flrules.org/Gateway/reference.asp?No=Ref-07794>); amended September 30, 2016, at 81 FR 67179 (<https://www.flrules.org/Gateway/reference.asp?No=Ref-07795>); amended November 23, 2016, at 81 FR 84479 (<http://www.flrules.org/Gateway/reference.asp?No=Ref-08901>); amended April 7, 2017, at 82 FR 16920 (<http://www.flrules.org/Gateway/reference.asp?No=Ref-08896>); amended July 3, 2017, at 82 FR 30749 (<http://www.flrules.org/Gateway/reference.asp?No=Ref-08898>); amended July 3, 2017, at 82 FR 30767 (<http://www.flrules.org/Gateway/reference.asp?No=Ref-08897>); amended July 21, 2017, at 82 FR 33807 (<http://www.flrules.org/Gateway/reference.asp?No=Ref-08899>); amended August 10, 2017, at 82 FR 37310 (<http://www.flrules.org/Gateway/reference.asp?No=Ref-08902>), amended October 6, 2017 at 82 FR 46682 (<http://www.flrules.org/Gateway/reference.asp?No=Ref-08900>); amended October 16, 2017 at 82 FR 47983 (link); amended April 2, 2018 at 83 FR 13875 (link); amended April 18, 2018 at 83 FR 17081 (link).~~

(4) through (7) No change.

(8) Title 40, Code of Federal Regulations, Part 60, Standards of Performance for New Stationary Sources.

(a) No change.

(b) Standards Adopted. The following Standards of Performance for New Stationary Sources contained in 40 C.F.R. Part 60, revised as of July 1, ~~2017~~²⁰⁰⁹, or later as specifically indicated, are adopted and incorporated by reference:

1. 40 C.F.R. Part 60, Subpart D, Fossil-Fuel-Fired Steam Generators for Which Construction is Commenced After August 17, 1971; ~~revised as of July 1, 2017 (link) amended January 20, 2011, at 76 FR 3517~~

~~(<http://www.flrules.org/Gateway/reference.asp?No=Ref-01720>).~~

2. 40 C.F.R. Part 60, Subpart Da, Electric Utility Steam Generators for Which Construction is Commenced After September 18, 1978; revised as of July 1, 2017 ([link](#)) amended January 20, 2011, at 76 FR 3517 (~~<http://www.flrules.org/Gateway/reference.asp?No=Ref-01720>~~); amended April 19, 2012, at 77 FR 23399 (~~<http://www.flrules.org/Gateway/reference.asp?No=Ref-02487>~~); amended February 16, 2012, at 77 FR 9303 (~~<https://www.flrules.org/Gateway/reference.asp?No=Ref-04925>~~); amended April 24, 2013, 78 FR 24073 (~~<https://www.flrules.org/Gateway/reference.asp?No=Ref-04917>~~); amended November 19, 2014, at 79 FR 68777 (~~<https://www.flrules.org/Gateway/reference.asp?No=Ref-04937>~~); amended April 6, 2016, at 81 FR 20172 (~~<https://www.flrules.org/Gateway/reference.asp?No=Ref-07797>~~); except that the Secretary is not the Administrator for purposes of 40 C.F.R. §60.47Da.

3. 40 C.F.R. Part 60, Subpart Db, Industrial-Commercial-Institutional Steam Generating Units; revised as of July 1, 2017 ([link](#)) amended January 20, 2011, at 76 FR 3517 (~~<http://www.flrules.org/Gateway/reference.asp?No=Ref-01720>~~); amended February 16, 2012, at 77 FR 9303 (~~<https://www.flrules.org/Gateway/reference.asp?No=Ref-04925>~~); amended February 27, 2014, 79 FR 11227 (~~<https://www.flrules.org/Gateway/reference.asp?No=Ref-04926>~~); except that the Secretary is not the Administrator for purposes of authorities cited at 40 C.F.R. §60.40b(g).

4. 40 C.F.R. Part 60, Subpart Dc, Small Industrial-Commercial-Institutional Steam Generating Unit; revised as of July 1, 2017 ([link](#)) amended January 20, 2011, at 76 FR 3517 (~~<http://www.flrules.org/Gateway/reference.asp?No=Ref-01720>~~); amended February 16, 2012, at 77 FR 9303 (~~<https://www.flrules.org/Gateway/reference.asp?No=Ref-04925>~~); except that the Secretary is not the Administrator for purposes of authorities cited at 40 C.F.R. §60.40e(b).

5. 40 C.F.R. Part 60, Subpart E, Incinerators; revised as of July 1, 2017 ([link](#)).

6. 40 C.F.R. Part 60, Subpart Ea, Municipal Waste Combustors for Which Construction is Commenced After December 20, 1989, and on or Before September 20, 1994; revised as of July 1, 2017 ([link](#)).

7. 40 C.F.R. Part 60, Subpart Eb, Large Municipal Waste Combustors for Which Construction is Commenced After September 20, 1994, or for Which Modification or Reconstruction is Commenced After June 19, 1996; revised as of July 1, 2017 ([link](#)); except that the Secretary is not the Administrator for purposes of the authorities cited at 40 C.F.R. §60.50b(n). Any municipal waste combustor plant which contains a municipal waste combustor unit subject to 40 C.F.R.

60, Subpart Eb, is subject to the permitting requirements of Chapter 62 213, F.A.C. Any municipal waste combustor plant subject to the permitting requirements of Chapter 62 213, F.A.C., solely because it is subject to 40 C.F.R. 60, Subpart Eb, shall file an application for an operation permit under the requirements of Chapter 62 213, F.A.C., ninety days before expiration of the source's construction permit, but no later than 180 days after commencing operation.

8. 40 C.F.R. Part 60, Subpart Ec, Hospital/Medical/Infectious Waste Incinerators for Which Construction is Commenced After June 20, 1996; revised as of July 1, 2017 ([link](#)) amended October 6, 2009, at 74 FR 51368; amended April 4, 2011, at 76 FR 18407 (~~<http://www.flrules.org/Gateway/reference.asp?No=Ref-01720>~~); amended May 13, 2013, at 78 FR 28051 (~~<https://www.flrules.org/Gateway/reference.asp?No=Ref-03493>~~); amended February 27, 2014, 79 FR 11227 (~~<https://www.flrules.org/Gateway/reference.asp?No=Ref-04926>~~); except that the Secretary is not the Administrator for purposes of 40 C.F.R. §60.56e(j). At 40 C.F.R. §60.50e(m), the "applicable compliance date of the requirements of subpart Ce" shall be the later of June 1, 2012, or such date as established pursuant to the provisions of sub subparagraph 62-204.800(9)(g)9.d., F.A.C.

9. 40 C.F.R. Part 60, Subpart F, Portland Cement Plants; revised as of July 1, 2017 ([link](#)) amended February 12, 2013, at 78 FR 10005 (~~<https://www.flrules.org/Gateway/reference.asp?No=Ref-03494>~~); amended July 27, 2015, at 80 FR 44771 (~~<https://www.flrules.org/Gateway/reference.asp?No=Ref-06257>~~).

10. 40 C.F.R. Part 60, Subpart G, Nitric Acid Plants; revised as of July 1, 2017 ([link](#)) amended August 14, 2012, at 77 FR 48433 (~~<http://www.flrules.org/Gateway/reference.asp?No=Ref-02487>~~).

11. 40 C.F.R. Part 60, Subpart Ga, Nitric Acid Plants for Which Construction, Reconstruction or Modification Commenced After October 14, 2011, revised as of July 1, 2017 ([link](#)) promulgated August 14, 2012, at 77 FR 48433 (~~<http://www.flrules.org/Gateway/reference.asp?No=Ref-02487>~~).

12. 40 C.F.R. Part 60, Subpart H, Sulfuric Acid Plants; revised as of July 1, 2017 ([link](#)) amended February 27, 2014, 79 FR 11227 (~~<https://www.flrules.org/Gateway/reference.asp?No=Ref-04926>~~).

13. 40 C.F.R. Part 60, Subpart I, Hot Mix Asphalt Facilities; revised as of July 1, 2017 ([link](#)).

14. 40 C.F.R. Part 60, Subpart J, Petroleum Refineries; revised as of July 1, 2017 ([link](#)) amended September 12, 2012,

at 77 FR 56421
~~(<http://www.flrules.org/Gateway/reference.asp?No=Ref-02487>); amended December 1, 2015, at 80 FR 75178~~
~~(<https://www.flrules.org/Gateway/reference.asp?No=Ref-07798>); except that the Secretary is not the Administrator for purposes of the authorities cited at 40 C.F.R. §60.109(b).~~

15. 40 C.F.R. Part 60, Subpart Ja, Standards of Performance for Petroleum Refineries for Which Construction, Reconstruction, or Modification Commenced After May 14, 2007; revised as of July 1, 2017 (link)~~amended February 25, 2011, at 76 FR 10524~~
~~(<http://www.flrules.org/Gateway/reference.asp?No=Ref-01720>); amended December 19, 2013, at 78 FR 76753~~
~~(<https://www.flrules.org/Gateway/reference.asp?No=Ref-04923>); amended December 1, 2015, at 80 FR 75178~~
~~(<https://www.flrules.org/Gateway/reference.asp?No=Ref-07798>); amended July 13, 2016, at 81 FR 45232~~
~~(<https://www.flrules.org/Gateway/reference.asp?No=Ref-07799>); except that the Secretary is not the Administrator for purposes of the authorities cited at 40 C.F.R. §60.109a(b).~~

16. 40 C.F.R. Part 60, Subpart K, Storage Vessels for Petroleum Liquids for Which Construction, Reconstruction, or Modification Commenced After June 11, 1973, and Prior to May 19, 1978; revised as of July 1, 2017 (link).

17. 40 C.F.R. Part 60, Subpart Ka, Storage Vessels for Petroleum Liquids for Which Construction, Reconstruction, or Modification Commenced After May 18, 1978, and Prior to July 23, 1984; revised as of July 1, 2017 (link)~~; except that the Secretary is not the Administrator for purposes of 40 C.F.R. §60.114a.~~

18. 40 C.F.R. Part 60, Subpart Kb, Volatile Organic Liquid Storage Vessels (Including Petroleum Liquid Storage Vessels) for Which Construction, Reconstruction, or Modification Commenced After July 23, 1984; revised as of July 1, 2017 (link)~~; except that the Secretary is not the Administrator for purposes of the authorities cited at 40 C.F.R. §60.117b(b).~~

19. 40 C.F.R. Part 60, Subpart L, Secondary Lead Smelters; revised as of July 1, 2017 (link).

20. 40 C.F.R. Part 60, Subpart M, Secondary Brass & Bronze Production Plants; revised as of July 1, 2017 (link).

21. 40 C.F.R. Part 60, Subpart N, Primary Emissions from Basic Oxygen Process Furnaces for Which Construction is Commenced After June 11, 1973; revised as of July 1, 2017 (link).

22. 40 C.F.R. Part 60, Subpart Na, Secondary Emissions from Basic Oxygen Process Steelmaking Facilities for Which Construction is Commenced After January 20, 1983; revised as of July 1, 2017 (link).

23. 40 C.F.R. Part 60, Subpart O, Sewage Treatment Plants; revised as of July 1, 2017 (link)~~amended February 27, 2014, at 79 FR 11227~~

~~(<https://www.flrules.org/Gateway/reference.asp?No=Ref-04926>); except that the Secretary is not the Administrator for purposes of the authorities cited at 40 C.F.R. §60.156(b).~~

24. 40 C.F.R. Part 60, Subpart P, Primary Copper Smelters; revised as of July 1, 2017 (link).

25. 40 C.F.R. Part 60, Subpart Q, Primary Zinc Smelters; revised as of July 1, 2017 (link).

26. 40 C.F.R. Part 60, Subpart R, Primary Lead Smelters; revised as of July 1, 2017 (link).

27. 40 C.F.R. Part 60, Subpart S, Primary Aluminum Reduction Plants; revised as of July 1, 2017 (link).

28. 40 C.F.R. Part 60, Subpart T, Phosphate Fertilizer Industry: Wet Process Phosphoric Acid Plants; revised as of July 1, 2017 (link)~~amended August 19, 2015, at 80 FR 50385~~
~~(<https://www.flrules.org/Gateway/reference.asp?No=Ref-06258>).~~

29. 40 C.F.R. Part 60, Subpart U, Phosphate Fertilizer Industry: Superphosphoric Acid Plants; revised as of July 1, 2017 (link) ~~amended August 19, 2015, at 80 FR 50385~~
~~(<https://www.flrules.org/Gateway/reference.asp?No=Ref-06258>).~~

30. 40 C.F.R. Part 60, Subpart V, Phosphate Fertilizer Industry: Diammonium Phosphate Plants; revised as of July 1, 2017 (link)~~amended August 19, 2015, at 80 FR 50385~~
~~(<https://www.flrules.org/Gateway/reference.asp?No=Ref-06258>).~~

31. 40 C.F.R. Part 60, Subpart W, Phosphate Fertilizer Industry: Triple Superphosphate Plants; revised as of July 1, 2017 (link)~~amended August 19, 2015, at 80 FR 50385~~
~~(<https://www.flrules.org/Gateway/reference.asp?No=Ref-06258>).~~

32. 40 C.F.R. Part 60, Subpart X, Phosphate Fertilizer Industry: Granular Triple Superphosphate Storage Facilities; revised as of July 1, 2017 (link)~~amended August 19, 2015, at 80 FR 50385~~
~~(<https://www.flrules.org/Gateway/reference.asp?No=Ref-06258>).~~

33. 40 C.F.R. Part 60, Subpart Y, Coal Preparation Plants; revised as of July 1, 2017 (link).

34. 40 C.F.R. Part 60, Subpart Z, Ferroalloy Production Facilities; revised as of July 1, 2017 (link).

35. 40 C.F.R. Part 60, Subpart AA, Steel Plants: Electric Arc Furnaces Constructed After October 21, 1974, and on or Before August 17, 1983; revised as of July 1, 2017 (link).

36. 40 C.F.R. Part 60, Subpart AAa, Steel Plants: Electric Arc Furnaces and Argon-Oxygen Decarburization Vessels Constructed After August 17, 1983; revised as of July 1, 2017 (link).

37. 40 C.F.R. Part 60, Subpart BB, Kraft Pulp Mills; revised as of July 1, 2017 (link)~~amended February 27, 2014, at 79 FR 11227~~

~~(<https://www.flrules.org/Gateway/reference.asp?No=Ref-04926>).~~

38. No change.

39. 40 C.F.R. Part 60, Subpart CC, Glass Manufacturing Plants; revised as of July 1, 2017 ([link](#)).

40. 40 C.F.R. Part 60, Subpart DD, Grain Elevators; revised as of July 1, 2017 ([link](#)).

41. 40 C.F.R. Part 60, Subpart EE, Surface Coating of Metal Furniture; revised as of July 1, 2017 ([link](#))~~except that the Secretary is not the Administrator for purposes of 40 C.F.R. §60.316(d);~~

42. 40 C.F.R. Part 60, Subpart GG, Stationary Gas Turbines; revised as of July 1, 2017 ([link](#))~~amended February 27, 2014, 79 FR 11227 (<https://www.flrules.org/Gateway/reference.asp?No=Ref-04926>); except that the Secretary is not the Administrator for purposes of 40 C.F.R. §60.332(a)(4).~~

43. 40 C.F.R. Part 60, Subpart HH, Lime Manufacturing Plants; revised as of July 1, 2017 ([link](#)).

44. 40 C.F.R. Part 60, Subpart KK, Lead-Acid Battery Manufacturing Plants; revised as of July 1, 2017 ([link](#))~~amended February 27, 2014, 79 FR 11227 (<https://www.flrules.org/Gateway/reference.asp?No=Ref-04926>).~~

45. 40 C.F.R. Part 60, Subpart LL, Metallic Mineral Processing Plants; revised as of July 1, 2017 ([link](#))~~amended February 27, 2014, 79 FR 11227 (<https://www.flrules.org/Gateway/reference.asp?No=Ref-04926>).~~

46. 40 C.F.R. Part 60, Subpart MM, Automobile and Light-Duty Truck Surface Coating Operations; revised as of July 1, 2017 ([link](#)).

47. 40 C.F.R. Part 60, Subpart NN, Phosphate Rock Plants; revised as of July 1, 2017 ([link](#)).

48. 40 C.F.R. Part 60, Subpart PP, Ammonium Sulfate Manufacturing; revised as of July 1, 2017 ([link](#)).

49. 40 C.F.R. Part 60, Subpart QQ, Graphic Arts Industry: Publication Rotogravure Printing; revised as of July 1, 2017 ([link](#)).

50. 40 C.F.R. Part 60, Subpart RR, Pressure Sensitive Tape and Label Surface Coating Operations; revised as of July 1, 2017 ([link](#))~~except that the Secretary is not the Administrator for purposes of 40 C.F.R. §60.446(e);~~

51. 40 C.F.R. Part 60, Subpart SS, Industrial Surface Coating: Large Appliances; revised as of July 1, 2017 ([link](#))~~except that the Secretary is not the Administrator for purposes of 40 C.F.R. §60.456(d).~~

52. 40 C.F.R. Part 60, Subpart TT, Metal Coil Surface Coating; revised as of July 1, 2017 ([link](#));~~except that the Secretary is not the Administrator for purposes of 40 C.F.R. §60.466(d).~~

53. 40 C.F.R. Part 60, Subpart UU, Asphalt Processing and Asphalt Roofing Manufacture; revised as of July 1, 2017 ([link](#))~~amended February 27, 2014, 79 FR 11227 (<https://www.flrules.org/Gateway/reference.asp?No=Ref-04926>); except that the Secretary is not the Administrator for the purposes of 40 C.F.R. §60.474(g).~~

54. 40 C.F.R. Part 60, Subpart VV, Equipment Leaks of VOC in the Synthetic Organic Chemicals Manufacturing Industry; revised as of July 1, 2017 ([link](#))~~except that the Secretary is not the Administrator for purposes of 40 C.F.R. §60.482-1(e)(2) and 40 C.F.R. §60.484.~~

55. 40 C.F.R. Part 60, Subpart VVa, Standards of Performance for Equipment Leaks of VOC in the Synthetic Organic Chemicals Manufacturing Industry; for Which Construction, Reconstruction, or Modification Commenced After November 7, 2006; revised as of July 1, 2017 ([link](#))~~except that the Secretary is not the Administrator for purposes of 40 C.F.R. §60.482-1a(e)(2) and 40 C.F.R. §60.484a.~~

56. 40 C.F.R. Part 60, Subpart WW, Beverage Can Surface Coating Industry; revised as of July 1, 2017 ([link](#))~~except that the Secretary is not the Administrator for the purposes of 40 C.F.R. §60.496(e).~~

57. 40 C.F.R. Part 60, Subpart XX, Bulk Gasoline Terminals; amended December 19, 2003, at 68 FR 70959; revised as of July 1, 2017 ([link](#))~~except that the Secretary is not the Administrator for the purposes of 40 C.F.R. §60.502(e)(6).~~

58. 40 C.F.R. Part 60, Subpart BBB, Rubber Tire Manufacturing Industry; revised as of July 1, 2017 ([link](#))~~except that the Secretary is not the Administrator for purposes of the authorities cited at 40 C.F.R. §60.548(b).~~

59. 40 C.F.R. Part 60, Subpart DDD, Volatile Organic Compound (VOC) Emissions from the Polymer Manufacturing Industry; revised as of July 1, 2017 ([link](#))~~except that the Secretary is not the Administrator for the purposes of 40 C.F.R. §60.562-2(e).~~

60. 40 C.F.R. Part 60, Subpart FFF, Flexible Vinyl and Urethane Coating and Printing; revised as of July 1, 2017 ([link](#)).

61. 40 C.F.R. Part 60, Subpart GGG, Equipment Leaks of VOC in Petroleum Refineries; revised as of July 1, 2017 ([link](#))~~except that the Secretary is not the Administrator for purposes of 40 C.F.R. §60.592(e).~~

62. 40 C.F.R. Part 60, Subpart GGGa, Standards of Performance for Equipment Leaks of VOC in Petroleum Refineries for which Construction, Reconstruction, or Modification Commenced After November 7, 2006; revised as of July 1, 2017 ([link](#))~~except that the Secretary is not the Administrator for purposes of 40 C.F.R. §60.592a(e).~~

63. 40 C.F.R. Part 60, Subpart HHH, Synthetic Fiber Production Facilities; revised as of July 1, 2017 ([link](#)).

64. 40 C.F.R. Part 60, Subpart III, Volatile Organic Compound (VOC) Emissions From the Synthetic Organic

Chemical Manufacturing Industry (SOCMI) Air Oxidation Unit Processes; revised as of July 1, 2017 (link)~~except that the Secretary is not the Administrator for the purposes of 40 C.F.R. §60.613(e).~~

65. 40 C.F.R. Part 60, Subpart JJJ, Petroleum Dry Cleaners; revised as of July 1, 2017 (link)~~except that the Secretary is not the Administrator for purposes of 40 C.F.R. §60.623.~~

66. 40 C.F.R. Part 60, Subpart KKK, Equipment Leaks of VOC From Onshore Natural Gas Processing Plants; revised as of July 1, 2017 (link); ~~amended August 16, 2012, at 77 FR 49489~~

~~(<http://www.flrules.org/Gateway/reference.asp?No=Ref-02487>);~~ ~~except that the Secretary is not the Administrator for purposes of 40 C.F.R. §60.634.~~

67. 40 C.F.R. Part 60, Subpart LLL, Onshore Natural Gas Processing SO₂ Emissions; revised as of July 1, 2017 (link)~~amended August 16, 2012, at 77 FR 49489~~ (~~<http://www.flrules.org/Gateway/reference.asp?No=Ref-02487>~~).

68. 40 C.F.R. Part 60, Subpart NNN, Volatile Organic Compound (VOC) Emissions From Synthetic Organic Chemical Manufacturing Industry (SOCMI) Distillation Operations; revised as of July 1, 2017 (link); ~~amended February 27, 2014, at 79 FR 11227~~ (~~<https://www.flrules.org/Gateway/reference.asp?No=Ref-04926>~~); ~~except that the Secretary is not the Administrator for the purposes of 40 C.F.R. §60.663(e).~~

69. 40 C.F.R. Part 60, Subpart OOO, Nonmetallic Mineral Processing Plants, revised as of July 1, 2017 (link).

70. 40 C.F.R. Part 60, Subpart PPP, Wool Fiberglass Insulation Manufacturing Plants, revised as of July 1, 2017 (link);

71. 40 C.F.R. Part 60, Subpart QQQ, VOC Emissions From Petroleum Refinery Wastewater Systems; revised as of July 1, 2017 (link)~~except that the Secretary is not the Administrator for purposes of the authorities cited at 40 C.F.R. §60.699(b).~~

72. 40 C.F.R. Part 60, Subpart RRR, Volatile Organic Compound Emissions from Synthetic Organic Chemical Manufacturing Industry (SOCMI) Reactor Processes; revised as of July 1, 2017 (link)~~except that the Secretary is not the Administrator for purposes of the authorities cited at 40 C.F.R. §60.708(b).~~

73. 40 C.F.R. Part 60, Subpart SSS, Magnetic Tape Coating Facilities; revised as of July 1, 2017 (link)~~except that the Secretary is not the Administrator for purposes of the authorities cited at 40 C.F.R. §60.718(b).~~

74. 40 C.F.R. Part 60, Subpart TTT, Industrial Surface Coating: Surface Coating of Plastic Parts for Business Machines; revised as of July 1, 2017 (link)~~except that the~~

~~Secretary is not the Administrator for purposes of the authorities cited at 40 C.F.R. §60.726(b).~~

75. 40 C.F.R. Part 60, Subpart UUU, Calciners and Dryers in Mineral Industries, revised as of July 1, 2017 (link).

76. 40 C.F.R. Part 60, Subpart VVV, Polymeric Coating of Supporting Substrates Facilities; revised as of July 1, 2017 (link)~~except that the Secretary is not the Administrator for purposes of the authorities cited at 40 C.F.R. §60.748.~~

77. 40 C.F.R. Part 60, Subpart WWW, Municipal Solid Waste Landfills; revised as of July 1, 2017 (link)~~except that the Secretary is not the Administrator for the purposes of 40 C.F.R. §60.754(a)(5). Any municipal solid waste landfill subject to 40 C.F.R. 60, Subpart WWW, and which has a design capacity equal to or greater than 2.5 million Megagrams and 2.5 million cubic meters is subject to the permitting requirements of Chapter 62-213, F.A.C. Any municipal solid waste landfill subject to the permitting requirements of Chapter 62-213, F.A.C., solely because it is subject to 40 C.F.R. 60, Subpart WWW, shall file an application for an operation permit under Chapter 62-213, F.A.C., by the later of March 12, 1997, or 180 days after the issuance of the solid waste permit that modifies the design capacity of the facility to be equal to or greater than 2.5 million Megagrams and 2.5 million cubic meters.~~

78. 40 CFR Part 60, Subpart XXX, Municipal Solid Waste Landfills, revised as of July 1, 2017 (link)~~promulgated August 29, 2016, at 81 FR 59332~~ (~~<https://www.flrules.org/Gateway/reference.asp?No=Ref-07800>~~).

79. 40 C.F.R. Part 60, Subpart AAAA, New Small Municipal Waste Combustion Units, revised as of July 1, 2017 (link). ~~Any small municipal waste combustion unit subject to the permitting requirements of Chapter 62-213, F.A.C., solely because it is subject to 40 C.F.R. 60, Subpart AAAA, shall file an application for an operation permit under the requirements of Chapter 62-213, F.A.C., in accordance with paragraph 62-213.420(1)(a), F.A.C.~~

80. 40 C.F.R. Part 60, Subpart CCCC, Commercial and Industrial Solid Waste Incineration Units; revised as of July 1, 2017 (link); ~~amended February 7, 2013, at 78 FR 9111~~ (~~<https://www.flrules.org/Gateway/reference.asp?No=Ref-03492>~~); ~~amended June 23, 2016, at 81 FR 40956~~ (~~<https://www.flrules.org/Gateway/reference.asp?No=Ref-07801>~~). ~~Any CISWI unit subject to the permitting requirements of Chapter 62-213, F.A.C., solely because it is subject to 40 C.F.R. 60, Subpart CCCC, shall file an application for an operation permit under the requirements of Chapter 62-213, F.A.C., in accordance with paragraph 62-213.420(1)(a), F.A.C.~~

81. 40 C.F.R. Part 60, Subpart EEEE, Other Solid Waste Incineration Units for Which Construction Is Commenced After December 9, 2004, or for Which Modification of Reconstruction Is Commenced on or After June 16, 2006;

revised as of July 1, 2017 (link) except that the Secretary is not the Administrator for purposes of the authorities cited at 40 C.F.R. §60.2889(b). Any solid waste incineration unit subject to the permitting requirements of Chapter 62-213, F.A.C., solely because it is subject to 40 C.F.R. Part 60, Subpart EEEE, shall file an application for an operation permit under the requirements of Chapter 62-213, F.A.C., in accordance with paragraph 62-213.420(1)(a), F.A.C.

82. 40 C.F.R. Part 60, Subpart IIII, Standards of Performance for Stationary Compression Ignition Internal Combustion Engines; revised as of July 1, 2017 (link); amended June 28, 2011, at 76 FR 37954 (<http://www.flrules.org/Gateway/reference.asp?No=Ref-01720>); amended January 30, 2013, at 78 FR 6673 (<https://www.flrules.org/Gateway/reference.asp?No=Ref-03483>); amended February 27, 2014, 79 FR 11227 (<https://www.flrules.org/Gateway/reference.asp?No=Ref-04926>); amended July 7, 2016, at 81 FR 44212 (<https://www.flrules.org/Gateway/reference.asp?No=Ref-07802>); except that the Secretary is not the Administrator for purposes of 40 C.F.R. §60.4201, 60.4202, 60.4203, 60.4210 and 60.4215 and 60.4216.

83. 40 C.F.R. Part 60, Subpart JJJJ, Standards of Performance for Stationary Spark Ignition Internal Combustion Engines; revised as of July 1, 2017 (link); amended June 28, 2011, at 76 FR 37954 (<http://www.flrules.org/Gateway/reference.asp?No=Ref-01720>); amended January 30, 2013, at 78 FR 6673 (<https://www.flrules.org/Gateway/reference.asp?No=Ref-03483>); amended February 27, 2014, 79 FR 11227 (<https://www.flrules.org/Gateway/reference.asp?No=Ref-04926>); amended August 30, 2016, at 81 FR 59800 (<https://www.flrules.org/Gateway/reference.asp?No=Ref-07789>); except that the Secretary is not the Administrator for purposes of 40 C.F.R. §60.4231, 60.4232, 60.4238, 60.4239, 60.4240, 60.4241, 60.4242, and 60.4247.

84. 40 C.F.R. Part 60, Subpart KKKK, Standards for Stationary Combustion Turbines, revised as of July 1, 2017 (link).

85. 40 C.F.R. Part 60, Subpart LLLL, Standards of Performance for New Sewage Sludge Incineration Units; promulgated March 21, 2011, at 76 FR 15372; revised as of July 1, 2017 (link) except that the Secretary is not the Administrator for purposes of 40 C.F.R. §60.4785(e).

86. 40 C.F.R. Part 60, Subpart OOOO, Standards of Performance for Crude Oil and Natural Gas Production, Transmission and Distribution, revised as of July 1, 2017 (link) promulgated August 16, 2012, at 77 FR 49489 (<http://www.flrules.org/Gateway/reference.asp?No=Ref-02487>); amended June 3, 2016, at 81 FR 35824

(<https://www.flrules.org/Gateway/reference.asp?No=Ref-07803>).

87. 40 C.F.R. Part 60, Subpart OOOOa, Oil and Natural Gas Sector: Emission Standards for New, Reconstructed, and Modified Sources, revised as of July 1, 2017 (link); amended March 12, 2018 at 83 FR 10628 (link) promulgated June 3, 2016, at 81 FR 35824 (<https://www.flrules.org/Gateway/reference.asp?No=Ref-07803>).

88. 40 C.F.R. Part 60, Subpart TTTT, Standards of Performance for Greenhouse Gas Emissions for Electric Generating Units, revised as of July 1, 2017 (link) promulgated October 23, 2015, at 80 FR 64510 (<https://www.flrules.org/Gateway/reference.asp?No=Ref-07804>).

(e) The Standards of Performance for New Stationary Sources adopted by reference in this rule shall be controlling over other standards in the air pollution rules of the Department except that any emissions limiting standard contained in or determined pursuant to the air pollution rules of the Department which is more stringent than one contained in a Standard of Performance, or which regulates emissions of pollutants or emissions units not regulated by an applicable Standard of Performance, shall apply.

(c)(d) General Provisions Adopted. The general provisions of 40 C.F.R. Part 60, Subpart A, revised as of July 1, 2017, (<http://www.flrules.org/Gateway/reference.asp?No=Ref-08874>), are adopted and incorporated by reference.

(d)(e) Appendices Adopted. The following appendices of 40 C.F.R. Part 60, revised as of July 1, 2009, or later as specifically indicated, are adopted and incorporated by reference:

1. 40 C.F.R. Part 60, Appendix A-1, Test Methods 1 through 2F; revised as of July 1, 2017 (link) amended February 27, 2014, 79 FR 11227 (<https://www.flrules.org/Gateway/reference.asp?No=Ref-04926>); amended August 30, 2016, at 81 FR 59800 (<https://www.flrules.org/Gateway/reference.asp?No=Ref-07789>).

2. 40 C.F.R. Part 60, Appendix A-2, Test Methods 2G through 3C; revised as of July 1, 2017 (link) amended February 27, 2014, 79 FR 11227 (<https://www.flrules.org/Gateway/reference.asp?No=Ref-04926>); amended August 30, 2016, at 81 FR 59800 (<https://www.flrules.org/Gateway/reference.asp?No=Ref-07789>).

3. 40 C.F.R. Part 60, Appendix A-3, Test Methods 4 through 5I; revised as of July 1, 2017 (link) amended September 13, 2010, at 75 FR 55636 (<http://www.flrules.org/Gateway/reference.asp?No=Ref-01720>); amended February 27, 2014, at 79 FR 11227

~~(<https://www.flrules.org/Gateway/reference.asp?No=Ref-04926>); amended August 30, 2016, at 81 FR 59800 (<https://www.flrules.org/Gateway/reference.asp?No=Ref-07789>).~~

4. 40 C.F.R. Part 60, Appendix A-4, Test Methods 6 through 10B; revised as of July 1, 2017 (link) ~~amended September 13, 2010, at 75 FR 55636 (<http://www.flrules.org/Gateway/reference.asp?No=Ref-01720>); amended February 27, 2014, 79 FR 11227 (<https://www.flrules.org/Gateway/reference.asp?No=Ref-04926>); amended August 30, 2016, at 81 FR 59800 (<https://www.flrules.org/Gateway/reference.asp?No=Ref-07789>).~~

5. 40 C.F.R. Part 60, Appendix A-5, Test Methods 11 through 15A; revised as of July 1, 2017 (link) ~~amended September 13, 2010, at 75 FR 55636 (<http://www.flrules.org/Gateway/reference.asp?No=Ref-01720>); amended February 27, 2014, 79 FR 11227 (<https://www.flrules.org/Gateway/reference.asp?No=Ref-04926>); amended August 30, 2016, at 81 FR 59800 (<https://www.flrules.org/Gateway/reference.asp?No=Ref-07789>).~~

6. 40 C.F.R. Part 60, Appendix A-6, Test Methods 16 through 18; revised as of July 1, 2017 (link) ~~amended September 13, 2010, at 75 FR 55636 (<http://www.flrules.org/Gateway/reference.asp?No=Ref-01720>); amended July 30, 2012, at FR 44488 (<http://www.flrules.org/Gateway/reference.asp?No=Ref-02487>); amended February 27, 2014, 79 FR 11227 (<https://www.flrules.org/Gateway/reference.asp?No=Ref-04926>); amended August 30, 2016, at 81 FR 59800 (<https://www.flrules.org/Gateway/reference.asp?No=Ref-07789>).~~

7. 40 C.F.R. Part 60, Appendix A-7, Test Methods 19 through 25E; revised as of July 1, 2017 (link) ~~amended September 13, 2010, at 75 FR 55636 (<http://www.flrules.org/Gateway/reference.asp?No=Ref-01720>), amended January 18, 2012, at 77 FR 2456 (<http://www.flrules.org/Gateway/reference.asp?No=Ref-01720>); amended February 27, 2014, 79 FR 11227 (<https://www.flrules.org/Gateway/reference.asp?No=Ref-04926>); amended August 30, 2016, at 81 FR 59800 (<https://www.flrules.org/Gateway/reference.asp?No=Ref-07789>);~~ except that in Method 23, the toluene rinse concentrate may be added to the acetone and methylene chloride concentrate, the filter, and the resin in the Soxhlet apparatus specified at section 5.1.4 of the method prior to analysis, in lieu of separate analysis of the toluene rinse extract pursuant to section 5.1.6 of the method.

8. 40 C.F.R. Part 60, Appendix A-8, Test Methods 26 through 30B; revised as of July 1, 2017 (link) ~~amended September 13, 2010, at 75 FR 55636 (<http://www.flrules.org/Gateway/reference.asp?No=Ref-01720>); amended February 27, 2014, 79 FR 11227 (<https://www.flrules.org/Gateway/reference.asp?No=Ref-04926>); amended August 30, 2016, at 81 FR 59800 (<https://www.flrules.org/Gateway/reference.asp?No=Ref-07789>).~~

9. 40 C.F.R. Part 60, Appendix B, Performance Specifications; revised as of July 1, 2017 (link); ~~amended August 7, 2017, at 82 FR 36688 (link) amended February 27, 2014, at 79 FR 11227 (<https://www.flrules.org/Gateway/reference.asp?No=Ref-04926>); amended July 7, 2015, at 80 FR 38628 (<https://www.flrules.org/Gateway/reference.asp?No=Ref-07806>); amended July 17, 2015, at 80 FR 42397 (<https://www.flrules.org/Gateway/reference.asp?No=Ref-07807>); amended August 30, 2016, at 81 FR 59800 (<https://www.flrules.org/Gateway/reference.asp?No=Ref-07789>).~~

10. 40 C.F.R. Part 60, Appendix C, Determination of Emission Rate Change, revised as of July 1, 2017 (link).

11. 40 C.F.R. Part 60, Appendix D, Required Emission Inventory Information, revised as of July 1, 2017 (link).

12. 40 C.F.R. Part 60, Appendix F, Quality Assurance Procedures; revised as of July 1, 2017 (<http://www.flrules.org/Gateway/reference.asp?No=Ref-08873>); ~~amended August 30, 2016, at 81 FR 59800 (<https://www.flrules.org/Gateway/reference.asp?No=Ref-07789>); amended August 14, 2017, at 82 FR 37822 (<http://www.flrules.org/Gateway/reference.asp?No=Ref-08903>); amended September 21, 2017, at 82 FR 44106 (<http://www.flrules.org/Gateway/reference.asp?No=Ref-08904>).~~

(9) Title 40, Code of Federal Regulations, Part 60, Emission Guidelines and Compliance Times. This subsection contains regulatory language that implements EPA's Emission Guidelines for various source categories. These regulations have been submitted to EPA as Clean Air Act Section 111(d) State Plans. EPA's approvals of Florida's 111(d) State Plans are codified at 40 C.F.R. Part 62, Subpart K which are hereby adopted and incorporated by reference, revised as of July 1, 2017 (link).

(a) through (c) No change.

(d) ~~Reserved. Hospital/Medical/Infectious Waste Incinerators. 40 C.F.R. Part 60, Subpart Cc, Emission Guidelines and Compliance Times for Hospital/Medical/Infectious Waste Incinerators, revised as of~~

July 1, 2001, is hereby adopted and incorporated by reference, subject to the following provisions:

1. ~~Applicability. The applicability of paragraph 62-204.800(9)(d), F.A.C., shall be the same as set forth in 40 C.F.R. §60.32e.~~

2. ~~Definitions. The terms used but not defined in 40 C.F.R. 60, Subpart Ce, have the meaning given them in the Clean Air Act and in 40 C.F.R. 60, Subparts A, B and Ee.~~

~~3. Emission Limiting Standards-~~

~~a. The opacity limit applicable to each hospital/medical/infectious waste incinerator subject to paragraph 62-204.800(9)(d), F.A.C., shall be the same as set forth in 40 C.F.R. 60.52e(b).~~

~~b. Except as provided for in sub-paragraph 62-204.800(9)(d)3.e., F.A.C., the emission limits applicable to each small, medium and large hospital/medical/infectious waste incinerator subject to paragraph 62-204.800(9)(d), F.A.C., shall be the same as set forth in Table 1 of 40 C.F.R. Part 60, Subpart Ce.~~

~~c. The emission limits applicable to each small hospital/medical/infectious waste incinerator, subject to paragraph 62-204.800(9)(d), F.A.C., located more than 50 miles from the boundary of the nearest Standard Metropolitan Statistical Area (defined in 40 C.F.R. §60.31e), and which burns less than 2,000 pounds per week of hospital waste and medical/infectious waste, shall be the same as set forth in Table 2 of 40 C.F.R. Part 60, Subpart Ce. The 2,000-pound per week limitation shall not apply during performance tests.~~

~~4. Operator Training and Qualification. The operator training and qualification requirements applicable to each hospital/medical/infectious waste incinerator subject to paragraph 62-204.800(9)(d), F.A.C., shall be the same as set forth in 40 C.F.R. §60.53e.~~

~~5. Waste Management. The waste management plan requirements applicable to each hospital/medical/infectious waste incinerator subject to paragraph 62-204.800(9)(d), F.A.C., shall be the same as set forth in 40 C.F.R. §60.55e.~~

~~6. Inspection. Each small hospital/medical/infectious waste incinerator subject to the emission limits under sub-paragraph 62-204.800(9)(d)3.e., F.A.C., shall comply with the inspection requirements and inspection schedule set forth in 40 C.F.R. §60.36e.~~

~~7. Compliance and Performance Testing-~~

~~a. Except as provided for under sub-paragraph 62-204.800(9)(d)7.b., F.A.C., the compliance and performance testing requirements applicable to each hospital/medical/infectious waste incinerator subject to paragraph 62-204.800(9)(d), F.A.C., shall be the same as set forth in 40 C.F.R. §60.56e, excluding the fugitive emissions testing requirements under 40 C.F.R. §§60.56e(b)(14) and (e)(3).~~

~~b. Each small hospital/medical/infectious waste incinerator subject to the emission limits under sub-paragraph 62-204.800(9)(d)3.e., F.A.C., shall comply with the compliance and performance testing requirements set forth in 40 C.F.R. §60.37e(b).~~

~~8. Monitoring-~~

~~a. Except as provided for under sub-paragraph 62-204.800(9)(d)8.b., F.A.C., the monitoring requirements applicable to each hospital/medical/infectious waste incinerator subject to paragraph 62-204.800(9)(d), F.A.C., shall be the same as set forth in 40 C.F.R. §60.57e.~~

~~b. Each small hospital/medical/infectious waste incinerator subject to the emission limits under sub-paragraph 62-204.800(9)(d)3.e., F.A.C., shall comply with the monitoring requirements set forth in 40 C.F.R. §60.37e(d).~~

~~9. Reporting and Recordkeeping-~~

~~a. The reporting and recordkeeping requirements applicable to each hospital/medical/infectious waste incinerator subject to paragraph 62-204.800(9)(d), F.A.C., shall be the same as set forth in 40 C.F.R. §60.58e(b), (c), (d), (e), and (f), excluding 60.58e(b)(2)(ii) and (b)(7).~~

~~b. In addition to the requirements of sub-paragraph 62-204.800(9)(d)9.a., F.A.C., each small hospital/medical/infectious waste incinerator subject to the emission limits under sub-paragraph 62-204.800(9)(d)3.e., F.A.C., shall comply with the reporting and recordkeeping requirements set forth in 40 C.F.R. §60.38e(b).~~

~~10. Compliance Times-~~

~~a. Each hospital/medical/infectious waste incinerator subject to paragraph 62-204.800(9)(d), F.A.C., shall comply with the operator training and qualification requirements of sub-paragraph 62-204.800(9)(d)4., F.A.C., according to the schedule set forth in 40 C.F.R. §60.39e(e).~~

~~b. Each small hospital/medical/infectious waste incinerator subject to the emission limits under sub-paragraph 62-204.800(9)(d)3.e., F.A.C., shall comply with the inspection requirements of sub-paragraph 62-204.800(9)(d)6., F.A.C., according to the schedule set forth in 40 C.F.R. §60.39e(e).~~

~~c. Except as provided for under sub-paragraph 62-204.800(9)(d)10.d., F.A.C., each hospital/medical/infectious waste incinerator subject to paragraph 62-204.800(9)(d), F.A.C., shall comply with all remaining requirements of paragraph 62-204.800(9)(d), F.A.C., according to the schedule set forth in 40 C.F.R. §60.39e(b).~~

~~d. Each hospital/medical/infectious waste incinerator subject to paragraph 62-204.800(9)(d), F.A.C., that chooses to comply with the alternate schedule set forth in 40 C.F.R. 60.39e(e), shall submit to the Department the information specified in 40 C.F.R. §60.39e(d)(1)(i) and (ii) as part of the permit application required pursuant to sub-paragraph 62-204.800(9)(d)11., F.A.C.~~

~~e. Each hospital/medical/infectious waste incinerator subject to paragraph 62-204.800(9)(d), F.A.C., shall comply with the requirements of this paragraph until the later of June 1, 2012, or such date as established pursuant to the provisions of sub-subparagraph 62-204.800(9)(g)9.d., F.A.C.~~

(e) through (i) No change.

(10) No change.

(11) Title 40, Code of Federal Regulations, Part 63, National Emission Standards for Hazardous Air Pollutants for Source Categories.

(a) No change.

(b) Standards Adopted. The following National Emission Standards for Hazardous Air Pollutants contained in 40 C.F.R. Part 63, revised as of July 1, 2009, or later as specifically indicated, are adopted and incorporated by reference:

1. through 20. No change.

21. 40 C.F.R. Part 63, Subpart DD, Off-Site Waste and Recovery Operations; revised as of July 1, 2017 (link); amended January 29, 2018 at 83 FR 3986 (link)amended March 18, 2015, at 80 FR 14247 (<https://www.flrules.org/Gateway/reference.asp?No=Ref-06260>); except that the Secretary is not the Administrator for purposes of the authorities cited at 40 C.F.R. §§63.698(e)(1) through (4).

22. through 47 No change.

48. 40 C.F.R. Part 63, Subpart LLL, Portland Cement Manufacturing Industry; revised as of July 1, 2017 (link); amended August 22, 2017, at 82 FR 39671 (link)amended February 12, 2013, at 78 FR 10005 (<https://www.flrules.org/Gateway/reference.asp?No=Ref-03494>); amended July 27, 2015, at 80 FR 44771 (<https://www.flrules.org/Gateway/reference.asp?No=Ref-06257>); amended September 11, 2015, at 80 FR 54728 (<https://www.flrules.org/Gateway/reference.asp?No=Ref-07812>); amended July 25, 2016, at 81 FR 48356 (<https://www.flrules.org/Gateway/reference.asp?No=Ref-07813>); except that the Secretary is not the Administrator for purposes of the authorities cited at 40 C.F.R. §§63.1358(e)(1) through (4). If a facility becomes subject to the permitting requirements of Chapter 62-213, F.A.C., solely because it is subject to the emission limiting requirements of 40 C.F.R. Part 63, Subpart LLL, the facility shall submit an application for such permit no later than October 1, 2000.

49. No change.

50. 40 C.F.R. Part 63, Subpart NNN, Wool Fiberglass Manufacturing; revised as of July 1, 2017 (link); amended December 26, 2017 at 82 FR 60873 (link)amended July 29, 2015, at 80 FR 45280 (<https://www.flrules.org/Gateway/reference.asp?No=Ref-07811>); except that the Secretary is not the Administrator for

purposes of the authorities cited at 40 C.F.R. §§63.1388(e)(1) through (4).

51. through 56. No change.

57. 40 C.F.R. Part 63, Subpart VVV, Publicly Owned Treatment Works; revised as of July 1, 2017 (link); amended October 26, 2017 at 82 FR 49513 (link); except that the Secretary is not the Administrator for purposes of the authorities cited at 40 C.F.R. §§63.1594(e)(1) through (4).

58. through 59. No change.

60. 40 C.F.R. Part 63, Subpart CCCC, Manufacturing of Nutritional Yeast; revised as of July 1, 2017 (link); amended October 16 2017, at 82 FR 48156 (link)amended February 27, 2014, at 79 FR 11227 (<https://www.flrules.org/Gateway/reference.asp?No=Ref-04926>); except that the Secretary is not the Administrator for purposes of the authorities cited at 40 C.F.R. §§63.2191(e)(1) through (4).

61. through 118. No change.

(c) No change.

(d) General Subparts Adopted. The following general subparts of 40 C.F.R. Part 63, revised as of July 1, 2009, or later as specifically indicated, are adopted and incorporated by reference:

1. 40 C.F.R. Part 63, Subpart A, General Provisions; revised as of July 1, 2017 (link);2016 (<http://www.flrules.org/Gateway/reference.asp?No=Ref-08876>); amended August 30, 2016, at 81 FR 59800 (<https://www.flrules.org/Gateway/reference.asp?No=Ref-07789>); amended January 18, 2017, at 82 FR 5401 (<http://www.flrules.org/Gateway/reference.asp?No=Ref-08908>); amended October 11, 2017, at 82 FR 47328 (<http://www.flrules.org/Gateway/reference.asp?No=Ref-08906>);amended October 16, 2017, at 82 FR 48156 (link).

2. through 5. No change.

(e) Appendices Adopted. The following appendices of 40 C.F.R. Part 63, revised as of July 1, 2009, or later as specifically indicated, are adopted and incorporated by reference:

1. Appendix A, Test Methods; revised as of July 1, 2017 (link); amended March 20, 2018, at 83 FR 12118 (link)amended September 13, 2010, at 75 FR 55636 (<http://www.flrules.org/Gateway/reference.asp?No=Ref-01720>); amended February 27, 2014, 79 FR 11227 (<https://www.flrules.org/Gateway/reference.asp?No=Ref-04926>); amended December 1, 2015, at 80 FR 75178 (<https://www.flrules.org/Gateway/reference.asp?No=Ref-07798>); amended August 30, 2016, at 81 FR 59800 (<https://www.flrules.org/Gateway/reference.asp?No=Ref-07789>).

2. through 5. No change.

(12) through (22) No change.

(23) Title 40, Code of Federal Regulations, Part 81, Designation of Areas for Air Quality Planning Purposes, Subparts B, C, and D of 40 C.F.R., Part 81, revised as of July 1, 2017 (link) 2016 (<http://www.flrules.org/Gateway/reference.asp?No=Ref-08891>), or later as specifically indicated; amended November 16, 2017 at 82 FR 54232 (link); amended January 9, 2018 at 83 FR 1098 (link); amended April 5, 2018 at 83 FR 14597 (link); amended June 4, 2018 at 83 FR 25776 (link) amended September 6, 2016, at 81 FR 61136 (<https://www.flrules.org/Gateway/reference.asp?No=Ref-07820>); amended September 22, 2016, at 81 FR 65289 (<https://www.flrules.org/Gateway/reference.asp?No=Ref-07821>); are adopted and incorporated by reference.

(24) through (26) No change.

Rulemaking Authority 403.061, 403.8055 FS. Law Implemented 403.031, 403.061, 403.087, 403.0872, 403.8055 FS. History—New 3-13-96, Amended 6-25-96, 10-7-96, 10-17-96, 12-20-96, 4-18-97, 6-18-97, 7-7-97, 10-3-97, 12-10-97, 3-2-98, 4-7-98, 5-20-98, 6-8-98, 10-19-98, 4-1-99, 7-1-99, 9-1-99, 10-1-99, 4-1-00, 10-1-00, 1-1-01, 8-1-01, 10-1-01, 4-1-02, 7-1-02, 10-1-02, 1-1-03, 4-1-03, 10-1-03, 1-1-04, 4-1-04, 7-1-04, 10-1-04, 1-1-05, 4-1-05, 7-1-05, 10-1-05, 1-1-06, 4-1-06, 7-1-06, 9-4-06, 9-6-06, 1-8-07, 1-31-07, 4-2-07, 5-31-07, 7-2-07, 10-1-07, 2-1-08, 7-1-08, 10-1-08, 10-6-08, 12-1-08, 11-18-09, 6-11-10, 7-1-10, 10-1-10, 12-30-10, 12-1-11, 12-1-12, 5-22-13, 12-17-13, 1-24-14, 1-14-15, 1-7-16, 10-23-16, 1-13-17, 12-21-17, _____.

Section III

Notice of Changes, Corrections and Withdrawals

AGENCY FOR HEALTH CARE ADMINISTRATION

Health Facility and Agency Licensing

RULE NO.: RULE TITLE:

59A-3.246 Licensed Programs

NOTICE OF CORRECTION

Notice is hereby given that the following correction has been made to the proposed rule in Vol. 44 No. 62, March 29, 2018 issue of the Florida Administrative Register.

The proposed rule should have indicated that the applicable guideline, *2012 American College of Cardiology Foundation/Society for Cardiovascular Angiography and Interventions Expert Consensus Document on Cardiac Catheterization Laboratory Standards Update*, incorporated by reference in subsection 59A-3.246(1), is copyrighted material and would be a violation of federal copyright law if posted. The materials are available for public inspection at the Agency for Health Care Administration, Hospital and Outpatient Services Unit, 2727 Mahan Drive, Tallahassee, FL 32308 and the Department of State, R.A. Gray Building, 500 South Bronough Street, Tallahassee, FL 32399. A copy may be obtained from

Elsevier Inc, Reprint Department by email at reprints@elsevier.com or online at <https://www.sciencedirect.com/>.

The proposed rule should have indicated that the applicable guideline, *2014 Update on Percutaneous Coronary Intervention Without Onsite Surgical Backup: Dehmer et al, SCAI/ACC/AHA Expert Consensus Document*, incorporated by reference in subsection 59A-3.246(2)(a)2, is copyrighted material and would be a violation of federal copyright law if posted. The materials are available for public inspection at the Agency for Health Care Administration, Hospital and Outpatient Services Unit, 2727 Mahan Drive, Tallahassee, FL 32308 and the Department of State, R.A. Gray Building, 500 South Bronough Street, Tallahassee, FL 32399. A copy may be obtained from Elsevier Inc, Reprint Department by email at reprints@elsevier.com or online at <https://www.sciencedirect.com/>.

The proposed rule should have indicated that the applicable guideline, “Guidelines for the Operation of Burn Centers” in *Resources for Optimal Care of the Injured Patient*, incorporated by reference in subsection 59A-3.246(5)(a), is copyrighted material and would be a violation of federal copyright law if posted. The materials are available for public inspection at the Agency for Health Care Administration, Hospital and Outpatient Services Unit, 2727 Mahan Drive, Tallahassee, FL 32308 and the Department of State, R.A. Gray Building, 500 South Bronough Street, Tallahassee, FL 32399. A copy may be obtained from the American Burn Association, 311 South Wacker Drive, Suite 4150, Chicago, IL 60606 or online at <http://ameriburn.org/>.

DEPARTMENT OF HEALTH

Board of Speech-Language Pathology and Audiology

RULE NO.: RULE TITLE:

64B20-5.005 Requirements for Renewal of Provisional License

NOTICE OF CHANGE

Notice is hereby given that the following changes have been made to the proposed rule in accordance with subparagraph 120.54(3)(d)1., F.S., published in Vol. 44 No. 96, May 16, 2018 issue of the Florida Administrative Register.

The changes are in response to written comments submitted by the staff of the Joint Administrative Procedures Committee in a letter dated May 30, 2018, and Board counsel’s response correspondence of June 13, 2018. The changes are as follows:

64B20-5.005 Requirements for Renewal of Provisional License.

(1) No change.