Our Florida Reefs Report Bibliography

- (2006). The functional value of Caribbean coral reef, seagrass and mangrove habitats to ecosystem processes. *Advances in Marine Biology* (Vol. Volume 50, pp. 57-189): Academic Press.
- Abbott, G.M., Landsberg, J.H., Reich, A.R., Steidinger, K.A., Ketchen, S., & Blackmore, C. (2009). Resource guide for public health response to harmful algal blooms in Florida.
- Abelson, A. (2006). Artificial reefs vs coral transplantation as restoration tools for mitigating coral reef deterioration: benefits, concerns, and proposed guidelines. *Bulletin of Marine Science*, 78(1), 151-159.
- Abernathy, L. (2011). One-year avian survey of John U. Lloyd Beach State park to determine population density. Nova Southeastern University Oceanographic Center, Dania Beach, Florida.
- Acropora Biological Review Team. (2005). *Atlantic Acropora status review document*. National Marine Fisheries Service, Southeast Regional Office.
- Adams, D.H., McMichael, Jr., R.H. (2001). Mercury levels in marine and estuarine fishes of Florida.
- Adams, D.H., McMichael, Jr., R.H. (2003). Mercury levels in marine and estuarine fishes of Florida 1989-2001.
- Adams, K. (2003). Studies on the seasonal occurrence and activity of higher filamentous marine fungi in a south Florida mangrove forest. Nova Southeastern University Oceanographic Center, Dania Beach, Florida.
- Addis, D., Chagaris, D., Cooper, W., Mahmoudi, B., Muller, R.G., Munyandorero, J., Murphy, M.D., & O'Hop, J. (2011). *Florida's inshore and nearshore species: 2010 status and trends report*. Florida Fish and Wildlife Conservation Commission, Fish and Wildlife Research Institute, St. Petersburg, Florida.
- AES Ocean Express, LLC. (2003). Ocean express pipeline project: Final EIS, part 1 of 3. Docket No. CP02-090-001. Federal Energy Regulatory Commission, Washington D.C.
- Agassiz, L. (2002). The first scientific study of the Florida reefs: Examination of the Florida Reefs, Keys and Coast, Appendix 10. National Oceanic and Atmospheric Administration.
- Agostini, V.N., Margles, S.W., Schill, S.R., Knowles, J.E. & Blyther, R.J. (2010). Marine zoning in Saint Kitts and Nevis: A path towards sustainable management of marine resources. 1-242. The Nature Conservancy and US Aid from the American People.

Albada, E., & Craig, K. (2006). Jupiter/Carlin shore protection project, Palm Beach County, Florida:

24-month monitoring report. Taylor Engineering, Inc. Jacksonville, Florida.

- American Forests. (2007). Urban ecosystem analysis, Palm Beach County, FL. American Forests, Washington DC.
- Anderson, R. L. (2009). Characterization of nocturnal fish assemblages on vessel and natural reefs of Broward County, Florida, USA. Nova Southeastern University Oceanographic Center, Dania Beach, Florida.
- Anderson, W.T., Paul, V. J., & Sneed, J. M. (2012). Using cyanobacteria and macroalgae stable isotopes as anthropogenic point and non-point source nutrient indicators final report.
 Southeast Florida Coral Reef Initiative, Land Based Sources of Pollution, Local Action Strategy Project 32. Florida DEP, Miami, Florida.
- Andree, S. (1987). Proceedings from the Florida Artificial Reef Summit: *Florida Artificial Reef Summit.* 93. Florida Sea Grant College, Miami, Florida.
- Andregg, D. (1999). Barium and carbon and oxygen isotope chronologies from two southeast Florida coral species environmental implications. Nova Southeastern University Oceanographic Center, Dania Beach, Florida.
- Andrews, J. L. (1995). *Equilibrium profile response to restored and renourished beaches in south Florida*. Nova Southeastern University Oceanographic Center, Dania Beach, Florida.
- Andrews, K., Nall, L., Jeffrey, C., & Pittman, S. (2005). The State of Coral Reef Ecosystems of the United States and Pacific Freely Associated States: 2005, 150-200. The State of Coral Reef Ecosystems of Florida.
- Ankersen, T. T., Hamann, T., & Flagg, B. (2011). *Anchoring away: government regulation and the rights of navigation in Florida*. (3rd ed.). University of Florida, Gainesville, Florida.
- Antonini, G., Zobler, L., Sheftall, W., Stevely, J., & Sidman, C. (1994). *Feasibility of a non-regulatory* approach to bay water anchorage management for sustainable recreational use. University of Florida, Gainesville, Florida.
- Applied Biology, I. (1978). Worm reef (Phragmatopoma Lapidosa) locations north of St. Lucie Inlet Martin County, Florida. Document No. AB-144, Applied Biology, Inc.
- Applied Technology & Management Inc. (2005). Juno Beach shore protection project: Post construction monitoring report years 1, 2, and 3. Applied Technology & Management, Inc., West Palm Beach, Florida.
- Arena, P. T. (2005). The structure of fish assemblages on vessel-reefs and adjacent natural reefs in southeast Florida. Nova Southeastern University Oceanographic Center, Dania Beach, Florida.

- Arena, P. T., Jordan, L. K. B., & Spieler, R. E. (2007). Fish assemblages on sunken vessels and natural reefs in southeast Florida, USA. *Hydrobiologia*, 580, 157–171. doi:10.1007/s10750-006-0456x.
- Arena, P. T., Jordan, L. K. B., Gilliam, D. S., Sherman, R. L., Banks, K., & Spieler, R. E. (n.d.). Shipwrecks as artificial reefs: A comparison of fish assemblage structure on ships and their surrounding natural reef areas offshore southeast Florida - preliminary results. National Coral Reef Institute.
- Aronson, R. B., & Precht, W. F. (2001). White-band disease and the changing face of Caribbean coral reefs. *Hydrobiologia*, 460(1), 25-38. doi:10.1023/a:1013103928980
- Arrington, A., & Howard, B. (2008). Loxahatchee River water quality event sampling, task 2: Final report, assessment of 2007-2008 Loxahatchee River water quality. Loxahatchee River Environmental Control District.
- Arrington, D. A. (2006a). Datasonde monitoring in the Loxahatchee River, task 2: Final report for the period October 2005 through April 2006. Loxahatchee River Environmental Control District.
- Arrington, D. A. (2006b). *Loxahatchee River monthly seagrass/algae monitoring, task 2: Final report.* Loxahatchee River Environmental Control District.
- Arrington, D. A. (2006c). *Loxahatchee river water quality event sampling, task 2: Final report.* Loxahatchee River Environmental Control District.
- Arrington, D. A. (2006d). Loxahatchee River water quality trends and standards, task 2: Final report. Loxahatchee River Environmental Control District.
- Arrington, D. A. (2007). Loxahatchee River water quality and biological monitoring, task 13A: Final report, assessment of 2006-2007 Loxahatchee River water quality. Loxahatchee River Environmental Control District.
- Arrington, D. A. (2008a). Loxahatchee River water quality and biological monitoring, task 2: Final report, assessment of 2007-2008 Loxahatchee River water quality. Loxahatchee River Environmental Control District.
- Arrington, D. A. (2008b). Water quality and biological monitoring, task 13B: Final report. Spatial and temporal dynamics of seagrass in the Loxahatchee River estuary during the period October 2007 - September 2008. Loxahatchee River Environmental Control District.
- Arrington, D. A., & Howard, B. (2008). Loxahatchee River datasonde water quality monitoring, task 2: Final report, assessment of 2007-2008 Loxahatchee River water quality. Loxahatchee River Environmental Control District.
- Arthur V. Strock & Associates Inc. (1983). *Five-year environmental follow-up reef survey for the 1978* Delray Beach maintenance nourishment project. Arthur V. Strock & Associates Inc., Delray

Beach, Florida.

- Arthur V. Strock & Associates, Inc. (1979). Assessment of the economic value of coral reef to Palm Beach County. Arthur V. Strock & Associates, Inc. Delray Beach, FL.
- Atkinson, S., Atkinson, M., & Tarrant, A. (2003). Estrogens from sewage in coastal marine environments. *Environmental Health Perspectives*, 111, 1-7.
- Atlantic Coastal Fish Habitat Partnership. (2009). Species-habitat matrix project summary report. Arlington, Virginia.
- Atlantic Coastal Fish Habitat Partnership. (2012). *Conservation strategic plan 2012-2016*. Arlington, Virginia.
- Ault J.S., Smith, S. G., Bohnsack, J.A., Patterson, M., Feeley, M.W., McClellan, D.B., Ruttenberg, B.I., Hallac D., Ziegler T., Hunt J., Kimball D., Luo J., Zurcher N., & Causey B. (2013).
 Assessing coral reef fish changes and marine reserve dynamics in the Dry Tortugas, Florida USA. *Journal of Fisheries Research*, 144, 28-37.
- Ault, J. S., & Franklin, E. C. (2011). Fisheries resource status and management alternatives for the southeast Florida region. Southeast Florida Coral Reef Initiative. Fishing, Diving, and Other Uses. Local Action Strategy Project 18 & 20A.
- Ault, J. S., Bohnsack, J. A., Smith, S. G., & Luo, J. (2005). Towards sustainable multispecies fisheries in the Florida, USA, coral reef ecosystem. *Bulletin of Marine Science*, *76*(2), 595-622.
- Ault, J. S., Smith, S. G., & Bohnsack, J. A. (2005). Evaluation of average length as an estimator of exploitation status for the Florida coral-reef fish community. *ICES Journal of Marine Science*, 62, 417-423.
- Ault, J. S., Smith, S. G., & Tilmant, J. T. (2008). Are the coral reef finfish fisheries of south Florida sustainable? 11th International Coral Reef Symposium (Session Number 22), 5.
- Ault, J. S., Smith, S. G., Bohnsack, J. A., Luo, J., Harper, D. E., & McClellan, D. B. (2006). Building sustainable fisheries in Florida's coral reef ecosystem: positive signs in the Dry Tortugas. *Bulletin of Marine Science*, 78(3), 633-654.
- Ault, J. S., Smith, S. G., Browder, J. A., Nuttle, W., Franklin, E. C., Luo, J., . . . Bohnsack, J. A. (2014). Indicators for assessing the ecological dynamics and sustainability of southern Florida's coral reef and coastal fisheries. *Ecological Indicators*, 44(0), 164-172. doi: http://dx.doi.org/10.1016/j.ecolind.2014.04.013
- Ault, J. S., Smith, S. G., McClellan, D. B., Zurcher, N., Franklin, E. C., & Bohnsack, J. A. (2008). An aerial survey method for estimation of boater use in Biscayne National Park During 2003-2004. NOAA Technical Memorandum NMFS-SEFSC-577, 87.

- Ault, J. S., Smith, S. G., Meester, J., Jiangang, L., & Bohnsack, J. A. (2001). Site characterization for Biscayne National Park: assessment of fisheries resources and habitats. NOAA Technical Memorandum NMFS-SEFSC-468.
- Ault, J. S., Smith, S.G., Browder, J.A., Nuttle, W., Franklin, E.C., Luo, J., DiNardo, G.T., Bohnsack, J.A. (2014). Indicators for assessing the ecological dynamics and sustainability of southern Florida's coral reef and coastal fisheries. *Ecological Indicators*.
- Austin, D. F., & McJunkin, D. M. (1981). The legends of Boca Ratones. *The Spanish River Papers*, 9(3), 11.
- Avent, R. M., King, M. E., & Gore, R. H. (1977). Topographic and faunal studies of shelf-edge prominences off the central eastern Florida coast. *Internationale revue der gesamten hydrobiologie und hydrographie*, 62(2), 185-208. doi:10.1002/iroh.1977.3510620201
- Avila, C. (2006). Effects associated with dredging for beach renourishments on reef fish communities offshore of Miami-Dade County, Florida. (MS), Nova Southeastern University Oceanographic Center, Dania Beach, Florida.
- Avineon, Inc. (2008). Final project report for the Palm Beach County 2007 habitat mapping project.
- Ayers, P., Messer, R., & Curry, R. (2007). Underwater video mapping for assessing and monitoring coral reef ecosystem health. Paper presented at the Coastal GeoTools '07, Myrtle Beach, SC.
- Bachman, L. R., Ridler, M.S., & Dent, R. C. (2004). *Distribution and viability of oyster communities in the Loxahatchee River estuary*. WildPine Ecological Laboratory, Loxahatchee River District.
- Baker, A. C. (2003). Flexibility and specificity in coral-algal symbiosis: Diversity, ecology, and biogeography of symbiodinium. *Annual Review of Ecology and Systematics*, 34, 661-690. doi:10.1146/annurev.ecolsys.34.011802.132417
- Baker, C. D., Forsyth, B. J., Christenson, C., & Stapp, D. E. (1991). *Experiential Training in Florida and the Florida Keys. A Pretrip Training Manual.*
- Baker, P., Fajans, J., & Bergquist, D. (2003, March 16-19). Invasive green mussels, Perna viridis, on mangroves and oyster reefs in Florida. Paper presented at the Proceedings of the Third International Conference on Marine Bioinvasions, La Jolla, California.
- Ball, M. M., Shinn, E. A., & Stockman, K. W. (1967). The geologic effects of Hurricane Donna in south Florida. *Journal of Geology*, 75, 583-587.
- Ballard, R., & Uchupi, E. (1971). Geological observations of the Miami Terrace from the submersible Ben Franklin. *Mar Technol Soc J*, *5*(2), 43-48.
- Banks, K. (1998). *Port Everglades inlet channel natural resource reconnaissance dives report*. Broward County Department of Natural Resource Protection. Fort Lauderdale, Florida.

- Banks, K. W., Riegl, B. M., Richards, V. P., Walker, B. K., Helmle, K. P., Jordan, L. K. B., . . . Dodge, R. E. (2008). The reef tract of continental southeast Florida (Miami-Dade, Broward and Palm Beach Counties, USA). *Coral Reefs of the USA* (pp. 175-220).
- Banks, K., Dodge, R. E., Fisher, L. E., & C., J. W. (1999). Grounding of the nuclear submarine, USS Memphis, on a southeast Florida coral reef: impact assessment and proposed restoration. pp. 17. Proceedings, International Conference on Scientific Aspects of Coral Reef Assessment, Monitoring, and Restoration.
- Banks, K., Dodge, R. E., Fisher, L., Stout, D., & Jaap, W. (1998). Florida coral reef damage from nuclear submarine grounding and proposed restoration. *Journal of Coastal Research*, 64-71.
- Banks, K., Riegl, B., Shinn, E., Piller, W., & Dodge, R. (2007). Geomorphology of the southeast Florida continental reef tract (Miami-Dade, Broward, and Palm Beach Counties, USA). Coral Reefs, 26(3), 617-633.
- Barile, P. J. (2004). Evidence of anthropogenic nitrogen enrichment of the littoral waters of east central Florida. *Journal of Coastal Research*, 20, 1237-1245.
- Barlow, P. M. (2003). *Ground water in freshwater-saltwater environments of the Atlantic coast*. U.S. Geological Survey, Circular 1262.
- Barnes, B. B., Hu, C., Kovach, C., & Silverstein, R. N. (2015). Sediment plumes induced by the Port of Miami dredging: Analysis and interpretation using Landsat and MODIS data. *Remote Sensing of Environment*, 170, 328-339. doi: http://dx.doi.org/10.1016/j.rse.2015.09.023.
- Barnes, T. K. (2006). An integrated approach for evaluation and assessment of ecosystem management and restoration. (PhD), Nova Southeastern University Oceanographic Center, Dania Beach, Florida.
- Baron, R. M. (2002). *The nearshore hard bottom fishes of Broward County, Florida, USA*. (MS), Nova Southeastern University Oceanographic Center, Dania Beach, Florida.
- Baron, R. M., Jordan, L. K. B., & Spieler, R. E. (2004). Characterization of the marine fish assemblage associated with the nearshore hardbottom of Broward County Florida, USA. *Estuarine and Coastal Shelf Science*, 60, 431-443.
- Baron, R., Bardes, P., Kieckbusch, D., & Prekel, S. E. (2005). Broward County segment III nearshore monitoring - mid-construction: Week 15. Coastal Planning & Engineering, Inc., Boca Raton, Florida.
- Baron, R., Bardes, P., Makowski, C., & Prekel, S. E. (2005). Broward County segment III nearshore monitoring -mid-construction: Week 16. Coastal Planning & Engineering, Inc., Boca Raton, Florida.

- Baron, R., Barrett, C. A., & Lybolt, M. (2005). Broward County segment III nearshore monitoring mid-construction: Week 1. Coastal Planning & Engineering, Inc., Boca Raton, Florida.
- Baron, R., Barrett, C. A., Delaney, A., Bardes, P., & Prekel, S. E. (2005). Broward County segment III nearshore monitoring - mid-construction: Week 20. Coastal Planning & Engineering, Inc., Boca Raton, Florida.
- Baron, R., Hague, E., & Kruempel, C. J. (2007). City of Boca Raton South Boca Raton, FL beach nourishment project - post-construction monitoring: Three-year artificial reef and four-year natural hardbottom biological monitoring results. Coastal Planning & Engineering, Inc., Boca Raton, Florida.
- Baron, R., Kieckbusch, D., Prekel, S. E., & Craft, J. (2005). Broward County segment III nearshore monitoring - mid-construction: Week 17. Coastal Planning & Engineering, Inc., Boca Raton, Florida.
- Baron, R., Lybolt, M., Makowski, C., Delaney, A., Bardes, P., Kieckbusch, D., & Prekel, S. E. (2005). Broward County segment III nearshore monitoring - mid-construction: Week 18. Coastal Planning & Engineering, Inc., Boca Raton, Florida.
- Baron, R., Makowski, C., Bardes, P., & Prekel, S. E. (2005). Broward County segment III nearshore monitoring - mid-construction: Week 25. Coastal Planning & Engineering, Inc., Boca Raton, Florida.
- Baron, R., Prekel, S. E., Kieckbusch, D., Labonte, A., & Labonte, R. (2005). Broward County segment III nearshore monitoring - mid-construction: Week 8. Coastal Planning & Engineering, Inc., Boca Raton, Florida.
- Barrett, C. A., Baron, R., Delaney, A., Green, M., & Prekel, S. E. (2005). *Broward County segment III nearshore monitoring - mid-construction: Week 3*. Coastal Planning & Engineering, Inc., Boca Raton, Florida.
- Barrett, C. A., Delaney, A., Prekel, S. E., & Lorne, J. (2005). Broward County segment III nearshore monitoring - mid-construction: Week 5. Coastal Planning & Engineering, Inc., Boca Raton, Florida.
- Barrett, C. A., Labonte, A., Craft, J., & Prekel, S. E. (2005). Broward County segment III nearshore monitoring - mid-construction: Week 13. Coastal Planning & Engineering, Inc., Boca Raton, Florida.
- Barrett, C. A., Lybolt, M., Bardes, P., & Prekel, S. E. (2005). Broward County segment III nearshore monitoring - mid-construction: Week 23. Coastal Planning & Engineering, Inc., Boca Raton, Florida.
- Barrett, C. A., Prekel, S. E., Labonte, A., & Labonte, R. (2005). Broward County segment III nearshore monitoring - mid-construction: Week 12. Coastal Planning & Engineering, Inc.,

Boca Raton, Florida.

- Bauer, D. J. (2008). A comparison of scleractinian coral abundance between natural and artificial substrata in a high-latitude environment off Broward County, Florida, USA. (MS), Nova Southeastern University Oceanographic Center, Dania Beach, Florida.
- Baums, I. B., Miller, M. W., & Hellberg, M. E. (2006). Geographic variation in clonal structure in a reef-building Caribbean coral, Acropora palmata. *Ecological Monographs*, 76(4), 503-519.
- Baums, I., Johnson, M., Devlin-Durante, M., & Miller, M. (2010). Host population genetic structure and zooxanthellae diversity of two reef-building coral species along the Florida Reef Tract and wider Caribbean. *Coral Reefs*, 29(4), 835-842. doi:10.1007/s00338-010-0645-y.
- Beak Consultants, Inc. (1996). *M/V Firat grounding coral monitoring*. Beak Consultants, Inc., Kirkland, Washington.
- Becker, L. C. (2002). Aspects of the transplantation, storage and maintenance of corals (Montastraea faveolata, Acropora cervicornis and A. palmata) for the purposes of restoration. (Master of Science), Florida International University, Miami, Florida.
- Becker, L. C., & Mueller, E. (2001). The culture, transplantation and storage of Montastraea faveolata, Acropora cervicornis and Acropora palmata: What we have learned so far. *Bulletin of Marine Science*, *69*(2), 881-896.
- Beerkircher, L. R. (2000). Manuscript 1: Elasmobranch bycatch observed on pelagic longlines off the southeastern U.S. coast, 1992 1997. Manuscript II: A demographic analysis of the silky shark, Carcharhinusfalciformis, population off the southeastern United States. (MS), Nova Southeastern University Oceanographic Center, Dania Beach, Florida.
- Behringer, D. C., R.A. Swett, & Frazer, T. K. (2011). Determining coral reef impacts associated with boat anchoring and user activity in southeast Florida. Southeast Florida Coral Reef Initiative. Fishing, Diving, and Other Uses. Local Action Strategy Project 33B.
- Behringer, D., & Swett, R. (2010). Determining vessel use patterns in the southeast Florida region. Miami Beach, Florida. Southeast Florida Coral Reef Initiative. Fishing, Diving, and Other Uses. Local Action Strategy Project 33B.
- Bell, F. W. (1997). The economic valuation of saltwater marsh supporting marine recreational fishing in the southeastern United States. *Ecological Economics*, 21(3), 243-254.
- Bell, F. W. (2003). *Socioeconomic study of reefs in southeast Florida*. Florida State University, Tallahassee, Florida.
- Benedet, L., & Finkl, C. W. Using geographic/marine information system (GIS/MIS) frameworks to determine spatial variability of beach sediments and nearshore geomorphology in subtropical southeast Florida. 15.

- Benedet, L., Finkl, C. W., & Klein, A. H. F. (2004). Morphodynamic classification of beaches on the Atlantic coast of Florida: Geographical variability of beach types, beach safety and coastal hazards. *Journal of Coastal Research, Special Issue 39*.
- Berkle, M. E. (2004). Population densities and feeding behavior of the amphinomid polychaete, Hermodice carunculata, in Acropora cervicornis assemblages in southeastern Florida. (MS), Nova Southeastern University Oceanographic Center, Dania Beach, Florida.
- Berrens, R. P., Bohara, A. K., Jenkins-Smith, H., Silva, C., & Weimer, D. L. (2003). The advent of internet surveys for political research: A comparison of telephone and internet samples. *Political Analysis*, 11(1), 1-22. doi:10.1093/pan/11.1.1.
- Berry, L., L. Boukerrou, M. Mehallis, D. Lirman, C. Grecsek, & Lambright, D. (2011). Evaluation of the potential for a marine zoning area for southeast Florida. Southeast Florida Coral Reef Initiative. Fishing, Diving and Other Uses. Local Action Strategy Project 23.
- Bhat, M. G. (2003). Application of non-market valuation to the Florida Keys marine reserve management. *Journal of Environmental Management*, 67(4), 315-325. doi: http://dx.doi.org/10.1016/S0301-4797(02)00207-4.
- Bigelow, M. M. (2006). Levels of polycyclic aromatic hydrocarbons archived in subcutaneous blubber samples in the Florida manatee (Trichechus manatus latirostris). (MS), Nova Southeastern University Oceanographic Center, Dania Beach, Florida.
- Bills, M. (2007). Temporal and spatial distribution of the Atlantic bottlenose dolphin, Tursiops truncatus, long the southeast coast of the United States. (MS), Nova Southeastern University Oceanographic Center, Dania Beach, Florida.
- Blackburn, M. V. (2008). Spatial and temporal variation in south Florida heterotrophic diatom communities: Taxonomic identification and ecological implications. (MS), Nova Southeastern University Oceanographic Center, Dania Beach, Florida.
- Blackhart, K. (ed.). (2010). Proceedings from the 11th National Stock Assessment Workshop, Joint Session of the National Stock and Habitat Assessment Workshops, and 1st National Habitat Assessment Workshop.
- Blair, S. M. (2005). Field verification of benthic communities in the nearshore region off Bal Harbor, Miami-Dade County - final draft report. Miami-Dade County Department of Environmental Resources Management, Miami, Florida.
- Blair, S. M. (2006). Post construction survey: Maintenance dredging in the vicinity of Bakers Haulover Inlet and IWW in the vicinity of vicinity of Bakers Haulover Inlet. Miami Dade County Department of Environmental Resources Management, Miami, Florida.
- Blair, S. M., & Flynn, B. S. (1989). Biological monitoring of hard bottom reef communities off Dade

County Florida: Community description. Paper presented at the American Academy of Underwater Sciences 9th Annual Scientific Diving Symposium, Woods Hole, Massachusetts.

- Blair, S. M., & Thanner, S. E. (2007). Bal Harbor mitigation artificial reef monitoring program: Year 6 and 7 progress report and summary with supplemental information from Y4.5 and Y5 benthic video transects. Miami- Dade County Department of Environmental Resources Management, Miami, Florida.
- Blair, S. M., McIntosh, T. L., & Thanner, S. E. (1990). Bal Harbor mitigation artificial reef monitoring program: Year 4 and 5 progress report and summary. Miami- Dade County Department of Environmental Resources Management, Miami, Florida.
- Blair, S., Flynn, B., & Maridey, S. (1990). *Characteristics and assessment of dredge related mechanical impact to hard-bottom reef areas of northern Dade County, Florida*. Paper presented at the Diving for Science.
- Blair, S., Flynn, B., McIntosh, T., & Hefty, L. (1990). Environmental impacts of the 1990 Bal Harbor beach renourishment project: Mechanical and sedimentation impact on hard-bottom areas adjacent to the borrow area. Miami- Dade County Department of Environmental Resources Management, Miami, Florida.
- Bloetscher, F., & Gokgoz, S. (2001). Comparison of water quality parameters from South Florida wastewater treatment plants versus potential receiving waters. *Florida Water Resources Journal*, 37-45.
- Bloetscher, F., Meday-Futo, L., Cott, W. R. V., & Fergan, R. (2000). City of Hollywood revises industrial pretreatment program. *Water Engineering & Management*, 147, 17-22.
- Bloetscher, F., Meeroff, D. E., & Plummer, J. D. (n.d.). *Environmental reviews and case studies: Evaluation of coastal ocean discharges and environmental impacts in southeast Florida.*
- BOEM. (2012a). Inventory of environmental and social resource categories along the U.S. coast. Industrial Economics, Inc., Cambridge Massachusetts. Outer Continental Shelf Study, BOEM 2012-003.
- BOEM. (2012b). Lease issuance for marine hydrokinetic technology testing on the outer continental shelf offshore Florida environmental assessment. Bureau of Ocean Energy Management, Office of Renewable Energy Programs. OCS EIS/EA, BOEM 2012-017.
- Bohnsack, J. (1996). *Two visually based methods for monitoring coral reef fishes*. Crosby, M. P.
 Gibson, G. R., & Potts, K. W. (eds). A Coral Reef Symposium on Practical, Reliable, Low Cost Monitoring Methods for Assessing the Biota and Habitat Conditions of Coral Reefs (pp. 31-36). Annapolis, Maryland: Office of Ocean and Coastal Resource Management, National Oceanic and Atmospheric Administration, Silver Spring, Maryland.
- Bohnsack, J. A. (1993). Marine reserves: They enhance fisheries, reduce conflicts, and protect resources. *Oceanus*, *36*(3).

- Bohnsack, J. A. (1998). Providing scientific advice to implement the precautionary approach under the Magnuson-Stevens fishery conservation and management act. Paper presented at the Proceedings of the Fifth National NMFS Stock Assessment Workshop, Key Largo, Florida.
- Bohnsack, J. A. (2000). A comparison of the short-term impact of no-take marine reserves and minimum size limits. *Bulletin of Marine Science*, *66*(3), 635-650.
- Bohnsack, J. A. (2011). Impacts of coastal protected areas and no-take reserves on Florida recreational world records for spotted seatrout, red drum, black drum and common snook. *Bulletin of Marine Science*, 87(4), 939-970.
- Bohnsack, J. A., & Bannerot, S. P. (1986). A stationary visual census technique for quantitatively assessing community structure of coral reef fishes. U.S. Dept. of Commerce, NOAA Technical Report NMFS 41.
- Bohnsack, J. A., & Sutherland, D. L. (1985). Artificial reef research: A review with recommendations for future priorities. *Bulletin of Marine Science*, *37*, 11-39.
- Bohnsack, J. A., Ecklund, A. M., & Szmant, A. M. (1997). Artificial reef research: Is there more than the attraction-production issue? *Fisheries*, 22(4), 14-23.
- Bohnsack, J. A., Harper, D. E., McClellan, D. B., & Hulsbeck, M. (1994). Effects of reef size on colonization and assemblage structure of fishes at artificial reefs off southeastern Florida, U.S.A. *Bulletin of Marine Science*, 55, 796-823.
- Bohnsack, J. A., Harper, D.E., McClellan, D.B., Kellison, G.T., Ault, J.S., Smith, S.G., & Zurcher, N. (2009). Coral reef fish response to FKNMS management zones: the first ten years (1997-2007). Progress Report to the Florida Keys National Marine Sanctuary. PRBD 08/09-10.
- Bohnsack, K., & Monty, J. (2012). The southeast Florida marine debris reporting and removal program - final report. Southeast Florida Coral Reef Initiative, Fishing, Diving, and Other Uses, Local Action Strategy Projects 29, 30 & 32. Florida DEP, Miami, Florida.
- Bonilla, T. D. (2004). Fecal indicator organisms and pathogenic protozoa in south Florida beach sand: Implications for public health. (MS), Nova Southeastern University Oceanographic Center, Dania Beach, Florida.
- Borger, J. L. (2005). Dark spot syndrome: A scleractinian coral disease or a general stress response? *Coral Reefs*, 24, 139-144.
- Bortone, S. (1994). Determining the optimal design, construction, materials and location of artificial reefs in Florida waters. Tallahassee, Florida.
- Bortone, S. A., & Van Orman, D. (1985a). *Biological survey and analysis of Florida's artificial reefs* (Project no. IR-83-12). Pensacola, Florida.

- Bortone, S. A., & Van Orman, D. (1985b). *Data base formation and assessment of biotic and abiotic parameters associated with artificial reefs* (Project No. IR-83-12). Pensacola, Florida.
- Bostock, J. L. (2010). A comparison of copepoda (Order: Calanoida, Cyclopoida, Poecilostomatoida) density in the Florida current of Fort Lauderdale, Florida. (MS), Nova Southeastern University Oceanographic Center, Dania Beach, Florida.
- Bottjer, D. J. (1980). Branching morphology of the reef coral Acropora cervicornis in different hydraulic regimes. *Journal of Paleontology*, *54*(5), 1102-1107.
- Bowden-Kerby, A. (2008). *Restoration of threatened Acropora cervicornis corals:intraspecific variation as a factor in mortality, growth, and self-attachment*. Paper presented at the 11th International Coral Reef Symposium, Ft. Lauderdale, Florida.
- Bowen, P. R., & Marsh, G. A. (1988). *Benthic faunal colonization of an offshore borrow pit in southeastern Florida: Final report.* Florida Atlantic University College of Science, Boca Raton, Florida.
- Brainerd, R. E., Birkeland C., Eakin, C. M., McElhany, P., Miller, M.W., Patterson, M. & Piniak, G. A. (2011). Status review report of 82 candidate coral species petitioned under the U.S. Endangered Species Act. NOAA Technical Memorandum NMFS-PIFSC-27.
- Brewer, E. (2011). A historical and analytical description of the south Florida recreational Tournament fishery for broadbill swordfish, Xiphias gladius. (MS), Nova Southeastern University OC, Dania Beach, Florida.
- Bridges, A., Howard, B., & Krecic, M. R. (2008). Jupiter/Carlin shore protection project Palm Beach County, Florida: 48-month monitoring report. Taylor Engineering, Inc., Jacksonville, Florida.
- Brinkhuis, V. I. P. (2009). Assessment of gorgonia transplantation techniques offshore southeast *Florida*. (MS), Nova Southeastern University OC, Dania Beach, Florida.
- Brock, J., Wright, C. W., Clayton, T., & Nayegandhi, A. (2004). LIDAR optical rugosity of coral reefs in Biscayne National Park, Florida. *Coral Reefs*, 23(1), 48-59.
- Broward County Dept. of Planning & Environmental Protection. (2001). Broward County, Florida historical water quality atlas: 1972-1997. *Technical Report, TR: 01-03*.
- Broward County Environmental Quality Control Board. (1981). Annual update: Environmental assessment of the north and south regional wastewater outfalls in the Atlantic Ocean at Broward County, Florida. Broward County, Florida.
- Broward County Port Everglades. (2007). Broward County Website. Retrieved from http://www.broward.org/port

- Broward DNRP. (1995). *Broward County artificial reef plan 1994-1999*. Broward County Department of Natural Resource Protection, Biological Resources Division.
- Browder, J. A., Alleman, R., Markley, S., Ortner, P., & Pitts, P. A. (2005). Biscayne Bay conceptual ecological model. *Wetlands*, 25(4), 854-869.
- Brown, B. (1988). Assessing environmental impacts on coral reefs. Paper presented at the Proceedings of the 6th International Coral Reef Symposium, Townsville (Australia).
- Brown, B. E. (1987). Worldwide death of corals natural cyclical events or man-made pollution? *Marine Pollution Bulletin, 18*, 9-13.
- Brown, B. E. (1997). Coral bleaching: Causes and consequences. Coral Reefs, 16, S129-S138.
- Brown, B. E., & Howard, L. S. (1985). Assessing the effects of "stress" on reef corals. Advances in Marine Biology [ADV. MAR. BIOL.]. Vol. 22, pp. 1-55. 1985.
- Brownless, A. S. (2010). *Transplantation and parrotfish predation: A study on small Siderastrea siderea colonies offshore Broward County, Florida*. (MS), Nova Southeastern University Oceanographic Center, Dania Beach, Florida.
- Bruckner, A. (2002). Proceedings of the Caribbean Acropora workshop: Potential application of the U.S. Endangered Species Act as a conservation strategy. Silver Spring, Maryland.
- Bruno, J. F., Petes, L. E., Harvell, C. D., & Hettinger, A. (2003). Nutrient enrichment can increase the severity of coral diseases. *Ecology Letters*, *6*, 1056-1061.
- Bryan, D. R. (2006). *Reef fish communities on natural substrate and vessel-reefs along the continental shelf of southeastern Florida between 50 and 120m depth.* (Master Thesis), Nova Southeastern University, Fort Lauderdale, Florida.
- Bumpus, D. F. (1957). Surface water temperatures along Atlantic and Gulf coasts of the United States.U.S. Fish and Wildlife Service Special Report Number 214, Washington, D.C.
- Burke, L., Reytar, K., Spalding, M., & Perry, A. (2011). *Reefs at risk revisited Atlantic fact sheet*. World Resources Institute, Washington D.C.
- Burkhart, C. (1998). Variability in copepod hatching success: observations on natural populations and experiments on the role of matemal diet. (PhD), Nova Southeastern University Oceanographic Center, Dania Beach, Florida.
- Burman, S.G., Aronson, R.B., & van Woesik, R. (2012). Biotic homogenization of coral assemblages along the Florida reef tract. *Marine Ecology Progress Series*, 467, 89-96. doi:10.3354/meps09950.

Burnett, B., & Chanton, J. (2000). The role of groundwater in the nutrient budget of Florida Bay. 1-40.

- Butler IV, M. J., & Herrnkind, W. F. (1997). A test of recruitment limitation and the potential for artificial enhancement of spiny lobster populations in Florida. *Canadian Journal of Fisheries and Aquatic Sciences*, 54, 452-463.
- Caccia, V., & Boyer, J. (2005). Spatial patterning of water quality in Biscayne Bay, Florida as a function of land use and water management. *Marine Pollution Bulletin*, *50*, 1416-1429.
- Camp, D. K., Lyons, W.G., & Perkins, T. H. (1998). Checklists of selected shallow-water marine invertebrates of Florida. Florida Marine Research Institute Technical Reports, FMRI Tech. Rep. TR-3.
- Campbell-Arena, C. (2005). *Electro-onization technology as a treatment for ballast water with a review of methods used to determine treatment effectiveness*. (MS), Nova Southeastern University Oceanographic Center, Dania Beach, Florida.
- Cantillo, A. Y., Hale, K., Collins, E., Pikula, L., & Caballero, R. (2000). Biscayne Bay: Environmental history and annotated bibliography (NOAA Technical Memorandum NOS NCCOS CCMA 145). Silver Spring, Maryland.
- Cantillo, A., Pikula, L., Beattie, J., Collins, E., Hale, K., & Schmidt, T. (2005). *Florida Bay virtual library*. NOAA Miami Regional Library at AOML, Miami Florida.
- Carlson, J. K., & Osborne, J. (2012). *Relative abundance of smalltooth sawfish (Pristis pectinata)* based on the Everglades National Park creel survey. NOAA Tech. Memo. NMFS-SEFSC-626.
- Carlson, J. K., Osborne, J., & Schmidt, T. W. (2007). *Standardized catch rates of Bonnetheads from the Everglades National Park creel survey, 1978-2004.* SEDAR 13-DW-10. Small Coastal Shark_Data Workshop Document_xx-xx. SCS_DW_xx-xx.
- Carr, G. B., Davis, P. A., Fergen, R. E., & Bloetscher, F. (2000). Water quality impacts of long-term effluent disposal strategies in Southeast Florida. *Water Engineering & Management*, 147, 49-53.
- Carrie Futch, J., Griffin, D. W., Banks, K., & Lipp, E. K. (2011). Evaluation of sewage source and fate on southeast Florida coastal reefs. *Marine Pollution Bulletin*, 62(11), 2308-2316. doi:10.1016/j.marpolbul.2011.08.046.
- Carsey, T. P., Casanova, H.L., Drayer, C., Featherstone, C.M., Fischer, C.J., Goodwin, K.D., Proni, J.R., Saied, A., Sinigalliano, C.D., Stamates, S.J., Swart, P.K. & Zhang, J. (2010). Face outfalls survey cruise—October 6-19, 2006 (NOAA Technical Report, OAR AOML-38). Miami, Florida.
- Carson, D., & Vare, C. (1993). *Evaluation of reef restoration efforts off Boca Raton, Florida*. Palm Beach County Environmental Resource Management.

- Carter, K. (1995). *The egg production of calanoid copepods in coastal waters of Florida and its relation to the nutritional environment*. (MS), Nova Southeastern University Oceanographic Center, Dania Beach, Florida.
- CBD. (2009). *Petition to list 83 coral species under the Endangered Species Act*. Center for Biological Diversity. Submitted before the Secretary of Commerce.
- CEC. (2009). Assessment of the Hillsboro Beach PEM Project: First Annual Report. In *Coastal Engineering Consultants, Inc.*
- CERP. (2004). *CERP Monitoring and assessment plan: Part 1, monitoring and supporting research.* Restoration Coordination and Verification (RECOVER). Comprehensive Everglades Restoration Plan, Central and Southern Florida Project.
- CERP. (2006). *Monitoring and assessment plan (MAP), Part 2: 2006 assessment strategy for the MAP, final draft.* Restoration Coordination and Verification (RECOVER). Integrative Assessment Sub-Team.
- CERP. (2009). *CERP Monitoring and assessment plan*. Restoration Coordination and Verification (RECOVER). Comprehensive Everglades Restoration Plan, Central and Southern Florida Project.
- CERP. (2010a). *Comprehensive Everglades restoration plan 2009 system status report*. Comprehensive Everglades Restoration Plan, Restoration Coordination and Verification.
- CERP. (2010b). Water quality, Lake Worth Lagoon. Final 2009 System Status Report.
- Cerulean, S. (2008). *Wildlife 2060: "What's at stake for Florida?"*. Tallahassee, Florida. Retrieved from http://myfwc.com/Conservation/FWC2060_index.htm>
- Cervino, J. M., Hayes, R. L., Polson, S. W., Polson, S. C., Goreau, T. J., Martinez, R. J., & Smith, G. W. (2004b). Relationship of *Vibrio* species infection and elevated temperatures to Yellow Blotch/Band disease in Caribbean corals. *Applied and Environmental Microbiology*, 70, 6855-6864.
- Cervino, J. M., Hayes, R., Goreau, T. J., & Smith, G. W. (2004a). Zooxanthellae regulation in yellow blotch/band and other coral diseases contrasted with temperature related bleaching: *in situ* destruction vs. expulsion. *Symbiosis*, *37*, 63-85.
- Chanas, B., & Pawlik, J. R. (1997). Variability in the chemical defense of the Caribbean reef sponge Xestospongia muta. Paper presented at the 8th International Coral Reef Symposium, Smithsonian Tropical Research Institute, Panama.
- Chang, S.-K., & Maunder, M. N. (2012). Aging material matters in the estimation of von Bertalanffy growth parameters for dolphinfish (Coryphaena hippurus). *Fisheries Research*, 119–120(0),

147-153. doi: http://dx.doi.org/10.1016/j.fishres.2012.01.008.

- Chapman, D. D. (2003). Application of molecular techniques to studies of reproductive natural history and conservation of sharks: Case studies involving the bonnethead, Sphyma tiburo (Sphyrhindidae) and great white, Carcharodon carcharias (Lamnidae). (MS), Nova Southeastern University Oceanographic Center, Dania Beach, Florida.
- Chapman, D. D. F. (2007). From microsatellite DNA profiling to satellite telemetery: integrating behavioral ecology into shark conservation. (PhD), Nova Southeastern University Oceanographic Center, Dania Beach, Florida.
- Chardon, R. (1982). A best-fit evaluation of DeBrahm's 1770 chart of northern Biscayne Bay, Florida. *Cartography and Geographic Information Science*, *9*, 47-67.
- Chardon, R. E. (1978). Coastal barrier changes, 1779-1867, Biscayne Bay area, Florida. *Geology*, 6(6), 333-336.
- Chiappone, M., & Sluka, R. (1996). *Fishes and fisheries*. Site Characterization for the Florida Keys National Marine Sanctuary and Environs, Vol. 6. 149 pp. The Nature Conservancy, and Univ. Miami - Florida and Caribbean Marine Conservation Science Center.
- Chiappone, M., & Sullivan, K. M. (1996). Functional ecology and ecosystem trophodynamics. Site Characterization for the Florida Keys National Marine Sanctuary and Environs, Vol. 8. 112 pp. The Nature Conservancy, and Univ. Miami - Florida and Caribbean Marine Conservation Science Center.
- Christensen, K. W. (2009). *Hillsboro beach, Florida PEM project: 12 months report*. EcoShore Int'l, Inc., Boca Raton, Florida.
- Christie, D. R. (1997). Characteristics of sSoutheast Florida publicly owned treatment works. *Southeastern Fisheries Association, Inc.*, 16 pp.
- Coastal Planning & Engineering Inc. (1988). Boca Raton inlet and adjacent beaches management program: Status report No. 7. Coastal Planning & Engineering, Inc. Boca Raton, Florida.
- Coastal Planning & Engineering, Inc. (1992c). Boca Raton beach restoration project 3-year postconstruction - volume 1: Environmental monitoring report. Coastal Planning & Engineering, Inc., Boca Raton, Florida.
- Coastal Planning & Engineering, Inc. (1995d). Bakers Haulover inlet management study summary of findings report and recommended implementation plan. Coastal Planning & Engineering, Inc., Boca Raton, Florida.
- Coastal Planning & Engineering, Inc. (1997c). City of Delray Beach third periodic beach renourishment project – 4-year post-construction phase: Hardbottom environmental monitoring with borrow area and fill site infauna assessment report. Coastal Planning &

Engineering, Inc., Boca Raton, Florida.

- Coastal Planning & Engineering, Inc. (2000c). Boca Raton beach renourishment project (Palm Beach County, Florida): One-year post-construction environmental monitoring report: Hardbottom habitat, sedimentation rate, and construction water quality results. Coastal Planning & Engineering, Inc., Boca Raton, Florida.
- Coastal Planning & Engineering, Inc. (2004c). *City of Boca Raton- Central Boca Beach nourishment project: Pre-. mid and post construction biological monitoring*. Coastal Planning & Engineering, Inc. Boca Raton, Florida.
- Coastal Planning & Engineering, Inc. (2007a). Ocean ridge shore protection project post-nourishment biological monitoring. Report for Palm Beach County Department of Environmental Resources Management.
- Coastal Planning & Engineering, Inc. (2009). Segment III Broward County shore protection project: 36-month post-construction nearshore environmental monitoring report. Coastal Planning & Engineering, Inc. Boca Raton, Florida.
- Coastal Planning and Engineering, Inc. (1989a). *Boca Raton inlet and adjacent beaches management program: Status Report No. 8.* Coastal Planning & Engineering, Inc. Boca Raton, Florida.
- Coastal Planning and Engineering, Inc. (1989b). North Boca Raton beach restoration project preconstruction environmental monitoring - volume I: Environmental monitoring report. Coastal Planning and Engineering, Inc. Boca Raton, Florida.
- Coastal Planning and Engineering, Inc. (1990). North Boca Raton beach restoration project artificial reef Environmental monitoring report. Coastal Planning and Engineering, Inc. Boca Raton, Florida.
- Coastal Planning and Engineering, Inc. (1991a). Boca Raton beach restoration project construction 2-year post-construction environmental monitoring report. Coastal Planning & Engineering, Inc., Boca Raton, Florida.
- Coastal Planning and Engineering, Inc. (1991b). *Boca Raton inlet and adjacent beaches management program: Status report No. 9.* Coastal Planning & Engineering, Inc. Boca Raton, Florida.
- Coastal Planning and Engineering, Inc. (1991c). City of Boca Raton Boca Raton beach restoration monitoring study - 2-year monitoring report. Coastal Planning & Engineering, Inc., Boca Raton, Florida.
- Coastal Planning and Engineering, Inc. (1992a). *Boca Raton beach restoration monitoring study 3year monitoring report.* Coastal Planning & Engineering, Inc., Boca Raton, Florida.
- Coastal Planning and Engineering, Inc. (1992b). *Boca Raton inlet and adjacent beaches management program: Status report No. 10.* Coastal Planning & Engineering, Inc. Boca Raton, Florida.

- Coastal Planning and Engineering, Inc. (1993a). 1-year post-construction infauna, grain size and organic content analysis for Duval County beach erosion control project, Reach 2 Atlantic Beach, Florida. Coastal Planning and Engineering, Inc. Boca Raton, Florida.
- Coastal Planning and Engineering, Inc. (1993b). *Boca Raton inlet and adjacent beaches monitoring program: Status report No. 11.* Coastal Planning & Engineering, Inc. Boca Raton, Florida.
- Coastal Planning and Engineering, Inc. (1993c). City of Boca Raton Boca Raton beach restoration monitoring study - 4-year monitoring report. Coastal Planning & Engineering, Inc., Boca Raton, Florida.
- Coastal Planning and Engineering, Inc. (1995a). Boca Raton inlet and adjacent beaches 1993 monitoring program: Status report No. 12. Coastal Planning & Engineering, Inc. Boca Raton, Florida.
- Coastal Planning and Engineering, Inc. (1995b). *City of Boca Raton Boca Raton beach restoration monitoring study 5-year monitoring report*. Coastal Planning & Engineering, Inc. Boca Raton, Florida.
- Coastal Planning and Engineering, Inc. (1995c). City of Delray Beach third periodic beach renourishment project – 2-year post-construction phase borrow area and fill site infauna/sediment monitoring report. Coastal Planning & Engineering, Inc., Boca Raton, Florida.
- Coastal Planning and Engineering, Inc. (1996a). 1995 monitoring report of the Boca Raton inlet and adjacent beaches. Coastal Planning & Engineering, Inc., Boca Raton, Florida.
- Coastal Planning and Engineering, Inc. (1996b). *Boca Raton inlet and adjacent beaches monitoring report*. Coastal Planning & Engineering, Inc., Boca Raton, Florida.
- Coastal Planning and Engineering, Inc. (1996c). City of Boca Raton Boca Raton beach restoration monitoring study – 6-year monitoring report. Coastal Planning & Engineering, Inc., Boca Raton, Florida.
- Coastal Planning and Engineering, Inc. (1997a). *City of Boca Raton Boca Raton beach restoration monitoring study – 7-year monitoring report*. Coastal Planning & Engineering, Inc., Boca Raton, Florida.
- Coastal Planning and Engineering, Inc. (1997b). *City of Boca Raton Boca Raton beach restoration monitoring study 8-year monitoring report*. Coastal Planning & Engineering, Inc., Boca Raton, Florida.
- Coastal Planning and Engineering, Inc. (1998a). 1997 monitoring report of the Boca Raton inlet and adjacent beaches. Coastal Planning & Engineering, Inc., Boca Raton, Florida.

Coastal Planning and Engineering, Inc. (1998b). City of Boca Raton - Boca Raton beach restoration

monitoring study – 9-year monitoring report. Coastal Planning & Engineering, Inc., Boca Raton, Florida.

- Coastal Planning and Engineering, Inc. (1999). *City of Boca Raton Boca Raton beach renourishment project: Post-construction monitoring report*. Coastal Planning & Engineering, Inc., Boca Raton, Florida.
- Coastal Planning and Engineering, Inc. (2000a). 1999 monitoring report of the Boca Raton inlet and adjacent beaches. Coastal Planning and Engineering, Inc., Boca Raton, Florida.
- Coastal Planning and Engineering, Inc. (2000b). City of Boca Raton *Boca Raton beach renourishment project: One-year post-construction monitoring report.* Coastal Planning & Engineering, Inc., Boca Raton, Florida.
- Coastal Planning and Engineering, Inc. (2001a). 2000 monitoring report of the Boca Raton inlet and adjacent beaches. Coastal Planning and Engineering, Inc., Boca Raton, Florida.
- Coastal Planning and Engineering, Inc. (2001b). *City of Boca Raton 1998 Boca Raton beach renourishment project - two-year (twenty-four month) post-construction monitoring report.* Coastal Engineering & Planning, Inc., Boca Raton, Florida.
- Coastal Planning and Engineering, Inc. (2003a). *Mid-town beach renourishment and expansion project FDEP Permit No. 0164713-001-JC - pre-, mid-, post-, and 6-month post-construction environmental monitoring report.* Coastal Planning and Engineering, Inc. Boca Raton, Florida.
- Coastal Planning and Engineering, Inc. (2003b). South Boca Raton beach renourishment project -Palm Beach County, FL: Hardbottom habitat pre-construction and post-construction monitoring results. Coastal Planning & Engineering, Inc. Boca Raton, Florida.
- Coastal Planning and Engineering, Inc. (2003c). Emergia (formerly TYCOM, LTD.) fiberoptic cable installation Boca Raton (Palm Beach County), Florida. Two-year post-construction monitoring report. Coastal Planning & Engineering, Inc., Boca Raton, Florida.
- Coastal Planning and Engineering, Inc. (2004a). *City of Boca Raton South Boca Raton beach nourishment project: Post-construction artificial reef monitoring results.* Coastal Planning & Engineering, Inc. Boca Raton, Florida.
- Coastal Planning and Engineering, Inc. (2004b). *Mid-town beach renourishment and expansion project FDEP Permit No. 0164713-001-JC - twelve-month post-construction environmental monitoring report.* Coastal Planning and Engineering, Inc. Boca Raton, Florida.
- Coastal Planning and Engineering, Inc. (2005a). Broward County segment III nearshore monitoring mid-construction: Week 24 - field observation report. Coastal Planning & Engineering, Inc. Boca Raton, Florida.

Coastal Planning and Engineering, Inc. (2005b). City of Boca Raton south Boca Raton beach

nourishment project - post-construction monitoring: Two-year artificial reef and three-year natural hardbottom biological monitoring results. Coastal Planning & Engineering, Inc. Boca Raton, Florida.

- Coastal Planning and Engineering, Inc. (2005c). *First annual biological monitoring report of the mitigation artificial reefs, 12 months post-construction of the mitigation reefs.* Coastal Planning & Engineering, Inc. Boca Raton, Florida.
- Coastal Planning and Engineering, Inc. (2005d). *Mid-town beach renourishment & expansion project FDEP Permit No. 0164713-001-JC - eighteen-month post-construction environmental monitoring report.* Coastal Planning & Engineering, Inc. Boca Raton, Florida.
- Coastal Planning and Engineering, Inc. (2005e). Segment III Broward County shore protection project - pre-construction nearshore environmental monitoring report. Coastal Planning & Engineering, Inc. Boca Raton, Florida.
- Coastal Planning and Engineering, Inc. (2006a). Second annual biological monitoring report of the mitigative artificial reefs, 24 months post-construction of the mitigation reefs. Coastal Planning & Engineering, Inc. Boca Raton, Florida.
- Coastal Planning and Engineering, Inc. (2006b). Final biological monitoring plan town of Palm Beach, Florida mid-town beach renourishment and hurricane response project - Permit No. 0164713-001-JC.
- Coastal Planning and Engineering, Inc. (2007b). *Third annual environmental monitoring report of the mitigative artificial reef, 36 months post-construction of the mitigative artificial reef.*
- Coastal Planning and Engineering, Inc. (2008). Segment III Broward County shore protection project 18-month post construction nearshore environmental monitoring summary report.
- Coastal Systems International, Inc. (1999). 1-year post-construction hardbottom monitoring report for the Hillsboro Beach/Deerfield Beach nourishment project. Coral Gables, Florida.
- Coastal Systems International, Inc. (2008a). Increased mitigation acreage for the Key Biscayne beach renourishment project.
- Coastal Systems International, Inc. (2008b). *Revised seagrass restoration and mitigation plan: Village* of Key Biscayne.
- Coastal Systems International, Inc. (2009). *Hillsboro inlet artificial reef mitigation project*. Hillsboro, Florida.
- Coleman, F., Dennis, G., Jaap, W. C., Schmahl, G. P., Koenig, C., Reed, S., & Beaver, C. (2003). Habitat characterization of Pulley Ridge and the Florida middle grounds. Part I: Status and trends in habitat characterization of the Florida middle grounds, coral reef conservation grant program. Tampa, Florida: Gulf of Mexico Fisheries Management Council.

- Collier, C., Dodge, R., Gilliam, D., Gracie, K., Gregg, L., Jaap, W., . . . Poulos, N. (2007). Rapid response and restoration for coral reef injuries in southeast Florida: Guidelines and recommendations. Retrieved from http://www.dep.state.fl.us/COASTAL/programs/coral/reports/
- Collier, C., Ruzicka, R., Banks, K., Barbieri, L., Beal, B., Bingham, D., ... Warrick, D. (2008). The state of coral reef ecosystems of southeast Florida. The state of coral reef ecosystems of the United States and Pacific freely associated states: 2008. Waddell, J. E. & Clarke, A. M. (Eds.). Silver Spring, Maryland: NOAA Technical Memorandum NOS NCCOS 73. NOAA/NCCOS Center for Coastal Monitoring and Assessment's Biogeography Team.
- Conant, T. A., Dutton, P.H., Eguchi, T., Epperly, S.P., Fahy, C.C., Godfrey, M.H., MacPherson, S.L., Possardt, E.E., Schroeder, B.A., Seminoff, J.A., Snover, M.L., Upite, C.M., & Witherington, B. E. (2009). Loggerhead sea turtle (Caretta caretta) 2009 status review under the U.S. Endangered Species Act. Report of the Loggerhead Biological Review Team to the National Marine Fisheries Service.

Conservation and Development Action Plan for Northwest Yunnan. (n.d.). 1-55.

- Continental Shelf Associates, Inc. (1981). Environmental monitoring associated with the Port Everglades Harbor deepening project of 1980 - final report. Tequesta, Florida.
- Continental Shelf Associates, Inc. (1983). Environmental characterization and impact assessment of the proposed South Lake Worth sand source site. Draft report.
- Continental Shelf Associates, Inc. (1985). Ecological assessment of the nearshore rock outcrops off Jupiter Island. Final report.
- Continental Shelf Associates, Inc. (2000). *Side-scan sonar and video mapping of federal channel, Miami Harbor*. Ponte Vedra, Florida.
- Continental Shelf Associates, Inc. (2004). *Monitoring reattached stony corals at the Firat grounding site: Final report, surveys 1-4*. Report prepared for Polaris applied Sciences, Inc. for Mosley Warren, Prichard and Parish.
- Continental Shelf Associates, Inc. (2006). *M/V Spar Orion grounding, Broward County, Florida: Initial site survey and injury assessment.* Prepared for: Independent Maritime Consultants Inc., Jupiter, Florida.
- Continental Shelf Associates, Inc. (2006). *Nearshore artificial reef monitoring report final report*. Continental Shelf Associates, Inc., Jupiter, Florida.
- Cook, B. L. (2009). Determination of sea turtle nesting behavior using thermograph data analysis in Broward County, Florida. (MS), Nova Southeastern University Oceanographic Center, Dania Beach, Florida.

- Cooke, S. J., & Cowx, I. G. (2006). Contrasting recreational and commercial fishing: Searching for common issues to promote unified conservation of fisheries resources and aquatic environments. Biological Conservation, 128(1), 93-108. doi: http://dx.doi.org/10.1016/j.biocon.2005.09.019.
- Cooksey, C., Hyland, J., Fulton, M.H., Wirth, E., & Balthis, L. (2012). *Ecological condition of coastal* ocean waters of the U.S. continental shelf off south Florida: 2007. NOAA Technical Memorandum NOS NCCOS 159. NOAA National Ocean Service, Charleston, SC.
- Cooper, S., Huvane, J., Vaithiyanathan, P., & Richardson, C. (1999). Calibration of diatoms along a nutrient gradient in Florida Everglades water conservation area-2A, USA. *Journal of Paleolimnology*, 22, 413-437.
- Corbett, D., Burnett, W., & Chanton, J. (2001). Submarine groundwater discharge: and unseen yet potentially important coastal phenomenon. *SGEB-54 by UF/IFAS*, 1-10.
- Corbett, D., Chanton, J., Burnett, W., Dillon, K., Rutowski, C., & Fourqurean, J. (1999). Patterns of groundwater discharge into Florida Bay. *Limnology and Oceanography*, 44, 1045-1055.
- Corbett, J. J., Winebrake, J., Endresen, O., Eide, M., Dalsøren, S., Isaksen, I. S., & Sørgård, E. (2010). International maritime shipping: The impact of globalization on activity levels. *Globalization*, *Transport and the Environment* (pp. 55-79).
- Corcoran, E. F., Brown, M.S., Baddour, F.R., Chasend, S.A., & Freay, A. D. (2005). 1983 Biscayne Bay hydrocarbon study. NOAA/University of Miami Joint Publication. NOAA Technical Memorandum NOS NCCOS 9. University of Miami RSMAS TR 2005-01. Coastal and Estuarine Data Archaeology and Rescue Program.
- Cordero, V. U. (2011). The influence of sea surface temperature, chlorophyll concentration and upwelling index on Kogia strandings in Florida. (MS), NSUOC, Dania Beach, Florida.
- Courtenay, W. R., Jr., Hartig, B. C., & Loisel, G. R. (1980a). Ecological evaluation of a beach nourishment project at Hallandale (Broward County), Florida. Volume I. Evaluation of fish populations adjacent to borrow areas of beach nourishment project, Hallandale (Broward County), Florida. Florida Atlantic University Department of Biological Sciences, Boca Raton, Florida.
- Courtenay, W. R., Jr., Hartig, B. C., & Loisel, G. R. (1980b). Evaluation of fish populations adjacent to borrow areas of beach nourishment project, Hallandale (Broward County), Florida. Boca Raton, Florida.
- Courtenay, W., Harrema, D., Thompson, M., Azzinaro, W., & Van Montfrans, J. (1974). *Ecological monitoring of beach erosion control projects, Broward County, Florida, and adjacent areas.* Florida Atlantic University, Boca Raton, Florida.

- Cowart, J., Henkel, T., McMurray, S., & Pawlik, J. (2006). Sponge orange band (SOB): A pathogeniclike condition of the giant barrel sponge, Xestospongia muta. *Coral Reefs*, 25, 513-513.
- Cowen, R. K., C.B. Paris, A. Srinivasan. (2006). Scaling of connectivity in marine populations. *Science*, *311*, 522-527.
- Craft, J. A. (2006). *Reef macrobenthos adjacent to a major navigational inlet: Port Everglades, Florida.* (MS), Nova Southeastern University Oceanographic Center, Dania Beach, Florida.
- Craft, J., & Prekel, S. (2008). *Field observation report: Boca Raton inlet north jetty reconstruction*. Coastal Planning & Engineering, Inc. Boca Raton, Florida.
- Creed, C. G., & Reilly, W. L. (2007). Broward County shore protection project segment III 1-year post construction (February 2006- April 2007) physical monitoring report. Olsen Associates, Inc. Jacksonville, Florida.
- Creed, C. G., & Reilly, W. L. (2007a). *Broward County shore protection project- segment III postconstruction engineering summary report*. Broward County Environmental Protection Department. Fort Lauderdale, Florida.
- Creed, C. G., & Reilly, W. L. (2007b). *Port Everglades inlet sand management, Broward County, FL phase II: Sand bypassing feasibility study addendum*. Broward County Board of County Commissioners. Jacksonville, Florida.
- Creed, C. G., Howard, S. C., & Bodge, K. R. (2010). Broward County, FL shore protection project shore-stabilizing structure feasibility study. Prepared for Broward County Environmental Protection and Growth Management Department, Natural Resources Planning and Management Division, Broward County, Florida.
- Crigger, D. K., Graves, G.A., & Fike, D. L. (2005). Lake Worth Lagoon conceptual ecological model. *Wetlands* 25(4):943-954.
- CROGEE/NRC. (2003). Adaptive monitoring and assessment for the comprehensive Everglades restoration plan. Committee on Restoration of the Greater Everglades Ecosystem, National Research Council. ISBN: 0-309-50703-0.
- Cropper, W. P., Lirman, D., Tosini, S. C., DiResta, D., Luo, J., & Wang, J. (2001). Population dynamics of a commercial sponge in Biscayne Bay, Florida. *Estuarine, Coastal and Shelf Science, 53*(1), 13-23.
- Cros, A. (2010) Measuring success of marine conservation in the Asia Pacific region: Coral triangle and Micronesia challenge/interviewer: T. N. Conservancy. Conservation Coaches Network.
- Crowe, S. E. (2001). Abundance and distribution of commensal amphipods from common marine sponges of southeast Florida. (MS), NSUOC, Dania Beach, Florida.

- CSA International, Inc. (2008). Pre-construction monitoring survey of nearshore hard bottom habitats at Bathtub Reef Beach, Martin County, Florida. Continental Shelf Associates International Inc. Stuart, Florida.
- CSA International, Inc. (2009). *Ecological functions of nearshore hardbottom habitat in east Florida: A literature synthesis*. Florida Department of Environmental Protection, Bureau of Beaches and Coastal Systems. Tallahassee, Florida.
- CSA International, Inc. (2011). Lake Worth Lagoon fixed transect seagrass monitoring cumulative report, 2000-2010. Prepared for Palm Beach County, Dept. Environmental Resources Management, West Palm Beach, Florida.
- CSA, Inc. (1991). Biological monitoring of reef/hardground restoration modules to be placed offshore of Sunny Isles, Dade County, Florida. Continental Shelf Associates, Inc., Jupiter, Florida.
- CSA, Inc. (2003). *Nearshore artificial reef monitoring report*. Continental Shelf Associates, Inc. Jupiter, Florida.
- CSA, Inc. (2004). Pre-construction monitoring survey of nearshore hard bottom habitats south of Fort Pierce iInlet Fort Pierce, Florida. Continental Shelf Associates, Inc. Jupiter, Florida.
- CSA, Inc. (2005a). *Nearshore artificial reef monitoring Rreport*. Continental Shelf Associates, Inc. Jupiter, Florida.
- CSA, Inc. (2005b). Second post-construction monitoring survey of nearshore hard bottom habitats south of Fort Pierce inlet Fort Pierce, Florida. Continental Shelf Associates, Inc. Stuart, Florida.
- CSA, Inc. (2007). Baseline survey of nearshore hardbottom habitats in Martin County, Florida. CSA International, Inc. Jupiter, Florida.
- CSA, Inc. (2008a). Area A baseline monitoring survey: Village of Key Biscayne seagrass restoration and mitigation program. Continental Shelf Associates International, Inc. Stuart, Florida.
- CSA, Inc. (2008b). *First year post-construction monitoring survey of nearshore hardbottom habitats south of Fort Pierce inlet relative to June 2007 beach renourishment*. Continental Shelf Associates International, Inc. Stuart, Florida.
- CSA, Inc. (2008c). *Singer Island erosion control project: Nearshore hard bottom characterization*. Continental Shelf Associates International, Inc. Stuart, Florida.
- CSA, Inc. (2009). 3-months post-restoration monitoring survey: Village of Key Biscayne seagrass restoration and mitigation program. Continental Shelf Associates International, Inc. Stuart, Florida.
- CSI. (2009). 1st annual biological monitoring report for the Hillsboro Inlet artificial reef mitigation

project. Coastal Systems International, Inc. Coral Gables, Florida.

- Cuba, T. R., & Peters, E. C. (2011). Investigation of Acropora palmata colonies in southeast Florida along Broward County first reef. Saltwater Research Group. St. Petersburg, Florida.
- Culter, J. K. (1989). *Martin County beach replenishment selected bibliography*. Mote Marine Lab, Sarasota, Florida.
- Cummings, S. L. (1990). *Colonization of a nearshore artificial reef at Boca Raton (Palm Beach County), Florida.* (Master of Science), Florida Atlantic University, Boca Raton, Florida.
- Cummings, S. L. (1994). Colonization of a nearshore artificial reef at Boca Raton (Palm Beach County), Florida. *Bulletin of Marine Science*, *55*(2-3), 1193-1215.
- Cummings, S. L. *The Boca Raton mitigative artificial reef- 5 1/2 years later*. Coastal Planning & Engineering, Inc. Boca Raton, Florida.
- Cuvelier, M. L. (2004). Enhanced survival of E. coli in subtropical beach sand and implications for water quality management. (MS), NSUOC, Dania Beach, Florida.
- CWA. (1977). 40 CFR Part 230, Clean Water Act 404(b)(1). *Guidelines for Specification of Disposal Sites for Dredged or Fill Material*. Retrieved from http://www.epa.gov/owow/wetlands/pdf/40cfrPart230.pdf.
- D.E. Britt Associates, Inc. (1975). *Annual report of investigations Broward artificial reef: Tire Reef.* D. E. Britt Associates, Inc. Fort Lauderdale, Florida.
- D.E. Britt Associates, Inc. (n.d.). Report of investigation of Broward artificial reef (Tire Reef): 65 feet deep - 7200 feet east of Sunrise Blvd. October 1973 to June 1974. D. E. Britt Associates, Inc. Fort Lauderdale, Florida.
- Dalrymple, G., Goldberg, W. M., Koenig, C., & Zadikoff, G. (1994). Sunny Isles artificial reef monitoring program eighth quarterly report. *G. M. Shelby & Associates, Inc.* Miami, Florida.
- Daniels, C., & Hallock, P. (2006). Coral reef assessment: An index utilizing reef sediments. *EOS, Transactions, American Geophysical Union,* 87(36).
- Davis, G. E. (1977). Anchor damage to a coral reef on the coast of Florida. *Biological Conservation*, *11*(1), 29-34. doi:10.1016/0006-3207(77)90024-6.
- Davis, G. E. (1985). Artificial structures to mitigate marina construction impacts on spiny lobster, Panulirus Argus. *Bulletin of Marine Science*, *37*(1), 151-156.
- Davis, S. M., Ogden, J. C., & Park, W. A. (1994). *Everglades: The ecosystem and its restoration*. Delray Beach, Florida: St. Lucie Press.

- Dawes, C. J., Hanisak, D., & Kenworthy, J. W. (1995). Seagrass biodiversity in the Indian River Lagoon. Bulletin of Marine Science, 57, 59-66.
- DC&A. (2005). Seagrass impact assessment for the Miami Harbor: Phase II dredging. Dial Cordy and Associates Inc. Jacksonville Beach, Florida.
- Debiasse, M. (2008). Genetic connectivity and phylogeography of the branching vase sponge (Callyspongia vaginalis) across Florida and the Caribbean. (MS), NSUOC, Dania Beach, Florida.
- Deis, D. R. (1999). The use of natural resource damage assessment technology in the assessment of impacts of telecommunication cable installation on hard corals off Hollywood, Florida. PBS & J, Inc. Jacksonville, Florida.
- Deis, D. R., & Kosmynin, V. (n.d.). Coral recruitment on artificial reefs off Dania Beach, Broward County, Florida.
- Delaney, A., Craft, J., Hannes, A. R., Ward, G. A., & Prekel, S. E. (2008). U.S. Army Corps of Engineers Palm Beach Harbor maintenance dredging program/ Town of Palm Beach mitigative artificial reef, immediate post-mitigation biological monitoring report. Coastal Planning and Engineering, Inc., Boca Raton, Florida.
- Delaney, J. P., & Mille, K. (2006). *Analysis of Florida's permitted artificial reef areas*. Florida Fish and Wildlife Conservation Commission. Tallahassee, Florida.
- Dent, R. C. (1995). Dissolved oxygen concentrations and relationships in waters of the Loxahatchee River near Riverbend Park. Loxahatchee River District.
- Dent, R. C. (1997a). *Rainfall observations in the Loxahatchee River Watershed*. Loxahatchee River District.
- Dent, R. C. (1997b). Salinity changes in the northwest fork of the Loxahatchee River resultant from the re-establishment of meandering flow patterns. Loxahatchee River District.
- Dent, R. C. (2000). *Environmental health of the surface waters in the watershed of the Loxahatchee River*. Loxahatchee River District.
- Dent, R. C. (2001). Trophic state of the Loxahatchee River estuary. Loxahatchee River District.
- Dent, R. C., & Ridler, M. S. (1997). Freshwater flow requirements and management goals for the northwest fork of the Loxahatchee River. Loxahatchee River District.
- Dent, R. C., Bachman, L.R., & Ridler, M. S. (1998). *Profile of benthic macroinvertebrates in the Loxahatchee River estuary*. Loxahatchee River District.

Department of Environmental Protection. (2008b). Lauderdale By the Sea biorock artificial reef

project construction plan. West Palm Beach, Florida.

- DERM. (1988). Environmental and economical assessment of the damage to the Sunny Isles Reef. Sunny Isle, Florida.
- DERM. (1999). Bal Harbor mitigation artificial reef monitoring program: First annual progress report and summary. Miami-Dade County Department of Environmental Resources Management. Miami, Florida.
- DERM. (2001a). Artificial reef stability program.
- DERM. (2001b). Sunny Isles beach restoration project: Mechanical damage to the reefs adjacent to the borrow area. Miami Dade County Department of Environmental Resources Management. Miami, Florida.
- DERM. (2001c). Sunny Isles design modification project: Port-construction assessment of impact associated with dredge slurry pipelines-interim report - the north Miami Beach pipeline corridor. Miami-Dade Department of Environmental Resources Management (DERM) Restoration & Enhancement Section. Miami, Florida.
- DERM. (2001d). Sunny Isles design modification project: Post-construction assessment of impact associated with dredge slurry pipelines-interim report - the Sunny Isles pipeline corridor. Miami-Dade Department of Environmental Resources Management (DERM) Restoration & Enhancement Section. Miami, Florida.
- DERM. (2001e). Sunny Isles renourishment design modification; Dade County erosion control project physical and biological monitoring program for Dade County, Florida, beach erosion control and hurricane protection.
- DERM. (2003a). Bal Harbor mitigation artificial reef monitoring program: Second annual progress report and summary. Miami-Dade County Department of Environmental Resources Management. Miami, Florida.
- DERM. (2003b). Bal Harbor mitigation artificial reef monitoring program: Third annual progress report and summary. Miami-Dade County Department of Environmental Resources Management. Miami, Florida.
- DERM. (2003c). *Physical and biological monitoring program for Dade County beach sustainability project*. Miami-Dade County Department of Environmental Resources Management. Miami, Florida.
- Devine, B., Rogers, C., & Loomis, C. (2005). *Mapping marine populations: Using surface water GPS for spatial analysis.* Paper presented at the Proceedings of the Fifty-Six Annual Gulf and Caribbean Fisheries Institute, Fort Pierce, Florida.

DHI Water and Environment, Inc. (2003). Modeling of wave, hydrodynamic and sediment transport

processes in connection with the bypassing of sand at Port Everglades entrance. Status Report, 89 pp.

- Dial Cordy and Associates Inc. (2001a). Environmental baseline study and impact assessment for Port Everglades Harbor - final report. U.S. Army Corps of Engineers. Jacksonville, Florida.
- Dial Cordy and Associates Inc. (2001b). Port Everglades master plan final report element 1- facilities assessment. Fort Lauderdale, Florida.
- Dial Cordy and Associates Inc. (2006). *Port Everglades reef mapping and assessment preliminary draft*. U.S. Army Corps of Engineers. Jacksonville Beach, Florida.
- Dixson, D. L., Abrego, D., and Hay, M.E. (2014). Chemically mediated behavior of recruiting corals and fishes: A tipping point that may limit reef recovery. *Science*, *345*(6199), 892-897.
- Dodge, R. E. (1987). Growth Rate of stony corals of Broward County, Florida: Effects from past beach renourishment projects. Nova University Oceanographic Center. Dania Beach, Florida.
- Dodge, R. E., & Helmle, K. P. (2003). Past stony coral growth (extension) rates on reefs of Broward County, Florida: possible relationships with Everglades drainage. Paper presented at the Joint Conference on the Science and Restoration of the Greater Everglades and Florida Bay Ecosystem. Poster Presentation, Palm Harbor, Florida.
- Dodge, R. E., & Kohler, K. (2004). Visual HEA-habitat equivalency software to facilitate calculation of compensatory restoration following natural resource injuries. National Coral Reef Institute, Nova Southeastern University Oceanographic Center, Dania Beach, Florida.
- Dodge, R. E., & Vaisnys, J. R. (1975). Hermatypic coral growth banding as environmental recorder. *Nature*, 258(5537), 706-708.
- Dodge, R. E., & Vaisnys, J. R. (1980). Skeletal growth chronologies of recent and fossil corals. In D. C. Rhoads & R. A. Lutz (Eds.), Skeletal growth of aquatic organisms. (pp. 493-517). New York: Plenum Press.
- Dodge, R. E., Aller, R. C., & Thomson, J. (1974). Coral growth related to resuspension of bottom sediments. *Nature*, 247, 574-577.
- Dodge, R. E., Hess, S., & Messing, C. (1991). Final report: Biological monitoring of the John U. Lloyd beach renourishment: 1989. Nova University Oceanographic Center. Dania Beach, Florida.
- Dodge, R. E., Jaap, W., Banks, K., Gilliam, D. S., Walker, B. K., & Shaul, R. (2005). Science, management, and conservation gaps and opportunities: Significant coral reef injuries resulting from a large-ship anchorage. Paper presented at the ASLO, Spain.

Dodge, R. E., Szmant, A. M., Garcia, R., Swart, P. K., Forester, A., & Leder, J. J. (1993). Skeletal

structural basis of density banding in the reef coral Montastrea annularis. Paper presented at the Proceedings of the 7th International Coral Reef Symposium, UOG Station, Guam.

- Dodge, R. E., Thornton, S., Gilliam, D., & Shaul, R. (2001). Biological survey report for the Calypso natural gas pipeline, shore approach route north of Port Everglades entrance channel with landing south of Port Everglades entrance channel. Calypso Pipeline, LLC. Fort Lauderdale, FL.
- Dodge, R. E., Wyers, S. C., Frith, H. R., Knap, A. H., Smith, S. R., & Sleeter, T. D. (1984). The effects of oil and oil dispersants on the skeletal growth of the hermatypic coral *Diploria strigosa*. *Coral Reefs*, *3*, 191-198.
- Dodrill, J. W., & Horn, W. M. (1996). Florida's artificial reef program.
- Dompe, P. (1993). Natural fructuations in nearshore turbidity and the relative influences of beach renourishment. (Masters of Engineering), University of Florida, Gainesville. Florida.
- Donders, T., Boer, H., Finsinger, W., Grimm, E., Dekker, S., Reichart, G., & Wagner-Cremer, F. (2011). Impact of the Atlantic warm pool on precipitation and temperature in Florida during North Atlantic cold spells. *Climate Dynamics*, 36(1-2), 109-118. doi:10.1007/s00382-009-0702-9.
- Donoghue, J. F. (1995). Episodic sea-level change during the quaternary: Evidence from the southeastern U.S. *Journal of Coastal Research*, *11*(3), 571-572.
- Douvere, F. (2008). The importance of marine spatial planning in advancing ecosystem-based sea use management. *Marine Policy*, *32*(5), 762-771. doi: 10.1016/j.marpol.2008.03.021.
- Downs, C. A., Kramarsky-Winter, E., Segal, R., Fauth, J., Knutson, S., Bronstein, O., Ciner, F.R., Jeger, R., Lichtenfeld, Y., Woodley, C.M., Pennington, P., Cadenas, K., Kushmaro, A., Loya, Y. (2015). Toxicopathological effects of the sunscreen UV filter, oxybenzone (Benzophenone-3), on coral planulae and cultured primary cells and its environmental contamination in Hawaii and the U.S. Virgin Islands. *Archives of Environmental Contamination and Toxicology*, 1-24.
- Duane, D. B., & Meisburger, E. P. (1969). *Geomorphology and sediments of the nearshore continental shelf Miami to Palm Beach, Florida.* U. S. Army Corps of Engineers.
- Duffy, W. G., & LaBar, D. J. (1994). Aquatic invertebrates' production in southeastern USA wetlands during winter and spring. *Wetlands*, 14(2), 88-97.
- Dunn, S. K. (2009). Analyzing spatial patterns in reefscape ecology via remote sensing, benthic habitat mapping and morphometrics. (MS), NSUOC, Dania Beach, Florida.
- Durako, M. J., Phillips, R.C., & Lewis, R. R. III. (1987). Proceedings of the symposium on subtropical-tropical seagrasses of the southeastern United States, 12 August 1985. Florida Marine Resources Publications Number 42.

- Eklund, A.-M. (1996). *Habitat complexity and recruitment to artificial reefs off southeast Florida* (MIA-93/94-25). National Marine Fisheries Service, Miami, Florida.
- Eller, W. T. (1971). Port Everglades Florida: Its inception, construction, and early operating history. Fort Lauderdale, Florida.
- Endries, M., Stys, B., Mohr, G., Kratimenos, G., Langley, S., Root, K., & Kautz, R. (2009). Wildlife conservation habitat needs in Florida: Updated recommendations for strategic habitat conservation areas. Florida Marine Research Institute Technical Reports, FMRI Tech. Rep. TR-15.
- Engle, V. D., & Summers, J. K. (1999). Latitudinal gradients in benthic community composition in Western Atlantic estuaries. *Journal of Biogeography*, 26, 1007-1023.
- Enos, P. (1977). Holocene sediment accumulations of the south Florida shelf margin. Enos, P. & Perkins, R. D. (Eds.), Quaternary sedimentation in south Florida. (Vol. 147, pp. 1-130): Geol Soc Am Mem.
- EPA. (2003). Relative risk assessment of management options for treated wastewater in south Florida. *United States Environmental Protection Agency*, 256 pp.
- Ernest, R. G., & Martin, R. E. (1999). *Martin County beach renourishment, sea turtle monitoring and studies, 1997 annual report and final assessment*. Ecological Associates, Inc., Jensen Beach Florida.
- Espinoza, R., Grasela, K., Hoffman, A., Justiniano, A. & Knowles, J. (2014). *The Cabo Rojo project: Cabo Rojo conservation plan.* The Nature Conservancy. San Juan, Puerto Rico.
- Evered, J. (2011). Management options to prevent anchoring, grounding, and accidental impacts to coral reef and hardbottom resources in southeast Florida – phase II. Southeast Florida Coral Reef Initiative (SEFCRI). Maritime Industry and Coastal Construction Impacts (MICCI) Focus Team. Local Action Strategy Project 9 & 25.
- Fahy, D. P. (2004). Diel activity patterns, space utilization, seasonal distribution and population structure of the yellow stingray, Urobatis jamaicensis (Cuvier, 1817) in south Florida with commetns on reproduction. (MS), NSUOC, Dania Beach, Florida.
- Fahy, E. G. (2003). Growth and survivorship of Meandrina meandrites and Montastrea cavernosa transplants to and artificial reef environment, and the effectiveness of plugging core holes in transplant donor colonies. (MS), NSUOC, Dania Beach, Florida.
- Faunce, C. H., Lorenz, J.J., Ley, J.A., & Serafy, J.E. (2002). Size structure of gray snapper (Lutjanus griseus) within a mangrove 'no-take' sanctuary. *Bulletin of Marine Science*, 70(1), 211-216.
- Fauth, J. E., Calestani, C., Dustan, P., Wham, D., Banks, K., Moulding, A., & Downs, C. A. (2011).

Biomarker study to identify and trace coral reef contaminants - final report. Retrieved from

- Fauth, J. E., Dustin, P., Pante, E., Banks, K., Vargas-Angel, B., & Downs, C. A. (2006). Southeast Florida coral biomarker local action study. Final report. Florida Dept. Environmental Protection, Southeast Florida Coral Reef Initiative.
- FCMP. (1998). *Florida state of the coast report*. Florida Coastal Management Program, Tallahassee Florida.
- FCMP. (2000). FACT Florida assessment of coastal trends, 2000. Florida Coastal Management Program, Tallahassee, Florida.
- FDEP Bureau of Beaches and Coastal Systems. (2008). *Strategic beach management plan*. State of Florida.
- FDEP. (2005). Southeast Florida action strategy team charter. Southeast Florida Coral Reef Initiative.
- FDEP. (2006). St. Lucie inlet federal navigation channel maintenance dredging project 2006: nearshore hardbottom biological monitoring program.
- FDEP. (2008a). *Strategic beach management plan*. Florida Dept. Environmental Protection, Bureau of Beaches and Coastal Systems.
- FDEP. (2008b). *Strategic beach management plan for the Central Atlantic coast region*. Florida Dept. Environmental Protection, Bureau of Beaches and Coastal Systems.
- FDEP. (2008c). *Strategic beach management plan for the Southeast Atlantic coast region*. Florida Department of Environmental Protection.
- FDEP. (2008d). *Strategic beach management plan for the southeast Atlantic coast region*. Bureau of Beaches and Coastal Systems.
- FDEP. (2012). *Biscayne Bay Aquatic Preserves, management plan, June 2012 May 2022*. Florida Dept. Environmental Protection, Coastal and Aquatic Managed Areas, Biscayne Bay Aquatic Preserves.
- FDNR. (1984). Loxahatchee River--Lake Worth Creek Aquatic Preserve management plan. Dr. Elton J. Gissendanner, Executive Director, Florida Dept. Natural Resources. Division of Recreation and Parks, Bureau of Environmental Land Management.
- FDNR. (1991). *Management plan (cabinet draft) for Biscayne Bay Aquatic Preserve Card Sound.* Virginia Wetherell, Director, Florida Dept. Natural Resources. Div. State Lands, Bureau of Submerged Lands and Preserves.
- FDNR. (1992). *Coupon Bight Aquatic Preserve management plan*. Virginia Wetherell, Director, Florida Dept. Natural Resources. Div. State Lands, Bureau of Submerged Lands and Preserves.

FDOH. (2012). Florida healthy beaches program. Florida Department of Health.

- Federal Register. (2005). Endangered and threatened species; proposed threatened status for Elkhorn coral and staghorn coral. 70 (88). National Marine Fisheries Service (NMFS), National Oceanic and Atmospheric Administration (NOAA) Commerce.
- Fergen, R. E., Vinci, P., & Bloetscher, F. (1999). Water plant membrane reject water in an ocean outfall. *Florida Water Resources Journal*, 24-26.
- Ferro, F. M. (2003). Spatial variability of the coral reef fish assemblages offshore Broward County, *FL*. (MS), NSUOC, Dania Beach, Florida.
- Ferro, F., Jordan, L. K. B., & Spieler, R. E. (2005). The marine fishes of Broward County, Florida: final report of 1998-2002 survey results (NOAA Technical Memorandum NMFS-SEFSC-532). Miami, Florida.
- Finkl, C. W., & Charlier, R. H. (2003). Sustainability of subtropical coastal zones in southeastern Florida: Challenges for urbanized coastal environments threatened by development, pollution, water supply, and storm hazards. *Journal of Coastal Research*, 19, 934-943.
- Finkl, C. W., Becerra, J. E., Achatz, V., & Andrews, J. L. (2008). Geomorphological mapping along the upper southeast Florida Atlantic continental platform; I: Mapping units, symbolization and geographic information system presentation of interpreted seafloor topography. *Journal of Coastal Research*, 24, 1388-1417.
- Fisher, L. E. (1980). Annual update: Environmental assessment of the Broward County North Regional Outfall. 15 pp. Pompano, Florida.
- Fisher, L., Banks, K., Gilliam, D., Dodge, R. E., Stout, D., Vargas-Angel, B., & Walker, B. K. (2008). *Real-time coral stress observations before, during, and after beach nourishment dredging offshore southeast Florida, USA*. Paper presented at the 11th International Coral Reef Symposium, Ft. Lauderdale, Florida.
- Fisher, M. J. (2008). Boater compliance with Florida manatee (Trichechus manatus latirostris) speed zones in Port Everglades, Broward County, Florida. (MS), NSUOC, Dania Beach, Florida.
- FKNMS. (2002). *Sanctuary monitoring report 2000*. NOAA Florida Keys National Marine Sanctuary, U.S. EPA, and State of Florida.
- Floeter, S. R., Ferreira, C. E. L., Dominici, A., & Zalmon, I. R. (2004). Latitudinal gradients in Atlantic reef fish communities: Trophic structure and spatial use patterns. *Journal of Fish Biology*, 64(6), 1680-1699.

Florida Department of Environmental Protection (2006). Workshop on innovative shore protection

technologies. Bureau of Beaches and Coastal Systems. Paper presented at the Innovative Shore Protection Technologies, Tallahassee, Florida.

- Florida Department of Environmental Protection. (2004). *Southeast Florida coral reef initiative: A local action strategy*. Miami, Florida: Office of Coastal and Aquatic Managed Areas.
- Florida Department of Environmental Protection. (2006). *Integrated water quality assessment for Florida: Report 305(b) and 303(d)*. Retrieved from http://www.dep.state.fl.us/water/tmdl/docs/2006_Integrated_Report.pdf.
- Florida Dept. of Community Affairs. (2003). *Preparing a boating facility siting plan: best management practices for marina siting: a guidebook to assist local governments in qualifying for the DRI exemption for marinas.* Tallahassee, Florida: Florida Dept. of Community Affairs.
- Florida Division of Emergency Management. (2007). Florida GIS: Baseline specifications for orthophotography and LiDAR V 1.2.
- Florida Fish and Wildlife Conservation Commission. (2003). *State of Florida artificial reef strategic plan*.
- Florida Fish and Wildlife Conservation Commission. (2007). *Fishing capital of the world*. Retrieved from http://fishingcapital.com/.
- Florida Fish and Wildlife Research Institute. (2007). *Commercial landings data*. Retrieved from http://research.myfwc.com/features/view_article.asp?id=19224.
- Florida Oceanographic Society Palm Beach County Reef Research Dive Team. (2002). Florida Fish and Wildlife Conservation Commission Grant No. 00122 summary report for October 2002 to September 2002 grant period.
- Florida Oceanographic Society Palm Beach County Reef Research Team. (2006). Florida Fish and Wildlife Conservation Commission Grant No. 04030 annual report for December 2004 to November 2006 grant period.
- Florida Oceanographic Society Palm Beach County Reef Research Team. (2008). Florida Fish and Wildlife Conservation Commission Grant No. 06122 final report for February 12, 2006 to December 1, 2008 grant period.
- Florida Wildlife Legacy Initiative. (2008). *Habitat indicators/performance measures and monitoring project: coral habitat survey*. Florida Wildlife Conservation Commission.
- FMRI. (2003a). Conserving Florida's seagrass resources: Developing a coordinated statewide management program. Florida Fish and Wildlife Conservation Commission, Florida Marine Research Institute, St. Petersburg, Florida.
- FMRI. (2003b). Florida seagrass manager's toolkit. Florida Fish and Wildlife Conservation

Commission, Florida Marine Research Institute, St. Petersburg, Florida.

- FOCC. (2006). Management needs to provide improved management of Florida's coastal and oceans resources, submitted by the public and non-state entities. Florida Ocean and Coastal Council.
- FOCC. (2007). Current status and opportunities for marine stock enhancement and aquaculture in *Florida*. Florida Ocean and Coastal Council.
- FOCC. (2008a). Integrated data management system (IDM), functional requirements. Florida Oceans and Coastal Council.
- FOCC. (2008b). The comprehensive list of draft metadata elements, integrated data management (IDM) project. Florida Oceans and Coastal Council.
- FOCC. (2009). The effects of climate change on Florida's ocean and coastal resources. A special report to the Florida Energy and Climate Commission and the people of Florida. Florida Oceans and Coastal Council.
- FOCC. (2010). Climate change and sea-level rise in Florida: An update of the effects of climate change on Florida's ocean and coastal resources. Florida Oceans and Coastal Council.
- FOCC. (2012). Annual science research plan, 2012-2013. Florida Oceans and Coastal Council.
- Fong, P., & Lirman, D. (1995). Hurricanes cause population expansion of the branching coral Acropora palmata (Scleractinia): Wound healing and growth patterns of asexual recruits. *Marine Ecology*, 16(4), 317-335. doi:10.1111/j.1439-0485.1995.tb00415.x.
- Foster, G. (2011). *Benthic habitat mapping of Miami-Dade County: Supervised classification of dualfrequency single-beam hydroacoustic data*. Florida Dept. of Environmental Protection. Miami Beach, Florida.
- Foster, J. G. (2005). *Effects of elevated temperature and reduced irradiance on the photosynthetic output and mortality of Montastrea cavernosa.* (MS), NSUOC, Dania Beach, Florida.
- Foster, K. (2011). *Field ecology patterns of high latitude coral communities*. (PhD), NSUOC, Dane Beach, Florida.
- Foster, K. A. (2005). *Effects of reduced light and elevated temperature on the zooxanthellae concentrations and diameters, pigment concentrations, and colony color of Montastrea cavernosa.* (MS), NSUOC, Dania Beach, Florida.
- Frazel, D. W. (1986). *The influence of lobster trap escape gaps on capture and behavior of the spiny lobster, Panulirus argus (Latreille).* (MS), NSUOC, Dania Beach, Florida.
- Freedman, J. (2007). Seagrass restoration in Florida: review and analysis of restoration methods. (MS), NSUOC, Dania Beach, Florida.

- Fujimura, A. (2010). *Effects of water flow on bleaching of Palythoa caribaeorum*. (MS), NSUOC, Dania Beach, Florida.
- FWCC. (2004). Southeast Florida coral reef evaluation and monitoring project 2003: Year 1 final report. Florida Fish and Wildlife Conservation Commission.
- FWCC. (2005). Southeast Florida coral reef evaluation and monitoring project 2004: Year 2 final report. Florida Fish and Wildlife Conservation Commission.
- FWCC. (2006). Southeast Florida coral reef evaluation and monitoring project 2005: Year 3 final report. Florida Fish and Wildlife Conservation Commission.
- FWCC. (2007). Southeast Florida coral reef evaluation and monitoring project 2006: Year 4 final report. Florida Fish and Wildlife Conservation Commission.
- FWCC. (2008). Southeast Florida coral reef evaluation and monitoring project 2007: Year 5 final report. Florida Fish and Wildlife Conservation Commission.
- FWCC. (2012a). HAB publications. Florida Fish and Wildlife Conservation Commission.
- FWCC. (2012b). Publications. Florida Fish and Wildlife Conservation Commission.
- FWRI. (2012). *Florida GAME*. Florida Fish and Wildlife Conservation Commission, Fish and Wildlife Research Institute.
- G. M. Selby & Associates Inc. (1995). Sunny Isles artificial reef monitoring project-sixteenth quarterly report-September 1995.
- G.M. S & A, I. (1992). Sunny Isles artificial reef module monitoring program first annual report 1991/92. G. M. Selby & Associates, Inc. Miami, Florida.
- G.M. Selby & Associates Inc. (1995). Sunny Isles artificial reef monitoring project twelfth quarterly report December, 1994. G. M. Selby & Associates, Inc. Melbourne, Florida.
- Gardner, T. A., Côté, I. M., Gill, J. A., Grant, A., & Watkinson, A. R. (2005). Hurricanes and Caribbean coral reefs: impacts, recovery patterns, and role in long-term decline. *Ecology*, 86(1), 174-184. doi:10.1890/04-0141.
- Gardner, W. D., Richardson, M. J., & Cacchione, D. A. (1989). Sedimentological effects of strong southward flow in the straits of Florida. *Marine Geology*, 86(2-3), 155-180. doi:10.1016/0025-3227(89)90047-9.
- Garrison, V. H., Shinn, E. A., Foreman, W. T., Griffin, D. W., Holmes, C. W., Kellogg, C. A., ... Smith, G. W. (2003). African and Asian dust: From desert soils to coral reefs. *Bioscience*, 53, 469-480.

- Gerhart, S. D. (2007). A review of the biology and management of horseshoe crabs, with emphasis on *Florida populations*. Florida Marine Research Institute Technical Reports, FMRI Tech. Rep. TR-12.
- Geselbracht, L., R. Torres, G.S. Cumming, D. Dorfman, M. Beck, & Shaw, D. (2009). Identification of a spatially efficient portfolio of priority conservation sites in marine and estuarine areas of Florida. Aquatic Conserv: Mar. Freshw. Ecosyst. 19: 408–420.
- Gill, S. M. (2006). Comparison of stony coral coverage data obtained by in situ measurements and *image analysis*. (MS), NSUOC, Dania Beach, Florida.
- Gillanders, B. M., Able, K. W., Brown, J. A., Eggleston, D. B., & Sheridan, P. F. (2003). Evidence of connectivity between juvenile and adult habitats for mobile marine fauna: an important component of nurseries. *Marine Ecology Progress Series*, 247, 281-295. doi:10.3354/meps247281.
- Gilliam, D. S. (1991). The diet and feeding habits of the southern stingray, Dasyatis americana in tropical shallow marine habitats. (MS), NSUOC, Dania Beach, Florida.
- Gilliam, D. S. (1999). Juvenile reef fish recruitment processes in south Florida: a multifactorial field experiment. (PhD), NSUOC, Dania Beach, Florida.
- Gilliam, D. S. (2009). Southeast Florida coral reef evaluation and monitoring project 2008: Year 6 *final report*. Nova Southeastern University National Coral Reef Institute. Dania, Florida.
- Gilliam, D. S. (2010). Southeast Florida coral reef evaluation and monitoring project 2009: Year 7 final report. Florida DEP report #RM085. Miami Beach, Florida.
- Gilliam, D. S. (2011a). Southeast Florida coral reef evaluation and monitoring project. NSUOC, Dania Beach, Florida.
- Gilliam, D. S. (2011b). Southeast Florida coral reef evaluation and monitoring project 2010: Year 8 final report. Florida DEP report #RM085.
- Gilliam, D. S. (2012a). A study to evaluate reef recovery following injury and mitigation structures offshore southeast Florida: Phase II. NSUOC, Dania Beach, Florida.
- Gilliam, D. S. (2012b). Southeast Florida coral reef evaluation and monitoring project, 2011: Year 9 final report. Florida DEP report #RM085.
- Gilliam, D. S., & Kosmynin, V. (2010). Monitoring of initially restored corals and the coral reef mitigation study and pilot project. Nova Southeastern University Oceanographic Center. Dania Beach, Florida.
- Gilliam, D. S., & Moulding, A. L. (2012). A study to evaluate reef recovery following injury and

mitigation structures offshore southeast Florida: Phase I. Nova Southeastern University Oceanographic Center. Dania Beach, Florida.

- Gilliam, D. S., & Walker, B. K. (2008). Broward County Port Everglades sand bypass project: Benthic habitat mapping and assessment. Prepared for Olsen Associates, Inc. and Broward County Board of County Commissioners Department of Planning and Environmental Protection, Biological Resources Division. Nova Southeastern University Oceanographic Center. Dania Beach, Florida.
- Gilliam, D. S., & Walker, B. K. (2011). Benthic habitat characterization for the south Florida ocean measurement facility (SFOMF) protected stony coral species assessment. Prepared for Seaward Services, Inc. Fort Lauderdale, Florida.
- Gilliam, D. S., & Walker, B. K. (2012). Shallow-water benthic habitat characterization and cable/benthic activity impact assessment for the south Florida ocean measurement facility (SFOMF). Prepared for Commander Naval Surface Warfare Center, Carderock Division. West Bethesda, MD.
- Gilliam, D. S., Dodge, R. E., Spieler, R. E., Jordan, L. K. B., & Goergen, E. A. (2010). Marine biological monitoring in Broward County, Florida: Year 9 annual report. Prepared for the BC Board of County Commissioners, BC Natural Resources Planning and Management Division.
- Gilliam, D. S., Dodge, R. E., Spieler, R. E., Jordan, L. K. B., & Monty, J. (2006). Marine biological monitoring in Broward County, Florida: Technical report 05. Prepared for: Broward County Board of County Commissioners Department of Planning and Environmental, Protection Biological Resource Division. Broward County, Florida.
- Gilliam, D. S., Dodge, R. E., Spieler, R. E., Jordan, L. K. B., & Monty, J. (2007). Marine biological monitoring in Broward County, Florida: Year 6 annual report. Broward County, Florida Environmental Protection Department, Technical Report EPD 06-01.
- Gilliam, D. S., Dodge, R. E., Spieler, R. E., Jordan, L. K. B., & Monty, J. A. (2003). Marine biological monitoring in Broward County, Florida: Technical report 03-04.
- Gilliam, D. S., Dodge, R. E., Spieler, R. E., Jordan, L. K. B., & Monty, J. A. (2003). Technical report DPEP 04-01 - marine biological in Broward County, Florida: Year 4 annual report. Nova Southeastern University Oceanographic Center. Dania Beach, Florida.
- Gilliam, D. S., Dodge, R. E., Spieler, R. E., Jordan, L. K. B., & Monty, J. A. (2004). Marine biological monitoring in Broward County, Florida: Year 4 annual report (technical report DEP 04-01). Fort Lauderdale, Florida.
- Gilliam, D. S., Dodge, R. E., Spieler, R. E., Jordan, L. K. B., & Monty, J. A. (2006). Technical report EPD 06-01 - marine biological monitoring in Broward County, Florida - Year 6 annual report. Nova Southeastern University Oceanographic Center. Dania Beach, Florida.

- Gilliam, D. S., Dodge, R. E., Spieler, R. E., Jordan, L. K. B., & Vernacchio, J. A. (2002). Technical report DPEP 03-04 - marine biological monitoring in Broward County, Florida: Year 3 annual report. Nova Southeastern University Oceanographic Center. Dania Beach, Florida.
- Gilliam, D. S., Dodge, R. E., Spieler, R. E., Jordan, L. K. B., & Walczak, J. (n.d.). Marine biological monitoring in Broward County, Florida: Year 7 annual report. Broward County, Florida Environmental Protection Department, Technical Report EPD 07- 02.
- Gilliam, D. S., Dodge, R. E., Spieler, R. E., Jordan, L. K. B., & Walczak, J. C. (2007). Technical report EPD 07-02 - marine biological bonitoring in Broward County, Florida: Year 7 annual report. Nova Southeastern University Oceanographic Center. Dania Beach, Florida.
- Gilliam, D. S., Dodge, R. E., Spieler, R. E., Thornton, S. L., & Jordan, L. K. B. (2001a). Marine biological monitoring in Broward County, Florida - Year 1 annual report. Nova Southeastern University Oceanographic Center. Dania Beach, Florida.
- Gilliam, D. S., Dodge, R. E., Spieler, R. E., Thornton, S. L., & Jordan, L. K. B. (2001b). Technical report DPEP 02-01 - marine biological monitoring in Broward County, Florida: Year 2 annual report. Nova Southeastern University Oceanographic Center. Dania Beach, Florida.
- Gilliam, D. S., Dodge, R. E., Spieler, R. E., Walton, C. J., & Kilfoyle, K. (2011). Marine biological monitoring in Broward County, Florida: Technical report 11. Nova Southeastern University Oceanographic Center. Dania Beach, Florida.
- Gilliam, D. S., Walker, B. K., Saelens, S. J., Fahy, D. P., & Kosmynin, V. N. (2009, 7-11 July 2008). *Recovery of injured giant barrel sponges, Xestospongia muta, offshore southeast Florida.* Paper presented at the Proceedings of the 11th International Coral Reef Symposium, Ft. Lauderdale, Florida.
- Gilliam, D., Dodge, P. D., Richard E., & Stephens, N. (2007). *Broward County shore protection* project stony coral transplantation and monitoring final report: 2-year post-transplantation event. Nova Southeastern University.
- Gilmore Jr., G. R. (2006). *Automated monitoring: Artificial reef project*. Fish and Wildlife Conservation Commission.
- Gilmore, M. D., & Hall, B. R. (1976). Life-history, growth habits, and constructional roles of Acropora cervicornis in patch reef environment. Journal of Sedimentary Petrology, 46(3), 519-522.
- Gilmore, R. G. (1995). Environmental and biogeographic factors influencing icthyofaunal diversity: Indian River Lagoon. *Bulletin of Marine Science*, *57*(1), 153-170.
- Gilmore, R. G., Jr. (2006). *Final report: FWC artificial reef program*. Fish and Wildlife Conservation Commission.

- Gilmour, J. (1999). Experimental investigation into the effects of suspended sediment on fertilisation, larval survival and settlement in a scleractinian coral. *Marine Biology*, 135, 451-462.
- Ginsburg, R. N. (1953). Beachrock in south Florida. Journal of Sedimentary Research, 23(2), 85-92.
- Ginsburg, R. N., Bak, R. P. M., Kiene, W. E., Gischler, E., & Kosmynin, V. (1996). Rapid assessment of reef condition using coral vitality. *Reef Encounter*, 19, 12-13.
- Ginsburg, R., & Kramer, P. (2002). Large scale assessments of reef condition in the Atlantic province, a role model for other reef areas. EOS, Transactions, American Geophysical Union, 82.
- Gittings, S. (2003). *Pre-construction coral survey of the M/V Wellwood grounding site*. Marine Sanctuaries Conservation Series MSD-03-1. NOAA Office of National Marine Sanctuaries, Silver Spring, MD.
- Gittings, S. R., Bright, T. J., & Hagman, D. K. (1994). *The M/V Wellwood and other large vessel groundings: Coral reef damage and recovery.* Paper presented at the Proceedings of the colloquium on global aspects of coral reefs: health, hazards, and history, University of Miami.
- Gladfelter, E. (1983). Skeletal development in Acropora cervicornis II. Diel patterns of calcium carbonate accretion. *Coral Reefs*, 2(2), 91-100.
- Gladfelter, E. H. (1982). Skeletal development in Acropora cervicornis: I. Patterns of calcium carbonate accretion in the axial corallite. *Coral Reefs*, 1(1), 45-51.
- Gladfelter, E. H. (1984). Skeletal development in Acropora cervicornis III. A comparison of monthly rates of linear extension and calcium carbonate accretion measured over a year. *Coral Reefs*, 3(1), 51-57.
- Gladfelter, E. H., Monahan, R. K., & Gladfelter, W. B. (1978). Growth rates of five reef-building corals in the northeastern Caribbean. *Bulletin of Marine Science*, 28(4), 728-734.
- Gladfelter, W. (1982). White-band disease in *Acropora palmata*: Implications for the structure and growth of shallow reefs. *Bulletin of Marine Science of the Gulf and Caribbean (former title)*, 32(2), 639-643.
- Gleason, A., Reid, R., & Voss, K. (2007). Automated classification of underwater multispectral imagery for coral reef monitoring. Paper presented at the IEEE Oceans Conference, Vancouver, BC.
- Glynn, P. W., Rumbold, D. G., & Snedaker, S. C. (1995). Organochlorine pesticide residues in marine sediment and biota from the northern Florida reef tract. *Marine Pollution Bulletin*, 30(6), 397-402.
- Glynn, P. W., Szmant, A. M., Corcoran, E. F., & Cofer-Shabica, S. V. (1989). Condition of coral reef cnidarians from the northern Florida reef tract: Pesticides, heavy metals, and histopathological

examination. Marine Pollution Bulletin, 20, 568-576.

- Godfrey, B. (2010). Management options to prevent anchoring, grounding, and accidental impacts to coral reef and hardbottom resources in southeast Florida Phase I. Southeast Florida Coral Reef Initiative (SEFCRI). Maritime Industry and Coastal Construction Impacts (MICCI) Focus Team. Local Action Strategy Project 9 & 25.
- Goldberg, W. (n.d.). Phase I: General design memorandum segment II of Broward County: appendix 6 environmental assessment. Coral Reef Associates, Inc.
- Goldberg, W. M. (1970). Some aspects of the ecology of the reefs off Palm Beach County, Florida, with emphasis on the Gorgonacea and their bathymetric distribution. (Master Thesis), Florida Atlantic University, Boca Raton, Florida.
- Goldberg, W. M. (1973). The ecology of the coral-octocoral communities of the southeast Florida coast: Geomorphology, species composition, and zonation. *Bulletin of Marine Science*, 23(3), 465-488.
- Goldberg, W. M. (1980a). An analysis of meiofauna associated with potential offshore sand borrow sites from northern Broward County, Florida. Coral Reef Associates. South Miami, Florida.
- Goldberg, W. M. (1980b). An inventory of macrobenthic flora and fauna on the reefs off northern Broward County, Florida. Coral Reef Associates. South Miami, Florida.
- Goldberg, W. M. (1981). A re-survey of coral communities adjacent to a beach restoration area in south Broward County, Florida. Coral Reef Associates, Inc. South Miami, Florida.
- Goldberg, W. M. (1984). Long term effects of beach restoration in Broward County, Florida: A threeyear overview. Coral Reef Associates, Inc. Miami, Florida.
- Goldberg, W. M. (1988). *Biological effects of beach restoration in south Florida: The good, the bad and the ugly.* Paper presented at the Beach preservation technology 88: problems and advancement in beach nourishment: proceedings, Gainesville, Florida.
- Goldman, J. M. (2010). Seasonal aggregations of the Florida manatee (Trichechus manatus latirostris) in the Port Everglades and Intracoastal regions of Fort Lauderdale, Florida. (MS), NSUOC, Dania Beach, Florida.
- Gorzelany, J. F., & Nelson, W. G. (1987). The effects of beach replenishment on the benthos of a subtropical Florida beach. *Marine Environmental Research* (21), 75-94.
- Graves, G. A., Wan, Y., and Fike, D.L. (2004). Water quality characteristics of storm water from major land uses in south Florida. *Journal of the American Water Resources Association*, 40(6), 1405-1419.
- Graves, G., Thompson, M., & Fike, D. (2002). St. Lucie River estuary: Evidence of impairment.

Florida Department of Environmental Protection, Southeast District Water Quality Section, Port St. Lucie, Florida.

- Green, M. V. (2004). Prevalence and distribution of Staphylococcus aureus and other potential health risk indicators in south Florida beaches. (MS), NSUOC, Dania Beach, Florida.
- Greene, K. (2002). *Beach nourishment: A review of the biological and physical impacts*. Atlantic States Marine Fisheries Commission.
- Greenstein, B. J., Curran, H. A., & Pandolfi, J. M. (1998). Shifting ecological baselines and the demise of Acropora cervicornis in the western North Atlantic and Caribbean Province: A Pleistocene perspective. *Coral Reefs*, *17*(3), 249-261.
- Greer, L., Jackson, J., Curran, H., Guilderson, T., & Teneva, L. (2009). How vulnerable is Acropora cervicornis to environmental change? Lessons from the early to middle Holocene. *Geology*, 37, 263-266.
- Griffin, D. W., Donaldson, K. A., Paul, J. H., & Rose, J. B. (2003). Pathogenic human viruses in coastal waters. *Clinical Microbiology Reviews*, *16*, 129-143.
- Grimm, E. C., Jacobson, G. L., Jr., Watts, W. A., Hansen, B. C. S., & Maasch, K. A. (1993). A 50,000year record of climate oscillations from Florida and its temporal correlation with the heinrich events. *Science*, 261(5118), 198-200. doi:10.1126/science.261.5118.198.
- Grober-Dunsmore, L. E. R. (2005). Applying terrestrial landscape ecology principles to the design and management of marine protected areas in coral reef ecosystems. (Doctor of Philosophy).
 University of Florida, Gainesville, Florida.
- Grober-Dunsmore, R., & Keller, B.D. (2008). Caribbean connectivity: Implications for marine protected area management. Proceedings of a special symposium, 9-11 November 2006, 59th annual meeting of the Gulf and Caribbean Fisheries Institute, Belize City, Belize. Marine Sanctuaries Conservation Series ONMS-08-07. NOAA Office of National Marine Sanctuaries, Silver Spring, MD.
- Guardo, M. (1999). Hydrologic balance for a subtropical treatment wetland constructed for nutrient removal. *Ecological Engineering*, *12*, 315-337.
- Guidelines for conducting offshore benthic surveys. (2003).
- Hague, E. A., & Baron, R. M. (2006). Biological community analysis near a maintained natural inlet. *Shore and Beach*, 74(2), 29-33.
- Hague, E., & Bardes, P. (2006). City of Boca Raton 2006 Central Boca Raton beach nourishment project: Pre-, mid and post construction biological monitoring. Coastal Planning and Engineering, Inc. Boca Raton, Florida.

- Hague, E., Bardes, P., Prekel, S. E., & Craft, J. (2005). *Mid-construction: Week 22 Broward County* segment III nearshore monitoring. Coastal Planning & Engineering, Inc. Boca Raton, Florida.
- Hague, E., Barrett, C. A., Baron, R., & Bardes, P. (2007). City of Boca Raton 2006 Central Boca Raton beach nourishment project: 18-month post-construction biological monitoring report. Coastal Planning & Engineering, Inc. Boca Raton, Florida.
- Hague, E., Barrett, C. A., Prekel, S. E., & Kruempel, C. J. (2006). Globenet (formerly Atlantica U.S.A., L.L.C.) fiberoptic cable installation Boca Raton (Palm Beach County), Florida Globenet (Formerly Atlantica-I System) cables 1 and 2 stony coral impact and artificial reef colonization five-year post-construction monitoring report. Coastal Planning & Engineering, Inc. Boca Raton, Florida.
- Hague, E., Miller, C., Baron, R., Delaney, A., & Massa, J. (2009). U.S. Army Corps of Engineers Palm Beach harbor maintenance dredging program/town of Palm Beach mitigative artificial reef, 2year post-mitigation biological monitoring report. Tetra Tech EC, Inc. and Coastal Eco-Group, Inc. Boynton Beach, Florida.
- Hague, E., Miller, C., Baron, R., Delaney, A., & Massa, J. (2010). Town of Palm Beach reach 7, Phipps Ocean Park beach restoration project 41-month post-nourishment and FDEP hurricane recovery dune restoration project biological monitoring report. Tetra Tech EC, Inc. and Coastal Eco-Group, Inc. Boynton Beach, Florida.
- Hale, K. (2005). *Biscayne Bay virtual library: A bibliography of the marine environment*. NOAA Miami Regional Library at AOML, Miami FL.
- Hall, J. D. (2008). Ecology, distribution, and systematics of Leucothoid amphipods of the west Florida shelf benthic ecosystem. (MS), NSUOC, Dania Beach, Florida.
- Hammer, R. M., Byrnes, M. R., Snyder, D. B., Thibaut, T. D., Baker, J. L., Kelley, S. W., ... Wood, J. D. (2005). Environmental surveys of potential borrow areas on the central east Florida shelf and the environmental implications of sand removal for coastal and beach restoration. (OCS Study MMS 2004-037). Herndon, VA.
- Hancock, H. A. (2012). One step closer to non-invasive: Quantifying coral zooxanthellae pigment concentrations using bio-optics. (MS), NSUOC, Dania Beach, Florida.
- Hannes, A. R. (2009). Town of Longboat Key, Florida 2005/2006 beach renourishment project third post-construction hardbottom monitoring and mitigation report. FDEP Permit No. 0202209-001-JC. Coastal Planning and Engineering, Inc. Boca Raton, Florida.
- Harborne, A. R., Mumby, P. J., Micheli, F., Perry, C. T., Dahlgren, C. P., Holmes, K. E., . . . Lee, A. F.

Hardbottom Monitoring Conditions for Delray Beach. (2005). Delray Beach, Florida.

- Harkanson, B. (*in prep.*). A review of fish assemblages on artificial reefs in Palm Beach County. (Master Thesis), Nova Southeastern University, Fort Lauderdale, Florida.
- Harold, M. (1998). Environmental considerations and impacts of the north Boca Raton beach renourishment project. (Masters), Florida Atlantic University, Boca Raton, Florida.
- Harris, L. E., & Dillon, K. L. (2004). 2003 monitoring of Martin County's artificial reefs. Martin County Engineering Department. Stuart, Florida.
- Harris, L. E., & Dillon, K. L. (2006). 2005 monitoring report: Martin County's artificial reefs Deployed 2000 to 2005.
- Harris, L. E., & Dillon, K. L. (2007). *St. Lucie County baseline artificial reef monitoring project 2005-2006.*
- Harris, L. E., & Dillon, K. L. (2008). 2008 first annual monitoring: civic center reef deployed in Jan-Feb 2007 – Offshore. St. Lucie County, FL.
- Harris, L. E., Dillion, K. L., & Herren, L. (2007). *Martin County's nearshore mitigation reefs year-6 monitoring report.* Martin County Engineering Department. Stuart, Florida.
- Harris, L. E., Dillion, K. L., & Herren, L. (2008). Martin County's nearshore mitigation reefs year-7 monitoring report.
- Hart, A. D., Snyder, D. B., Spring, K. D., & Hammer, R. M. (2005). *Application of scientific* experimental design in monitoring hard bottom habitats associated with areas of beach nourishment. Continental Shelf Associates, Inc. Jupiter, FL.
- Hartwig, J. M. G. (2002). Effects of beach renourishment on loggerhead sea turtle (Caretta caretta) nesting and hatching parameters. (MS), NSUOC, Dania Beach, Florida.
- Haubold, E. M., C. Deutsch, & Fonnesbeck, C. (2006). Final biological status review of the Florida manatee (Trichechus manatus latirostris). Florida Fish and Wildlife Research Institute, St. Petersburg, FL.
- Hayden, B. P., & Dolan, R. (1976). Coastal marine fauna and marine climates of the Americas. *Journal of Biogeography*, 3(1), 71-81.
- Haywick, D. W., & Mueller, E. M. (1997). Sediment retention in encrusting Palythoa spp.--a biological twist to a geological process. *Coral Reefs*, *V16*(1), 39-46.
- Healy, S. J. (2010). *Biological and physical analysis of currents and water masses off the coast of southeast Florida*. (MS), NSUOC, Dania Beach, Florida.
- Heemsoth, A. M. (2009). *Diet composition of swordfish, Xiphia gladius, within the Straits of Florida.* (MS), NSUOC, Dania Beach, Florida.

- Heidi, B., Fisher, W., & Meng, L. (2006). U. S. EPA development of assessment tools for coral reef biocriteria. EOS, Transactions, American Geophysical Union, 87(36).
- Heilman, M. J. (1997). The daily feeding rhythm to demand feeders and the effects of timed meal feeding on growth of juvenile Florida pompano Trachinotus carolinus. (MS), NSUOC, Dania Beach, Florida.
- Helmle, K. (2009). *Coral sclerochronology and the relationship between coral growth records and climate change*. (PhD), NSUOC, Dania Beach, Florida.
- Helmle, K. P., Dodge, R. E., Swart, P. K., Gledhill, D. K., & Eakin, C. M. (2011). Growth rates of Florida corals from 1937 to 1996 and their response to climate change. *Nat Commun*, *2*, 215.
- Hemond, E. M., & Vollmer, S. V. (2010). Genetic diversity and connectivity in the threatened staghorn coral (*Acropora cervicornis*) in Florida. *PLoS ONE*, *5*(1), e8652.
- Hendee, J. (1998). An expert system for marine environmental monitoring in the Florida Keys National Marine Sanctuary and Florida Bay. Paper presented at the Coastal Environment II: Environmental Problems in Coastal Regions, Cancun, Mexico.
- Hendra, E. J., Deis, D. R., & Lin, P. C. P. (2000). *The design, deployment, installation, and monitoring* of 30 artificial reef modules off Hollywood, Florida. Paper presented at the 20th Annual Symposium American Academy of Underwater Sciences, St. Pete Beach, FL.
- Henning, M. L. (2005). *Highly streamlined PCR-based genetic identification of carcharhinid sharks* (Family Carcharhinidae) for use in wildlife forensics, trade monitoring, and delineation of species distributions.
- Herber, S. A. (2001). *Classification of Acropora cervicornis in nearshore waters of Fort Lauderdale, FL.* (MS), NSUOC, Dania Beach, Florida.
- Herren, L. (2004). *St. Lucie Inlet Preserve State Park reef monitoring program: progress report #2.* Jensen Beach, FL.
- Herren, L., Monty, J., & Stokes, M. (2007). Marine debris location, identification, and removal from St. Lucie Inlet Preserve State Park coral reef, Florida. Mote Marine Laboratory Protect Our Reefs Grant No. POR-2005B-1.
- Herrnkind, W. F., Butler, M. J., & Hunt, J. H. (1997). Can artificial habitats that mimic natural structures enhance recruitment of Caribbean spiny lobster? *Fisheries*, 22(4), 24-27.
- Heyman, W., Luckhurst, B., Paz, M., & Rhodes, K. (2002). *Reef fish spawning aggregation monitoring protocol for the wider Caribbean*.

Highsmith, R. (1982). Reproduction by fragmentation in corals. Marine ecology progress series, 7(2),

207-226.

- Hill, R. L., Appeldoorn, R. S., Murphy, B. R., Recksiek, C. W., & Prada, M. (2003). Scaling our understanding of habitat selection by coral reef fishery species. Paper presented at the Proc. Gulf Carib. Fish. Inst.
- Hocevar, J. D. (1993). A survey of the stony coral community composition of Pompano Ledge, Broward County, Florida, with a preliminary evaluation of the effectiveness of mooring buoys in reducing coral damage. (MS), NSUOC, Dania Beach, Florida.
- Hoenstine, R., Freedenberg, H., Chen, Z., & Williams, H. (1995). A geological investigation of the offshore area along Florida's central east coast: Annual report to MMS Year 1. Tallahassee, Florida.
- Hoke, M. (2007). *Gametogenesis and spawning of the elliptical star coral, Dichoceonia stokes* (*Cnidaria: Scleractinia*) in southeast Florida. (MS), NSUOC, Dania Beach, Florida.
- Hopley, D. (1996, September 17 &18). Coral Reefs: The Problem Child of Environmental Monitoring and Remote Sensing. Paper presented at the Coral Remote Sensing Workshop, Miami, FL.
- Horn, W. (Ed.). (2001). Proceedings from *Florida Artificial Reef Summit '01: Into the New Millennium*. Ft. Lauderdale, FL.
- Horsley Witten Group, I. (2013). St. Thomas east end reserves watershed management plan.
- Howard, B. (2011). Loxahatchee River oyster reef restoration monitoring summary.
- Howard, B., & Arrington, A. (2008). Loxahatchee River water quality and biological monitoring, task 2: Final report, assessment of 2007-2008 Loxahatchee River oyster mapping & recruitment.
- Howard, B., L. Bachman, J. Metz, & Arrington, A. (2011). Loxahatchee River seagrass monitoring & mapping report DRAFT Task 4: Final report for the period October 2009 September 2010.
- Howard, B., L. Bachman, J. Metz, H. Johnson, & Arrington, A. (2010). Loxahatchee River datasonde water quality monitoring, Task 4: Final report, assessment of 2008-2009 Loxahatchee River water quality.
- Howard, B., L. Bachman, S. Noel, D. Porter, J. Metz, H. Johnson, A. Wilkison, & Arrington, A. (2009). Loxahatchee River water quality and biological monitoring, Task 4: Final report, assessment of 2008-2009 Loxahatchee River water quality.
- Howard, B., L. Bachman, S. Noel, D. Porter, J. Metz, H. Johnson, A. Wilkison, & Arrington, A. (2010). Loxahatchee River water quality and biological monitoring, Task 4: Final report, assessment of 2009-2010 Loxahatchee River water quality.

Hu, C., Hackett, K., Callahan, M., Andréfouët, S., Wheaton, J., Porter, J., & Muller-Karger, F. (2003).

The 2002 ocean color anomaly in the Florida Bight: a cause of local coral reef decline. *Geophysical Research Letters*, 30(3), 1-4.

- Huang, H., Fergen, R. E., Tsai, J. J., & Proni, J. R. (1998). Evaluation of mixing zone models: CORMIX, PLUMES and OMZA with field data from two Florida ocean outfalls. *Environmental Hydraulics*, 249-254.
- Huang, H., Proni, J. R., & Tsai, J. J. (1994). Probabilistic approach to initial dilution of ocean outfalls. *Water Environment Research*, 66, 787-793.
- Hudak, C. A. (2003). *Habitat utilization by bottlenose dolphins (Tursiops truncatus) in Biscayne Bay, Florida*. (MS), NSUOC, Dania Beach, Florida.
- Hudson Marine Management Services. (2004a). *M/V Eastwind grounding site Fort Lauderdale Florida*. Prepared for: Thomas Miller Inc. Cherry Hill, NJ.
- Hudson Marine Management Services. (2004b). *M/V federal pescadores grounding site Fort Lauderdale Florida*. Prepared for: Vandeventer Black. Pennsauken, NJ.
- Hudson, J. H., J. Schittone, J. Anderson, E.C. Franklin, & Stratton, A. (2008). M/V Alec Owen Maitland coral reef restoration monitoring report, monitoring events 2004-2007. Florida Keys National Marine Sanctuary, Monroe County, Florida.
- Humm, H. J. (1964). Epiphytes of the sea grass, *Thalassia Testudinum*, in Florida. *Bulletin of Marine Science*, 14, 306-341.
- Hunt, J., & W. Nuttle (editors). (2007). *Florida Bay science program: A synthesis of research on Florida Bay*. Florida Marine Research Institute Technical Reports, FMRI Tech. Rep. TR-11.
- Hurley, R. J., Siegler, V. B., & Fink Jr, L. K. (1962). Bathymetry of the straits of Florida and the Bahama Islands. Part I. northern straits of Florida. *Bulletin of Marine Science*, *12*(3), 313-321.
- Identification of Benthic Resources in the Nearshore Zone Golden Beach and Sunny Isles Beach, Miami-Dade County, FL. (2009). Miami, Florida.
- International Association of Dredging Companies. (2011). *Facts about dredging around coral reefs*. International Association of Dredging Companies.
- Iversen, E. S., & Corcoran, E. F. (1976). Broward County off-shore environmental study. Rosenstiel School of Marine and Atmospheric Science, University of Miami, 143 pp.
- J.M. Levy, M. C., & Sullivan, K. M. (1996). Invertebrate infauna and epifauna of the Florida Keys and Florida Bay. Site Characterization for the Florida Keys National Marine Sanctuary and Environs, Vol. 5. 166 pp. The Nature Conservancy, and Univ. Miami - Florida and Caribbean Marine Conservation Science Center.

- Jaap, W. C. (1984). *Ecology of the south Florida coral reefs: a community profile*. (FWS/OBS-82/08;MMS-84-0038).
- Jaap, W. C., & Hudson, J. H. (2001). Coral reef restoration following anthropogenic disturbances. Bulletin of Marine Science (69), 1.
- Jaap, W., Hudson, J., Dodge, R., Gilliam, D., & Shaul, R. (2006). Coral reef restoration with case studies from Florida. Cote, I.M. & Reynolds, J. (editors). Coral Reef Conservation (pp. 478-514). Cambridge, United Kingdom: University of Cambridge Press.
- Jeffrey, C. F. G. (2004). *Benthic habitats, fish assemblages, and resource protection in Caribbean marine sanctuaries.* Ph.D. Dissertation, University of Georgia, Athens, Georgia.
- Johns, G. M. (2001). Socioeconomic study of reefs in southeast Florida Broward County. Hollywood, Florida.
- Johns, G. M., Leeworthy, V. R., Bell, F. W., & Bonn, M. A. (2001). Socioeconomic study of reefs in southeast Florida, 2000-2001.
- Johns, G. M., Leeworthy, V. R., Bell, F. W., & Bonn, M. A. (2001). Socioeconomic study of reefs in southeast Florida. Final report. Retrieved from http://marineeconomics.noaa.gov/Reefs/02-01.pdf
- Johns, G. M., Leeworthy, V. R., Bell, F. W., Bonn, M. A., & Hazen and Sawyer. (2001). Socioeconomic study of reefs in southeast Florida. Ch.1-6, Tech. Appen. 1, ES1-13. Florida State University & National Oceanic and Atmospheric Administration.
- Johns, G. M., Milon, J. W., & Sayers, D. (2004). Socioeconomic study of reefs in Martin County, FL. Final report. Retrieved from http://marineeconomics.noaa.gov/Reefs/MartinCounty2004.pdf.
- Johnson, D. R., Funicelli, N.A., and Bohnsack, J.A. (1999). The effectiveness of an existing estuarine no-take fish sanctuary within the Kennedy Space Center, Florida. North American Journal of Fisheries Management, 19(2), 436-453.
- Johnson, D. R., Harper, D. E., Kellison, T. G., & Bohnsack, J. A. (2007). Description and discussion of southeast Florida fishery landings, 1990-2000 (NOAA Technical Memorandum NMFS-SEFSC-550). Retrieved from http://www.sefsc.noaa.gov.
- Johnson, R. O., & Nelson, W. G. (1985). Biological effects of dredging in an offshore borrow area. *Florida Scientist*, 48(3), 166-189.
- Johnston, M. W. (2010). Spatial analysis of the invasion of red lionfish, Pterois volitans/miles, in the western Atlantic Ocean and Caribbean Sea. (MS), NSUOC, Dania Beach, Florida.
- Jones, A. C. (2005). *The Miami Laboratory, a history of federal fisheries research in Miami, Florida.* U.S. Dept. of Commerce, National Oceanic and Atmospheric Administration, National Marine

Fisheries Service, Southeast Fisheries Science Center. Miami, Florida.

- Jones, J. A. (1977). *Morphology and development of southeastern Florida patch reefs*. Paper presented at the Proceedings of Third International Coral Reef Symposium, Rosenstiel School of Marine and Atmospheric Science, Miami, Florida.
- Jordan, L. K. B. (2010). *Multi-experimental study of early-life ecology of grunts (Haemulidae) on southeast mainland Florida coral reefs.* (PhD), NSUOC, Dania Beach, Florida.
- Jordan, L. K. B., Banks, K. W., Fisher, L. E., Walker, B. K., & Gilliam, D. S. (2010). Elevated sedimentation on coral reefs adjacent to a beach nourishment project. *Marine Pollution Bulletin*, 60, 261-271.
- Jordan, L. K. B., Gilliam, D. S., & Spieler, R. E. (2005). Reef fish assemblage structure affected by small-scale spacing and size variations of artificial patch reefs. *Journal of Experimental Marine Biology and Ecology*, 326(2), 170-186.
- Jordan, L., K.B. (2002). *The effects of isolation distance and reef size on associated reef fish assemblages.* (MS), NSUOC, Dania Beach, Florida.
- Jud, Z. R., & Layman, C. A. (2012). Site fidelity and movement patterns of invasive lionfish, Pterois spp., in a Florida estuary. *Journal of Experimental Marine Biology and Ecology 414–415*: 69– 74.
- Jud, Z. R., Layman, C.A., Lee, J.A., & Arrington, D.A. (2011). Recent invasion of a Florida (USA) estuarine system by lionfish Pterois volitans / P. miles. *Aquatic Biology*, *13*, 21-26.
- Jud, Z., & Layman, C. (2011). Loxahatchee River oyster reef restoration monitoring report: Using baselines derived from long-term monitoring of benthic community structure on natural oyster reefs to assess the outcome of large-scale oyster reef restoration. Florida International University, Marine Sciences Program, Department of Biological Sciences.
- Julius, B. (1999). *Discounting and the treatment of uncertainty in natural resource damage assessment.* Silver Spring, Maryland.
- Juston, J., & DeBusk, T. (2005). Phosphorus mass load and outflow concentration relationships in stormwater treatment areas for Everglades restoration. *Ecological Engineering*, 1-18.
- Kalinoski, M. (2010). The visual physiology of the smooth dogfish (Mustelus canis): temporal resolution, irradiance and spectral sensitivities. (MS), NSUOC, Dania Beach, Florida.
- Karazsia, J., & Wilber, P. (2011). *Characterization of essential fish habitats in the Port Everglades Expansion Area*. NOAA National Marine Fisheries Service, Southeast Region, Habitat Conservation Division. West Palm Beach, Florida.

Kemp, D. W., Cook, C. B., LaJeunesse, T. C., & Brooks, W. R. (2006). A comparison of the thermal

bleaching responses of the zoanthid Palythoa caribaeorum from three geographically different regions in south Florida. *Journal of Experimental Marine Biology and Ecology*, *335*(2), 266-276.

- Kendall, J. J., Powell, E. N., Connor, S. J., Bright, T. J., & Zastrow, C. E. (1984). The importance of monitoring metabolic recovery in the coral Acropora cervicornis after short-term exposure to drilling muds: Calcification rate and protein concentration. *Coral Reefs*, 2(4), 215-225.
- Kenworthy, W. J., Norton, S., Harter, S., & Landry, J. B. (2007). *Endangered Species Act 5-year review - Johnson's Seagrass (Halophila johnsonii Eiseman)*. National Oceanic and Atmospheric Administration National Maine Fisheries Service.
- Kildow, J. (2006a). *Mapped facts and figures, Florida's ocean and coastal economies*. National Ocean Economics Program.
- Kildow, J. (2006b). *Phase I, facts and figures, Florida's ocean and coastal economies*. National Ocean Economics Program.
- Kildow, J. (2006c). *Phase I, Florida's ocean and coastal economies report*. National Ocean Economics Program.
- Kildow, J. (2008a). *Phase II, appendices, Florida's ocean and coastal economies report*. National Ocean Economics Program, and Florida Oceans and Coastal Council, Tallahassee, FL.
- Kildow, J. (2008b). *Phase II, facts and figures, Florida's ocean and coastal economies report.* National Ocean Economics Program, and Florida Oceans and Coastal Council, Tallahassee, FL.
- Kildow, J. (2008c). *Phase II, Florida's ocean and coastal economies report*. National Ocean Economics Program, and Florida Oceans and Coastal Council, Tallahassee, FL.
- Kilfoyle, A. K., Freeman, J., Jordan, L. K. B., Quinn, T. P., & Spieler, R. E. (2013). Fish assemblages on a mitigation boulder reef and neighboring hardbottom. *Ocean & Coastal Management*, 75(0), 53-62. doi: http://dx.doi.org/10.1016/j.ocecoaman.2013.02.001.
- Kjerfve, B., Ogden, J., Garzón-Ferreira, J., Jordán-Dahlgren, E., De Meyer, K., Penchaszadeh, P., ... Zieman, J. (1998). Caricomp: A Caribbean network of marine laboratories, parks, and reserves for coastal monitoring and scientific collaboration. *Caribbean coral reef, seagrass and mangrove site*, 1-16.
- Klebba, K. N. (2005). Systematics, ecology, and functional morphology of commensal amphipods (Leucothoidae) in the western Caribbean Sea and southeast Florida. (MS), NSUOC, Dania Beach, Florida.
- Klink, L. H. (2007). *Review of international coral reef mooring programs and the effect of mooring use on coral reefs offshore Broward County, Florida, USA.* (MS), NSUOC, Dania Beach, Florida.

- Klitgord, K. D., Popenoe, P., & Schouten, H. (1984). Florida: A Jurassic transform plate boundary. *Journal of Geophysical Research: Solid Earth*, 89(B9), 7753-7772. doi:10.1029/JB089iB09p07753.
- Knowlton, N. (1992). Thresholds and multiple stable states in coral reef community dynamics. *Amer. Zool.*, *32*(6), 674-682. doi:10.1093/icb/32.6.674.
- Kochinsky, L. (1989). *The effects of an iodophor compound on skin lesion disease in sea turtles.* (PhD), NSUOC, Dania Beach, Florida.
- Koenig, C. C., Coleman, F. C., Grimes, C. B., Fitzhugh, G. R., Scanlon, K. M., Gledhill, C. T., & Grace, M. (2000). Protection of fish spawning habitat for the conservation of warm-temperate reef-fish fisheries of shelf-edge reefs of Florida. *Bull. Mar. Sci.*, 66(3), 593-616.
- Kohler, K. E., & Dodge, R. E. (2006). Visual_HEA: Habitat Equivalency Analysis software to calculate compensatory restoration following natural resource injury.
- Koopman, B., Heaney, J., Cakir, F., Rembold, M., Indeglia, P., & Kini, G. (2006). *Ocean outfall study: Final report*. Retrieved from Tallahassee, Florida.
- Kramer, P. A., Anselmetti, F., & Curry, R. (2001). Geophysical characterization of pre-Holocene limestone bedrock underlying the Biscayne National Park Reef Tract, Florida. Kuniansky, E. L. (Ed.), U.S. Geological Survey Karst Interest Group Proceedings, Water-Resources Investigations Report 01-4011 (pp. 128-133).
- Kruempel, C. J., Hague, E., Lybolt, M., & Baron, R. (2006). Telefonica International Wholesale Service, Inc. (Formerly Emergia) fiberoptic cable installation Boca Raton (Palm Beach County), Florida - Telefonica SAm-1 Cable H and I stony coral impact and artificial reef colonization five-year post-construction monitoring report. Coastal Planning and Engineering, Inc. Boca Raton, Florida.
- Kuffner, I., Brock, J., Grober-Dunsmore, R., Bonito, V., Hickey, T., & Wright, C. (2007).
 Relationships between reef fish communities and remotely sensed rugosity measurements in Biscayne National Park, Florida, USA. *Environmental Biology of Fishes*, 78(1), 71-82.
- Kukich, L. N. (2008). Seasonal distribution of higher filamentous marine fungi along the salinity gradient of the Loxahatchee River: Jupiter, Florida. (MS), NSUOC, Dania Beach, Florida.
- Kuss, K. M. (1998). The occurrence of PCBs and chlorinated pesticide contaminates in bottlenose dolphins (Tursiops truncatus) in a resident community: comparison with age, gender and birth order. (MS), NSUOC, Dania Beach, Florida.
- Kuszynski, J. (1987). A policy analysis of the beach dune and wetland components of the coastal zone protection conservation element of the comprehensive plans of Dade, Broward, Palm Beach Martin and St. Lucie counties. (MS), NSUOC, Dania Beach, Florida.

- Kuta, K. G. (1992). *The effect of demersal reef fish on two species of gorgonian coral.* (MS), NSUOC, Dania Beach, Florida.
- Kuta, K. G., & Richardson, L. L. (2002). Ecological aspects of black band disease of corals: relationships between disease incidence and environmental factors. *Coral Reefs*, 21, 393-398.
- Landry, J. B., W.J. Kenworthy, & Carlo, G. D. (2008). The Effects of Docks on Seagrasses, With Particular Emphasis on the Threatened Seagrass, Halophila johnsonii.
- Lang, J. C., Lasker, H. R., Gladfelter, E. H., Hallock, P., Jaap, W. C., Losada, F. J., & Muller, R. G. (1992). Spatial and temporal variability during periods of "recovery" after mass bleaching on Western Atlantic coral reefs. *American Zoology*, 32, 696-706.
- Lang, J. C., Marks, K. W., Kramer, P. A., Kramer, P. R., & Ginsburg, R. N. (2010). Atlantic and Gulf Rapid Reef Assessment (AGRRA) protocols version 5.4. Miami, Florida.
- Lapointe, B. (1989). Caribbean coral reefs: are they becoming algal reefs? Sea Frontiers, 35, 82-91.
- Lapointe, B. (2007). Comparative ecology of harmful macroalgal blooms in south Florida's coastal waters (CEHAB). Harbor Branch Oceanographic Institution. Ft. Pierce, FL.
- Lapointe, B. E. (1997). Nutrient thresholds for bottom-up control of macroalgal blooms on coral reefs in Jamaica and southeast Florida. *Limnology and Oceanography*, *42*, 1119-1131.
- Lapointe, B. E. (1999). Simultaneous top-down and bottom-up forces control macroalgal blooms on coral reefs (reply to the comment by Hughes et al.). *Limnology and Oceanography, 44*, 1586-1592.
- Lapointe, B. E. (2005). Draft final report distribution and ecology of invasive and harmful macroalgal Blooms on coral reefs off southeast Florida.
- Lapointe, B. E., Bedford, B. J., & Baumberger, R. (2006). Hurricanes Frances and Jeanne remove blooms of the invasive green alga *Caulerpa bravhypus* forma parvifolia (Harvey) Cribb from coral reefs off northern Palm Beach County, FL. *Estuaries and Coasts, 29*(6A), 966-971.
- Lapointe, B., Barile, P., Littler, M., & Littler, D. (2005a). Macroalgal blooms on southeast Florida coral reefs II. Cross-shelf discrimination of nitrogen sources indicates widespread assimilation of sewage nitrogen. *Harmful Algae*, 4, 1106-1122.
- Lapointe, B., Barile, P., Littler, M., Littler, D., Bedford, B., & Gasque, C. (2005b). Macroalgal blooms on southeast Florida coral reefs I. Nutrient stoichiometry of the invasive green alga *Codium isthmocladum* in the wider Caribbean indicates nutrient enrichment. *Harmful Algae*, 4, 1092-1105.
- Larson, E. A. (2010). Establishment of an Acropora cervicornis (staghorn coral) nursery: An

evaluation of survivorship and growth. (MS), NSUOC, Dania Beach, Florida.

- Lasker, H. R. (1980). Sediment rejection by reef corals: the roles of behavior and morphology in *Montastrea cavernosa* (Linnaeus). J. Exp. Mar. Biol. Ecol., 47, 77-88.
- Lee, T., & Mayer, D. (1977). Low-frequency current variability and spin-off eddies along the shelf off Southeast Florida. *Journal of Marine Research*, *35*, 193-220.
- Lefebvre, L. W., Reynolds, J.E. III, Ragen, T.J., Langtimm, C.A., & Valade, J.A. (2002). *Manatee population ecology and management workshop proceedings*. U.S. Geological Survey, Gainesville, FL.
- Leichter, J. J., & Miller, S. L. (1999). Predicting high-frequency upwelling: Spatial and temporal patterns of temperature anomalies on a Florida coral reef. *Continental Shelf Research*, 19(7), 911-928.
- Leichter, J. J., Stewart, H. L., & Miller, S. L. (2003). Episodic nutrient transport to Florida coral reefs. *Limnology and Oceanography*, 48, 1394-1407.
- Lekien, F., Coulliette, C., Mariano, A., Ryan, E., Shay, L., Haller, G., & Marsden, J. (2005). Pollution release tied to invariant manifolds: A case study for the coast of Florida. *Physica*, 210, 1-20.
- Lidz, B. H., & Shinn, E. A. (1991). Paleoshorelines, reefs, and a rising sea: South Florida, U.S.A. *Journal of Coastal Research*, 7(1), 203-229.
- Lidz, B. H., Brock, J. C., & Nagle, D. B. (2008). Utility of shallow-water ATRIS images in defining biogeologic processes and self-similarity in skeletal scleractinia, Florida reefs. *Journal of Coastal Research*, 1320-1338. doi:10.2112/08-1049.1.
- Lidz, B. H., Hine, A. C., Shinn, E. A., & Kindinger, J. L. (1991). Multiple outer-reef tracts along the south Florida bank margin; outlier reefs, a new windward-margin model. *Geology*, 19(2), 115-118.
- Lidz, B. H., Shinn, E. A., Hine, A. C., & Locker, S. D. (1997). Contrasts within an outlier-reef system: Evidence for differential quaternary evolution, south Florida windward margin, U.S.A. *Journal* of Coastal Research, 13(3), 711-731.
- Light, P. R., Vose, F. E., & Snyder, D. B. (2003). *Comparison of fish assemblages on artificial and natural reefs off southeast Florida*. Florida Fish and Wildlife Conservation Commission.
- Lighty, R. G. (1977). *Relict shelf-edge Holocene coral reef: southeast coast of Florida*. Paper presented at the Third International Coral Reef Symposium, Miami, Florida.
- Lighty, R. G., MacIntyre, I. G., & Stuckenrath, R. (1978). Submerged early Holocene barrier reef south-east Florida shelf. *Nature*, 275, 59-60.

- Lighty, R. G., Macintyre, I. G., & Stuckenrath, R. (1982). Acropora palmata reef framework: A reliable indicator of sea level in the western Atlantic for the past 10,000 years. *Coral Reefs*, *1*(2), 125-130.
- Lighty, R.G., Macintyre, I. G., & Stuckenrath, R. (1979). Holocene reef growth on the edge of the Florida Shelf (reply). *Nature*, 278, 281 282.
- Lighty, R.G., Macintyre, I. G., & Stuckenrath, R. (1979). Shelf temperatures and reef growth on the south-east Florida coast. (reply). *Nature*, 278, 669-670.
- Lindberg, W. J., & Relini, G. (2000). Integrating evaluation into reef project planning. Seaman Jr. (Ed.). Artificial reef evaluation: with application to natural marine habitats (pp. 195-235). Boca Raton, Florida: CRC Press.
- Lindberg, W. J., Frazer, T. K., Portier, K. M., Vose, F., Loftin, J., Murie, D. J., ... Hart, M. K. (2006). Density-dependent habitat selection and performance by a large mobile reef fish. *Ecological Applications*, 16(2), 731-746.
- Lindberg, W., & Seaman, W. (2010). Guidelines and management practices for artificial reef siting, use, construction and anchoring in Southeast Florida. *Florida Department of Environmental Protection*. Miami, Florida.
- Lindeman, K. C., & Roumelis, J. F. (2001). *Comparative effects of beach management policy alternatives upon fishes of southeast Florida*. Paper presented at the 50. Annual Meeting Southeaster Section Geological Society of America, Raleigh, NC (USA).
- Lindeman, K. C., & Snyder, D. B. (1999). Nearshore hardbottom fishes of southeast Florida and effects of habitat burial caused by dredging. *Fishery Bulletin*, 97(3), 508-525.
- Lindeman, K. C., Diaz, G. A., Serafy, J. E., & Ault, J. S. (1998). A spatial framework for assessing cross-shelf habitat use among newly settled grunts and snappers. Paper presented at the Proc. Gulf & Caribbean Fisheries Institute.
- Lindeman, K., & Ruppert, T. (2011). Policy recommendations and training to improve agency permitting, compliance, and enforcement for coral resource conservation in southeast Florida. Southeast Florida Coral Reef Initiative (SEFCRI). Maritime Industry and Coastal Construction Impacts (MICCI). Local Action Strategy Project 4, 21, 23, 24 – Phase 2.
- Lindeman, K., Kramer, P., & Ault, J. (2001). Comparative approaches to reef monitoring and assessment: An overview. *Bulletin of Marine Science*, 69(2), 335.
- Lindholm, J., Kaufman, L., Miller, S., Wagschal, A., & Newville, M. (2005). Movement of yellowtail snapper (Ocyurus chrysurus Block 1790) and black grouper (Mycteroperca bonaci Poey 1860) in the northern Florida Keys National Marine Sanctuary as determined by acoustic telemetry. Marine Sanctuaries Conservation Series MSD-05-4. NOAA Office of National Marine Sanctuaries, Silver Spring, MD.

- Lindholm, J., Knight, A., Laufman, L., & Miller, S. (2006). A pilot study of hogfish (Lachnolaimus maximus Walbaum 1792) movement at the Conch Reef Research Only Area (northern Florida Keys). Marine Sanctuaries Conservation Series NMSP-06-06. NOAA Office of National Marine Sanctuaries, Silver Spring, MD.
- Lirman, D. (2003). A simulation model of the population dynamics of the branching coral Acropora palmata: Effects of storm intensity and frequency. *Ecological Modelling*, *161*(3), 167-180.
- Lirman, D., & Cropper, W. (2003). The influence of salinity on seagrass growth, survivorship, and distribution within Biscayne Bay, Florida: Field, experimental, and modeling studies. *Estuaries and Coasts*, 26(1), 131-141.
- Lirman, D., & Fong, P. (1996). Sequential storms cause zone-specific damage on a reef in the northern Florida Reef Tract: Evidence from Hurricane Andrew and the 1993 storm of the century. *Florida Scientist*, 59(1), 50-63.
- Lirman, D., & Fong, P. (2007). Is proximity to land-based sources of coral stressors an appropriate measure of risk to coral reefs? An example from the Florida Reef Tract. *Marine Pollution Bulletin*, 54(6), 779-791.
- Lirman, D., Deangelo, G., Serafy, J., Hazra, A., Smith Hazra, D., & Brown, A. (2008). Geospatial video monitoring of nearshore benthic habitats of western Biscayne Bay (Florida, USA) using the Shallow-Water Positioning System (SWaPS). *Journal of Coastal Research*, 24(1A), 135-145.
- Lirman, D., Gracias, N., Gintert, B., Gleason, A., Deangelo, G., Dick, M., . . . Reid, R. (2010). Damage and recovery assessment of vessel grounding injuries on coral reef habitats by use of georeferenced landscape video mosaics. *Limnology and Oceanography: Methods*, *8*, 88-97.
- Lirman, D., Gracias, N., Gintert, B., Gleason, A., Reid, R., Negahdaripour, S., & Kramer, P. (2007). Development and application of a video-mosaic survey technology to document the status of coral reef communities. *Environmental Monitoring and Assessment*, 125(1), 59-73.
- Lirman, D., Orlando, B., Maciá, S., Manzello, D., Kaufman, L., Biber, P., & Jones, T. (2003). Coral communities of Biscayne Bay, Florida and adjacent offshore areas: Diversity, abundance, distribution, and environmental correlates. *Aquatic Conservation: Marine and Freshwater Ecosystems*, 13, 121-135.
- Lirman, D., Schopmeyer, S., Manzello, D., Gramer, L., Precht, W., Muller-Karger, F., . . . Thanner, S. (2011). Severe 2010 cold-water event caused unprecedented mortality to corals of the Florida Reef Tract and reversed previous survivorship patterns. *PLoS ONE 6(8):e23047, doi:10.1371/journal.pone.0023047.*
- Lirman, D., Thyberg, T., Herlan, J., Hill, C., Young-Lahiff, C., Schopmeyer, S., . . . Drury, C. (2010). Propagation of the threatened staghorn coral *Acropora cervicornis*: methods to minimize the

impacts of fragment collection and maximize production. *Coral Reefs*, 29(3), 729-735. doi:10.1007/s00338-010-0621-6.

- Lloyd, J.U. (1989). Environmental assessment. Broward County, FL.
- Logan, K. (2009). Recommend modifications to agency compliance and enforcement protocols. Education and outreach to increase enforcement review and actions. Southeast Florida Coral Reef Initiative. Maritime Industry and Coastal Construction Impacts (MICCI) Focus Team. Local Action Strategy Project 4, 21, 23, 24 – Phase 1.
- LÓPez-Legentil, S., Song, B., Mcmurray, S. E., & Pawlik, J. R. (2008). Bleaching and stress in coral reef ecosystems: *hsp70* expression by the giant barrel sponge *Xestospongia muta*. *Molecular Ecology*, 17(7), 1840-1849.
- Loxahatchee River District. (2012). Studies, reports & data. Loxahatchee River District.
- LPRI. (2009). *Loxahatchee River preservation initiative 2009*. Loxahatchee River Preservation Initiative.
- Lueg, J., Moulding, A.L., Kosmynin, V.N., Gilliam, D.S. (2012). Gametogenesis and spawning of Solenastrea bournoni and Stephanocoenia intersepta in southeast Florida, USA. *Journal of Marine Biology*, 2012, 13.
- Lukens, R. R., & Selberg, C. (2004). *Guidelines for marine artificial reef materials: Second edition* (Report Number 121). Retrieved from Ocean Springs, Miss. and Washington, D.C.: http://www.loc.gov/catdir/toc/fy0715/2007395937.html.
- Lybolt, M. (2005). Broward County segment III nearshore monitoring mid-construction: Week 19. Coastal Planning & Engineering, Inc. Boca Raton, Florida.
- Lybolt, M., Barrett, C. A., Hague, E., Bardes, P., & Prekel, S. E. (2005). *Broward County segment III nearshore monitoring - mid-construction: Week 11*. Coastal Planning & Engineering, Inc. Boca Raton, Florida.
- Lybolt, M., Delaney, A., Craft, J., Prekel, S. E., Bardes, P., Labonte, A., . . . Lorne, J. (2005). *Broward County segment III nearshore monitoring - mid-construction: Week 7*. Coastal Planning & Engineering, Inc. Boca Raton, Florida.
- Lybolt, M., Delaney, A., Prekel, S. E., & Craft, J. (2005a). Broward County segment III nearshore monitoring - mid-construction: Week 4. Coastal Planning & Engineering, Inc. Boca Raton, Florida.
- Lybolt, M., Delaney, A., Prekel, S. E., & Craft, J. (2005b). Broward County segment III nearshore monitoring - mid-construction: Week 10. Coastal Planning & Engineering, Inc. Boca Raton, Florida.

- Lybolt, M., Hague, E., Bardes, P., & Prekel, S. E. (2005). Broward County segment III nearshore monitoring - mid-construction: Week 21. Coastal Planning & Engineering, Inc. Boca Raton, Florida.
- Lybolt, M., Makowski, C., & Prekel, S. E. (2005). *Broward County segment III nearshore monitoring* - *mid-construction: Week 6*. Coastal Planning & Engineering, Inc. Boca Raton, Florida.
- Lybolt, M., Makowski, C., Craft, J., & Prekel, S. E. (2005). Broward County segment III nearshore monitoring - mid-construction: Week 2. Coastal Planning & Engineering, Inc. Boca Raton, Florida.
- Lybolt, M., Prekel, S. E., & Craft, J. (2005). Broward County segment III nearshore monitoring midconstruction: Week 9 - field observation report. Coastal Planning & Engineering, Inc. Boca Raton, Florida.
- Macauley, J. M., Summers, J. K., Engle, V. D., & Harwell, L. C. (2002). The ecological condition of south Florida estuaries. *Environmental Monitoring and Assessment*, 75, 253-269.
- MacDonald, D. D. (1994a). Volume 1 Development and evaluation of sediment quality assessment guidelines. MacDonald Environmental Sciences Ltd., British Columbia.
- MacDonald, D. D. (1994b). Volume 2 Application of the sediment quality assessment guidelines. MacDonald Environmental Sciences Ltd., British Columbia.
- Machemer, E. G. P. (2010). A predictive habitat model for rainbow parrotfish Scarus guacamaia. (MS), NSUOC, Dania Beach, Florida.
- Machemer, E., Walter, J. I., Serafy, J., & Kerstetter, D. (2012). Importance of mangrove shorelines for rainbow parrotfish Scarus guacamaia: Habitat suitability modeling in a subtropical bay. *Aquatic Biology*, 15(1), 87-98. doi:10.3354/ab00412.
- MacIntyre, I. G., & Milliman, J. D. (1970). Physiographic features on the outer shelf and upper slope, Atlantic continental margin, southeastern United States. *Geological Society of America Bulletin*, 81, 2577-2598.
- Madden, C. J., & Goodin, K. L. (2007). Ecological classification of Florida Bay using the coastal marine Ecological Classification Standard (CMECS). NatureServe, Arlington, Virginia.
- Madley, K. A., Sargent, B., & Sargent, F. J. (2002). Development of a system for classification of habitats in estuarine and marine environments (SCHEME) for Florida. St. Petersburg, FL.
- Maher, T. F. (1999). Florida's artificial reef program: a historical perspective of its unique partnership between federal, state and local governments. Paper presented at the Proceedings 7th CARAH.
- Makowski, C., Prekel, S. E., Lybolt, M. J., & Baron, R. M. (2009). The Benthic Ecological

Assessment for Marginal Reefs (BEAMR) method. *Journal of Coastal Research*, 25(2), 515-522.

- Makowski, C., Rusenko, K., Thomson, G. G., & Kruempel, C. J. (2006). *Broward County beach demonstration project: Abiotic analysis of recycled.* Coastal Planning & Engineering, Inc. Boca Raton, Florida.
- Mallinson, D., Hine, A., Hallock, P., Locker, S., Shinn, E., Naar, D., . . . Weaver, D. (2003). Development of small carbonate banks on the south Florida platform margin: response to sea level and climate change. *Marine Geology*, 199, 45-63.
- Margolis, W. E. (1993). *Nesting periodicity of Caretta caretta in Broward County, Florida*. (MS), NSUOC, Dania Beach, Florida.
- Marine Resources, Inc. (2003). *M/V Alam Senang grounding, Broward County Florida: Assessment and restoration.* Prepared for Scandinavian Underwriters Agency. Stuart, FL.
- Marsh, A. G., & Tubreville, D. B. (1981). The environmental impact of beach nourishment: Two studies in southeastern Florida. *Shore and Beach*, 49(3), 40-45.
- Marsh, A. G., Bowen, P. R., Deis, D. R., Tubeville, D. B., & Courtenay, W. R., Jr. (1980). Ecological evaluation of a beach nourishment project at Hallandale (Broward County), Florida: Volume II. Evaluation of benthic communities adjacent to a restored beach, Hallandale (Broward County), Florida. Florida Atlantic University Department of Biological Services (Vol. II). Boca Raton, Florida.
- Marszalek, D. S. (1981). *Impact of dredging on a subtropical reef community, southeast Florida, USA*. Paper presented at the 4. International Coral Reef Symposium, Manila (Philippines).
- Marszalek, D. S., & Taylor, D. (1977). Professional engineering services for surveying and monitoring of marine hardground communities in Dade County, Florida. University of Miami Rosentiel School of Marine and Atmospheric Science. Miami, Florida.
- Marszalek, D. S., G.B., Jr., Noel, M. R., & Worley, D. R. (1977, May 1977). *Reef distribution in south Florida*. Paper presented at the Proceedings, Third International Coral Reef Symposium, Miami, Florida.
- Martin Associates. (2010). *The local and regional economic impacts of Port Everglades: Fiscal year 2009*. Lancaster, PA. Retrieved from: http://www.porteverglades.net/about-us/economic-impact/.
- Mattison, C. (2004). The influence of physical and anthropogenic factors on the distribution of the loggerhead sea turtle (Caretta caretta) nests in Broward County, Florida (1990-1999). (MS), NSUOC, Dania Beach, Florida.
- Mauer, S. L. (2006). Seasonal trends and factors influencing osprey, Pandion haliaetus, sightings in

Port Everglades, Florida. (MS), NSUOC, Dania Beach, Florida.

- McArthur, C. J., Stamates, S. J., & Proni, J. R. (2006). *Review of the real-time current monitoring* requirement for the Miami ocean dredged material disposal site (1995-2000). National Oceanic and Atmospheric Administration Technical Memorandum OAR AOML-95.
- McCarthy, D. A. (n.d.). *Baseline report for hardbottom habitats at Bathtub Beach, Stuart, Florida.* Jacksonville University Department of Biology and Marine Science. Jacksonville, Florida.
- McClellan, D. B., & D. E. H. (2007). Selected reef fish visual census studies conducted by the Miami Laboratory Reef Resources Team, 1985 - 2002. NOAA Technical Memorandum NMFS-SEFSC-561., 104 p.
- McCorquodale, D. S., Jr. (1987). Colophage as an indicator of fecal pollution in marine waters: assay, validation, and application. (PhD), NSUOC, Dania Beach, Florida.
- McGlynn, K. (2002). *DEP permitting for the diplomat beach renourishment project, City of Hollywood, Broward County, FL*. DEP file No. 0174142-001-JC. Coastal Systems International, Inc. Coral Gables, Florida.
- McGrath, E. (2012). *The feasibility of rubble-binding sponge propagation for use in reef restoration*. (MS), NSUOC, Dania Beach, Florida.
- Menza, C., Ault, J., Beets, J., Bohnsack, J., Caldow, C., Christensen, J., . . . Woody, K. (2006). A guide to monitoring reef fish in the National Park Service's South Florida / Caribbean Network. NOAA Technical Memorandum NOS NCCOS 39.
- Messing, C., Walker, B., & Reed, J. (2012). *Deep-water benthic habitat characterization and cable impact assessment for the South Florida Ocean Measurement Facility (SFOMF)*. Prepared for Commander Naval Surface Warfare Center, Carderock Division. Bethesda, MD.
- Meylan, A. (1978). *The behavioral ecology of the West Caribbean green turtle (Chelonia mydas) in the internesting habitat.* University of Florida, Miami Harbor Baseline Quantitative Reef Assessment Study Technical Approach Pilot Study. (2009).
- Miami-Dade County DERM. (2003). Sunny Isles reef restoration onsite mitigation monitoring restudy project 2003: Interim final report. Miami Dade County Department of Environmental Resources Management. Miami, Florida.
- Miami-Dade County DERM. (2007). Baseline biological monitoring of Miami-Dade Limerock Boulder Reefs: Final report. Miami-Dade County Department of Environmental Resources Management. Miami, Florida.
- Miami-Dade County DERM. (2009a). Annual monitoring report for the Dumfoundling Bay artificial reef site. Miami-Dade County Department of Environmental Resources Management. Miami, Florida.

- Miami-Dade County DERM. (2009b). Annual monitoring report for the Golden Beach artificial reef site. Miami-Dade County Department of Environmental Resources Management. Miami, Florida.
- Miami-Dade County DERM. (2009c). Annual monitoring report for the Julia Tuttle artificial reef site. Miami-Dade County Department of Environmental Resources Management. Miami, Florida.
- Miami-Dade County DERM. (2009d). Annual monitoring report for the Key Biscayne Special Management Zone artificial reef site. Miami-Dade County Department of Environmental Resources Management. Miami, Florida.
- Miami-Dade County DERM. (2009e). Annual monitoring report for the Mercy Hospital artificial reef site. Miami-Dade County Department of Environmental Resources Management. Miami, Florida.
- Miami-Dade County DERM. (2009f). Annual monitoring report for the Oleta River artificial reef site. Miami-Dade County Department of Environmental Resources Management. Miami, Florida.
- Michel, J. F. (1972). Oceanographic studies pertaining to the proposed ocean outfall at Pompano Beach, Florida. *Ross, Saarinen, Bolton and Wilder, Inc.*, 18 pp.
- Mille, K., Scott, C., & Mata, C. (n.d.). *Digitizing the Florida Artificial Reef Program reference library using EndNote X2*. Paper presented at the Florida Artificial Reef Program: Artificial Reef Program.
- Miller, A. (2003). A descriptive epidemiological study of stranded dolphins along the Florida coastline. (MS), NSUOC, Dania Beach, Florida.
- Miller, A. (2006). Stress response in Montastraea cavernosa as a result of sediment loading: Quantitative histological and ultrastructural analysis. (MS), NSUOC, Dania Beach, Florida.
- Miller, C. (2007). Synthesis of FDEP Hardbottom Monitoring Program Results.
- Miller, J., Waara, R., Atkinson, A., Witcher, B., & Patterson, M. (2006). Protocol development to monitoring implementation: Lessons learned from the National Park Service's South Florida-Caribbean Inventory & Monitoring Network coral reef monitoring program. EOS, *Transactions, American Geophysical Union*, 87(36).
- Miller, M. W., Baums, I.B., Williams, D.E., & Szmant, A. M. (2002). *Status of candidate coral, Acropora palmata, and.*
- Miller, M. W., Hay, M. E., Miller, S. L., Malone, D., Sotka, E. E., & Szmant, A. M. (1999). Effects of nutrients versus herbivores on reef algae: A new method for manipulating nutrients on coral reefs. *Limnology and Oceanography*, 44, 1847-1861.

- Miller, M. W., Weil, E., & Szmant, A. M. (2000). Coral recruitment and juvenile mortality as structuring factors for reef benthic communities in Biscayne National Park, USA. *Coral Reefs*, 19(2), 115-123.
- Milon, J. W. (1989). Artificial marine habitat characteristics and participation behavior by sport anglers and divers. *Bulletin of Marine Science*, 44(2), 853-862.
- Milon, J. W., & Dodge, R. E. (2001). Applying habitat equivalency analysis for coral reef damage assessment and restoration. *Bulletin of Marine Science*, *69*, 975-988.
- Mitchell, M. (2006). Testing the effectiveness of pollution control measures at the south Dade landfill: the reduction of un-ionized ammonia in landfill leachate. (MS), NSUOC, Dania Beach, Florida.
- Moffatt & Nichol International. (2006). Port Everglades offshore anchorage feasibility study final report. Calypso U.S. Pipeline, LLC MNI Project No. 5905.
- Mokashi, M. P. (2009). Distribution of phyllosoma larvae (Crustacea: Decapoda: Palinura: Palinuridae, Scyllaridae and Synaxidae) in the Florida current, off Port Everglades, Florida, USA. (MS), NSUOC, Dania Beach, Florida.
- Monaco, M., Anderson, S., Battista, T., Kendall, M., Rohmann, S., Wedding, L., & Clarke, A. (2012). National summary of NOAA's shallow-water benthic habitat mapping of U.S. coral reef ecosystems. NOAA Technical Memorandum NOS NCCOS 122. NCCOS Center for Coastal Monitoring and Assessment Biogeography Branch. Silver Spring, MD.
- Monty, J. A. (2006). "Coral of opportunity" survivorship, growth, and use with "coral nurseries" and "integrated stakeholder involvement" in coral reef restoration. (MS), NSUOC, Dania Beach, Florida.
- Morgan, J. A., & Waddell, J. E. (2009). NOAA Coral Reef Ecosystem Integrated Observing System (CREIOS) workshops report. NOAA Technical Memorandum CRCP 9. NOAA Coral Reef Conservation Program. Silver Spring, MD.
- Morley, D. M. (2009). Environmental enhance gone awry: Characterization of an artificial reef constructed from waste vehicle tires. (MS), NSUOC, Dania Beach, Florida.
- Morris, S. M. (1993). *Effects of dredging induced sedimentation and turbidity on two species of stony corals of Southeast Florida*. (MS), NSUOC, Dania Beach, Florida.
- Morton, N. E., Burd, J. J., McIntyre, M. L., O'Kiefe, K. M., Wheaton, J. L., Naar, D. F., . . . Kohler, M. F. (2002). Comparison of airborne lidar and mulitbeam bathymetric data in the Florida Reef Tract along Broward County. Paper presented at the Eos Transactions AGU, Honolulu, HI.
- Moulding, A. (2011). Evaluation of past coastal construction project monitoring in Southeast Florida and recommendations to improve future monitoring. Southeast Florida Coral Reef Initiative.

Maritime Industry and Coastal Construction Impacts (MICCI) and Fishing, Diving, and Other Uses (FDOU). Local Action Strategy Project 27, 47, 48.

- Moyer, R. P. (2003). Trends in macrobenthic spatial patterns and community structure on the Broward County, Florida (USA) relict reefs. (MS), NSUOC, Dania Beach, Florida.
- Moyer, R. P., Riegl, B., Banks, K., & Dodge, R. E. (2003). Spatial patterns and ecology of benthic communities on a high-latitude South Florida (Broward County, USA) reef system. *Coral Reefs*, 22(4), 447-464.
- Moyer, R. P., Riegl, B., Dodge, R. E., Walker, B. K., & Gilliam, D. S. (2002). *Acoustic remote sensing* of reef benthos in Broward County, Florida (USA). Paper presented at the Seventh International Conference on Remote Sensing for Marine and Coastal Environments, Miami, Florida, USA.
- Moyer, R., Riegl, B., Banks, K., & Dodge, R. (2005). Assessing the accuracy of acoustic seabed classification for mapping coral reef environments in South Florida (Broward County, USA). *Revista de biologia tropical*, *53*(1), 175-184.
- MSA. (2011). Magnuson-Stevens Act Provisions, 50 CFR 600.920. Retrieved from http://cfr.vlex.coid/600-920-consultation-with-secretary-19896487.
- Mullins, H. T., & Neumann, A. C. (1979). Geology of the Miami terrace and its paleo-oceanographic implications. *Marine Geology*, *30*, 205-232.
- Murdoch, T. J. T., & Aronson, R. B. (1999). Scale-dependent spatial variability of coral assemblages along the Florida Reef Tract. *Coral Reefs*, 18(4), 341-351.
- Murray, J. D. (1989). A policy and management assessment of southeast and mid-Atlantic artificial reef programs (89-3). UNC Sea Grant College Program, North Carolina State University. Raleigh, North Carolina.
- Myatt, E. N., & Myatt, D. O. (1992). *Florida artificial reef development plan*. EcoGenesis, Inc. Fort Lauderdale, FL.
- Nairn, R., Johnson, J. A., Hardin, D., & Michel, J. (2004). A biological and physical monitoring program to evaluate long-term impacts from sand dredging operations in the United States outer Continental Shelf. *Journal of Coastal Research*, 20, 126-137.
- Naqvi, S. M., & Pullen, E. J. (1982). *Effects of Beach Nourishment and Borrowing on Marine* Organisms. Department of the Army Coastal Engineering Research Center. Fort Belvoir, VA.
- National Fish Habitat Board. (2010). *Through a fish's eye: The status of fish habitats in the United States 2010*. Association of Fish and Wildlife Agencies, Washington DC.
- National Fish Habitat Board. (2012). *National fish habitat action plan, 2nd edition*. Association of Fish and Wildlife Agencies, Washington DC.

- National Marine Fisheries Service. (2005). *Status of fisheries of the United States—Report to Congress*. Retrieved from http://www.nmfs.noaa.gov/sfa/statusoffisheries/SOSmain.htm.
- National Marine Fisheries Service. (2006). Endangered and threatened species: final listing determinations for Elkhorn coral and Staghorn coral. Federal Registrar: 71 pages 26852-26861.
- National Marine Fisheries Service. (2007). *Marine Recreational Fisheries Statistics Survey (MRFSS)*. Fisheries Statistics Division. Retrieved from http://www.st.nmfs.gov/st1/recreational/queries/index.html.
- National Marine Fisheries Service. (2008). Endangered and threatened species; Critical habitat for threatened Elkhorn and Staghorn corals; Final rule. *Federal Register: Rules and Regulations* (Vol. 73, 50 CFR Parts 223 and 226, pp. 72210-72240): Department of Commerce. National Oceanic and Atmospheric Administration.
- National Ocean Service. (2000). Fair market value analysis for a fiber optic cable permit in national marine sanctuaries. National Marine Sanctuaries Program.
- National Oceanic and Atmospheric Administration. (2007). *National artificial reef plan (as amended): Guidelines for siting, construction, development, and assessment of artificial reefs.* United States Department of Commerce. Silver Spring, Maryland.
- National Park Service. (2004). Coral reef habitat injuries.
- Negandhi, K. L. (2009). *Microbial communities with emphasis on coral disease-associated bacteria* within Florida reef sponges. (MS), NSUOC, Dania Beach, Florida.
- Nelson, D. M., Herlach, B., McGrath, T., Buja, K., Zitello, A., & Oldewurtel-Ilioff, A. (2010). Assessment of existing information on Atlantic coastal fish habitats: Development of a webbased spatial bibliography, query tools, and data summaries. NOAA Technical Memorandum NOS NCCOS 103.
- Nelson, W. (1993). Beach restoration in the southeastern U.S.: Environmental effects and biological monitoring. *Ocean & coastal management*, *19*(2), 157-182.
- Nelson, W. G. (1985). *Guidelines for beach restoration projects part 1: Biological*. Florida Institute of Technology Department of Oceanography and Ocean Engineering. Melbourne, FL.
- Nelson, W. G., & Main, M. B. (1985). Criteria for beach nourishment: Biological guidelines for Sabellariid worm reef. Florida Institute of Technology Department of Oceanography and Ocean Engineering. Melbourne, FL.
- Newell, R. C., Seiderer, L. J., & Hitchcock, D. R. (1998). The impact of dredging works in coastal waters: A review of the sensitivity to disturbance and subsequent recovery of biological

resources on the sea bed. Ocean and Marine Biology: An Annual Review, 36, 127-178.

- Nicoletti, L., Paganelli, D., & Gabellini, M. (2006). Environmental aspects of relict sand dredging for beach nourishment: proposal for a monitoring protocol. *Quaderno ICRAM*, *5*, 155.
- NMFS & USFWS. (1992). *Recovery plan for Leatherback turtles in the U.S. Caribbean, Atlantic and Gulf of Mexico*. NOAA National Marine Fisheries Service & U.S. Fish and Wildlife Service.
- NMFS & USFWS. (1992). *Recovery plan for the Kemp's Ridley sea turtle Lepidochelys kempii*. Prep. by the Kemp's Ridley Recovery Team, for USFWS and NMFS.
- NMFS & USFWS. (1993). Recovery plan for the Hawksbill turtle Eretmochelys imbricata in the U.S. *Carribean, Atlantic and Gulf of Mexico*. Prepared by the Leatherback and Hawksbill Turtle Recovery Team, for USFWS Southeast Region and NMFS.
- NMFS & USFWS. (2007a). Green sea turtle (Chelonia mydas) 5-year review: Summary and evaluation. NOAA/NMFS Office of Protected Resources, and USFWS Southeast Region.
- NMFS & USFWS. (2007b). *Hawksbill Sea Turtle (Eretmochelys imbricata) 5-year review: Summary and evaluation*. NOAA/NMFS Office of Protected Resources, and USFWS Southeast Region.
- NMFS & USFWS. (2007c). *Kemp's Ridley Sea Turtle (Lepidochelys kempii) 5-year review: Summary and evaluation*. NOAA/NMFS Office of Protected Resources, and USFWS Southeast Region.
- NMFS & USFWS. (2007d). Leatherback Sea Turtle (Dermochelys coriacea) 5-year review: Summary and evaluation. NOAA/NMFS Office of Protected Resources, and USFWS Southeast Region.
- NMFS & USFWS. (2007e). Loggerhead Sea Turtle (Caretta caretta) 5-year review: Summary and evaluation. NOAA/NMFS Office of Protected Resources, and USFWS Southeast Region.
- NOAA & CRCP. (2010). Coral Reef Conservation Program, goals and objectives 2010-2015. NOAA Coral Reef Conservation Program, Silver Spring MD.
- NOAA & CRCP. (2012). Implementation of the National Coral Reef Action Strategy: Report on NOAA Coral Reef Conservation Program activities from 2010 to 2011. NOAA Coral Reef Conservation Program, Silver Spring, MD.
- NOAA & DARRP. (2009a). *Case: Coral cases, Maitland, FL*. NOAA Damage Assessment, Remediation, and Restoration Program, Southeast Region.
- NOAA & DARRP. (2009b). *Case: Corals cases, Elpis, FL*. NOAA Damage Assessment, Remediation, and Restoration Program, Southeast Region.
- NOAA & NMFS. (2000). Status review of Smalltooth Sawfish (Pristis pectinata). NOAA/NMFS Protected Resources Division, St. Petersburg, FL.

- NOAA & NMFS. (2006). Summary report: Acropora conservation workshops. NOAA/NMFS Southeast Regional Office, St. Petersburg, FL.
- NOAA & NMFS. (2007). SEDAR 13 stock assessment report: Small coastal shark complex, Atlantic Sharpnose, Blacknose, Bonnethead, and Finetooth Shark. NOAA/NMFS Highly Migratory Species Management Division, Silver Spring, MD.
- NOAA & NMFS. (2009a). Impacts analysis for critical habitat designation for the endangered U.S. distinct population segment of Smalltooth Sawfish (Pristis pectinata). Final Endangered Species Act Section 4(b)(2) Report.
- NOAA & NMFS. (2010a). Environmental assessment: Issuance of two scientific research permits for sea turtle research in Florida. NOAA/NMFS Office of Protected Resources, Silver Spring, MD.
- NOAA & NMFS. (2010b). Smalltooth Sawfish (Pristis pectinata Latham) 5-year review: Summary and evaluation. NOAA/NMFS Protected Resources Division, St. Petersburg, FL.
- NOAA & NMFS. (2010c). Status review of the Largetooth Sawfish (Pristis perotteti). NOAA/NMFS.
- NOAA & NMFS. (2012a). Endangered Species Act Section 7 consultation, biological opinion: 12 USACE SAJ general permits renewal. NOAA/NMFS Southeast Regional Office, St. Petersburg, FL.
- NOAA & NMFS. (2012b). SouthEast data, assessment, and review (SEDAR). NOAA/NMFS Southeast Fisheries Science Center, Miami FL.
- NOAA & NMFS. (2012c). Supplemental information report on status review report and draft management report for 82 coral candidate species. NOAA/NMFS Southeast and Pacific Islands Regional Offices.
- NOAA & NOS. (2009). Coral Reef Habitat assessment for U.S. marine protected areas: State of Florida: Dry Tortugas to Biscayne Bay. NOAA/NOS Special Projects Office and Coral Reef Conservation Program, Silver Spring, MD.
- NOAA, NMFS, & USFWS., & SEMARNAT. (2011). Bi-national recovery plan for the Kemp's Ridley sea turtle (Lepidochelys kempii), second revision. NOAA/NMFS, Silver Spring, MD.
- NOAA. (2002). Coral Reef Conservation Program 5: Status of local action strategies to conserve coral reefs for years 2002-2006. Report to the U.S. Coral Reef Task Force Steering Committee.
- NOAA. (2007). United States coast pilot 4 Atlantic coast: Cape Henry to Key West (39 ed.). U.S. Department of Commerce. Washington, D.C.
- NOAA. (2012). Management report for 82 corals status review under the Endangered Species Act: Existing regulatory mechanisms and conservation efforts. NOAA National Marine Fisheries

Service, Pacific Islands Regional Office.

- NOAA8 & NMFS. (2009b). *Recovery Plan for Smalltooth Sawfish (Pristis pectinata)*. Prep. by Smalltooth Sawfish Recovery Team. NOAA/NMFS Southeast Region, St. Petersburg, FL.
- Noe, G., Childers, D., & Jones, R. (2001). Phosphorus biogeochemistry and the impact of phosphorus enrichment: Why is the Everglades so unique? *Ecosystems*, *4*, 603-624.
- Nowoslielski, K. L. (2005). *Distribution and significance of fecal indicator bacteria in beach and seawater in a sub-tropical environment*. (MS), NSUOC, Dania Beach, Florida.
- NSUOC. (2005a). Agreement exhibit A-2 activity 7.1: Stony coral transplantation summary.
- NSUOC. (2005b). Agreement exhibit A-2 activity 7.2: Stony coral transplantation monitoring
- NSUOC. (2006a). Agreement exhibit A-2 activity 7.2: Stony coral transplantation monitoring
- NSUOC. (2006b). Agreement exhibit A-2 activity 7.2: Stony coral transplantation monitoring
- NSUOC. (2006c). Third monitoring report: 1-year post-transplantation monitoring event.
- NSUOC. (2008a). Broward County Port Everglades proposed sand bypass project: Benthic resource impact summary final report. Nova Southeastern University Oceanographic Center. Dania Beach, Florida.
- NSUOC. (2008b). Broward County Port Everglades sand bypass project benthic habitat mapping and assessment.
- NSUOC. (2008c). Geotechnical investigation for the Port Everglades sand bypass project year 1 coral transplantation report: Draft. Nova Southeastern University Oceanographic Center. Dania Beach, Florida.
- O'Brien, N. M. (2008). An analysis of dwarf and pygmy sperm whale (Kogia sp.) stranding data in the southeast United States. (MS), NSUOC, Dania Beach, Florida.
- Olsen Associates. (2009). 3-year post construction physical monitoring report: Appendix B.
- Oppen, M. J. H. V., Willis, B. L., Vugt, H. W. J. A. V., & Miller, D. J. (2000). Examination of species boundaries in the Acropora cervicornis group (Scleractinia, Cnidaria) using nuclear DNA sequence analyses. *Molecular Ecology*, 9(9), 1363-1373. doi:10.1046/j.1365-294x.2000.01010.x.
- Orthmann, C. M. H. (1995). An assessment of the extent and types of environmental crime in Florida, with a focus on Dade, Broward, and Palm Beach Counties, as measured by local prosecutors' records. (MS), NSUOC, Dania Beach, Florida.

- Palm Beach County (1999). Palm Beach County comprehensive coastal monitoring program draft. Palm Beach County Department of Environmental Resources.
- Palm Beach County DERM. (1993). Environmental assessment of coastal resources in Palm Beach, Lake Worth, South Palm Beach, Lantana and Manalapan Palm Beach County, Florida. Final report.
- Palm Beach County DERM. (1994). Environmental assessment for a shore protection project at Ocean Ridge Palm Beach County, Florida. Final report.
- Palm Beach County DERM. (2000). Evaluation of mitigation reef constructed to offset impacts of the 1995 Jupiter/Carlin Shore protection project: Interim report. Palm Beach Department of Environmental Resources Management.
- Palm Beach County DERM. (2008). *Lake Worth Lagoon management plan revision*. Palm Beach County, Dept. Environmental Resources Management, West Palm Beach, FL.
- Palm Beach County DERM. (2009). Palm Beach County, Florida ocean ridge beach renourishment project final nearshore reef monitoring and mitigation plan.
- Palm Beach County Reef Research Team. (2004). Final Report.
- Palm Beach County Reef Research Team. (2006). Final Report.
- Palm Beach County. (2001). *History of Palm Beach County inlets*. Retrieved from http://www.co.palm-beach.fl.us/erm/coastal/shoreline/beach/pdf/history-inlets.pdf.
- Palm Beach Harbor Maintenance Dredging Project. (2007). Palm Beach maintenance dredging.
- Palm Beach Reef Research Team. (2004). *Executive summary: A summary of the monitoring data* collected from 11/02 to 12/04 by the Palm Beach County reef research team.
- Park, B. N. (2008). Incorporating science in Biscayne National Park marine planning Oct 2008.
- Parnell, B. D. (1979). Environmental impact assessment of North Broward (Pompano) outfall. Environmental Quality Control Board, 14 pp.
- Paul, V. J., Thacker, R. W., Banks, K., & Golubic S. (2005). Benthic cyanobacterial bloom impacts the reefs of South Florida (Broward County, USA). *Coral Reefs*, 24, 693-697.
- PBS&J (2004). Lessons Learned: The Installation of the AT&T Telecommunications Cables off the Coast of Southeast Florida.
- PBS&J. (1999). Assessment of stony coral impacts along telecommunication cables in Broward County, Florida. A report for Michael S. Tammaro, Carlton, Fields, Ward, Emmanuael, Smith & Culter, P.A.

- PBS&J. (2001). AT&T Hollywood, Florida Station Year 2 Monitoring Report for Repaired Corals and Artificial Reef Modules. *PBS&J*. Jacksonville, Florida.
- PBS&J. (2007). Assessment of alternative construction template for beach nourishment projects. PBS&J, Tampa FL, and Ecological Associates, Inc., Jensen Beach FL.
- PBS&J. (2008c). Development of Best Management Practices (BMPs) for construction, dredge and fill, and other activities adjacent to coral reefs: Workshop proceedings, Dania Beach, Florida, July 16, 2007. Southeast Florida Coral Reef Initiative (SEFCRI). Maritime Industry and Coastal Construction Impacts (MICCI) Focus Team. Local Action Strategy Project # 6.
- Peach, K. E. (2009). Population dynamics and predictions for the calcareous green algae, Halimeda, on the coral reefs on south Florida. (MS), NSUOC, Dania Beach, Florida.
- Peddicoart, M. R. (2010). Variations in composition, abundance and cover of reef tract sponge assemblages in Broward County, Florida, 2003-2006. (MS), NSUOC, Dania Beach, Florida.
- Pendleton, L. H. (2008). *The economic and market value of coasts and estuaries: What's at stake?* Produced by Restore America's Estuaries, Arlington VA.
- Pennell, J. (2007a). Jupiter Island beach restoration biological and sedimentation survey post-dredge report. *Environmental Services, Inc.* Jupiter, Florida.
- Pennell, J. (2007b). St. Lucie Inlet federal navigation channel maintenance dredging project nearshore hardbottom biological monitoring pre-dredge report. *Environmental Services, Inc.* Jupiter, Florida.
- Pennell, J. (2008). St. Lucie Inlet federal navigation channel maintenance dredging project nearshore hardbottom biological monitoring post-dredge report. *Environmental Services, Inc.* Jupiter, Florida.
- Perkins, R. D., & Enos, P. (1981). Hurricane Betsy in the Florida-Bahama area: Geologic effects and comparison with Hurricane Donna. Leatherman, S. P. (Ed.), *Overwash Processes, Benchmark Papers in Geology* (Vol. Series 58, pp. 102-110). Stroudsburg, PA: Hutchinson Ross.
- Petersen, D., & Tollrian, R. (2001). Methods to enhance sexual recruitment for restoration of damaged reefs. *Bulletin of Marine Science*, 69, 989-1000.
- Petrie, C. D. (2000). *Effectiveness of chemical inducers on settling and settlement of scleractinian coral larvae on various substrates.* (MS), NSUOC, Dania Beach, Florida.
- Phillips, N. W., Gettleson, D. A., & Spring, K. D. (1990). Benthic biological studies of the southwest Florida shelf. *Amer. Zool.*, *30*(1), 65-75. doi:10.1093/icb/30.1.65.

Phipps Ocean Park (Reach 7). (2006). FDEP Permit No. 0165335-001-JC. Town of Palm Beach, FL.

- Pielke, R. A., Walko, R. L., Steyaert, L. T., Vidale, P. R., Liston, G. E., Lyons, W. A., & Chase, T. N. (1999). The influence of anthropogenic landscape changes on weather in south Florida. *American Meteorological Society*, 127, 1663-1672.
- Pierro, T., & Prekel, S. (2009). Field observation report: Boca Raton Inlet north jetty reconstruction. *Planning & Engineering, Inc.* Boca Raton, Florida.
- Pitts, P. (1993). Coastal upwelling off the central Florida Atlantic coast: Cold near-shore waters during summer months surprise many divers. Paper presented at the 13th Annual Scientific Diving Symposium, Pacific Grove, California.
- Pitts, P. A. (1999). Effects of summer upwelling on the abundance and vertical distribution of fish and crustacean larvae off central Florida's Atlantic coast. *Journal of Experimental Marine Biology and Ecology*, 235(1), 135-146. doi: http://dx.doi.org/10.1016/S0022-0981(98)00179-8.
- Pitts, P. A., & Smith, N. P. (1997). An investigation of summer upwelling across central Florida's Atlantic coast: The case for wind stress forcing. *Journal of Coastal Research*, 13(1), 105-110. doi:10.2307/4298596.
- Plotkin, P. T. E. (1995). National Marine Fisheries Service and U. S. Fish and Wildlife Service status reviews for sea turtles listed under the Endangered Species Act of 1973. NOAA National Marine Fisheries Service, Silver Spring, MD.
- Polaris Applied Sciences, Inc. (2007). *Clipper Lasco emergency restoration activity*. Kirkland, WA 98115.
- Porch, C. E., Eklund, A. M., & Scott, G. P. (2003). An assessment of rebuilding times for goliath grouper. SEDAR, 6-RW-3.
- Porch, C. E., Eklund, A. M., & Scott, G. P. (2006). A catch-free stock assessment model with application to goliath grouper (Epinephelus itajara) off southern Florida. *Fishery Bulletin*, 104, 89-106.
- Port Everglades Department. (2010). *Fiscal year 2009 commerce report: Buoyed by sustainability*. Broward County. Fort Lauderdale, FL.
- Porter, J. W., & Meier, O. W. (1992). Quantification of loss and change in Floridian reef coral populations. *American Zoologist*, 32(6), 625-640.
- Porter, J., & Meier, O. (1994). Assessing change in Floridian coral reefs. *Bulletin of Marine Science* [BULL. MAR. SCI.]. 54(3).
- Post Buckely Schuh and Jernigan Inc. (2008). *Best Management Practices (BMPs) for construction, dredge and fill and other activities adjacent to coral reefs*. Florida Department of Environmental Protection (FDEP), Coral Reef Conservation Program (CRCP). Miami, FL.

- Post Buckley Schuh & Jernigan., & United States. Army. Corps of Engineers. Jacksonville District. (1983). *Lower southeast Florida hurricane evacuation study: technical data report*. Dept. of the Army, Jacksonville District, Corps of Engineers. Jacksonville, Florida.
- Powers, S. P., & Fodrie, F. J. (2008). Phipps Ocean Park (Reach 7) mitigation artificial reef monitoring plan: Habitat suitability analysis and fish production predictions. University of South Alabama, Department of Marine Sciences. Dauphin Island, Alabama.
- Precht, W. F., Aronson, R. B., & Swanson, D. W. (2001). Improving scientific decision-making in the restoration of ship-grounding sites on coral reefs. *Bulletin of Marine Science*, 69, 1001-1012.
- Precht, W., & Miller, S. (2007). Ecological shifts along the Florida Reef Tract: The past as a key to the future. Aronson, R. B. (Ed.), *Geological Approaches to Coral Reef Ecology* (pp. 237-312).
- Prekel, S. E. (2009). Ocean ridge shore protection project third annual and final post-construction biological monitoring report. Coastal Planning and Engineering, Inc. Boca Raton, Florida.
- Prekel, S. E., & Kruempel, C. J. (2006a). Ocean ridge shore protection post-nourishment biological monitoring report. Coastal Planning and Engineering, Inc. Boca Raton, Florida.
- Prekel, S. E., & Kruempel, C. J. (2006b). Ocean ridge shore protection project post-nourishment biological monitoring report. Coastal Planning & Engineering, Inc. Boca Raton, Florida.
- Prekel, S. E., Craft, J., & Carter, A. P. (2008). U.S. Army Corps of Engineers Palm Beach Harbor maintenance dredging program Town of Palm Beach mitigative artificial reef, 1-year postmitigation biological monitoring report. Coastal Planning and Engineering, Inc. Boca Raton, Florida.
- Prekel, S. E., Hannes, A. R., & Ward, G. A. (2008). Segment III Broward County shore protection project - 27-month post-construction nearshore environmental monitoring report. Coastal Planning & Engineering, Inc. Boca Raton, Florida.
- Prekel, S. E., Hannes, A. R., Barrett, C. A., Ward, G. A., Floyd, L., Creed, C. G., ... Reger, C. (2008). Segment III Broward County shore protection project -18-month post-construction nearshore environmental monitoring report supplement. Coastal Planning & Engineering, Inc. Boca Raton, Florida.
- Prekel, S. E., Hannes, A. R., Barrett, C. A., Ward, G. A., Floyd, L., Santos, R., & Reger, C. (2007). Segment III Broward County shore protection project - 12-month post-construction nearshore environmental monitoring report. Coastal Planning & Engineering, Inc. Boca Raton, Florida.
- Prekel, S. E., Hannes, A. R., Ward, G. A., Spieler, R. E., & Freeman, J. (2009). Fifth annual environmental monitoring report of the mitigative artificial reef, 60 months post-mitigation. Coastal Planning and Engineering, Inc. Boca Raton, Florida.

- Prekel, S. E., Lybolt, M., Delaney, A., & Kruempel, C. J. (2007). *Town of Palm Beach Reach 7, Phipps Ocean Park Beach mitigative artificial reef biological monitoring report. Coastal* Planning and Engineering, Inc. Boca Raton, Florida.
- Prekel, S., Ward, G., & Snyder, D. (2009). Town of Palm Beach Reach 7, Phipps Ocean Park Beach mitigative artificial reef, 48-month post-mitigation and FDEP hurricane recovery dune restoration project biological monitoring report. *Coastal Planning and Engineering, Inc.* Boca Raton, Florida.
- Price, R., Top, Z., Happell, J., & Swart, P. (2003). Use of tritium and helium to define groundwater flow conditions in Everglades National Park. *Water Resources Research*, *39*, 13-11-13-12.
- Proni, J. R., & Dammann, P. (1989). Southeast Florida Outfall Experiments (SEFLOE). Technical Report, 58 pp.
- Proni, J. R., Huang, H., & Dammann, W. P. (1994). Initial dilution of Southeast Florida ocean outfalls. *Journal of Hydraulic Engineering*, 120, 1409-1425.
- Puglise, K. A., Kelty, R., & Coral Reef Conservation Program (U.S.). (2007). NOAA coral reef ecosystem research plan for fiscal years 2007 to 2011. [Silver Spring, Md.]: U.S. Dept. of Commerce, National Oceanic and Atmospheric Administration, [Coral Reef Conservation Program.
- Purdy, E. D., Kraft, P.A., Anderson, J., & Twardosky, P. (2002). Florida waters A water resources manual from Florida's water management districts.
- Pybas, D. W. (1997). *Atlas of artificial reefs in Florida* (SG-1). Florida Sea Grant College Program, University of Florida. Gainesville, Florida.
- Quester Tangent. (2008). LiDAR classification final report on LiDAR seabed classification of the inshore waters of Broward County, FL. Broward County, Biological Resources Division. Fort Lauderdale, FL.
- Quinn, P. T. (2009). The influence of artificial reef associated fish assemblages and varying substrates on coral recruitment. (PhD), NSUOC, Dania Beach, Florida.
- Quinn, T. P. (1996). *Diet and seasonal feeding habits of the yellow stingray, Urolophus jamaicensis.* (MS), NSUOC, Dania Beach, Florida.
- Quinney, T. (1998). The diel patterns of glucosidase activity and dissolved carbohydratesin south Florida coastal waters. (MS), NSUOC, Dania Beach, Florida.
- Rappucci, G. (2009). *Tidal cycle effects on the occurrence of the Florida manatee (Trichechus manatus latirostris) at the Port Everglades Power Plant.* (MS), NSUOC, Dania Beach, Florida.

Raymond, B., & Antonius, A. (1977). Final report: Biological monitoring project of the John U. Lloyd

beach restoration project. D. E. Britt Associates, Inc. Fort Lauderdale, Florida.

REEF. (2007). REEF database. Retrieved from http://www.reef.org/data/database.htm.

- Renegar, D.-E. A. (2003). Effect of nutrient enrichment and elevated CO2 partial pressure on growth rate of the zooxanthellate coral Acropora cervicornis. (MS), NSUOC, Dania Beach, Florida.
- Reynolds, J. E. (2011). Distribution and abundance of Florida manatees (Trichechus manatus latirostris) around selected power plants following winter cold fronts: 2010-2011. Mote Marine Laboratory Technical Report No. 1535. Mote Marine Laboratory, Sarasota FL.
- Richards, V. (2005). *Genetic connectivity throughout Florida and the Caribbean: Comparative phylogeography of diverse reef taxa with contrasting reproductive strategies.* (MS), NSUOC, Dania Beach, Florida.
- Richards, V. (2010). *Genetic connectivity and microevolution of coral reef associated taxa*. (PhD), NSUOC, Dania Beach, Florida.
- Richardson, L. L., Goldberg, W. M., Kuta, K. G., Aronson, R. B., Smith, G. W., Ritchie, K. B., . . . Miller, S. L. (1998). Florida's mystery coral-killer identified. *Nature*, *392*, 557-558.
- Riegl, B. M., Moyer, R. P., Morris, L. J., Virnstein, R. W., & Purkis, S. J. (2005). Distribution and seasonal biomass of drift macroalgae in the Indian River Lagoon (Florida, USA) estimated with acoustic seafloor classification (QTCView, Echoplus). *Journal of Experimental Marine Biology and Ecology*, 326(1), 89-104.
- Riegl, B., Walker, B., Foster, G., & Foster, K. (2005). *Development of GIS maps for southeast Florida coral reefs* (DEP agreement no. G0098; NOAA award NA03NOS4190209). Miami Beach, FL.
- Riegl, B., Walker, B., Foster, G., & Foster, K. (2007). *Final Report: Development of GIS maps for southeast Florida coral reefs*. National Coral Reef Institute, Nova Southeastern Univ. Oceanographic Center, Dania Beach FL, and Florida Fish and Wildlife Research Institute, St. Petersburg FL.
- Riegl, B., Walker, B., Moyer, R., Hernandez-Cruz, L., Foster, J.G., & Foster, C. (2004). *Final report: Development of GIS maps for southeast Florida coral reefs*. Produced by National Coral Reef Institute, Nova Southeastern Univ. Oceanographic Center, Dania Beach FL, for the Florida Fish and Wildlife Research Institute.
- Roberts, C. M., Bohnsack, J. A., Gell, F., Hawkins, J. P., Goodridge, R. (2001). Effects of marine reserves on adjacent fisheries. *Science*, 294, 1920-1923.
- Roberts, K. (1994). The distributions of fish populations in the natural and mitigated mangroves forests in Southeast Florida. (MS), NSUOC, Dania Beach, Florida.

Robinson, J. L. (2008). A comparison of mesobenthic amphipod diversity on 3-dimensional artificial

substrates versus natural substrates in a shallow coral reef environment. (MS), NSUOC, Dania Beach, Florida.

- Roessler, M., Beardsley, G. L., & Smith, R. (1973). *Benthic communities of Biscayne Bay, Florida*. University of Miami Sea Grant Program. Miami, FL.
- Rogers, C. (1988). *Recommendations for long-term assessment of coral reefs: U. S. National Park Service initiates regional program.* Paper presented at the 6. Int. Coral Reef Symp, Townsville, Qld. (Australia).
- Rogers, C. (2005). Will the major Rreef-building species Acropora palmata (Elkhorn Coral) recover in the US and British Virgin Islands? Proceedings of the Gulf and Caribbean Fisheries Institute, 56, 439-451.
- Rogers, C. S. (1994). Hurricanes and anchors: preliminary results from the National Park Service regional reef assessment program. 214-219.
- Rogers, C. S., Garrison, G., Grober, R., Hillis, Z., & Franke, M. A. (1994). Manual for coral reef monitoring in the Caribbean and Western Atlantic. U.S National Park Service, Southeast Region.
- Rohmann, S. O. (2008). A classification scheme for mapping the shallow-water coral ecosystems of southern Florida, version 3.2, 20 June 2008. NOAA CRCP.
- Rohmann, S. O. (2009). *Mapping southern Florida's shallow-water coral ecosystems: A NOAA project status report: June 22, 2009.* Silver Spring, Maryland.
- Rohmann, S., & Monaco, M. (2005). *Mapping southern Florida's shallow-water coral ecosystems: An implementation plan*. NOAA. Silver Springs, MD.
- Rohmann, S., & Monaco, M. E. (2006). Mapping southern Florida's shallow-water coral ecosystems: A November 2006 project status report. NOAA Coral Reef Conservation Program. Silver Spring, MD.
- Rona, P., & Clay, C. (1966). Continuous seismic profiles of the continental terrace off southeast Florida. *Bulletin Geological Society of America*, 77(1), 31-44.
- Rosch, E. D. (2007). A temporal and spatial analysis of a macroinverterate infaunal assemblage in John U. Lloyd State Park, Florida, USA. (MS), NSUOC, Dania Beach, Florida.
- Rubec, P. J., Christensen, J. D., Arnold, W. S., Norris, H., Steele, P., & Monaco, M. E. (1998). GIS and modeling: coupling habitats to Florida fisheries. J. Shellfish Res., 17(5), 1451-1457.
- Rubec, P. J., Coyne, M. S., McMichael, R. H., & Monaco, M. E. (1998). Spatial methods being developed in Florida to determine essential fish habitat. *Fisheries*, 23(7), 21-25.

- Rubin, E. (2009). Scleractinean coral recruitment to reefs physically damaged by ship groundings. (MS), NSUOC, Dania Beach, Florida.
- Rudnick, D., Childers, D., Boyer, J., & Fontaine, T. (1999). Phosphorus and nitrogen inputs to Florida Bay: The importance of the Everglades watershed. *Estuaries*, 22, 398-416.
- Russell, G. M., & Goodwin, C. R. (1987). Simulation of tidal flow and circulation patterns in the Loxahatchee River Estuary, southeastern Florida. USGS Water Resources Investigations Report 87-4201.
- Ruyter van Steveninck, E. D. (1984). The composition of algal vegetation in and outside damselfish territories on a Florida reef. *Aquatic Botany*, 20, 11-19.
- Ruzicka, R., K. Semon, M. C., Brinkhuis, V., Kidney, J., Morrison, J., Macaulay, K., Porter, J.W., Meyers, M., Christman, M., & Colee, J. (2010). *Coral reef evaluation and monitoring project* (*CREMP*), 2009 Annual Report. Florida Fish and Wildlife Conservation Commission, Florida Marine Research Institute, St. Petersburg FL.
- SAFMC. (2004). Action plan ecosystem-based management: Evolution from the habitat plan to a fishery ecosystem plan. South Atlantic Fishery Management Council, Charleston, SC.
- SAFMC. (2009). *Fishery ecosystem plan of the south Atlantic region, Volumes I VI.* South Atlantic Fishery Management Council, Charleston, SC.
- Santos, R. O. (2010). *Linkage between mangrove fish community and nearshore benthic habitats in Biscayne Bay, Florida, USA: A seascape approach.* (MS), NSUOC, Dania Beach, Florida.
- Sargent, F. J., Leary, T.J., Crewz, D.W., & Kruer, C. R. (1995). Scarring of Florida's seagrasses: Assessment and management options. Florida Marine Research Institute Technical Reports, FMRI Tech. Rep. TR-1.
- Sathe, M. P. (2008). *Factors influencing southeast Florida coral reef community composition*. (MS), NSUOC, Dania Beach, Florida.
- Sathe, M. P., Gilliam, D. S., Dodge, R. E., & Fisher, L. E. (2009). Patterns in southeast Florida coral reef community composition. Paper presented at the Proceedings of the 11th International Coral Reef Symposium, Ft. Lauderdale, FL.
- Sathe, M. P., Thanner, S. E., & Blair, S. M. (2007). Bal Harbor mitigation artificial reef monitoring program: Year 8 and 9 progress report and summary. Miami- Dade County Department of Environmental Resources Management. Miami, Florida.
- Saunders, L. H. (n.d.). *Environmental impacts of beach nourishment in Florida*. U. S. Army Corps of Engineers. Jacksonville, FL.
- Scarpa, J., & Laramore, S. E. (2010). Survey of select eastern oyster (Crassostrea virginica)

populations in Lake Worth Lagoon, Palm Beach County, Florida, 2010 annual report. Harbor Branch Oceanographic Institute at Florida Atlantic University, Ft. Pierce, FL.

- Schaffranek, R. (1999). *Hydrologic studies in support of South Florida ecosystem restoration*. Annual Water Resources Planning and Management Conference, June 6-9, 1999 Tempe, AZ, 1-9.
- Schmit, T. (1996). The investigation of damage by the ghost crab (Ocypode quadrata) to the nests of the loggerhead sea turtle (Caretta caretta) in Hillsboro Beach, Florida. (MS), NSUOC, Dania Beach, Florida.
- Sea Byte Inc. (2007). *Anzhela explorer: Rubble management and stabilization final report*. Florida Department of Environmental Protection CAMA. Miami, FL.
- Sea Byte, Inc. (2008). *Anzhela explorer rubble management and stabilization final report*. Prepared for: Florida Department of Environmental Protection. Bradenton, Florida.
- SEAFAN. (2012). 2nd annual southeast florida reef cleanup, July 2012 summary. Southeast Florida Action Network.
- Seaman, W. (2004). *Artificial reef monitoring in Florida coastal counties* (Grant No. NA 16RG-2195, SGEB-58). Florida Sea Grant, University of Florida. Retrieved from http://www.flseagrant.org.
- SEFCRI. (2006). Southeast Florida Coral Reef Initiative, awareness & appreciation project # 6, coral reefs and sustainable marine recreation workshop series. Final Report Presented to the Florida Department of Environmental Protection, The Coral Reef Alliance (CORAL).
- SEFCRI. (2007a). Methodology for preparing cumulative impact sections of project reviews and assessments in Miami-Dade, Broward, Palm Beach and Martin Counties, Florida. User's instructions, Version 1.0. A Project of The Southeast Florida Coral Reef Initiative, Maritime Industry and Coastal Construction Impacts (MICCI).
- SEFCRI. (2007b). SEFCRI awareness and appreciation, southeast Florida marine education locations and programs. Southeast Florida Coral Reef Initiative AA Project 9 - Inventory Existing Marine Education Programs.
- Seifollahai, M. (1981). *Population genetics of the Caribbean spiny lobster, Panulirus argus.* (MS), NSUOC, Dania Beach, Florida.
- Session, N. S. (2001). Coral reef restoration following anthropogenic disturbances Special Session Chaired by Walter C. Jaap and J. Harold Hudson. *Bulletin of Marine Science*, 69, 2.
- SFWMD & FDEP. (2010). Loxahatchee River national wild and scenic river management plan plan update 2010. Florida Department of Environmental Protection, and South Florida Water Management District.
- SFWMD & USACE. (2005). North Palm Beach County part 1, project management plan. U.S. Army

Corps of Engineers, Jacksonville District, and South Florida Water Management District. Central and Southern Florida Project, Comprehensive Everglades Restoration Plan.

- SFWMD & USACE. (2007). Broward County water preserve areas, project implementation report (PIR) and environmental impact statement (EIS), revised final - February 2012. U.S. Army Corps of Engineers, Jacksonville District, and South Florida Water Management District.
- SFWMD & USACE. (2011a). *C-111 spreader canal western project, final integrated project implementation report and environmental impact statement*. U.S. Army Corps of Engineers, Jacksonville District, and South Florida Water Management District.
- SFWMD & USACE. (2011b). Central and southern Florida project, comprehensive everglades restoration plan, Biscayne Bay coastal wetlands phase 1. Final integrated project implementation report and environmental impact statement. U.S. Army Corps of Engineers, Jacksonville District, and South Florida Water Management District.
- SFWMD, FDEP, & LRD. (2006). *Restoration plan for the northwest fork of the Loxahatchee River*. South Florida Water Management District, Florida Dept. Environmental Protection.
- SFWMD, FDEP, & LRD. (2012). Addendum to the restoration plan for the northwest fork of the Loxahatchee River. South Florida Water Management District, Loxahatchee River District, and Florida Dept. Environmental Protection.
- SFWMD. (2011a). Broward County, estimated position of the saltwater interface, surficial aquifer system, April/May 2009. South Florida Water Management District, Hydrogeology Section.
- SFWMD. (2011b). Martin and St. Lucie Counties, estimated position of the saltwater interface, surficial aquifer system, April/May 2009. South Florida Water Management District, Hydrogeology Section.
- SFWMD. (2011c). Palm Beach County, estimated position of the saltwater interface, surficial aquifer system, April/May 2009. South Florida Water Management District, Hydrogeology Section.
- SFWMD. (2012a). 2012 South Florida environmental report. South Florida Water Management District.
- SFWMD. (2012b). South Florida Water Management District library and multimedia. South Florida Water Management District.
- SFWMD. (2012c). South Florida Water Management District strategic plan 2012-2017. South Florida Water Management District, West Palm Beach, FL.
- SFWMD. (2013). 2013 South Florida environmental report draft. South Florida Water Management District.

Sharp, W. C., Bertelsen, R. D., & Leeworthy, V. R. (2005). Long-term trends in the recreational

lobster fishery of Florida, United States: landings, effort, and implications for management. *New Zealand Journal of Marine and Freshwater Research*, *39*, 733-747.

- Sherman, R. (2000). Studies on the roles of reef design and site selection in juvenile fish recruitment to small artificial reefs. (PhD), NSUOC, Dania Beach, Florida.
- Sherman, R. L. (2001). Removal of waste tires: Reef fishery habitat restoration.
- Sherman, R. L., & Spieler, R. E. (2006). Tires: unstable materials for artificial reef construction. WIT Transactions on Ecology and the Environment, 88, 215-223.
- Shinn, E. (1976). Coral reef recovery in Florida and the Persian Gulf. *Environmental Geology*, *1*(4), 241-254.
- Shinn, E. A., Hudson, J. H., Halley, R. B., & Lidz, B. (1977). Topographic control and accumulation rate of some Holocene coral reefs: South Florida and Dry Tortugas. Paper presented at the Third International Coral Reef Symposium, Miami, Florida.
- Shirur, K. P. (2008). Quantitative habitat characterization and benthic assemblage structure of deepwater Lophelia pertusa and Enallopsammia profunda reefs off eastern Florida. (MS), NSUOC, Dania Beach, Florida.
- Shivlani, M. (2006). South Florida Coral Reef Initiative (SEFCRI) coral reef needs assessment study. July 31, 2006. Southeast Florida Coral Reef Initiative.
- Shivlani, M. (2007). A literature review of sources and effects of non-extractive stressors to coral reef ecosystems. Southeast Florida Coral Reef Initiative. Fishing, Diving and Other Uses Focus Team. Local Action Strategy Project 19 Phase I.
- Shivlani, M., & Estevanez, M. (2011). *Development of management alternatives for the southeast Florida region according to stakeholder working panels*. Southeast Florida Coral Reef Initiative. Fishing, Diving, and Other Uses. Local Action Strategy Project 18 & 20B.
- Shivlani, M., & Villanueva, M. (2007). Compilation and comparison of social perceptions on reef conditions and use in southeast Florida. Southeast Florida Coral Reef Initiative. Fishing, Diving and Other Uses. Local Action Strategy Project 10. Final Report.
- Shivlani, M., Leeworthy V.R., Murray, T.J., Suman, D.O., & Tonioli, F. (2008). Knowledge, attitudes and perceptions of management strategies and regulations of the Florida Keys National Marine Sanctuaries by commercial fishers, dive operators, and environmental group members: A baseline characterization and 10-year comparison. Marine Sanctuaries Conservation Series ONMS-08-06. NOAA Office of National Marine Sanctuaries, Silver Spring, MD.
- Shivlani, M., McManus, L., Estevanez, M., Kruer, C., & Murray, T. (2011). *Reference document and guide to the evaluation of permitted coastal construction activities that affect coral reef and coastal resources in southeast Florida*. Southeast Florida Coral Reef Initiative. Maritime

Industry and Coastal Construction Impacts. Local Action Strategy Project 7 & 11.

- Sigua, G. C., Steward, J. S., & Tweedale, W. A. (2000). Water-quality monitoring and biological integrity assessment in the Indian River Lagoon, Florida: Status, Trends, and Loadings (1988-1994). *Environmental Management*, 25, 199-209.
- Sime, P. (2005). St. Lucie Estuary and Indian River Lagoon conceptual ecological model. *Wetlands* 25(4):898-907.
- Slack, J. J. (2000). Biological opinion for the coast of Florida, region III. U. S. Fish and Wildlife Service, South Florida Ecosystem Office. Vero Beach, Florida.
- Smith, E. P. (2002). BACI Design. El-Shaaarawi, A. H. & Piegorsch, W. W. (Eds.), Encyclopedia of Environmetrics (Vol. 1, pp. 141-148). Chichester: John Wiley & Sons, Ltd.
- Smith, N. P. (1983). Temporal and spatial characteristics of summer upwelling along Florida's Atlantic shelf. *Journal of Physical Oceanography*, 13(9), 1709-1715. doi:10.1175/1520-0485(1983)013<1709:tascos>2.0.co;2.
- Smith, S. H. (1988). Cruise ships: A serious threat to coral reefs and associated organisms. *Ocean & Shoreline Management*, *11*, 231-248.
- Soloviev, A. V., Luther, M. E., & Weisberg, R. H. (2003). Energetic baroclinic super-tidal oscillations on the southeast Florida shelf. *Geophys. Res. Lett.*, *30*(9), 1463. doi:10.1029/2002gl016603.
- Soloviev, A. V., Walker, R. J., Weisberg, R. H., & Luther, M. E. (2003). Coastal observatory investigates energetic current oscillations on southeast Florida shelf. *Eos Trans. AGU*, 84(42). doi:10.1029/2003eo420002.
- Soong, K., & Chen, T. A. (2003). Coral transplantation: Regeneration and growth of Acropora fragments in a nursery. *Restoration Ecology*, *11*, 62-71.
- South Atlantic Fishery Management Council. (1998). Final habitat plan for the south Atlantic region: Essential fish habitat requirements for fishery management plans of south Atlantic fishery management council. South Atlantic Fishery Management Council. Charleston, SC.
- Spadoni, R. H. (1978). *Environmental monitoring of the beach restoration project for the City of Delray Beach, Florida.* Paper presented at the Beach Seminar '78, Captiva Island, FL.
- Spadoni, R. H., & Cummings, S. L. (n.d.). *Environmental considerations for beach nourishment projects in Florida*. Coastal Planning & Engineering, Inc. Boca Raton, FL.
- Spadoni, R. H., Beumel, N. H., & Campbell, T. J. (1983). The design and performance of a weir at Boca Raton Inlet, Florida. Paper presented at the Specialty Conference on the Design, Maintenance and Performance of Coastal Structures, Arlington, VA.

- Spieler, P. D., Richard E. (2006). Attachment I: Broward County beach renourishment: Fishes 2006 comparison of mitigation Boulder Reef to neighboring hardbottom.
- Spieler, R. (1994). Evaluation of a novel material for recycling tires into artificial reefs: Second year annual report. Nova University, Oceanographic Center. Dania, FL.
- Spieler, R. (1995). A preliminary study of fish recruitment to "Reefball" artificial reefs in shallow and deep water. Nova Southeastern University Oceanographic Center. Dania, FL.
- Spieler, R. (2000). Artificial reef research in Broward County 1993-2000: A summary report. Nova Southeastern University Oceanographic Center. Dania, FL.
- Spieler, R. E. (1998). Recruitment of juvenile reef fish to inshore and offshore artificial reefs: Final report (Technical Report 98-02). Oceanographic Center, Nova Southeastern University. Dania, Florida 33004.
- Spieler, R. E. (2003). *Fish census of selected artificial reefs in Broward County*. Nova Southeastern University. Dania, Florida.
- Spieler, R. E., & Freeman, J. (n.d.). Broward County beach renourishment: Fishes comparison of mitigation Boulder Reef to neighboring hardbottom final report.
- Spieler, R. E., Gilliam, D. S., Sherman, R., Banks, K. C., Corbett-Elder, & Jordan, L. K. B. (1999). Artificial reef research in Broward County: The last six years. W. Horn, Florida Department of Environmental Protection (Ed.), Florida Artificial Reef Summit 1998 (pp. 60-68).
- Spingler, K. C. (1999). *The temporal variability in the protist community structure in Port Everglades, Florida*. (MS), NSUOC, Dania Beach, Florida.
- Spurgeon, J. P. G. (2001). Improving the economic effectiveness of coral reef restoration. *Bulletin of Marine Science*, *69*, 1031-1045.
- St. Gelais, A. (2010). Reproductive ecology of Siderastrea siderea: Histological analysis of Gametogenesis, spawning, and latitudinal fecundity variation. (MS), NSUOC, Dania Beach, Florida.
- Stallings, C. D. (2009). Fishery-independent data Rreveal negative effect of human population density on Caribbean predatory fish communities. *PloS ONE*, *4*(5), e5333.
- Stathakopoulos, A. (2009). *Extraction and analysis of coral reef core samples from Broward County, Florida*. (MS), NSUOC, Dania Beach, Florida.
- Steffansson, G. & Rosenberg, A. A. (2005). Combining control measures for more effective management of fisheries under uncertainty; quotas, effort limitation and protected areas. *Philosophical Transactions of the Royal Society Ser. B. Biol Sci.*, 360, 133-146.

- Stephens, N. R. (2007). *Stony coral transplantation associated with marine construction activities.* (MS), NSUOC, Dania Beach, Florida.
- Straccione, N. C. (2002). Coral recruitment to various artificial substrata, Miami Beach, FL. (MS), NSUOC, Dania Beach, Florida.
- Sulikowski, J. (1996). A preliminary study of the population density, size distribution, age and growth of the stingray, Urolophusjamaicensis, in Southeastern Florida. (MS), NSUOC, Dania Beach, Florida.
- Sultzman, C., Halter, H. A., Craig, R. K., Meyer, D., Ruggieri, J. A., & Spurgeon, J. (2002). A professional jury report on the biological impacts of submarine fiber optic cables on shallow reefs off Hollywood, Florida. Public Employees for Environmental Responsibility. Vero Beach, Florida.
- Swart, P. K., & Price, R. (2002). Origin of salinity variations in Florida Bay. *Limnology and Oceanography*, 47, 1234-1241.
- Swart, P. K., Evans, S., & Capo, T. (2008). *The origin of nitrogen isotope values in algae*. A Research Project Conducted by the Stable Isotope Laboratory, Univ. Miami.
- Swarzenski, P., Burnett, B., Reich, C., Dulaiova, H., Peterson, T., & Meunier, J. (2004). Novel geophysical and geochemical techniques used to study submarine groundwater discharge in Biscayne Bay, Florida. USGS Report 2004-3117, 1-5.
- Swarzenski, P., Martin, J., & Cable, J. (2001). Submarine ground-water discharge in upper Indian River Lagoon, Florida. *Water Resources Investigations Report 01-4011, USGS*, 1-10.
- Szmant, A. M., & Forrester, A. (1992). Temporal and spatial patterns of nutrient and chlorophyll distribution: Florida Reef Tract, summer-fall 1992. Final Report to The Nature Conservancy for the SEAKEYS Program of the Florida Institute of Oceanography, St. Petersburg, Florida.
- Taylor Engineering, I. (2009b). *Martin County shore protection project hardbottom evaluation 1997, 2001, 2004, and 2008.* Martin County Beach Restoration Project: Attachment E.
- Taylor, K. H. (2009). *Geomorphic changes to Florida Bay with the past century*. (MS), NSUOC, Dania Beach, Florida.
- Taylor, M. (2010). Sprial valve parasites of selected tropical pelagic elasmobranchs and internal parasites of mesopelagic teleosts. (MS), NSUOC, Dania Beach, Florida.
- TCC Artificial Reef Subcommittee. (1997). *Guidelines for marine artificial reef materials (FWS Grant Agreement No. GS-96)*. Artificial Reef Subcommittee of the Technical Coordinating Committee Gulf States Marine Fisheries Commission.

Telesnicki, G. J., & Goldberg, W. M. (1995). Effects of turbidity on the photosynthesis and respiration

of two south Florida reef coral species. Bulletin of Marine Science, 57(2), 527-539.

- Tetra Tech EC. (2006). Southeast Florida coral reef initiative maritime industry and coastal construction impacts workshop: A study to identify and evaluate existing and emerging innovative technologies in coastal construction practices and procedures that minimize or eliminate impacts to coral reefs, hard/live bottoms, and associated coral reef resources in southeast Florida. Tetra Tech EC, Inc.
- TetraTech. (2007). Maritime industry and coastal construction impacts workshop, Dania Beach, Florida, May 24-25, 2006. Prepared by TetraTech for the Southeast Florida Coral Reef Initiative.
- Thanner, S. M. (2004). Comparison of the benthic assemblages on three types of artificial reef modules deployed in August of 1991. (MS), NSUOC, Dania Beach, Florida.
- Thanner, S., Walczak, J., & Collier, C. (2007). *MV Anzhela explorer grounding post restoration site evaluation*.
- The Nature Conservancy. (2013). St. Croix East and Marine Park Management Plan Summary Document. Retrieved from
- The Ocean Conservancy. (2006). *Florida summary report*. Retrieved from http://www.oceanconservancy.org/
- Thompson, J. R. (1973). *Ecological effects of offshore dredging and beach nourishment: a review*. U.S. Army Corps of Engineers Coastal Engineering Research Center. Washington, DC:
- Thompson, M., White, T., & Graves, G. (2001). *Degradability of sediments from the St. Lucie Estuary Florida - A pilot study*. Florida Department of Environmental Protection, Water Quality Program. Port St. Lucie, FL.
- Thornton, S. R. (1999). Depth distribution, growth rates, and photoacclimation of the green and brown color morphotypes of the scleractinian coral Porites astreoides. (MS), NSUOC, Dania Beach, Florida.
- Tichenor, E. (2003). Occurrence and distribution of cyanobacteria on the Gulf Stream Reef System, Boyton Beach, FL.
- Tichenor, E. (2004a). *The occurrence and distribution of cyanobacteria on Gulf Stream Reef, Boynton Beach, Florida. Result of phase II investigations.* Palm Beach County Reef Rescue.
- Tichenor, E. (2004b). Correlation between waste water treatment plant effluent quality and cyanobacteria proliferation on Gulf Stream Reef System, Boynton Beach, Florida. Palm Beach County Reef Rescue.
- Tichenor, E. (2005). The occurrence and distribution of cyanobacteria on Gulf Stream Reef, Boynton

Beach, Florida. Palm Beach County Reef Rescue.

- Toscano, M. A., & Lundberg, J. (1998). Early Holocene sea-level record from submerged fossil reefs on the southeast Florida margin. *Geology*, *26*, 255-258.
- Toth, L. T., van Woesik, R., Murdoch, T.J.T., Smith, S.R., Ogden, J.C., Precht, W.F., Aronson, R.B. (2014). Do no-take reserves benefit Florida's corals? 14 years of change and stasis in the Florida Keys National Marine Sanctuary. *Coral Reefs*, 33(3), 565-577.
- Trimble, P. J., Santee, E. R., & Neidrauer., C. J. (2006). *Preliminary estimate of impacts of sea level rise on the regional water resources of southeastern Florida*. South Florida Water Management District Hydrologic Systems Modeling Division. West Palm Beach, FL.
- Trnka, M. C. (2008). *The spatial distribution of the cyanobacteria Lyngbya spp. on the reefs of Broward County, Florida.* (MS), NSUOC, Dania Beach, Florida.
- Trnka, M., Logan, K., & Krauss, P. (2006). *Land-based sources of pollution-local action strategy combined projects 1 & 2.* Miami, Florida, USA.
- Tunnicliffe, V. (1981). Breakage and propagation of the stony coral Acropora cervicornis. Proceedings of the National Academy of Sciences of the United States of America, 78(4), 2427-2431.
- U.S. Coral Reef Task Force Mapping and Information Synthesis Working Group. (1999). *Coral reef mapping implementation plan (2nd draft)*. NOAA, NASA and USGS. Washington, DC.
- U.S. Coral Reef Task Force. (2000). *The national plan to conserve coral reefs*. U.S. Environmental Protection Agency (ed.). Washington D.C.
- U.S. EPA & USACE. (2004). Port Everglades harbor ocean dredged material disposal site (ODMDS) site management and monitoring plan. U.S. Environmental Protection Agency and USACE. Jacksonville, FL.
- United States National Ocean Service. (2004). NOAA's National Ocean Service, accomplishments 2003. U.S. Dept. of Commerce, National Oceanic and Atmospheric Administration, National Ocean Service. Silver Spring, MD.
- URS & CPE. (2007). Florida southeast coast reconnaissance offshore sand search (ROSS) (Project Number 12804700.00000). Florida Department of Environmental Protection, Bureau of Beaches and Coastal Systems. Tallahassee, Florida.
- USACE. (1977a). General design memorandum phase II project design Port Everglades Harbor. U. S. Army Corps of Engineers. Jacksonville, Florida.
- USACE. (1977b). *Phase I: General design memorandum on Port Everglades Harbor, Florida*. U. S. Army Engineer District, Corps of Engineers. Jacksonville, Florida.

- USACE. (1991). Broward County, Florida Port Everglades to the South County Line (Segment III) shore protection project reevaluation report section 934 study with environmental assessment. U.S. Army Corps of Engineers. Jacksonville, Florida.
- USACE. (2000). Central and southern Florida project water control plan for Lake Okeechobee and Everglades agricultural area. U.S. Army Corps of Engineers. Jacksonville, Florida.
- USACE. (2001). Chapter 5 project control, coordinate systems, and datums government cut (EM 1110-2-1003). U.S. Army Corps of Engineers. Jacksonville, FL.
- USACE. (2002). Mitigation plan for Broward County beach erosion control project Broward County, Florida.
- USACE. (2003). Maintenance dredging Port Everglades entrance channel Broward County, Florida environmental assessment. U.S. Army Corps of Engineers, South Atlantic Division.
- USACE. (2007). *Florida shore protection and sea turtle management system*. U.S. Army Corps of Engineers.
- USACE. (2008). Preliminary draft environmental impact statement: Attachment F. U.S. Army Corps of Engineers, Jacksonville District. Martin County Beach Restoration Project.
- USACE. (2009). Final environmental assessment: Section 2038 national shoreline erosion control development program- Submerged artificial reef training (SMART) structure, Miami-Dade County. U.S. Army Corps of Engineers, Jacksonville District.
- USACE. (2011a). *Everglades restoration transition plan, final environmental impact statement*. U.S. Army Corps of Engineers, Jacksonville District.
- USACE. (2011b). *Technical memorandum Port of Miami*. U.S. Army Corps of Engineers, Jacksonville District.
- USDOI. (2005). Science plan in support of ecosystem restoration, preservation, and protection in south Florida. U.S. Department of the Interior.
- USFWS Ecological Services Division. (n.d.). *Nearshore and mid-shelf reefs*. Multi-Species Recovery Plan for South Florida, 3-623/623-642.
- USFWS. (2001). *Florida manatee recovery plan, (Trichechus manatus latirostris), third revision*. U.S. Fish and Wildlife Service, Southeast Region, Atlanta, GA.
- USFWS. (2004). Investigations of mitigation for coral reef impacts in the U.S. Atlantic: south Florida and the Caribbean: Final report. Atlanta, GA.
- USFWS. (2007). The coastal program strategic plan, Southeast Region, regional step-down plan, part

2 of 3. Stewardship of fish and wildlife through voluntary conservation. October 1, 2006 through September 30, 2010. U.S. Fish and Wildlife Service.

USGS. (2012). SOFIA - South Florida Information Access. U.S. Geological Survey, Miami FL.

- USGS. (2013). Online bibliography for the Florida water science center. U.S. Geological Survey, Florida Water Science Center.
- USGS/NAWQA. (2013). Publications and abstracts about the Floridan, Biscayne, and Surficial aquifer systems. U.S. Geological Survey, National Water-Quality Assessment (NAWQA) Program.
- Vare, C. N. (1991). A survey, analysis, and evaluation of the nearshore reefs situated off Palm Beach County, Florida. (Master's Thesis), Florida Atlantic University, Boca Raton, FL.
- Vargas-Ángel, B., & Thomas, J. (2002). Sexual reproduction of Acropora cervicornis in nearshore waters off Fort Lauderdale, Florida, USA. *Coral Reefs*, 21(1), 25-26.
- Vargas-Ángel, B., Colley, S., Hoke, S., & Thomas, J. (2006). The reproductive seasonality and gametogenic cycle of Acropora cervicornis off Broward County, Florida, USA. *Coral Reefs*, 25(1), 110-122.
- Vargas-Ángel, B., Thomas, J. D., & Hoke, S. M. (2003). High-latitude Acropora cervicornis thickets off Fort Lauderdale, Florida, USA. *Coral Reefs*, 22(4), 465-473.
- Vaughan, T. W. (1916). The results of investigations of the ecology of the Floridian and Bahaman shoal-water corals. Proceedings of the National Academy of Sciences of the United States of America, 2(2), 95-100.
- Vinick, C., Riccobono, A., Messing, C., Walker, B., Reed, J., & Rogers, S. (2012). Siting study for a hydrokinetic energy project located offshore southeastern Florida: Protocols for survey methodology for offshore marine hydrokinetic energy projects.
- Virmani, J. I. (2008). A strategic implementation plan for Florida COOS: 2008-2010. FLCOOS Consortium.
- Vollmer, S. V., & Palumbi, S. R. (2007). Restricted gene flow in the Caribbean Staghorn coral Acropora cervicornis: Implications for the recovery of endangered reefs. *Journal of Heredity*, 98(1), 40-50. doi:10.1093/jhered/esl057.
- Voss, G. L., & Voss, N. A. (1955). An ecological survey of Soldier Key, Biscayne Bay, Florida. Bulletin of Marine Science, 5, 203-229.
- Vukovich, F. M., Crissman, B. W., Bushnell, M., & King, W. J. (1979). Gulf stream boundary eddies off the east coast of Florida. *Journal Name: J. Phys. Oceanogr.; (United States); Journal*

Volume: 9:6, Medium: X; Size: Pages: 1214-1222.

- Waite, R., Burke, L., Gray, E., Beukering, P., Brander, L., McKenzie, E., Pendleton, L., Schuhmann, P. and Tompkins, E. (2014). *Coastal capitol: Ecosystem valuation for decision making in the Caribbean*. World Resources Institute. Washington, D.C.
- Walczak, J. C. (2008). The colonial zoanthid Palythoa caribaeorum: Population dynamics on southeast Florida reefs. (MS), NSUOC, Dania Beach, Florida.
- Walker, B. (2003). JUL Park Coral Reef Handout. Dania, Florida.
- Walker, B. K. (2002). *Biological assessment of three artificial reef materials: tire-concrete aggregate, gravel aggregate, and limestone boulder.* (MS), NSUOC, Dania Beach, Florida.
- Walker, B. K. (2008). A seascape approach to predicting reef fish distribution. (PhD), NSUOC, Dania Beach, Florida.
- Walker, B. K. (2009). A model framework for predicting reef fish distributions across the seascape using GIS topographic metrics and benthic habitat associations. Paper presented at the Proceedings of the 11th International Coral Reef Symposium, Ft. Lauderdale, Florida.
- Walker, B. K. (2009). Benthic habitat mapping of Miami-Dade County: Visual interpretation of LADS bathymetry and aerial photography. Florida DEP report # RM069. Miami Beach, FL.
- Walker, B. K. (2010). A study to minimize or eliminate hard bottom and reef impacts from anchoring activities in designated anchorages at the Ports of Miami and Palm Beach. Florida DEP report #RM083. Miami Beach, FL.
- Walker, B. K. (2010). Characterizing and determining the extent of coral reefs and associated resources in southeast Florida through the acquisition of high-resolution bathymetry and benthic habitat mapping. Annual Progress Report 2 (July 1, 2009 - June 30, 2010), FWC Agreement No. 08014.
- Walker, B. K. (2012a). Draft final report: Characterizing and determining the extent of coral reefs and associated resources in southeast Florida through the acquisition of high-resolution bathymetry and benthic habitat mapping. Florida Fish and Wildlife Conservation Commission, Agreement No. 08014.
- Walker, B. K. (2012b). Spatial analyses of benthic habitats to define coral reef ecosystem regions and potential biogeographic boundaries along a latitudinal gradient. *PLoS ONE*, *7*(1), e30466. doi:10.1371/journal.pone.0030466.
- Walker, B. K., & Dodge, R. E. (2002). 3D visualization of coral reef habitat. Paper presented at the Seventh International Conference on Remote Sensing for Marine and Coastal Environments, Miami, Florida, USA.

- Walker, B. K., & Sherman, R. L. (2001). Gross brain morphology in the yellow stingray, Urobatis jamaicensis. *Florida Scientist*, 64(4), 246-249.
- Walker, B. K., Dodge, R. E., & Gilliam, D. S. (2006, June 4-9, 2006). Coral reef burial in southeast Florida. Paper presented at the Global Challenges Facing Oceanography and Limnology, American Society of Limnology and Oceanography, Victoria, British Colombia, Canada.
- Walker, B. K., Dodge, R. E., & Gilliam, D. S. (2008, December 8-11, 2008). LIDAR-derived benthic habitat maps enable the quantification of potential dredging impacts to coral reef ecosystems. Paper presented at the ACES: A Conference on Ecosystem Services 2008: Using Science for Decision Making in Dynamic Systems, Naples, Florida.
- Walker, B. K., Gilliam, D. S., Dodge, R. E., & Walczak, J. (2012). *Dredging and shipping impacts on southeast Florida coral reefs*. Paper presented at the Proceedings of the 12th International Coral Reef Symposium, 19A Human impacts on coral reefs: general session, Cairns, Australia, 9-13 July 2012.
- Walker, B. K., Henderson, B., & Spieler, R. E. (2002). Fish assemblages associated with artificial reefs of concrete aggregates or quarry stone offshore Miami Beach, Florida, USA. *Aquatic Living Resources*, 15(02), 95-105.
- Walker, B. K., Jordan, L. K. B., & Spieler, R. E. (2009). Relationship of reef fish assemblages and topographic complexity on southeastern Florida coral reef habitats. *Journal of Coastal Research*, 53(sp1), 39-48.
- Walker, B. K., Larson, E., Moulding, A., & Gilliam, D. (2012). Small-scale mapping of indeterminate arborescent acroporid coral (*Acropora cervicornis*) patches. *Coral Reefs*, 31(3), 885-894. doi:10.1007/s00338-012-0910-3.
- Walker, B. K., Riegl, B., & Dodge, R. E. (2008). Mapping coral reef habitats in southeast Florida using a combined technique approach. *Journal of Coastal Research*, 1138-1150.
- Walker, B., Riegl, B., Banks, K., & Dodge, R. (2004). Quarternary sea-level rise and reef backstepping in Southeast Florida. Paper presented at the 10th International Coral Reef Symposium (ICRS), Okinawa, Japan, 28 June - 2 July 2004.
- Walker, N. D., Roberts, H. H., Rouse, L. J., Jr., & Huh, O. K. (1982). Thermal history of reefassociated environments during a record cold-air outbreak event. *Coral Reefs*, 1(2), 83-87. doi:10.1007/bf00301689.
- Walker, R. J. (2003). *The seasonality of mass strandings: Implications for cetacean stranding sites.* (MS), NSUOC, Dania Beach, Florida.
- Walsh, K. (2010). Diurnal movements and site fidelity of the Florida manatee, Trichechus manatus latirostris, in Fort Lauderdale, FL. (MS), NSUOC, Dania Beach, Florida.

- Wang, J. D., Luo, J., & Ault, J. S. (2003). Flows, salinity, and some implications for larval transport in South Biscayne Bay, Florida. *Bulletin of Marine Science*, 72, 695-723.
- Wanless, H. R. (1969). Sediments of Biscayne Bay distribution and depositional history. (Technical report 69-2). University of Miami, Institute of Marine and Atmospheric Sciences. Miami, FL.
- Wanless, H. R. (1989). The inundation of our coastlines: past, present, and future with a focus on south Florida. *Sea Frontiers*, *35*(5), 264-271.
- Wanless, H. R., & Maier, K. l. (2007). An evaluation of beach renourishment sands adjacent to reefal settings, southeast Florida. *Southeastern Geology*, 45(1), 25-42.
- Ward, G. A. (2003). Long term effects of oil and dispersed oil on mixed seagrass and coral beds: The 18th year of studies following experimental dosing. (MS), NSUOC, Dania Beach, Florida.
- Ward, G. A., Craft, J., & Snyder, D. (2008). Mid-town beach renourishment and expansion project: Year three post-construction environmental monitoring report. Coastal Planning and Engineering, Inc. Boca Raton, Florida.
- Ward-Paige, C. A., Risk, M., & Sherwood, O. (2005). Clionid sponge surveys on the Florida Reef Tract suggest land-based nutrient inputs. *Marine Pollution Bulletin, In Press.*
- Watters, J. A. (2007). The effects of ecological light pollution and silhouette height on the nesting densities of Caretta caretta in Broward County, Florida. (MS), NSUOC, Dania Beach, Florida.
- Weaver, K., & Payne, G. (2004). Status of water quality in the Everglades protection area. *Everglades Consolidated Report 2004*, 1-19.
- Welch, L. (2002). Summary of sedimentation effects on coral reefs adjacent to beach renourishment borrow areas in Miami-Dade County.
- White, M. J. (2006). *Patterns of scleractinian health in Broward County, Florida*. (MS), NSUOC, Dania Beach, Florida.
- Whitfield, P. E., Gardner, T., Vives, S. P., Gilligan, M. R., Walter R. Courtenay, J., Ray, G. C., & Hare, J. A. (2002). Biological invasion of the Indo-Pacific lionfish Pterois volitans along the Atlantic coast of North America. *Marine Ecology Progress Series*, 235, 289-297. doi:10.3354/meps235289
- Whitfield, P. E., Jonathan, A. H., David, A. W., Harter, S. L., Munoz, R. C., & Addison, C. M. (2007). Abundance estimates of the Indo-Pacific lionfish *Pterois volitans/miles* complex in the Western North Atlantic. *Biological Invasions*, 9(1), 1387-3547.
- Wiese, D. S. (2009). Investigation of coastal hydrogeology utilizing geophysical and geochemical tools along the Broward County coast, Florida. U.S. Geological Survey, Open-File Report 2008-1364.

- Wilber, P., & Stern, M. (1992). A Re-Examination of Infaunal Studies that Accompany Beach Nourishment Projects. U.S. Army Engineer Waterways Experiment Station. Vicksburg, MS.
- Williams, D. E., & Miller, M. W. (2005). Coral disease outbreak: Pattern, prevalence and transmission in Acropora cervicornis. Marine Ecology Progress Series, 301, 119-128.
- Williams, D. E., Miller, M. W., & Kramer, K. L. (2006). Demographic monitoring protocols for threatened Caribbean Acropora spp. corals. NOAA Technical Memorandum NMFS-SEFSC-543.
- Williams, D., & Miller, M. (2006). Morphology offers no clues to asexual vs. sexual origin of small Acropora cervicornis (Scleractinia: Acroporidae) colonies. *Revista de Biología Tropical*, 54(3), 145-151.
- Wilson, M. (2009). An analysis of policies and conservation techniques to reduce the accidental deaths of sea turtle hatchlings due to light pollution in Broward County, FL. (MS), NSUOC, Dania Beach, Florida.
- Wirt, K. E., Hallock, P., Palandro, D., & Daly, K. L. (2013). Potential habitat of Acropora spp. on Florida reefs. *Applied Geography*, 39(0), 118-127. doi: http://dx.doi.org/10.1016/j.apgeog.2012.12.009.
- Wisniewski, G. L. (2010). Occurrence, density, and distribution of the larvae of three commercially important crab species in the Florida Current off the southeast coast of Florida, U.S. (MS), NSUOC, Dania Beach, Florida.
- Witherington, B. E., & Martin, R. E. (2003). Understanding, assessing, and resolving light-pollution problems on sea turtle nesting beaches. Third Edition, Revised 2003. Florida Marine Research Institute Technical Reports, FMRI Tech. Rep. TR-2.
- Wolfe, S. H. (2007). An inventory of hydrodynamic, water quality, and ecosystem models of Florida coastal and ocean waters. Florida Dept. Environmental Protection, Office of Coastal and Aquatic Managed Areas, Tallahassee, FL.
- Wolfe, S. M. (2003). Age, growth and the annual cycles of lipogenesis and reproduction of Acanthurus bahianus in southeastern Florida. (MS), NSUOC, Dania Beach, Florida.
- Woodward, J., Howard, B., & Craig, K. R. (2006). Jupiter/Carlin shore protection project, Palm Beach County, Florida: 36-month monitoring report. *Taylor Engineering, Inc.* West Palm Beach, Florida.
- Wusinich-Mendez, D., & Karazsia, J. (2009). *CREIOS Away team discussion summaries for Florida*. Meeting Notes. National Oceanographic and Atmospheric Administration.

Yarbro, L. A., & Carlson Jr., P. R. (2011). Seagrass integrated mapping and monitoring for the state of

Florida, mapping and monitoring report no. 1. Florida Fish and Wildlife Conservation Commission, Fish and Wildlife Research Institute, St. Petersburg, FL.

- Yeager, L. A., & Layman, C.A. (2011). Energy flow to two abundant consumers in a subtropical oyster reef food web. *Aquatic Ecology*, 45, 267-277.
- Yoshioka, B., Adams, T., Rieck, B., & Bohn, C. (2004). Final report: Investigations of mitigation for coral reef impacts in the U.S. Atlantic: South Florida and the Caribbean. Atlanta, GA. Retrieved from http://www.fws.gov/southeast/es/pdf/FinalCRTFAtlanticReport.pdf.
- Young, C. N., Schopmeyer, S. A., & Lirman, D. (2012). A review of reef restoration and coral propagation using the threatened genus Acropora in the Caribbean and western Atlantic. *Bulletin of Marine Science*, 88(4), 1075-1098. doi:10.5343/bms.2011.1143.
- Young, K. (2008). *Identification and estimation of sensitive life history parameters for cetaceans in response to acoustic disturbances with implications for conservation*. (MS), NSUOC, Dania Beach, Florida.
- Zieman, J. C. (1982). *The ecology of the seagrasses of South Florida: A community profile*. U.S. Fish and Wildlife Service, Office of Biological Services, Washington DC.

FDEP Permit No. 0080982-001-JC FDEP Permit No. 0080982-003-EM FDEP Permit No. 0080982-004-BE FDEP Permit No. 0080982-005-JN FDEP Permit No. 0126215-002-006-JC FDEP Permit No. 0126527-001-JC FDEP Permit No. 0126527-002-JC FDEP Permit No. 0126527-004-JC FDEP Permit No. 0126527-005-JC FDEP Permit No. 0156710-001-JC FDEP Permit No. 0160846-001-JC FDEP Permit No. 0160846-010-EM FDEP Permit No. 0161679439 FDEP Permit No. 0163435-001-JC FDEP Permit No. 0163447-002-JC FDEP Permit No. 0164713-001-JC FDEP Permit No. 0165335-001-JC FDEP Permit No. 0169205-001-JC FDEP Permit No. 0174142-001-JC FDEP Permit No. 0177081-001-JC FDEP Permit No. 0178582-001-JC FDEP Permit No. 0182699-001-JC FDEP Permit No. 0182699-002-JC FDEP Permit No. 0182699-003-JC FDEP Permit No. 0182699-006-JN FDEP Permit No. 01-82699-002-JC FDEP Permit No. 0192068-001-JC

FDEP Permit No. 0192068-002-EV FDEP Permit No. 0192068-005-JC FDEP Permit No. 0202209-001-JC FDEP Permit No. 0218853-001-JC FDEP Permit No. 0226688-001-JC FDEP Permit No. 0226688-0014-JC FDEP Permit No. 0233882-004-JM FDEP Permit No. 0244200-001-JC FDEP Permit No. 0244200-001-JN FDEP Permit No. 0244200-003-JN FDEP Permit No. 0261499-001-JC FDEP Permit No. 0261499-002-EV FDEP Permit No. 0261499-003-JN FDEP Permit No. 0268914-001-EM FDEP Permit No. 0269814-002-EM FDEP Permit No. 027415-001-JC FDEP Permit No. 0276415-001-JC FDEP Permit No. 06-0126481-005 FDEP Permit No. 06-0144298-001 FDEP Permit No. ES 06-0144298-001 FDEP Permit No. ES 06-0144298-002 FDEP Permit No. 43-294982-9 FDEP Permit No. 50-01388662-004 FDEP Permit No. 50-0164707 FDEP Permit No. 50-0164707-006 FDEP Permit No. 50-231153-002

U. S. Army Corps of Engineers Permits:

USACE Permit No. 199000902 (IP-SLN) USACE Permit No. 199000902 (IP-TA) USACE Permit No. 1994-1196 USACE Permit No. 199401196 (IP-DEB) USACE Permit No. 199401196 (IP-KLV) USACE Permit No. 199702355 (IP-KE) USACE Permit No. DBS 86-144PB USACE Permit No. SAJ-1986-479 (IP-LAO) USACE Permit No. SAJ-1993-1995

USACE Permit No. SAJ-1994-1196 (IP-KLV) USACE Permit No. SAJ-1999-5545 (IP-SLN) USACE Permit No. SAJ-2000-380 (IP-PLC) USACE Permit No. SAJ-2000-3801 (IP-PLC) USACE Permit No. SAJ-2008-1107(IP-GGL) USACE RFP No. DACW17-00-R-0025 USACE RFP No. DACW17-02-R-0031 CPE Commission No. 5353.13