

**Florida Department of Environmental Protection**  
**Approved Seals and Sealants**  
(62-6.013(2)(f), (i), and (k), Florida Administrative Code)  
As of May 17, 2018; last reviewed on June 26, 2025

Company	Product Type	Model Number(s)	Approval Status	Phone
<b>A-Lok Products</b>	Seals	X-CEL 9091, X-CEL Series xx92, xx93, xx94; Z-LOK	Approved for cast concrete	800-822-2565
<b>Blackthorn, Inc.</b>	Seals	SEPTI-Seal Septic Tank Connector	Approved for cast concrete	
<b>Del Zotto Products Inc.</b>	Seals	Product Patent # 5171507	Approved for cast concrete	218-384-3066
<b>Hail Mary Rubber Co.</b>	Seals	Septoseal 50 Duro Gasket	Approved for cast concrete	800-593-1995
<b>Hail Mary Rubber Co.</b>	Seals	Septoseal AM	Approved for fiberglass, polyethylene, polypropylene	800-593-1995
<b>Norwesco Incorporated</b>	Seals	Norwesco-Snyder 4" gasket	Approved for fiberglass, polyethylene, polypropylene	800-328-3420
<b>Polylok Inc.</b>	Seals	Polylok II Pipe Seal	Approved for cast concrete	877-765-9565
<b>Polylok Inc.</b>	Seals	Polylok III Pipe Seal-EPDM Rubber-- -(does not include Santoprene 101-73 Rubber)	Approved for cast concrete	877-765-9565
<b>Polylok Inc.</b>	Seals	Polylok IV EPDM	Approved for cast concrete	877-765-9565
<b>Polylok Inc.</b>	Seals	Polylok VI Rubber	Approved for cast concrete	877-765-9565
<b>Polylok Inc.</b>	Seals	4" Compression Seal (Part No. 3002-CS)	Approved for cast concrete, polyethylene, polypropylene	877-765-9565
<b>Polylok Inc.</b>	Seals	Grommet (0.5" - 6") Part No. 3007-GM (0.5, 0.75, 1, 1.25, 1.5, 2, 3, 435, 440, 6, 635)	Approved for concrete and polyethylene	877-765-9565
<b>Press Seal Gasket Corp.</b>	Seals	Cast A Seal (11522-BP)	Approved for cast concrete	800-348-7325
<b>Press Seal Gasket Corp.</b>	Seals	Cast A Seal (11522-BP)	Approved for Alpha fiberglass only	800-348-7325
<b>Press Seal Gasket Corp.</b>	Seals	Cast A Seal 402	Approved for cast concrete	800-348-7325
<b>Press Seal Gasket Corp.</b>	Seals	Press-Boot 8QRS	Approved for cast concrete	800-348-7325
<b>Press Seal Gasket Corp.</b>	Seals	PSX Direct Drive 8QRS	Approved for cast concrete	800-348-7325
<b>SERCO</b>	Seals	SERCO Septic-Tyte	Approved for cast concrete, fiberglass, polyethylene, polypropylene	800-647-3726

# Florida Department of Environmental Protection

## Approved Seals and Sealants

As of May 17, 2018; last reviewed on June 26, 2025

Company	Product Type	Model Number(s)	Approval Status	Phone
Trelleborg Pipe Seals Milford, Inc.	Seals	Kor-N-Seal S106-7T (4")	Approved for cast concrete	800-626-2180
Trelleborg Pipe Seals Milford, Inc.	Seals	Kor-N-Seal S106-7WS (4")	Approved for cast concrete	800-626-2180
Trelleborg Pipe Seals Milford, Inc.	Seals	Kor-N-Seal S106-8MWP (4")	Approved for cast concrete	800-626-2180
Trelleborg Pipe Seals Milford, Inc.	Seals	Kor-N-Seal S106-8MWS (4")	Approved for cast concrete	800-626-2180
Trelleborg Pipe Seals Milford, Inc.	Seals	Kor-N-Seal S106-8SRWS (4" or 6")	Approved for cast concrete	800-626-2180
Trelleborg Pipe Seals Milford, Inc.	Seals	Kor-N-Seal S106-8ST (6")	Approved for cast concrete	800-626-2180
Trelleborg Pipe Seals Milford, Inc.	Seals	Kor-N-Seal S106-8T (4")	Approved for cast concrete	800-626-2180
Trelleborg Pipe Seals Milford, Inc.	Seals	Kor-N-Seal S106-12AT (8")	Approved for cast concrete	800-626-2180
Trelleborg Pipe Seals Milford, Inc.	Seals	Kor-N-Seal S106-12AWP-Ex (8")	Approved for cast concrete	800-626-2180
Trelleborg Pipe Seals Milford, Inc.	Seals	Kor-N-Seal S106-12AWS (8")	Approved for cast concrete	800-626-2180
Trelleborg Pipe Seals Milford, Inc.	Seals	Kor-N-Seal S106-12BT (6")	Approved for cast concrete	800-626-2180
Trelleborg Pipe Seals Milford, Inc.	Seals	Kor-N-Seal S106-12BWP-Ex (6")	Approved for cast concrete	800-626-2180
Trelleborg Pipe Seals Milford, Inc.	Seals	Kor-N-Seal S106-12BWS (6")	Approved for cast concrete	800-626-2180
Trelleborg Pipe Seals Milford, Inc.	Seals	Kor-N-Seal S106-12MWP-Ex (4" or 6")	Approved for cast concrete	800-626-2180
Trelleborg Pipe Seals Milford, Inc.	Seals	Kor-N-Seal S106-12MWS (4" or 6")	Approved for cast concrete	800-626-2180
Trelleborg Pipe Seals Milford, Inc.	Seals	Kor-N-Seal S406-10AT (6")	Approved for cast concrete	800-626-2180
Trelleborg Pipe Seals Milford, Inc.	Seals	Kor-N-Seal S406-10AWP-Ex (6")	Approved for cast concrete	800-626-2180
Trelleborg Pipe Seals Milford, Inc.	Seals	Kor-N-Seal S406-10AWS (6")	Approved for cast concrete	800-626-2180
Trelleborg Pipe Seals Milford, Inc.	Seals	Kor-N-Seal S406-10T (8")	Approved for cast concrete	800-626-2180
Trelleborg Pipe Seals Milford, Inc.	Seals	Kor-N-Seal S406-11AT (8")	Approved for cast concrete	800-626-2180
Trelleborg Pipe Seals Milford, Inc.	Seals	Kor-N-Seal S406-11AWP-Ex (8")	Approved for cast concrete	800-626-2180
Trelleborg Pipe Seals Milford, Inc.	Seals	Kor-N-Seal S406-11AWS (8")	Approved for cast concrete	800-626-2180
Trelleborg Pipe Seals Milford, Inc.	Seals	Kor-N-Seal S406-11BT (6")	Approved for cast concrete	800-626-2180
Trelleborg Pipe Seals Milford, Inc.	Seals	Kor-N-Seal S406-11BWP-Ex (6")	Approved for cast concrete	800-626-2180
Trelleborg Pipe Seals Milford, Inc.	Seals	Kor-N-Seal S406-11BWS (6")	Approved for cast concrete	800-626-2180
Trelleborg Pipe Seals Milford, Inc.	Seals	Kor-N-Seal S406-12AT (8")	Approved for cast concrete	800-626-2180
Trelleborg Pipe Seals Milford, Inc.	Seals	Kor-N-Seal S406-12AWP-Ex (8")	Approved for cast concrete	800-626-2180
Trelleborg Pipe Seals Milford, Inc.	Seals	Kor-N-Seal S406-12AWS (8")	Approved for cast concrete	800-626-2180
Trelleborg Pipe Seals Milford, Inc.	Seals	Kor-N-Seal S406-12CT (6")	Approved for cast concrete	800-626-2180
Trelleborg Pipe Seals Milford, Inc.	Seals	Kor-N-Seal S406-12CWP-Ex (6")	Approved for cast concrete	800-626-2180
Trelleborg Pipe Seals Milford, Inc.	Seals	Kor-N-Seal S406-12CWS (6")	Approved for cast concrete	800-626-2180

**Note:** Trelleborg Pipe Seals Milford, Inc. is formerly NPC. The model numbers: Seals: S106 8" long; S406 6" long; Number after hyphen is hole diameter (inches) in concrete wall; A,B,C,M,S,SR = connector styles. Installation: T=toggle or W=wedge; If wedge: S= stainless steel wedge, P-Ex=plastic wedge. In parentheses: typical pipe O.D. in connection)

# Florida Department of Environmental Protection

## Approved Seals and Sealants

As of May 17, 2018; last reviewed on June 26, 2025

Company	Product Type	Model Number(s)	Approval Status	Phone
<b>Trelleborg Pipe Seals Park Hills</b>	Sealants	C-56	Approved	800-442-0141
<b>Concrete Sealants Incorporated</b>	Sealants	CS 102, CS 102B	Approved	800-332-7325
<b>Gulf States Asphalt Co. Inc.</b>	Sealants	Evergrip 990 Concrete Joint Seal	Approved	800-662-0987
<b>Henry Company</b>	Sealants	Butyl-Nek, Ram-Nek	Approved	800-523-0268
<b>M.A. Industries Incorporated</b>	Sealants	PGS 951	Approved	770-487-7761
<b>MultiSeal, Inc.</b>	Sealants	DZ Sure Seal, Butyl-Tite	Approved	812-428-3422
<b>Press Seal Gasket Corp.</b>	Sealants	Pro-Stik, EZ-Stik, CPS-210	Approved	800-348-7325

Company	Product Type	Part Number	Pipe Info.	Approval Status	Phone
<b>Polylok Inc.</b>	Soil tight Seals	3007-GM.5	½"	Approved for use with Polylok Risers as soil tight seal above the estimated seasonal high water table	877-765-9565
<b>Polylok Inc.</b>	Soil tight Seals	3007-GM.75	¾"	Approved for use with Polylok Risers as soil tight seal above the estimated seasonal high water table	877-765-9565
<b>Polylok Inc.</b>	Soil tight Seals	3007-GM1	1"	Approved for use with Polylok Risers as soil tight seal above the estimated seasonal high water table	877-765-9565
<b>Polylok Inc.</b>	Soil tight Seals	3007-GM1.25	1¼"	Approved for use with Polylok Risers as soil tight seal above the estimated seasonal high water table	877-765-9565
<b>Polylok Inc.</b>	Soil tight Seals	3007-GM1.5	1½ "	Approved for use with Polylok Risers as soil tight seal above the estimated seasonal high water table	877-765-9565
<b>Polylok Inc.</b>	Soil tight Seals	3007-GM2	2"	Approved for use with Polylok Risers as soil tight seal above the estimated seasonal high water table	877-765-9565
<b>Polylok Inc.</b>	Soil tight Seals	3007-GM3	3"	Approved for use with Polylok Risers as soil tight seal above the estimated seasonal high water table	877-765-9565
<b>Polylok Inc.</b>	Soil tight Seals	3007-GM435	4" SDR35	Approved for use with Polylok Risers as soil tight seal above the estimated seasonal high water table	877-765-9565
<b>Polylok Inc.</b>	Soil tight Seals	3007-GM440	4" SCH40	Approved for use with Polylok Risers as soil tight seal above the estimated seasonal high water table	877-765-9565
<b>Polylok Inc.</b>	Soil tight Seals	3007-GM635	6" SDR35	Approved for use with Polylok Risers as soil tight seal above the estimated seasonal high water table	877-765-9565
<b>Polylok Inc.</b>	Soil tight Seals	3007-GM640	6" SCH40	Approved for use with Polylok Risers as soil tight seal above the estimated seasonal high water table	877-765-9565