



# Department of Environmental Protection

Central District

PWS ID #: 3590039

PWS NAME: APPLE VALLEY (Consec)

POPULATION: 2,954

## Consecutive to Altamonte Springs 3590026 as of 6/2015 2019 DRINKING WATER MONITORING REQUIREMENTS

MONITORING & REPORTS	DUE	COMMENTS
Microbiological (“Bacte”)	Monthly	Disinfectant residuals must be reported individually and averaged on bacte reports. Compliance for maximum disinfectant residual level is based on a running annual average.
Monthly Operation Reports (MORs)	Monthly	Include information about maintenance and/or abnormal occurrences & CT calcs. if required.
Nitrate and Nitrite	----	Sample at POE* every year.
Primary Inorganics	----	Sample at POE every 3 years.
Secondaries	----	Sample at POE every 3 years.
Radiologicals ( <i>Gross Alpha &amp; Radium 228</i> )	----	Sample at POE every 3 years.
Volatile Organic Contaminants (VOCs)	----	Sample at POE every 3 years.
Synthetic Organic Contaminants (SOCs)	----	Sample at POE every 3 years.
Stage 2 Disinfection Byproducts (DBPs) <i>Total Trihalomethanes &amp; Haloacetic Acids (5)</i>	<b><i>Please submit an updated Stage 2 Plan in accordance with the EPA memorandum.</i></b>	System will continue routine (annual) testing at <u>2 sites</u> for both T/H (dual samples) in the third quarter. Report disinfectant residuals.
Asbestos	2020 (test)	Asbestos-Free Certification or results due every 9 years. Use Form 62-555.900(10), F.A.C. 3/30/11 asbestos test result & plan submitted.
Lead and Copper (Tap Sampling)	June-Sept. 2021	Test in accordance with the most recently approved sampling.
Consumer Confidence Report (CCR) & CCR Certification of Delivery	July 1, 2019 & August 10, 2019	Data for CCR can be obtained at: <a href="https://floridadep.gov/central/cd-compliance-assurance/content/resources-drinking-water-facilities-and-operators-central">https://floridadep.gov/central/cd-compliance-assurance/content/resources-drinking-water-facilities-and-operators-central</a>

\*POE = Point of entry to the distribution system. Sample at each POE that is representative of each source after treatment.

This is a good faith assessment of monitoring requirements for the above-referenced public water system for calendar year 2019 and may not include additional sampling required during the year due to special circumstances. If you have questions, please contact the appropriate personnel at (407) 897-4100. This chart shall not relieve any person from any requirement of Florida law.

This schedule and state forms can be found at <https://floridadep.gov/central/cd-compliance-assurance/content/resources-drinking-water-facilities-and-operators-central> on the Central District’s website. Click on “Monitoring Schedules and Forms” under “Highlights” in the right-hand column.

- **It is important for you to provide this information to your operator and/or sampler.**
- **It is strongly recommended that testing be conducted early in the monitoring period to allow time for retests due to possible sampling or lab errors. Annual and triennial sampling should be completed by 9/30/19 to provide time for revisions, re-tests, and/or corrections. Failure to sample within the required monitoring periods may result in enforcement action.**

- **Test results must be submitted to DEP within the first 10 days following the end of the required monitoring period, or the first 10 days following the month in which the sample results were received, whichever time is the shortest. Failure to comply with deadlines may result in enforcement action.**



# Department of Environmental Protection

Central District

PWS ID #: 3590069

PWS NAME: BEAR LAKE MANOR

POPULATION: 777

## 2019 DRINKING WATER MONITORING REQUIREMENTS

MONITORING & REPORTS	DUE	COMMENTS
Microbiological (“Bacte”)	Monthly	Disinfectant residuals must be reported individually and averaged on bacte reports. Compliance for maximum disinfectant residual level is based on a running annual average.
Monthly Operation Reports (MORs)	Monthly	Include information about maintenance and/or abnormal occurrences & CT calcs. if required.
Nitrate and Nitrite	Annually	Sample at POE* every year.
Primary Inorganics	2021	Sample at POE every 3 years.
Secondaries	2021	Sample at POE every 3 years.
Radiologicals ( <i>Gross Alpha &amp; Radium 228</i> )	2021	Sample at POE every 3 years.
Volatile Organic Contaminants (VOCs)	2021	Sample at POE every 3 years.
Synthetic Organic Contaminants (SOCs)	2021	Sample at POE every 3 years.
Stage 2 Disinfection Byproducts (DBPs) <i>Total Trihalomethanes &amp; Haloacetic Acids (5)</i>	August 2019	System will continue <u>routine</u> (annual) testing at <u>2 sites</u> for both T/H (dual samples). Report disinfectant residuals.
Asbestos	2020 (test)	Asbestos-Free Certification or results due every 9 years. Use Form 62-555.900(10), F.A.C. 5/12/11 asbestos test result & plan submitted.
Lead and Copper (Tap Sampling)	June-Sept. 2021	Test in accordance with the most recently approved sampling plan.
Consumer Confidence Report (CCR) & CCR Certification of Delivery	July 1, 2019 & August 10, 2019	Data for CCR can be obtained at: <a href="https://floridadep.gov/central/cd-compliance-assurance/content/resources-drinking-water-facilities-and-operators-central">https://floridadep.gov/central/cd-compliance-assurance/content/resources-drinking-water-facilities-and-operators-central</a>

\*POE = Point of entry to the distribution system. Sample at each POE that is representative of each source after treatment.

This is a good faith assessment of monitoring requirements for the above-referenced public water system for calendar year 2019 and may not include additional sampling required during the year due to special circumstances. If you have questions, please contact the appropriate personnel at (407) 897-4100. This chart shall not relieve any person from any requirement of Florida law.

This schedule and state forms can be found at <https://floridadep.gov/central/cd-compliance-assurance/content/resources-drinking-water-facilities-and-operators-central>

on the Central District’s website. Click on “Monitoring Schedules and Forms” under “Highlights” in the right-hand column.

- **It is important for you to provide this information to your operator and/or sampler.**
- **It is strongly recommended that testing be conducted early in the monitoring period to allow time for retests due to possible sampling or lab errors. Annual and triennial sampling should be completed by 9/30/19 to provide time for revisions, re-tests, and/or corrections. Failure to sample within the required monitoring periods may result in enforcement action.**
- **Test results must be submitted to DEP within the first 10 days following the end of the required monitoring period, or the first 10 days following the month in which the sample results were received, whichever time is the shortest. Failure to comply with deadlines may result in enforcement action.**



# Department of Environmental Protection

Central District

PWS ID #: 3590111

PWS NAME: DRUID HILLS

POPULATION: 661

## 2019 DRINKING WATER MONITORING REQUIREMENTS

MONITORING & REPORTS	DUE	COMMENTS
Microbiological (“Bacte”)	Monthly	Disinfectant residuals must be reported individually and averaged on bacte reports. Compliance for maximum disinfectant residual level is based on a running annual average.
Monthly Operation Reports (MORs)	Monthly	Include information about maintenance and/or abnormal occurrences & CT calcs. if required.
Nitrate and Nitrite	Annually	Sample at POE* every year.
Primary Inorganics	2021	Sample at POE every 3 years.
Secondaries	2021	Sample at POE every 3 years.
Radiologicals ( <i>Gross Alpha &amp; Radium 228</i> )	2021	Sample at POE every 3 years.
Volatile Organic Contaminants (VOCs)	2021	Sample at POE every 3 years.
Synthetic Organic Contaminants (SOCs)	2021	Sample at POE every 3 years.
<i>Special Monitoring: SOC Dalapon</i>	<i>Quarterly</i>	<i>Due a detection on May 2018 sample results, please sample this contaminant quarterly until further notice.</i>
Stage 2 Disinfection Byproducts (DBPs) <i>Total Trihalomethanes &amp; Haloacetic Acids (5)</i>	Quarterly in Week 2 (8 <sup>th</sup> -14 <sup>th</sup> )	System is on quarterly testing at <u>2 sites</u> for both T/H (dual samples). Report disinfectant residuals. (January, April, July, October)
Asbestos	2020 (test)	Asbestos-Free Certification or results due every 9 years. Use Form 62-555.900(10), F.A.C. 3/30/11 asbestos test result & plan submitted.
Lead and Copper (Tap Sampling)	June-Sept. 2021	Test in accordance with the most recently approved sampling plan. System will be sampling for lead and copper in line with the DEP standardized monitoring framework.
Consumer Confidence Report (CCR) & CCR Certification of Delivery	July 1, 2019 & August 10, 2019	Data for CCR can be obtained at: <a href="https://floridadep.gov/central/cd-compliance-assurance/content/resources-drinking-water-facilities-and-operators-central">https://floridadep.gov/central/cd-compliance-assurance/content/resources-drinking-water-facilities-and-operators-central</a>

\*POE = Point of entry to the distribution system. Sample at each POE that is representative of each source after treatment.

This is a good faith assessment of monitoring requirements for the above-referenced public water system for calendar year 2019 and may not include additional sampling required during the year due to special circumstances. If you have questions, please contact the appropriate personnel at (407) 897-4100. This chart shall not relieve any person from any requirement of Florida law.

This schedule and state forms can be found at <https://floridadep.gov/central/cd-compliance-assurance/content/resources-drinking-water-facilities-and-operators-central> on the Central District’s website. Click on “Monitoring Schedules and Forms” under “Highlights” in the right-hand column.

- **It is important for you to provide this information to your operator and/or sampler.**
- **It is strongly recommended that testing be conducted early in the monitoring period to allow time for retests due to possible sampling or lab errors. Annual and triennial sampling should be completed by 9/30/19 to provide time for revisions, re-tests, and/or corrections. Failure to sample within the required monitoring periods may result in enforcement action.**

- **Test results must be submitted to DEP within the first 10 days following the end of the required monitoring period, or the first 10 days following the month in which the sample results were received, whichever time is the shortest. Failure to comply with deadlines may result in enforcement action.**



# Department of Environmental Protection

Central District

PWS ID #: 3590338

PWS NAME: ELDER SPRINGS MOBILE HOME PARK

POPULATION: 62

## 2019 DRINKING WATER MONITORING REQUIREMENTS

MONITORING & REPORTS	DUE	COMMENTS
Microbiological (“Bacte”)	Monthly	Disinfectant residuals must be reported individually and averaged on bacte reports. Compliance for maximum disinfectant residual level is based on a running annual average.
Monthly Operation Reports (MORs)	Monthly	Include information about maintenance and/or abnormal occurrences & CT calcs. if required.
Nitrate and Nitrite	Annually	Sample at POE* every year.
Primary Inorganics	2021	Sample at POE every 3 years.
Secondaries	2021	Sample at POE every 3 years.
Radiologicals ( <i>Gross Alpha &amp; Radium 228</i> )	2021	Sample at POE every 3 years.
Volatile Organic Contaminants (VOCs)	2021	Sample at POE every 3 years.
Synthetic Organic Contaminants (SOCs)	2021	Sample at POE every 3 years.
<b><i>SOC Special Monitoring 2,4-D</i></b>	<b><i>Annually (Oct-Dec)</i></b>	<b><i>Sample 2, 4-D in the 4<sup>th</sup> Quarter until further notice.</i></b>
Stage 2 Disinfection Byproducts (DBPs) <i>Total Trihalomethanes &amp; Haloacetic Acids (5)</i>	<b><i>Please submit an updated Stage 2 Plan in accordance with the EPA memorandum.</i></b>	Routine reduced (triennial) testing in accordance with the most recently submitted Stage 2 Plan. Report disinfectant residuals
Asbestos	2021	Certification or results due every 9 years. Use Form 62-555.900(10), F.A.C., Asbestos Free Certification or Asbestos Sampling Plan.
Lead and Copper (Tap Sampling)	June-Sept. 2021	Test in accordance with the most recently approved sampling plan. The system will be sampling for lead and copper in line with the DEP standardized monitoring framework.
Consumer Confidence Report (CCR) & CCR Certification of Delivery	July 1, 2019 & August 10, 2019	Data for CCR can be obtained at: <a href="https://floridadep.gov/central/cd-compliance-assurance/content/resources-drinking-water-facilities-and-operators-central">https://floridadep.gov/central/cd-compliance-assurance/content/resources-drinking-water-facilities-and-operators-central</a>

\*POE = Point of entry to the distribution system. Sample at each POE that is representative of each source after treatment.

This is a good faith assessment of monitoring requirements for the above-referenced public water system for calendar year 2019 and may not include additional sampling required during the year due to special circumstances. If you have questions, please contact the appropriate personnel at (407) 897-4100. This chart shall not relieve any person from any requirement of Florida law.

This schedule and state forms can be found at <https://floridadep.gov/central/cd-compliance-assurance/content/resources-drinking-water-facilities-and-operators-central> on the Central District’s website. Click on “Monitoring Schedules and Forms” under “Highlights” in the right-hand column.

- **It is important for you to provide this information to your operator and/or sampler.**
- **It is strongly recommended that testing be conducted early in the monitoring period to allow time for retests due to possible sampling or lab errors. Annual and triennial sampling should be completed by 9/30/19 to provide time for revisions, re-tests, and/or corrections. Failure to sample within the required monitoring periods may result in enforcement action.**

- **Test results must be submitted to DEP within the first 10 days following the end of the required monitoring period, or the first 10 days following the month in which the sample results were received, whichever time is the shortest. Failure to comply with deadlines may result in enforcement action.**



# Department of Environmental Protection

Central District

PWS ID #: 3590497

PWS NAME: HARMONY HOMES

POPULATION: 234

## 2019 DRINKING WATER MONITORING REQUIREMENTS

MONITORING & REPORTS	DUE	COMMENTS
Microbiological (“Bacte”)	Monthly	Disinfectant residuals must be reported individually and averaged on bacte reports. Compliance is based on a running annual avg.
Monthly Operation Reports (MORs)	Monthly	Include information about maintenance and/or abnormal occurrences & CT calcs. if required.
Nitrate and Nitrite	Annually	Sample at POE* every year.
Primary Inorganics	2021	Sample at POE every 3 years.
Secondaries	2021	Sample at POE every 3 years.
Radiologicals ( <i>Gross Alpha &amp; Radium 228</i> )	2021	Sample at POE every 3 years.
Volatile Organic Contaminants (VOCs)	2021	Sample at POE every 3 years.
<i>Special Monitoring Xylenes (total) &amp; Ethylbenzene</i>	<i>2<sup>nd</sup> quarter 2019</i>	<i>Sample at POE annually during the 2<sup>nd</sup> quarter (April-June). Continue annual monitoring until further notice (last detect in 2016).</i>
<i>Special Monitoring 1,2-dichloropropane</i>	<i>4<sup>th</sup> quarter 2019</i>	<i>Sample at POE annually during the 4<sup>th</sup> quarter (Oct-Nov-Dec.). Continue annual monitoring until further notice.</i>
Synthetic Organic Contaminants (SOCs)	2021	Sample at POE every 3 years.
Stage 2 Disinfection Byproducts (DBPs) <i>Total Trihalomethanes &amp; Haloacetic Acids (5)</i>	August 2021	System is on reduced (triennial) testing. Collect dual sample TTHM/HAA5 sample from 121 Ford Ave. Report disinfectant residuals.
Asbestos	2020 (test)	Asbestos-Free Certification or results due every 9 years. Use Form 62-555.900(10), F.A.C. 9/22/11 asbestos test result & plan submitted.
Lead and Copper (Tap Sampling)	June-Sept. 2021	Test in accordance with the most recently approved sampling plan. Testing is required again in 2018 because all water systems will be sampling for lead and copper in line with the DEP standardized monitoring framework.
Consumer Confidence Report (CCR) & CCR Certification of Delivery	July 1, 2019 & August 10, 2019	Data for CCR can be obtained at: <a href="https://floridadep.gov/central/cd-compliance-assurance/content/resources-drinking-water-facilities-and-operators-central">https://floridadep.gov/central/cd-compliance-assurance/content/resources-drinking-water-facilities-and-operators-central</a>

\*POE = Point of entry to the distribution system. Sample at each POE that is representative of each source after treatment.

This is a good faith assessment of monitoring requirements for the above-referenced public water system for calendar year 2019 and may not include additional sampling required during the year due to special circumstances. If you have questions, please contact the appropriate personnel at (407) 897-4100. This chart shall not relieve any person from any requirement of Florida law.

This schedule and state forms can be found at <https://floridadep.gov/central/cd-compliance-assurance/content/resources-drinking-water-facilities-and-operators-central> on the Central District’s website. Click on “Monitoring Schedules and Forms” under “Highlights” in the right-hand column.

- **It is important for you to provide this information to your operator and/or sampler.**
- **It is strongly recommended that testing be conducted early in the monitoring period to allow time for retests due to possible sampling or lab errors. Annual and triennial sampling should be completed by**



**9/30/19 to provide time for revisions, re-tests, and/or corrections. Failure to sample within the required monitoring periods may result in enforcement action.**

- **Test results must be submitted to DEP within the first 10 days following the end of the required monitoring period, or the first 10 days following the month in which the sample results were received, whichever time is the shortest. Failure to comply with deadlines may result in enforcement action.**



# Department of Environmental Protection

Central District

PWS ID #: 3590615

PWS NAME: JANSEN S/D

POPULATION: 868

## 2019 DRINKING WATER MONITORING REQUIREMENTS

MONITORING & REPORTS	DUE	COMMENTS
Microbiological (“Bacte”)	Monthly	Disinfectant residuals must be reported individually and averaged on bacte reports. Compliance for maximum disinfectant residual level is based on a running annual average.
Monthly Operation Reports (MORs)	Monthly	Include information about maintenance and/or abnormal occurrences & CT calcs. if required.
Nitrate and Nitrite	Annually	Sample at POE* every year.
Primary Inorganics	2021	Sample at POE every 3 years.
Secondaries	2021	Sample at POE every 3 years.
Radiologicals ( <i>Gross Alpha &amp; Radium 228</i> )	2021	Sample at POE every 3 years.
Volatile Organic Contaminants (VOCs)	2021	Sample at POE every 3 years.
Synthetic Organic Contaminants (SOCs)	2021	Sample at POE every 3 years.
Stage 2 Disinfection Byproducts (DBPs) <i>Total Trihalomethanes &amp; Haloacetic Acids (5)</i>	August 2019	Continue <u>routine</u> (annual) testing at <u>2 sites</u> for both T/H (dual samples). Sample in accordance to most recently approved Stage 2 Plan. Report disinfectant residuals.
Asbestos	2020 (test)	Asbestos-Free Certification or results due every 9 years. Use Form 62-555.900(10), F.A.C. 5/12/11 asbestos test result & plan submitted.
Lead and Copper (Tap Sampling)	June-Sept. 2021	Test in accordance with the most recently approved sampling plan. All water systems will be sampling for lead and copper in line with the DEP standardized monitoring framework.
Consumer Confidence Report (CCR) & CCR Certification of Delivery	July 1, 2019 & August 10, 2019	Data for CCR can be obtained at: <a href="https://floridadep.gov/central/cd-compliance-assurance/content/resources-drinking-water-facilities-and-operators-central">https://floridadep.gov/central/cd-compliance-assurance/content/resources-drinking-water-facilities-and-operators-central</a>

\*POE = Point of entry to the distribution system. Sample at each POE that is representative of each source after treatment.

This is a good faith assessment of monitoring requirements for the above-referenced public water system for calendar year 2019 and may not include additional sampling required during the year due to special circumstances. If you have questions, please contact the appropriate personnel at (407) 897-4100. This chart shall not relieve any person from any requirement of Florida law.

This schedule and state forms can be found at <https://floridadep.gov/central/cd-compliance-assurance/content/resources-drinking-water-facilities-and-operators-central> on the Central District’s website. Click on “Monitoring Schedules and Forms” under “Highlights” in the right-hand column.

- **It is important for you to provide this information to your operator and/or sampler.**
- **It is strongly recommended that testing be conducted early in the monitoring period to allow time for retests due to possible sampling or lab errors. Annual and triennial sampling should be completed by 9/30/19 to provide time for revisions, re-tests, and/or corrections. Failure to sample within the required monitoring periods may result in enforcement action.**
- **Test results must be submitted to DEP within the first 10 days following the end of the required monitoring period, or the first 10 days following the month in which the sample results were received, whichever time is the shortest. Failure to comply with deadlines may result in enforcement action.**



# Department of Environmental Protection

Central District

PWS ID #: 3590685

PWS NAME: LAKE BRANTLEY (CONSECUTIVE)

POPULATION: 182

## 2019 DRINKING WATER MONITORING REQUIREMENTS

MONITORING & REPORTS	DUE	COMMENTS
Microbiological (“Bacte”)	Monthly	Disinfectant residuals must be reported individually and averaged on bacte reports. Compliance for maximum disinfectant residual level is based on a running annual average.
Monthly Operation Reports (MORs)	Monthly	Include information about maintenance and/or abnormal occurrences & CT calcs. if required.
Nitrate and Nitrite	----	Sample at POE* every year. <i>Note: Water system became consecutive to Sanlando Utilities Corporation 3591121 approx. 10/4/11.</i>
Primary Inorganics	----	Sample at POE every 3 years.
Secondaries	----	Sample at POE every 3 years.
Radiologicals ( <i>Gross Alpha &amp; Radium 228</i> )	----	Sample at POE every 3 years.
Volatile Organic Contaminants (VOCs)	----	Sample at POE every 3 years.
Synthetic Organic Contaminants (SOCs)	----	Sample at POE every 3 years.
Stage 2 Disinfection Byproducts (DBPs) <i>Total Trihalomethanes &amp; Haloacetic Acids (5)</i>	<b><i>Please submit an updated Stage 2 Plan in accordance with the EPA memorandum.</i></b>	System is on reduced (triennial) testing during 2021. Please sample in accordance with your most recently approved Stage 2 Plan. Report disinfectant residuals.
Asbestos	2021	Certification or results due every 9 years. Use Form 62-555.900(10), F.A.C., Asbestos Free Certification or Asbestos Sampling Plan.
Lead and Copper (Tap Sampling)	June-Sept. 2021	Test in accordance with the most recently approved sampling plan.
Consumer Confidence Report (CCR) & CCR Certification of Delivery	July 1, 2019 & August 10, 2019	Data for CCR can be obtained at: <a href="https://floridadep.gov/central/cd-compliance-assurance/content/resources-drinking-water-facilities-and-operators-central">https://floridadep.gov/central/cd-compliance-assurance/content/resources-drinking-water-facilities-and-operators-central</a>

\*POE = Point of entry to the distribution system. Sample at each POE that is representative of each source after treatment.

This is a good faith assessment of monitoring requirements for the above-referenced public water system for calendar year 2019 and may not include additional sampling required during the year due to special circumstances. If you have questions, please contact the appropriate personnel at (407) 897-4100. This chart shall not relieve any person from any requirement of Florida law.

This schedule and state forms can be found at <https://floridadep.gov/central/cd-compliance-assurance/content/resources-drinking-water-facilities-and-operators-central> on the Central District’s website. Click on “Monitoring Schedules and Forms” under “Highlights” in the right-hand column.

- **It is important for you to provide this information to your operator and/or sampler.**
- **It is strongly recommended that testing be conducted early in the monitoring period to allow time for retests due to possible sampling or lab errors. Annual and triennial sampling should be completed by 9/30/19 to provide time for revisions, re-tests, and/or corrections. Failure to sample within the required monitoring periods may result in enforcement action.**

- **Test results must be submitted to DEP within the first 10 days following the end of the required monitoring period, or the first 10 days following the month in which the sample results were received, whichever time is the shortest. Failure to comply with deadlines may result in enforcement action.**



# Department of Environmental Protection

Central District

PWS ID #: 3590698

PWS NAME: LAKE HARNEY WATER ASSOCIATION

POPULATION: 700

## 2019 DRINKING WATER MONITORING REQUIREMENTS

MONITORING & REPORTS	DUE	COMMENTS
Microbiological (“Bacte”)	Monthly	Disinfectant residuals must be reported individually and averaged on bacte reports. Compliance for maximum disinfectant residual level is based on a running annual average.
Monthly Operation Reports (MORs)	Monthly	Include information about maintenance and/or abnormal occurrences & CT calcs. if required.
Nitrate and Nitrite	Annually	Sample at POE* every year.
Primary Inorganics	2021	Sample at POE every 3 years.
Secondaries	2021	Sample at POE every 3 years.
Radiologicals ( <i>Gross Alpha &amp; Radium 228</i> )	2021	Sample at POE every 3 years.
Volatile Organic Contaminants (VOCs)	2021	Sample at POE.
<b><i>Special Monitoring – Dichloromethane VOC: 2964</i></b>	<b><i>Quarterly</i></b>	<b><i>Sample quarterly for dichloromethane until further notice.</i></b>
Synthetic Organic Contaminants (SOCs)	2021	Sample at POE every 3 years.
Stage 2 Disinfection Byproducts (DBPs) <i>Total Trihalomethanes &amp; Haloacetic Acids (5)</i>	<b><i>Please submit an updated Stage 2 Plan in accordance with the EPA memorandum.</i></b>	System is on <u>quarterly</u> testing at <u>2 sites</u> for both T/H (dual samples). Report disinfectant residuals.
Asbestos	2020 (test)	Asbestos-Free Certification or results due every 9 years. Use Form 62-555.900(10), F.A.C. 9/7/11 asbestos test result & plan submitted.
Lead and Copper (Tap Sampling)	June-Sept. 2021	Test in accordance with the most recently approved sampling plan.
Consumer Confidence Report (CCR) & CCR Certification of Delivery	July 1, 2019 & August 10, 2019	Data for CCR can be obtained at: <a href="https://floridadep.gov/central/cd-compliance-assurance/content/resources-drinking-water-facilities-and-operators-central">https://floridadep.gov/central/cd-compliance-assurance/content/resources-drinking-water-facilities-and-operators-central</a>

\*POE = Point of entry to the distribution system. Sample at each POE that is representative of each source after treatment.

This is a good faith assessment of monitoring requirements for the above-referenced public water system for calendar year 2019 and may not include additional sampling required during the year due to special circumstances. If you have questions, please contact the appropriate personnel at (407) 897-4100. This chart shall not relieve any person from any requirement of Florida law.

This schedule and state forms can be found at <https://floridadep.gov/central/cd-compliance-assurance/content/resources-drinking-water-facilities-and-operators-central> on the Central District’s website. Click on “Monitoring Schedules and Forms” under “Highlights” in the right-hand column.

- **It is important for you to provide this information to your operator and/or sampler.**
- **It is strongly recommended that testing be conducted early in the monitoring period to allow time for retests due to possible sampling or lab errors. Annual and triennial sampling should be completed by 9/30/19 to provide time for revisions, re-tests, and/or corrections. Failure to sample within the required monitoring periods may result in enforcement action.**

- **Test results must be submitted to DEP within the first 10 days following the end of the required monitoring period, or the first 10 days following the month in which the sample results were received, whichever time is the shortest. Failure to comply with deadlines may result in enforcement action.**



# Department of Environmental Protection

Central District

PWS ID #: 3590762

PWS NAME: LITTLE WEKIVA ESTATES

POPULATION: 214

## 2019 DRINKING WATER MONITORING REQUIREMENTS

MONITORING & REPORTS	DUE	COMMENTS
Microbiological (“Bacte”)	Monthly	Disinfectant residuals must be reported individually and averaged on bacte reports. Compliance is based on a running annual avg.
Monthly Operation Reports (MORs)	Monthly	Include information about maintenance and/or abnormal occurrences & CT calcs. if required.
Nitrate and Nitrite	Annually	Sample at POE* every year.
Primary Inorganics	2021	Sample at POE every 3 years.
Secondaries	2021	Sample at POE every 3 years.
Radiologicals ( <i>Gross Alpha &amp; Radium 228</i> )	2021	Sample at POE every 3 years.
Volatile Organic Contaminants (VOCs)	2018	Sample at POE every 3 years.
Synthetic Organic Contaminants (SOCs)	2021	Sample at POE every 3 years.
Stage 2 Disinfection Byproducts (DBPs) <i>Total Trihalomethanes &amp; Haloacetic Acids (5)</i>	August 2021	Routine reduced (triennial). Report disinfectant residuals
Asbestos	2020-2021 (test)	Asbestos-Free Certification or results due every 9 years. Use Form 62-555.900(10), F.A.C. 5/12/11 asbestos test result & plan submitted.
Lead and Copper (Tap Sampling)	June-Sept. 2021	Test in accordance with the most recently approved sampling plan.
Consumer Confidence Report (CCR) & CCR Certification of Delivery	July 1, 2019 & August 10, 2019	Data for CCR can be obtained at: <a href="https://floridadep.gov/central/cd-compliance-assurance/content/resources-drinking-water-facilities-and-operators-central">https://floridadep.gov/central/cd-compliance-assurance/content/resources-drinking-water-facilities-and-operators-central</a>

\*POE = Point of entry to the distribution system. Sample at each POE that is representative of each source after treatment.

This is a good faith assessment of monitoring requirements for the above-referenced public water system for calendar year 2019 and may not include additional sampling required during the year due to special circumstances. If you have questions, please contact the appropriate personnel at (407) 897-4100. This chart shall not relieve any person from any requirement of Florida law.

This schedule and state forms can be found at <https://floridadep.gov/central/cd-compliance-assurance/content/resources-drinking-water-facilities-and-operators-central> on the Central District’s website. Click on “Monitoring Schedules and Forms” under “Highlights” in the right-hand column.

- **It is important for you to provide this information to your operator and/or sampler.**
- **It is strongly recommended that testing be conducted early in the monitoring period to allow time for retests due to possible sampling or lab errors. Annual and triennial sampling should be completed by 9/30/19 to provide time for revisions, re-tests, and/or corrections. Failure to sample within the required monitoring periods may result in enforcement action.**
- **Test results must be submitted to DEP within the first 10 days following the end of the required monitoring period, or the first 10 days following the month in which the sample results were received, whichever time is the shortest. Failure to comply with deadlines may result in enforcement action.**



# Department of Environmental Protection

Central District

PWS ID #: 3590823

PWS NAME: MEREDITH MANOR (CONSEC.)

POPULATION: 1,686

## 2019 DRINKING WATER MONITORING REQUIREMENTS

MONITORING & REPORTS	DUE	COMMENTS
Microbiological (“Bacte”)	Monthly	Disinfectant residuals must be reported individually and averaged on bacte reports. Compliance for maximum disinfectant residual level is based on a running annual average.
Monthly Operation Reports (MORs)	Monthly	Include information about maintenance and/or abnormal occurrences & CT calcs. if required.
Nitrate and Nitrite	----	Sample at POE* every year.
Primary Inorganics	----	Sample at POE every 3 years.
Secondaries	----	Sample at POE every 3 years.
Radiologicals ( <i>Gross Alpha &amp; Radium 228</i> )	----	Sample at POE every 3 years.
Volatile Organic Contaminants (VOCs)	----	Sample at POE every 3 years.
Synthetic Organic Contaminants (SOCs)	----	Sample at POE every 3 years.
Stage 2 Disinfection Byproducts (DBPs) <i>Total Trihalomethanes &amp; Haloacetic Acids (5)</i>	<b><i>Please submit an updated Stage 2 Plan in accordance with the EPA memorandum.</i></b>	System is on reduced monitoring in 2018. Test 1 site, 130 Gum St. for both TTHMs/HAA5s, during the third quarter in accordance with the plan you will submit to the Department. Report disinfectant residuals.
Asbestos	2020 (test)	Asbestos-Free Certification or results due every 9 years. Use Form 62-555.900(10), F.A.C. 3/30/11 asbestos test result & plan submitted.
Lead and Copper (Tap Sampling)	June-Sept. 2021	Test in accordance with the most recently approved sampling plan.
Consumer Confidence Report (CCR) & CCR Certification of Delivery	July 1, 2019 & August 10, 2019	Data for CCR can be obtained at: <a href="https://floridadep.gov/central/cd-compliance-assurance/content/resources-drinking-water-facilities-and-operators-central">https://floridadep.gov/central/cd-compliance-assurance/content/resources-drinking-water-facilities-and-operators-central</a>

\*POE = Point of entry to the distribution system. Sample at each POE that is representative of each source after treatment.

This is a good faith assessment of monitoring requirements for the above-referenced public water system for calendar year 2019 and may not include additional sampling required during the year due to special circumstances. If you have questions, please contact the appropriate personnel at (407) 897-4100. This chart shall not relieve any person from any requirement of Florida law.

This schedule and state forms can be found at <https://floridadep.gov/central/cd-compliance-assurance/content/resources-drinking-water-facilities-and-operators-central> on the Central District’s website. Click on “Monitoring Schedules and Forms” under “Highlights” in the right-hand column.

- **It is important for you to provide this information to your operator and/or sampler.**
- **It is strongly recommended that testing be conducted early in the monitoring period to allow time for retests due to possible sampling or lab errors. Annual and triennial sampling should be completed by 9/30/19 to provide time for revisions, re-tests, and/or corrections. Failure to sample within the required monitoring periods may result in enforcement action.**
- **Test results must be submitted to DEP within the first 10 days following the end of the required monitoring period, or the first 10 days following the month in which the sample results were received, whichever time is the shortest. Failure to comply with deadlines may result in enforcement action.**





# Department of Environmental Protection

Central District

PWS ID #: 3590865

PWS NAME: MULLET LAKE WATER ASSOCIATION

POPULATION: 920

## 2019 DRINKING WATER MONITORING REQUIREMENTS

MONITORING & REPORTS	DUE	COMMENTS
Microbiological (“Bacte”)	Monthly	Disinfectant residuals must be reported individually and averaged on bacte reports. Compliance for maximum disinfectant residual level is based on a running annual average.
Monthly Operation Reports (MORs)	Monthly	Include information about maintenance and/or abnormal occurrences & CT calcs. if required.
Nitrate and Nitrite	Annually	Sample at POE* every year.
Primary Inorganics	2021	Sample at POE every 3 years.
Secondaries	2021	Sample at POE every 3 years.
Radiologicals ( <i>Gross Alpha &amp; Radium 228</i> )	2021	Sample at POE every 3 years.
Volatile Organic Contaminants (VOCs)	2021	Sample at POE every 3 years.
<b><i>Special Monitoring - Total Xylene VOC: 2955</i></b>	<b><i>Annual (July-Sept)</i></b>	<b><i>Sample at POE annually during the 3rd quarter (July-Sep) until further notice.</i></b>
Synthetic Organic Contaminants (SOCs)	2021	Sample at POE every 3 years.
Stage 2 Disinfection Byproducts (DBPs) <i>Total Trihalomethanes &amp; Haloacetic Acids (5)</i>	<b><i>Please submit an updated Stage 2 Plan in accordance with the EPA memorandum.</i></b>	<b>The system missed 2018 annual DBP sampling.</b> Will be placed back on routine monitoring. Test 2 sites, dual sampling (TTHM/HAA5) at both sites. Report disinfectant residuals.
Asbestos	2020-2021	Asbestos-Free Certification or results due every 9 years. Use Form 62-555.900(10), F.A.C. Asbestos-free certification received 6/28/11.
Lead and Copper (Tap Sampling)	June-Sept. 2021	Test in accordance with the most recently approved sampling plan.
Consumer Confidence Report (CCR) & CCR Certification of Delivery	July 1, 2019 & August 10, 2019	Data for CCR can be obtained at: <a href="https://floridadep.gov/central/cd-compliance-assurance/content/resources-drinking-water-facilities-and-operators-central">https://floridadep.gov/central/cd-compliance-assurance/content/resources-drinking-water-facilities-and-operators-central</a>

\*POE = Point of entry to the distribution system. Sample at each POE that is representative of each source after treatment.

This is a good faith assessment of monitoring requirements for the above-referenced public water system for calendar year 2019 and may not include additional sampling required during the year due to special circumstances. If you have questions, please contact the appropriate personnel at (407) 897-4100. This chart shall not relieve any person from any requirement of Florida law.

This schedule and state forms can be found at <https://floridadep.gov/central/cd-compliance-assurance/content/resources-drinking-water-facilities-and-operators-central> on the Central District’s website. Click on “Monitoring Schedules and Forms” under “Highlights” in the right-hand column.

- **It is important for you to provide this information to your operator and/or sampler.**
- **It is strongly recommended that testing be conducted early in the monitoring period to allow time for retests due to possible sampling or lab errors. Annual and triennial sampling should be completed by 9/30/19 to provide time for revisions, re-tests, and/or corrections. Failure to sample within the required monitoring periods may result in enforcement action.**

- **Test results must be submitted to DEP within the first 10 days following the end of the required monitoring period, or the first 10 days following the month in which the sample results were received, whichever time is the shortest. Failure to comply with deadlines may result in enforcement action.**



# Department of Environmental Protection

Central District

PWS ID #: 3590912

PWS NAME: OAKLAND SHORES

POPULATION: 788

## 2019 DRINKING WATER MONITORING REQUIREMENTS

MONITORING & REPORTS	DUE	COMMENTS
Microbiological (“Bacte”)	Monthly	Disinfectant residuals must be reported individually and averaged on bacte reports. Compliance for maximum disinfectant residual level is based on a running annual average.
Monthly Operation Reports (MORs)	Monthly	Include information about maintenance and/or abnormal occurrences & CT calcs. if required.
Nitrate and Nitrite	Annually	Sample at POE* every year.
Primary Inorganics	2021	Sample at POE every 3 years.
Secondaries	2021	Sample at POE every 3 years.
Radiologicals ( <i>Gross Alpha &amp; Radium 228</i> )	2021	Sample at POE every 3 years.
Volatile Organic Contaminants (VOCs)	2021	Sample at POE every 3 years.
Synthetic Organic Contaminants (SOCs)	2021	Sample at POE every 3 years.
Stage 2 Disinfection Byproducts (DBPs) <i>Total Trihalomethanes &amp; Haloacetic Acids (5)</i>	<b><i>Please submit an updated Stage 2 Plan in accordance with the EPA memorandum.</i></b>	Test annually both sites, dual samples until further notice. Please submit a new annual Stage 2 sampling plan to the Department. You will only need to pick a month. Report disinfectant residuals.
Asbestos	2020 (test)	Asbestos-Free Certification or results due every 9 years. Use Form 62-555.900(10), F.A.C. 5/12/11 asbestos test result & plan submitted.
Lead and Copper (Tap Sampling)	June-Sept. 2021	Test in accordance with the most recently approved sampling plan.
Consumer Confidence Report (CCR) & CCR Certification of Delivery	July 1, 2019 & August 10, 2019	Data for CCR can be obtained at: <a href="https://floridadep.gov/central/cd-compliance-assurance/content/resources-drinking-water-facilities-and-operators-central">https://floridadep.gov/central/cd-compliance-assurance/content/resources-drinking-water-facilities-and-operators-central</a>

\*POE = Point of entry to the distribution system. Sample at each POE that is representative of each source after treatment.

This is a good faith assessment of monitoring requirements for the above-referenced public water system for calendar year 2019 and may not include additional sampling required during the year due to special circumstances. If you have questions, please contact the appropriate personnel at (407) 897-4100. This chart shall not relieve any person from any requirement of Florida law.

This schedule and state forms can be found at <https://floridadep.gov/central/cd-compliance-assurance/content/resources-drinking-water-facilities-and-operators-central> on the Central District’s website. Click on “Monitoring Schedules and Forms” under “Highlights” in the right-hand column.

- **It is important for you to provide this information to your operator and/or sampler.**
- **It is strongly recommended that testing be conducted early in the monitoring period to allow time for retests due to possible sampling or lab errors. Annual and triennial sampling should be completed by 9/30/19 to provide time for revisions, re-tests, and/or corrections. Failure to sample within the required monitoring periods may result in enforcement action.**
- **Test results must be submitted to DEP within the first 10 days following the end of the required monitoring period, or the first 10 days following the month in which the sample results were received, whichever time is the shortest. Failure to comply with deadlines may result in enforcement action.**





# Department of Environmental Protection

Central District

PWS ID #: 3590988

PWS NAME: PALM VALLEY MOBILE HOME PARK

POPULATION: 1,476

## 2018 DRINKING WATER MONITORING REQUIREMENTS

MONITORING & REPORTS	DUE	COMMENTS
Microbiological (“Bacte”)	Monthly	Disinfectant residuals must be reported individually and averaged on bacte reports. Compliance for maximum disinfectant residual level is based on a running annual average.
Monthly Operation Reports (MORs)	Monthly	Include information about maintenance and/or abnormal occurrences & CT calcs. if required.
Nitrate and Nitrite	Annually	Sample at POE* every year.
Primary Inorganics	2021	Sample at POE every 3 years.
Secondaries	2021	Sample at POE every 3 years.
Radiologicals ( <i>Gross Alpha &amp; Radium 228</i> )	2021	Sample at POE every 3 years.
Volatile Organic Contaminants (VOCs)	2021	Sample at POE every 3 years.
Synthetic Organic Contaminants (SOCs)	2021	SOC waivers issued during the 2015 and 2018 compliance cycles. Must be tested again in 2021 (9 year compliance cycle)
Stage 2 Disinfection Byproducts (DBPs) <i>Total Trihalomethanes &amp; Haloacetic Acids (5)</i>	<b><i>Please submit an updated Stage 2 Plan in accordance with the EPA memorandum.</i></b>	Test quarterly both sites, dual samples until further notice. Will need to submit a new Stage 2 plan that lists a month and week each quarter that you plan on sampling in.
Asbestos	2021	Certification or results due every 9 years. Use Form 62-555.900(10), F.A.C., Asbestos Free Certification or Asbestos Sampling Plan. A test is needed only if there is asbestos-cement pipe in the water system.
Lead and Copper (Tap Sampling)	June-Sept. 2021	Test in accordance with the most recently approved sampling plan
Consumer Confidence Report (CCR) & CCR Certification of Delivery	July 1, 2019 & August 10, 2019	Data for CCR can be obtained at: <a href="https://floridadep.gov/central/cd-compliance-assurance/content/resources-drinking-water-facilities-and-operators-central">https://floridadep.gov/central/cd-compliance-assurance/content/resources-drinking-water-facilities-and-operators-central</a>

\*POE = Point of entry to the distribution system. Sample at each POE that is representative of each source after treatment.

This is a good faith assessment of monitoring requirements for the above-referenced public water system for calendar year 2019 and may not include additional sampling required during the year due to special circumstances. If you have questions, please contact the appropriate personnel at (407) 897-4100. This chart shall not relieve any person from any requirement of Florida law.

This schedule and state forms can be found at <https://floridadep.gov/central/cd-compliance-assurance/content/resources-drinking-water-facilities-and-operators-central> on the Central District’s website. Click on “Monitoring Schedules and Forms” under “Highlights” in the right-hand column.

- **It is important for you to provide this information to your operator and/or sampler.**
- **It is strongly recommended that testing be conducted early in the monitoring period to allow time for retests due to possible sampling or lab errors. Annual and triennial sampling should be completed by 9/30/19 to provide time for revisions, re-tests, and/or corrections. Failure to sample within the required monitoring periods may result in enforcement action.**

- **Test results must be submitted to DEP within the first 10 days following the end of the required monitoring period, or the first 10 days following the month in which the sample results were received, whichever time is the shortest. Failure to comply with deadlines may result in enforcement action.**



# Department of Environmental Protection

Central District

PWS ID #: 3590993

PWS NAME: PARK RIDGE

POPULATION: 246

## 2019 DRINKING WATER MONITORING REQUIREMENTS

MONITORING & REPORTS	DUE	COMMENTS
Microbiological (“Bacte”)	Monthly	Disinfectant residuals must be reported individually and averaged on bacte reports. Compliance for maximum disinfectant residual level is based on a running annual average.
Monthly Operation Reports (MORs)	Monthly	Include information about maintenance and/or abnormal occurrences & CT calcs. if required.
Nitrate and Nitrite	Annually	Sample at POE* every year.
Primary Inorganics	2021	Sample at POE every 3 years.
Secondaries	2021	Sample at POE every 3 years.
Radiologicals ( <i>Gross Alpha &amp; Radium 228</i> ) <i>Revised 4/12/13</i>	2021	Sample at POE every 3 years.
Volatile Organic Contaminants (VOCs)	2021	Sample at POE every 3 years.
Synthetic Organic Contaminants (SOCs)	2021	Sample at POE every 3 years.
Stage 2 Disinfection Byproducts (DBPs) <i>Total Trihalomethanes &amp; Haloacetic Acids (5)</i>	Quarterly in Week 1 (1 <sup>st</sup> – 7 <sup>th</sup> )	Take dual samples at one location in accordance with most recently approved Stage 2 sampling plan. Report disinfectant residuals. (February, May, August, November)
Asbestos	2020 (test)	Asbestos-Free Certification or results due every 9 years. Use Form 62-555.900(10), F.A.C. 5/12/11 asbestos test result & plan submitted.
Lead and Copper (Tap Sampling)	June – Sept. 2021	Test in accordance with the most recently approved sampling. Testing is returning to 6-month monitoring due to the recent change in disinfection from chlorines to chloramines.
Consumer Confidence Report (CCR) & CCR Certification of Delivery	July 1, 2019 & August 10, 2019	Data for CCR can be obtained at: <a href="https://floridadep.gov/central/cd-compliance-assurance/content/resources-drinking-water-facilities-and-operators-central">https://floridadep.gov/central/cd-compliance-assurance/content/resources-drinking-water-facilities-and-operators-central</a>

\*POE = Point of entry to the distribution system. Sample at each POE that is representative of each source after treatment.

This is a good faith assessment of monitoring requirements for the above-referenced public water system for calendar year 2019 and may not include additional sampling required during the year due to special circumstances. If you have questions, please contact the appropriate personnel at (407) 897-4100. This chart shall not relieve any person from any requirement of Florida law.

This schedule and state forms can be found at <https://floridadep.gov/central/cd-compliance-assurance/content/resources-drinking-water-facilities-and-operators-central> on the Central District’s website. Click on “Monitoring Schedules and Forms” under “Highlights” in the right-hand column.

- **It is important for you to provide this information to your operator and/or sampler.**
- **It is strongly recommended that testing be conducted early in the monitoring period to allow time for retests due to possible sampling or lab errors. Annual and triennial sampling should be completed by 9/30/19 to provide time for revisions, re-tests, and/or corrections. Failure to sample within the required monitoring periods may result in enforcement action.**
- **Test results must be submitted to DEP within the first 10 days following the end of the required monitoring period, or the first 10 days following the month in which the sample results were received, whichever time is the shortest. Failure to comply with deadlines may result in enforcement action.**



# Department of Environmental Protection

Central District

PWS ID #: 3591061

PWS NAME: RAVENNA PARK

POPULATION: 1,187

## 2018 DRINKING WATER MONITORING REQUIREMENTS

MONITORING & REPORTS	DUE	COMMENTS
Microbiological (“Bacte”)	Monthly	Disinfectant residuals must be reported individually and averaged on bacte reports. Compliance for maximum disinfectant residual level is based on a running annual average.
Monthly Operation Reports (MORs)	Monthly	Include information about maintenance and/or abnormal occurrences & CT calcs. if required.
Nitrate and Nitrite	Annually	Sample at POE* every year.
Primary Inorganics	2021	Sample at POE every 3 years.
Secondaries	2021	Sample at POE every 3 years.
Radiologicals ( <i>Gross Alpha &amp; Radium 228</i> )	2021	Sample at POE every 3 years.
Volatile Organic Contaminants (VOCs)	2021	Sample at POE every 3 years.
Synthetic Organic Contaminants (SOCs)	2021	Sample at POE every 3 years.
Stage 2 Disinfection Byproducts (DBPs) <i>Total Trihalomethanes &amp; Haloacetic Acids (5)</i>	August 2019	System will remain on <u>routine</u> (annual) testing at <u>2</u> sites for both T/H (dual samples). Report disinfectant residuals
Asbestos	2020 (test)	Asbestos-Free Certification or results due every 9 years. Use Form 62-555.900(10), F.A.C. 5/12/11 asbestos test result & plan submitted.
Lead and Copper (Tap Sampling)	June-Sept. 2021	Test in accordance with the most recently approved sampling plan
Consumer Confidence Report (CCR) & CCR Certification of Delivery	July 1, 2019 & August 10, 2019	Data for CCR can be obtained at: <a href="https://floridadep.gov/central/cd-compliance-assurance/content/resources-drinking-water-facilities-and-operators-central">https://floridadep.gov/central/cd-compliance-assurance/content/resources-drinking-water-facilities-and-operators-central</a>

\*POE = Point of entry to the distribution system. Sample at each POE that is representative of each source after treatment.

This is a good faith assessment of monitoring requirements for the above-referenced public water system for calendar year 2019 and may not include additional sampling required during the year due to special circumstances. If you have questions, please contact the appropriate personnel at (407) 897-4100. This chart shall not relieve any person from any requirement of Florida law.

This schedule and state forms can be found at <https://floridadep.gov/central/cd-compliance-assurance/content/resources-drinking-water-facilities-and-operators-central> on the Central District’s website. Click on “Monitoring Schedules and Forms” under “Highlights” in the right-hand column.

- **It is important for you to provide this information to your operator and/or sampler.**
- **It is strongly recommended that testing be conducted early in the monitoring period to allow time for retests due to possible sampling or lab errors. Annual and triennial sampling should be completed by 9/30/19 to provide time for revisions, re-tests, and/or corrections. Failure to sample within the required monitoring periods may result in enforcement action.**
- **Test results must be submitted to DEP within the first 10 days following the end of the required monitoring period, or the first 10 days following the month in which the sample results were received, whichever time is the shortest. Failure to comply with deadlines may result in enforcement action.**





# Department of Environmental Protection

Central District

PWS ID #: 3591248

PWS NAME: SPRING HAMMOCK MHP

POPULATION: 175

## 2019 DRINKING WATER MONITORING REQUIREMENTS

MONITORING & REPORTS	DUE	COMMENTS
Microbiological (“Bacte”)	Monthly	Disinfectant residuals must be reported individually and averaged on bacte reports. Compliance for maximum disinfectant residual level is based on a running annual average.
Monthly Operation Reports (MORs)	Monthly	Include information about maintenance and/or abnormal occurrences & CT calcs. if required.
Nitrate and Nitrite	Annually	Sample at POE* every year.
Primary Inorganics	2021	Sample at POE every 3 years.
Secondaries	2021	Sample at POE every 3 years.
Radiologicals ( <i>Gross Alpha &amp; Radium 228</i> )	2024	Sample at POE every 3 years.
Volatile Organic Contaminants (VOCs)	2021	Sample at POE every 3 years.
<b>Synthetic Organic Contaminants (SOCs)</b>	<b>**2018**</b>	<b>**Missing 2018 SOC samples.**</b>
Stage 2 Disinfection Byproducts (DBPs) <i>Total Trihalomethanes &amp; Haloacetic Acids (5)</i>	<i>Please submit an updated Stage 2 Plan in accordance with the EPA memorandum.</i>	System will continue routine annual sampling in third quarter. Please submit new Stage 2 with the month you plan on sampling. Report disinfectant residuals.
Asbestos	2021	Certification or results due every 9 years. Use Form 62-555.900(10), F.A.C., Asbestos Free Certification or Asbestos Sampling Plan
Lead and Copper (Tap Sampling)	July-Sep 2021	Sample in 2018 to get on standard monitoring framework. Test in accordance with the most recently approved sampling plan. Refer to the 9/28/11 Lead action level exceedance letter from the Department; WQP testing is needed if action level(s) are exceeded again.
Consumer Confidence Report (CCR) & CCR Certification of Delivery	July 1, 2019 & August 10, 2019	Data for CCR can be obtained at: <a href="https://floridadep.gov/central/cd-compliance-assurance/content/resources-drinking-water-facilities-and-operators-central">https://floridadep.gov/central/cd-compliance-assurance/content/resources-drinking-water-facilities-and-operators-central</a>

\*POE = Point of entry to the distribution system. Sample at each POE that is representative of each source after treatment.

This is a good faith assessment of monitoring requirements for the above-referenced public water system for calendar year 2019 and may not include additional sampling required during the year due to special circumstances. If you have questions, please contact the appropriate personnel at (407) 897-4100. This chart shall not relieve any person from any requirement of Florida law.

This schedule and state forms can be found at <https://floridadep.gov/central/cd-compliance-assurance/content/resources-drinking-water-facilities-and-operators-central> on the Central District’s website. Click on “Monitoring Schedules and Forms” under “Highlights” in the right-hand column.

- **It is important for you to provide this information to your operator and/or sampler.**
- **It is strongly recommended that testing be conducted early in the monitoring period to allow time for retests due to possible sampling or lab errors. Annual and triennial sampling should be completed by 9/30/19 to provide time for revisions, re-tests, and/or corrections. Failure to sample within the required monitoring periods may result in enforcement action.**

- **Test results must be submitted to DEP within the first 10 days following the end of the required monitoring period, or the first 10 days following the month in which the sample results were received, whichever time is the shortest. Failure to comply with deadlines may result in enforcement action.**



# Department of Environmental Protection

Central District

PWS ID #: 3591395

PWS NAME: TWELVE OAKS R.V. RESORT

POPULATION: 500

## 2019 DRINKING WATER MONITORING REQUIREMENTS

MONITORING & REPORTS	DUE	COMMENTS
Microbiological (“Bacte”)	Monthly	Disinfectant residuals must be reported individually and averaged on bacte reports. Compliance for maximum disinfectant residual level is based on a running annual average.
Monthly Operation Reports (MORs)	Monthly	Include information about maintenance and/or abnormal occurrences & CT calcs. if required.
Nitrate and Nitrite	Annually	Sample at POE* every year.
Primary Inorganics	2021	Sample at POE every 3 years.
Secondaries	2021	Sample at POE every 3 years.
Radiologicals ( <i>Gross Alpha &amp; Radium 228</i> )	2021	Sample at POE every 3 years.
Volatile Organic Contaminants (VOCs)	2021	Sample at POE every 3 years.
Synthetic Organic Contaminants (SOCs)	2021	Sample at POE every 3 years.
Stage 2 Disinfection Byproducts (DBPs) <i>Total Trihalomethanes &amp; Haloacetic Acids (5)</i> <i>Revised 5/20/16 (reduced from 2 sites to 1 site)</i>	<b><i>Please submit an updated Stage 2 Plan in accordance with the EPA memorandum.</i></b>	Submit updated Stage 2 with the month you plan on sampling in the third quarter. System qualifies to go to <u>reduced</u> (annual) testing at <u>1 site</u> for both T/H , at Lot 122 only. Report the disinfectant residual.
Asbestos	2021	Certification or results due every 9 years. Use Form 62-555.900(10), F.A.C., Asbestos Free Certification or Asbestos Sampling Plan.
<b>Lead and Copper (Tap Sampling)</b>	<b>**Biannual (July – Dec) 2018**</b>	<b>**Did not receive July – December biannual samples for 2018 – please contact the Department**</b> System is on biannual sampling in 2018 due to a new water source. Test in accordance with the most recently approved sampling plan.
Consumer Confidence Report (CCR) & CCR Certification of Delivery	July 1, 2019 & August 10, 2019	Data for CCR can be obtained at: <a href="https://floridadep.gov/central/cd-compliance-assurance/content/resources-drinking-water-facilities-and-operators-central">https://floridadep.gov/central/cd-compliance-assurance/content/resources-drinking-water-facilities-and-operators-central</a>

\*POE = Point of entry to the distribution system. Sample at each POE that is representative of each source after treatment.

This is a good faith assessment of monitoring requirements for the above-referenced public water system for calendar year 2019 and may not include additional sampling required during the year due to special circumstances. If you have questions, please contact the appropriate personnel at (407) 897-4002. This chart shall not relieve any person from any requirement of Florida law.

This schedule and state forms can be found at <https://floridadep.gov/central/cd-compliance-assurance/content/resources-drinking-water-facilities-and-operators-central> on the Central District’s website. Click on “Monitoring Schedules and Forms” under “Highlights” in the right-hand column.

- **It is important for you to provide this information to your operator and/or sampler.**
- **It is strongly recommended that testing be conducted early in the monitoring period to allow time for retests due to possible sampling or lab errors. Annual and triennial sampling should be completed by 9/30/19 to provide time for revisions, re-tests, and/or corrections. Failure to sample within the required monitoring periods may result in enforcement action.**

- **Test results must be submitted to DEP within the first 10 days following the end of the required monitoring period, or the first 10 days following the month in which the sample results were received, whichever time is the shortest. Failure to comply with deadlines may result in enforcement action.**



# Department of Environmental Protection

Central District

PWS ID #: 3594050

PWS NAME: SEMINOLE WOODS

POPULATION: 780

## 2019 DRINKING WATER MONITORING REQUIREMENTS

MONITORING & REPORTS	DUE	COMMENTS
Microbiological (“Bacte”)	Monthly	Disinfectant residuals must be reported individually and averaged on bacte reports. Compliance for maximum disinfectant residual level is based on a running annual average.
Monthly Operation Reports (MORs)	Monthly	Include information about maintenance and/or abnormal occurrences & CT calcs. if required.
Nitrate and Nitrite	Annually	Sample at POE* every year.
Primary Inorganics	2021	Sample at POE every 3 years.
Secondaries	2021	Sample at POE every 3 years.
Radiologicals ( <i>Gross Alpha &amp; Radium 228</i> )	2024	Sample at POE every 3 years.
Volatile Organic Contaminants (VOCs)	2021	Sample at POE every 3 years.
Synthetic Organic Contaminants (SOCs)	2021	Sample at POE every 3 years.
Stage 2 Disinfection Byproducts (DBPs) <i>Total Trihalomethanes &amp; Haloacetic Acids (5)</i>	<b><i>Please submit an updated Stage 2 Plan in accordance with the EPA memorandum.</i></b>	On <u>reduced</u> (annual) monitoring at <u>1 site (#1-221)</u> for both T/H (dual sample) during the 3 <sup>rd</sup> quarter. Report disinfectant residuals. In updated Stage 2 plan please include the month you plan on sampling in the third quarter.
Asbestos	2021	Certification or results due every 9 years. Use Form 62-555.900(10), F.A.C., Asbestos Free Certification or Asbestos Sampling Plan.
<b>Lead and Copper (Tap Sampling)</b>	<b>**June-Sept. 2018**</b>	<b>**The Department has not received your 2018 sample results, please contact DEP**</b> Test in accordance with the most recently approved sampling.
Consumer Confidence Report (CCR) & CCR Certification of Delivery	July 1, 2019 & August 10, 2019	Data for CCR can be obtained at: <a href="https://floridadep.gov/central/cd-compliance-assurance/content/resources-drinking-water-facilities-and-operators-central">https://floridadep.gov/central/cd-compliance-assurance/content/resources-drinking-water-facilities-and-operators-central</a>

\*POE = Point of entry to the distribution system. Sample at each POE that is representative of each source after treatment.

This is a good faith assessment of monitoring requirements for the above-referenced public water system for calendar year 2019 and may not include additional sampling required during the year due to special circumstances. If you have questions, please contact the appropriate personnel at (407) 897-4100. This chart shall not relieve any person from any requirement of Florida law.

This schedule and state forms can be found at <https://floridadep.gov/central/cd-compliance-assurance/content/resources-drinking-water-facilities-and-operators-central> on the Central District’s website. Click on “Monitoring Schedules and Forms” under “Highlights” in the right-hand column.

- **It is important for you to provide this information to your operator and/or sampler.**
- **It is strongly recommended that testing be conducted early in the monitoring period to allow time for retests due to possible sampling or lab errors. Annual and triennial sampling should be completed by 9/30/19 to provide time for revisions, re-tests, and/or corrections. Failure to sample within the required monitoring periods may result in enforcement action.**

- **Test results must be submitted to DEP within the first 10 days following the end of the required monitoring period, or the first 10 days following the month in which the sample results were received, whichever time is the shortest. Failure to comply with deadlines may result in enforcement action.**



# Department of Environmental Protection

Central District

PWS ID #: 3594186

PWS NAME: BLACK HAMMOCK-MSBU (CONSEC.)

POPULATION: 735

## 2019 DRINKING WATER MONITORING REQUIREMENTS

MONITORING & REPORTS	DUE	COMMENTS
Microbiological (“Bacte”)	Monthly	Disinfectant residuals must be reported individually and averaged on bacte reports. Compliance for maximum disinfectant residual level is based on a running annual average.
Monthly Operation Reports (MORs)	Monthly	Include information about maintenance and/or abnormal occurrences & CT calcs. if required.
Nitrate and Nitrite	----	Sample at POE* every year.
Primary Inorganics	----	Sample at POE every 3 years.
Secondaries	----	Sample at POE every 3 years.
Radiologicals ( <i>Gross Alpha &amp; Radium 228</i> )	----	Sample at POE every 3 years.
Volatile Organic Contaminants (VOCs)	----	Sample at POE every 3 years.
Synthetic Organic Contaminants (SOCs)	----	Sample at POE every 3 years.
Stage 2 Disinfection Byproducts (DBPs) and Disinfection Byproduct Reports <i>Total Trihalomethanes &amp; Haloacetic Acids (5)</i>	<b><i>Please submit an updated Stage 2 Plan in accordance with the EPA memorandum.</i></b>	System is on <u>reduced</u> (annual) testing for both T/H (dual samples) at 1 site 2364 Genova Dr in the 3 <sup>rd</sup> quarter. Report disinfectant residuals.
Asbestos	2020 (test)	Asbestos-Free Certification or results due every 9 years. Use Form 62-555.900(10), F.A.C. 1/1/11 asbestos-free certification was received.
Lead and Copper (Tap Sampling)	June-Sept. 2021	Test in accordance with the most recently approved sampling plan.
Consumer Confidence Report (CCR) & CCR Certification of Delivery	July 1, 2019 & August 10, 2019	Data for CCR can be obtained at: <a href="https://floridadep.gov/central/cd-compliance-assurance/content/resources-drinking-water-facilities-and-operators-central">https://floridadep.gov/central/cd-compliance-assurance/content/resources-drinking-water-facilities-and-operators-central</a>

\*POE = Point of entry to the distribution system. Sample at each POE that is representative of each source after treatment.

This is a good faith assessment of monitoring requirements for the above-referenced public water system for calendar year 2019 and may not include additional sampling required during the year due to special circumstances. If you have questions, please contact the appropriate personnel at (407) 897-4100. This chart shall not relieve any person from any requirement of Florida law.

This schedule and state forms can be found at <https://floridadep.gov/central/cd-compliance-assurance/content/resources-drinking-water-facilities-and-operators-central> on the Central District’s website. Click on “Monitoring Schedules and Forms” under “Highlights” in the right-hand column.

- **It is important for you to provide this information to your operator and/or sampler.**
- **It is strongly recommended that testing be conducted early in the monitoring period to allow time for retests due to possible sampling or lab errors. Annual and triennial sampling should be completed by 9/30/19 to provide time for revisions, re-tests, and/or corrections. Failure to sample within the required monitoring periods may result in enforcement action.**

- **Test results must be submitted to DEP within the first 10 days following the end of the required monitoring period, or the first 10 days following the month in which the sample results were received, whichever time is the shortest. Failure to comply with deadlines may result in enforcement action.**





# Department of Environmental Protection

Central District

PWS ID #: 3594216

PWS NAME: SUNSHADOWS APARTMENTS (CONSEC.)

POPULATION: 983

## 2019 DRINKING WATER MONITORING REQUIREMENTS

MONITORING & REPORTS	DUE	COMMENTS
Microbiological (“Bacte”)	Monthly	Disinfectant residuals must be reported individually and averaged on bacte reports. Compliance for maximum disinfectant residual level is based on a running annual average.
Monthly Operation Reports (MORs)	Monthly	Include information about maintenance and/or abnormal occurrences & CT calcs. If required.
Nitrate and Nitrite	----	Sample at POE* every year.
Primary Inorganics	----	Sample at POE every 3 years.
Secondaries	----	Sample at POE every 3 years.
Radiologicals ( <i>Gross Alpha &amp; Radium 228</i> )	----	Sample at POE every 3 years.
Volatile Organic Contaminants (VOCs)	----	Sample at POE every 3 years.
Synthetic Organic Contaminants (SOCs)	----	Sample at POE every 3 years.
Stage 2 Disinfection Byproducts (DBPs) <i>Total Trihalomethanes &amp; Haloacetic Acids (5)</i>	Quarterly In Week 3 (15 <sup>th</sup> – 21 <sup>st</sup> )	System is on increased (quarterly) testing at <u>2 sites</u> for both T/H (dual samples). Sample in accordance with the most recently approved Stage 2 Plan. Report disinfectant residuals. (February, May, August, November)
Asbestos	2021	Certification or results due every 9 years. Use Form 62-555.900(10), F.A.C., Asbestos Free Certification or Asbestos Sampling Plan. Asbestos-free certifications submitted in 1994 and 2002. Asbestos test submitted 2011. Pls. clarify whether or not the distribution system has asbestos-cement pipe.
Lead and Copper (Tap Sampling)	June-Sept. 2021	Test in accordance with the most recently approved sampling plan.
Consumer Confidence Report (CCR) & CCR Certification of Delivery	July 1, 2019 & August 10, 2019	Data for CCR can be obtained at: <a href="https://floridadep.gov/central/cd-compliance-assurance/content/resources-drinking-water-facilities-and-operators-central">https://floridadep.gov/central/cd-compliance-assurance/content/resources-drinking-water-facilities-and-operators-central</a>

\*POE = Point of entry to the distribution system. Sample at each POE that is representative of each source after treatment.

This is a good faith assessment of monitoring requirements for the above-referenced public water system for calendar year 2019 and may not include additional sampling required during the year due to special circumstances. If you have questions, please contact the appropriate personnel at (407) 897-4100. This chart shall not relieve any person from any requirement of Florida law.

This schedule and state forms can be found at <https://floridadep.gov/central/cd-compliance-assurance/content/resources-drinking-water-facilities-and-operators-central> on the Central District’s website. Click on “Monitoring Schedules and Forms” under “Highlights” in the right-hand column.

- **It is important for you to provide this information to your operator and/or sampler.**
- **It is strongly recommended that testing be conducted early in the monitoring period to allow time for retests due to possible sampling or lab errors. Annual and triennial sampling should be completed by**

**9/30/19 to provide time for revisions, re-tests, and/or corrections. Failure to sample within the required monitoring periods may result in enforcement action.**

- **Test results must be submitted to DEP within the first 10 days following the end of the required monitoring period, or the first 10 days following the month in which the sample results were received, whichever time is the shortest. Failure to comply with deadlines may result in enforcement action.**



# Department of Environmental Protection

Central District

PWS ID #: 3594230

PWS NAME: MIDWAY-CANAAN WATER ASSOCIATION (CONSEC.)

POPULATION: 1,500

## 2019 DRINKING WATER MONITORING REQUIREMENTS

MONITORING & REPORTS	DUE	COMMENTS
Microbiological (“Bacte”)	Monthly	Disinfectant residuals must be reported individually and averaged on bacte reports. Compliance for maximum disinfectant residual level is based on a running annual average.
Monthly Operation Reports (MORs)	Monthly	Include information about maintenance and/or abnormal occurrences & CT calcs. if required.
Nitrate and Nitrite	----	Sample at POE* every year.
Primary Inorganics	----	Sample at POE every 3 years.
Secondaries	----	Sample at POE every 3 years.
Radiologicals ( <i>Gross Alpha &amp; Radium 228</i> )	----	Sample at POE every 3 years.
Volatile Organic Contaminants (VOCs)	----	Sample at POE every 3 years.
Synthetic Organic Contaminants (SOCs)	----	Sample at POE every 3 years.
Stage 2 Disinfection Byproducts (DBPs) <i>Total Trihalomethanes &amp; Haloacetic Acids (5)</i>	<b><i>Please submit an updated Stage 2 Plan in accordance with the EPA memorandum.</i></b>	<b>System has been reduced to routine (annual) testing at <u>2</u> sites for both T/H (dual samples).</b> Send a new Stage 2 plan to be approved. Report disinfectant residuals.
Asbestos	2021	Certification or results due every 9 years. Use Form 62-555.900(10), F.A.C., Asbestos Free Certification or Asbestos Sampling Plan.
Lead and Copper (Tap Sampling)	June-Sept. 2021	Test in accordance with the most recently approved sampling plan.
Consumer Confidence Report (CCR) & CCR Certification of Delivery	July 1, 2019 & August 10, 2019	Data for CCR can be obtained at: <a href="http://www.dep.state.fl.us/central/Home/DrinkingWater/Compliance/CCR/default.htm">http://www.dep.state.fl.us/central/Home/DrinkingWater/Compliance/CCR/default.htm</a>

\*POE = Point of entry to the distribution system. Sample at each POE that is representative of each source after treatment.

This is a good faith assessment of monitoring requirements for the above-referenced public water system for calendar year 2019 and may not include additional sampling required during the year due to special circumstances. If you have questions, please contact the appropriate personnel at (407) 897-4100. This chart shall not relieve any person from any requirement of Florida law.

This schedule and state forms can be found at <http://www.dep.state.fl.us/central/Home/DrinkingWater/default.htm> on the Central District’s website. Click on “Monitoring Schedules and Forms” under “Highlights” in the right-hand column.

- **It is important for you to provide this information to your operator and/or sampler.**
- **It is strongly recommended that testing be conducted early in the monitoring period to allow time for retests due to possible sampling or lab errors. Annual and triennial sampling should be completed by 9/30/19 to provide time for revisions, re-tests, and/or corrections. Failure to sample within the required monitoring periods may result in enforcement action.**

- **Test results must be submitted to DEP within the first 10 days following the end of the required monitoring period, or the first 10 days following the month in which the sample results were received, whichever time is the shortest. Failure to comply with deadlines may result in enforcement action.**



# Department of Environmental Protection

Central District

PWS ID #: 3594240

PWS NAME: DOVERA (CONSEC.)

POPULATION: 150

## 2019 DRINKING WATER MONITORING REQUIREMENTS

MONITORING & REPORTS	DUE	COMMENTS
Microbiological (“Bacte”)	Monthly	Disinfectant residuals must be reported individually and averaged on bacte reports. Compliance for maximum disinfectant residual level is based on a running annual average.
Monthly Operation Reports (MORs)	Monthly	Include information about maintenance and/or abnormal occurrences & CT calcs. if required.
Nitrate and Nitrite	----	Sample at POE* every year.
Primary Inorganics	----	Sample at POE every 3 years.
Secondaries	----	Sample at POE every 3 years.
Radiologicals ( <i>Gross Alpha &amp; Radium 228</i> )	----	Sample at POE every 3 years.
Volatile Organic Contaminants (VOCs)	----	Sample at POE every 3 years.
Synthetic Organic Contaminants (SOCs)	----	Sample at POE every 3 years.
Stage 2 Disinfection Byproducts (DBPs) <i>Total Trihalomethanes &amp; Haloacetic Acids (5)</i>	Quarterly In Week 1 (1 <sup>st</sup> – 7 <sup>th</sup> )	System is on increased (quarterly) testing with dual samples at 2 sites. Sample in accordance to the most recently approved Stage 2 Sampling Plan. Report disinfectant residuals. (January, April, July, October)
Asbestos	2020	Asbestos-Free Certification or results due every 9 years. Use Form 62-555.900(10), F.A.C.
Lead and Copper (Tap Sampling)	June-Sept. 2021	Test in accordance with the most recently approved sampling plan.
Consumer Confidence Report (CCR) & CCR Certification of Delivery	July 1, 2019 & August 10, 2019	Data for CCR can be obtained at: <a href="https://floridadep.gov/central/cd-compliance-assurance/content/resources-drinking-water-facilities-and-operators-central">https://floridadep.gov/central/cd-compliance-assurance/content/resources-drinking-water-facilities-and-operators-central</a>

\*POE = Point of entry to the distribution system. Sample at each POE that is representative of each source after treatment.

This is a good faith assessment of monitoring requirements for the above-referenced public water system for calendar year 2019 and may not include additional sampling required during the year due to special circumstances. If you have questions, please contact the appropriate personnel at (407) 897-4100. This chart shall not relieve any person from any requirement of Florida law.

This schedule and state forms can be found at <https://floridadep.gov/central/cd-compliance-assurance/content/resources-drinking-water-facilities-and-operators-central> on the Central District’s website. Click on “Monitoring Schedules and Forms” under “Highlights” in the right-hand column.

- **It is important for you to provide this information to your operator and/or sampler.**
- **It is strongly recommended that testing be conducted early in the monitoring period to allow time for retests due to possible sampling or lab errors. Annual and triennial sampling should be completed by 9/30/19 to provide time for revisions, re-tests, and/or corrections. Failure to sample within the required monitoring periods may result in enforcement action.**
- **Test results must be submitted to DEP within the first 10 days following the end of the required monitoring period, or the first 10 days following the month in which the sample results were received, whichever time is the shortest. Failure to comply with deadlines may result in enforcement action.**



**Department of Environmental Protection**  
Central District

PWS ID #: 3594241

PWS NAME: OVIEDO MARKETPLACE (Consec)

POPULATION: 689

**Consecutive to SCES SE Regional 3590571 as of 5/2016**  
**2019 DRINKING WATER MONITORING REQUIREMENTS**

MONITORING & REPORTS	DUE	COMMENTS
Microbiological (“Bacte”)	Monthly	Disinfectant residuals must be reported individually and averaged on bacte reports. Compliance for maximum disinfectant residual level is based on a running annual average.
Monthly Operation Reports (MORs)	Monthly	Include information about maintenance and/or abnormal occurrences & CT calcs. if required.
Nitrate and Nitrite	----	Sample at POE* every year.
Primary Inorganics	----	Sample at POE every 3 years.
Secondaries	----	Sample at POE every 3 years.
Radiologicals ( <i>Gross Alpha &amp; Radium 228</i> )	----	Sample at POE every 3 years.
Volatile Organic Contaminants (VOCs)	----	Sample at POE every 3 years.
Synthetic Organic Contaminants (SOCs)	----	Sample at POE every 3 years.
Stage 2 Disinfection Byproducts (DBPs) <i>Total Trihalomethanes &amp; Haloacetic Acids (5)</i>	July 2019	System is on <u>annual</u> testing at <u>2</u> sites for both T/H (dual samples). Report disinfectant residuals. <b><i>Please submit an updated Stage 2 Plan in accordance with the EPA memorandum.</i></b>
Asbestos	2020 (test)	Asbestos-Free Certification or results due every 9 years. Use Form 62-555.900(10), F.A.C. 3/30/11 asbestos test result & plan submitted.
Lead and Copper (Tap Sampling)	June-Sept 2021	Test in accordance with the most recently approved sampling plan.
Water Quality Parameters (WQPs)	Jan.-June & July-Dec. 2019	Sample at each POE at least every two weeks per Optimal WQP Approval Letter.
Consumer Confidence Report (CCR) & CCR Certification of Delivery	July 1, 2019 & August 10, 2019	Data for CCR can be obtained at: <a href="https://floridadep.gov/central/cd-compliance-assurance/content/resources-drinking-water-facilities-and-operators-central">https://floridadep.gov/central/cd-compliance-assurance/content/resources-drinking-water-facilities-and-operators-central</a>

\*POE = Point of entry to the distribution system. Sample at each POE that is representative of each source after treatment.

This is a good faith assessment of monitoring requirements for the above-referenced public water system for calendar year 2019 and may not include additional sampling required during the year due to special circumstances. If you have questions, please contact the appropriate personnel at (407) 897-4100. This chart shall not relieve any person from any requirement of Florida law.

This schedule and state forms can be found at <https://floridadep.gov/central/cd-compliance-assurance/content/resources-drinking-water-facilities-and-operators-central> on the Central District’s website. Click on “Monitoring Schedules and Forms” under “Highlights” in the right-hand column.

- **It is important for you to provide this information to your operator and/or sampler.**
- **It is strongly recommended that testing be conducted early in the monitoring period to allow time for retests due to possible sampling or lab errors. Annual and triennial sampling should be completed by 9/30/19 to provide time for revisions, re-tests, and/or corrections. Failure to sample within the required monitoring periods may result in enforcement action.**

- **Test results must be submitted to DEP within the first 10 days following the end of the required monitoring period, or the first 10 days following the month in which the sample results were received, whichever time is the shortest. Failure to comply with deadlines may result in enforcement action.**



# Department of Environmental Protection

Central District

PWS ID #: 3590186

PWS NAME: CHULUOTA WATER ASSOCIATION

POPULATION: 3,863

## 2019 DRINKING WATER MONITORING REQUIREMENTS

MONITORING & REPORTS	DUE	COMMENTS
Microbiological (“Bacte”)	Monthly	Disinfectant residuals must be reported individually and averaged on bacte reports. Compliance is based on a running annual avg.
Monthly Operation Reports (MORs)	Monthly	Include information about maintenance and/or abnormal occurrences & CT calcs. if required.
Nitrate and Nitrite	Annually	Sample at POE* every year.
Primary Inorganics	2020	Sample at POE every 3 years.
Secondaries	2020	Sample at POE every 3 years.
Radiologicals ( <i>Gross Alpha &amp; Radium 228 required, Radium 226 is highly recommended</i> )	2023	Sample at POE every 3 years.
Volatile Organic Contaminants (VOCs)	2020	Sample at POE every 3 years.
Synthetic Organic Contaminants (SOCs)	2 Quarters 2020	Sample at POE for 2 separate quarters every 3 years; samples shall be taken at least 60 days apart.
Stage 2 Disinfection Byproducts (DBPs) <i>Total Trihalomethanes &amp; Haloacetic Acids (5)</i>	2020	Begin annual sampling. Collect 1 dual sample (for TTHMs and HAA5s) at the L1 during 3rd quarter, and 1 dual sample at L2 during 1st quarter. Submit plan for approval prior to sampling.
Asbestos	2020 (test)	Asbestos-Free Certification or results due every 9 years. Use Form 62-555.900(10), F.A.C.
Lead and Copper (Tap Sampling)	June-Sept. 2020	Test in accordance with the most recently approved sampling plan.
Consumer Confidence Report (CCR) & CCR Certification of Delivery	July 1, 2019 & August 10, 2019	Data for CCR can be obtained at: <a href="https://floridadep.gov/central/central/content/resource/s-drinking-water-facilities-and-operators">https://floridadep.gov/central/central/content/resource/s-drinking-water-facilities-and-operators</a>

\*POE = Point of entry to the distribution system. Sample at each POE that is representative of each source after treatment.

This is a good faith assessment of monitoring requirements for the above-referenced public water system for calendar year 2019 and may not include additional sampling required during the year due to special circumstances. If you have questions, please contact the appropriate personnel at (407) 897-4100. This chart shall not relieve any person from any requirement of Florida law.

This schedule and state forms can be found at <https://floridadep.gov/central/central/content/resources-drinking-water-facilities-and-operators> on the Central District’s website. Click on “Monitoring Schedules and Forms” under “Highlights” in the right-hand column.

- **It is important for you to provide this information to your operator and/or sampler.**
- **It is strongly recommended that testing be conducted early in the monitoring period to allow time for retests due to possible sampling or lab errors. Annual and triennial sampling should be completed by 9/30/19 to provide time for revisions, re-tests, and/or corrections. Failure to sample within the required monitoring periods may result in enforcement action.**
- **Test results must be submitted to DEP within the first 10 days following the end of the required monitoring period, or the first 10 days following the month in which the sample results were received, whichever time is the shortest. Failure to comply with deadlines may result in enforcement action.**





**Department of Environmental Protection**  
Central District

PWS ID #: 3591451

PWS NAME: WEATHERSFIELD

POPULATION: 4,221

**2019 DRINKING WATER MONITORING REQUIREMENTS**

<b>MONITORING &amp; REPORTS</b>	<b>DUE</b>	<b>COMMENTS</b>
Microbiological (“Bacte”)	Monthly	Disinfectant residuals must be reported individually and averaged on bacte reports. Compliance for maximum disinfectant residual level is based on a running annual average.
Monthly Operation Reports (MORs)	Monthly	Include information about maintenance and/or abnormal occurrences & CT calcs. if required.
Nitrate and Nitrite	Annually	Sample at each POE* every year.
Primary Inorganics	2020	Sample at each POE every 3 years.
Secondaries	2020	Sample at each POE every 3 years.
Radiologicals ( <i>Gross Alpha &amp; Radium 228</i> )	2023	Sample at each POE every 3 years.
Volatile Organic Contaminants (VOCs)	2020	Sample at each POE every 3 years.
Synthetic Organic Contaminants (SOCs)	2 Quarters 2020	Sample at each POE for 2 separate quarters every 3 years; samples shall be taken at least 60 days apart.
Stage 2 Disinfection Byproducts (DBPs) <i>Total Trihalomethanes &amp; Haloacetic Acids (5)</i>	August 2019	Begin <u>annual</u> sampling in the third quarter 2019. Report disinfectant residuals.
Asbestos	2020 (test)	Asbestos-Free Certification or results due every 9 years. Use Form 62-555.900(10), F.A.C.
Lead and Copper (Tap Sampling)	June-Sept. 2020	Test in accordance with the most recently approved sampling plan.
Consumer Confidence Report (CCR) & CCR Certification of Delivery	July 1, 2019 & August 10, 2019	Data for CCR can be obtained at: <a href="https://floridadep.gov/central/central/content/resources-drinking-water-facilities-and-operators">https://floridadep.gov/central/central/content/resources-drinking-water-facilities-and-operators</a>

\*POE = Point of entry to the distribution system. Sample at each POE that is representative of each source after treatment.

This is a good faith assessment of monitoring requirements for the above-referenced public water system for calendar year 2019 and may not include additional sampling required during the year due to special circumstances. If you have questions, please contact the appropriate personnel at (407) 897-4100. This chart shall not relieve any person from any requirement of Florida law.

This schedule and state forms can be found at <https://floridadep.gov/central/central/content/resources-drinking-water-facilities-and-operators> on the Central District’s website. Click on “Monitoring Schedules and Forms” under “Highlights” in the right-hand column.

- **It is important for you to provide this information to your operator and/or sampler.**
- **It is strongly recommended that testing be conducted early in the monitoring period to allow time for retests due to possible sampling or lab errors. Annual and triennial sampling should be completed by 9/30/19 to provide time for revisions, re-tests, and/or corrections. Failure to sample within the required monitoring periods may result in enforcement action.**
- **Test results must be submitted to DEP within the first 10 days following the end of the required monitoring period, or the first 10 days following the month in which the sample results were received, whichever time is the shortest. Failure to comply with deadlines may result in enforcement action.**



# Department of Environmental Protection

## Central District

PWS ID #: 3594214

PWS NAME: CHASE GROVES (CONSEC.)

POPULATION: 3,488

### 2019 DRINKING WATER MONITORING REQUIREMENTS

MONITORING & REPORTS	DUE	COMMENTS
Microbiological (“Bacte”)	Monthly	Disinfectant residuals must be reported individually and averaged on bacte reports. Compliance for maximum disinfectant residual level is based on a running annual average.
Monthly Operation Reports (MORs)	Monthly	Include information about maintenance and/or abnormal occurrences & CT calcs. if required.
Nitrate and Nitrite	----	Sample at POE* every year.
Primary Inorganics	----	Sample at POE every 3 years.
Secondaries	----	Sample at POE every 3 years.
Radiologicals ( <i>Gross Alpha &amp; Radium 228</i> )	----	Sample at POE every 3 years.
Volatile Organic Contaminants (VOCs)	----	Sample at POE every 3 years.
Synthetic Organic Contaminants (SOCs)	----	Sample at POE every 3 years.
Stage 2 Disinfection Byproducts (DBPs) <i>Total Trihalomethanes &amp; Haloacetic Acids (5)</i>	<b><i>Please submit an updated Stage 2 Plan to reflect your quarterly monitoring.</i></b>	Continue <u>quarterly</u> testing at 2 sites for both T/H (dual samples). Report disinfectant residuals. The updated Stage 2 Sampling Plan should indicate a week and a month in which you plan on sampling. Please refer to the EPA memo. If you have any questions, please contact your inspector.
Asbestos	2020	Asbestos-Free Certification or results due every 9 years. Use Form 62-555.900(10), F.A.C.
Lead and Copper (Tap Sampling)	June-Sept. 2020	Test in accordance with the most recently approved sampling plan.
Consumer Confidence Report (CCR) & CCR Certification of Delivery	July 1, 2019 & August 10, 2019	Data for CCR can be obtained at: <a href="https://floridadep.gov/central/central/content/resources-drinking-water-facilities-and-operators">https://floridadep.gov/central/central/content/resources-drinking-water-facilities-and-operators</a>

\*POE = Point of entry to the distribution system. Sample at each POE that is representative of each source after treatment.

This is a good faith assessment of monitoring requirements for the above-referenced public water system for calendar year 2019 and may not include additional sampling required during the year due to special circumstances. If you have questions, please contact the appropriate personnel at (407) 897-4100. This chart shall not relieve any person from any requirement of Florida law.

This schedule and state forms can be found at <https://floridadep.gov/central/central/content/resources-drinking-water-facilities-and-operators> on the Central District’s website. Click on “Monitoring Schedules and Forms” under “Highlights” in the right-hand column.

- **It is important for you to provide this information to your operator and/or sampler.**
- **It is strongly recommended that testing be conducted early in the monitoring period to allow time for retests due to possible sampling or lab errors. Annual and triennial sampling should be completed by 9/30/19 to provide time for revisions, re-tests, and/or corrections. Failure to sample within the required monitoring periods may result in enforcement action.**

- **Test results must be submitted to DEP within the first 10 days following the end of the required monitoring period, or the first 10 days following the month in which the sample results were received, whichever time is the shortest. Failure to comply with deadlines may result in enforcement action.**



# Department of Environmental Protection

Central District

PWS ID #: 3590026

PWS NAME: ALTAMONTE SPRINGS WATER DEPT (2 WPs)

POPULATION: 55,576

## 2019 DRINKING WATER MONITORING REQUIREMENTS

MONITORING & REPORTS	DUE	COMMENTS
Microbiological (“Bacte”)	Monthly	Disinfectant residuals must be reported individually on bacte reports.
Disinfectant Residual Reports	Quarterly	Compliance for maximum disinfectant residual level is based on a running annual average.
Monthly Operation Reports (MORs)	Monthly	Include information about maintenance and/or abnormal occurrences & CT calcs. if required.
Nitrate and Nitrite	Annually	Sample at <u>each</u> POE* every year.
Primary Inorganics	2020	Sample at <u>each</u> POE every 3 years.
Secondaries	2020	Sample at <u>each</u> POE every 3 years.
Radiologicals ( <i>Gross Alpha &amp; Radium 228</i> )	2023	Sample at <u>each</u> POE every 3 years.
Volatile Organic Contaminants (VOCs)	2020	Sample at <u>each</u> POE every 3 years.
Synthetic Organic Contaminants (SOCs)	2 Quarters 2020	Sample at each POE for 2 separate quarters every 3 years; samples shall be taken at least 60 days apart.
Stage 2 Disinfection Byproducts (DBPs) and Disinfection Byproduct Reports <i>Total Trihalomethanes &amp; Haloacetic Acids (5)</i>	Quarterly in Week 4 (22 <sup>nd</sup> -28 <sup>th</sup> )	System is on <u>routine</u> (qtrly) testing at <u>4 sites</u> for both T/H (dual samples). Report disinfectant residuals. Sample in accordance with Stage 2 D/DBP Monitoring Plan that was submitted to the Department. (Jan., April, July, October)
Asbestos	2020 (test)	Asbestos-Free Certification or results due every 9 years. Use Form 62-555.900(10), F.A.C.
Lead and Copper (Tap Sampling)	June-Sept. 2020	Test in accordance with the most recently approved sampling plan.
Water Quality Parameters (WQPs)	June-Sept. 2020	<u>Distribution sites</u> per Optimal WQP Approval Letter.
Water Quality Parameters (WQPs)	Jan.-June & July-Dec. 2020	Sample at <u>each POE</u> (2 POEs) at least every two weeks per Optimal WQP Approval Letter.
Consumer Confidence Report (CCR) & CCR Certification of Delivery	July 1, 2019 & August 10, 2019	Data for CCR can be obtained at: <a href="https://floridadep.gov/central/central/content/resources-drinking-water-facilities-and-operators">https://floridadep.gov/central/central/content/resources-drinking-water-facilities-and-operators</a>

\*POE = Point of entry to the distribution system. Sample at each POE that is representative of each source after treatment.

This is a good faith assessment of monitoring requirements for the above-referenced public water system for calendar year 2019 and may not include additional sampling required during the year due to special circumstances. If you have questions, please contact the appropriate personnel at (407) 897-4100. This chart shall not relieve any person from any requirement of Florida law.

This schedule and state forms can be found at <https://floridadep.gov/central/central/content/resources-drinking-water-facilities-and-operators> on the Central District’s website. Click on “Monitoring Schedules and Forms” under “Highlights” in the right-hand column.

- **It is important for you to provide this information to your operator and/or sampler.**
- **It is strongly recommended that testing be conducted early in the monitoring period to allow time for retests due to possible sampling or lab errors. Annual and triennial sampling should be completed by 9/30/19 to provide time for revisions, re-tests, and/or corrections. Failure to sample within the required monitoring periods may result in enforcement action.**
- **Test results must be submitted to DEP within the first 10 days following the end of the required monitoring period, or the first 10 days following the month in which the sample results were received, whichever time is the shortest. Failure to comply with deadlines may result in enforcement action.**



# Department of Environmental Protection

Central District

PWS ID #: 3590159

PWS NAME: CASSELBERRY, CITY OF (3 WPS)

POPULATION: 54,747

## 2019 DRINKING WATER MONITORING REQUIREMENTS

MONITORING & REPORTS	DUE	COMMENTS
Microbiological (“Bacte”)	Monthly	Disinfectant residuals must be reported individually on bacte reports.
Disinfectant Residual Reports	Quarterly	Compliance for maximum disinfectant residual level is based on a running annual average.
Monthly Operation Reports (MORs)	Monthly	Include information about maintenance and/or abnormal occurrences & CT calcs. if required.
Nitrate and Nitrite	Annually	Sample at each POE* every year.
Primary Inorganics	2020	Sample at each POE every 3 years.
Secondaries	2020	Sample at each POE every 3 years.
Radiologicals ( <i>Gross Alpha &amp; Radium 228</i> )	2020	Sample at each POE every 3 years.
Volatile Organic Contaminants (VOCs) (Special VOC testing for North WP reduced to annually in 2010.)	2019-N.WP, 2020	The special annual testing for the North WP shall continue until further notice. Sample at POE. Sample at <u>each</u> POE in 2020 for VOCs.
Synthetic Organic Contaminants (SOCs)	2 Quarters 2020	Sample at each POE for 2 separate quarters every 3 years; samples shall be taken at least 60 days apart.
Stage 2 Disinfection Byproducts (DBPs) and Disinfection Byproduct Reports <i>Total Trihalomethanes &amp; Haloacetic Acids (5)</i>	Quarterly in Week 1 (1 <sup>st</sup> – 7 <sup>th</sup> )	System is on <u>routine</u> (qtrly) testing at <u>4 sites</u> for both T/H (dual samples). Report disinfectant residuals. Sample in accordance with your Stage 2 Monitoring Plan submitted to the Department. (February, May, August, November)
Asbestos	2020	Asbestos-Free Certification or results due every 9 years. Use Form 62-555.900(10), F.A.C.
Lead and Copper (Tap Sampling)	June-Sept. 2020	Test in accordance with the most recently approved sampling plan.
Water Quality Parameters (WQPs)	June-Sept. 2020	<u>Distribution sites</u> per Optimal WQP Approval Letter.
Water Quality Parameters (WQPs)	Jan.-June & July-Dec. 2019	Sample at <u>each POE</u> (3 POEs) at least every two weeks per Optimal WQP Approval Letter.
Consumer Confidence Report (CCR) & CCR Certification of Delivery	July 1, 2019 & August 10, 2019	Data for CCR can be obtained at: <a href="https://floridadep.gov/central/central/content/resources-drinking-water-facilities-and-operators">https://floridadep.gov/central/central/content/resources-drinking-water-facilities-and-operators</a>

\*POE = Point of entry to the distribution system. Sample at each POE that is representative of each source after treatment.

This is a good faith assessment of monitoring requirements for the above-referenced public water system for calendar year 2019 and may not include additional sampling required during the year due to special circumstances. If you have questions, please contact the appropriate personnel at (407) 897-4100. This chart shall not relieve any person from any requirement of Florida law.

This schedule and state forms can be found at <https://floridadep.gov/central/central/content/resources-drinking-water-facilities-and-operators> on the Central District’s website. Click on “Monitoring Schedules and Forms” under “Highlights” in the right-hand column.

- **It is important for you to provide this information to your operator and/or sampler.**
- **It is strongly recommended that testing be conducted early in the monitoring period to allow time for retests due to possible sampling or lab errors. Annual and triennial sampling should be completed by 9/30/19 to provide time for revisions, re-tests, and/or corrections. Failure to sample within the required monitoring periods may result in enforcement action.**

- **Test results must be submitted to DEP within the first 10 days following the end of the required monitoring period, or the first 10 days following the month in which the sample results were received, whichever time is the shortest. Failure to comply with deadlines may result in enforcement action.**



# Department of Environmental Protection

Central District

PWS ID #: 3590201

PWS NAME: LAKE MARY, CITY OF

POPULATION: 17,589

## 2019 DRINKING WATER MONITORING REQUIREMENTS

MONITORING & REPORTS	DUE	COMMENTS
Microbiological (“Bacte”)	Monthly	Disinfectant residuals must be reported individually on bacte reports.
Disinfectant Residual Reports	Quarterly	Compliance for maximum disinfectant residual level is based on a running annual average.
Monthly Operation Reports (MORs)	Monthly	Include information about maintenance and/or abnormal occurrences & CT calcs. if required.
Nitrate and Nitrite	Annually	Sample at each POE every year*.
Primary Inorganics	2020	Sample at each POE every 3 years.
Secondaries	2020	Sample at each POE every 3 years.
Radiologicals ( <i>Gross Alpha &amp; Radium 228</i> )	2020	Sample at each POE every 3 years.
Volatile Organic Contaminants (VOCs)	2020*	Sample at each POE every 3 years. *The special monthly monitoring for 1,1-dichloroethylene from influent and effluent shall continue. (System has been submitting all VOCs monthly. Please contact the Department regarding any changes in this frequency.)
Synthetic Organic Contaminants (SOCs)	2 Quarters 2020	Sample at each POE for 2 quarters every 3 years; samples shall be taken at least 60 days apart.
Stage 2 Disinfection Byproducts (DBPs) and Disinfection Byproduct Reports <i>Total Trihalomethanes &amp; Haloacetic Acids (5)</i>	Quarterly in Week 2 (8 <sup>th</sup> – 14 <sup>th</sup> )	System is on <u>routine</u> (qtrly) testing at 4 sites for both T/H (dual samples). Report disinfectant residuals. Sample in accordance with Stage 2 D/DBP Monitoring Plan. (Feb., May, Aug., Nov.)
Asbestos	2020	Asbestos-Free Certification or results due every 9 years. Use Form 62-555.900(10), F.A.C.
Lead and Copper (Tap Sampling)	June-Sept. 2020	Test in accordance with the most recently approved sampling plan.
Consumer Confidence Report (CCR) & CCR Certification of Delivery	July 1, 2019 & August 10, 2019	Data for CCR can be obtained at: <a href="https://floridadep.gov/central/central/content/resources-drinking-water-facilities-and-operators">https://floridadep.gov/central/central/content/resources-drinking-water-facilities-and-operators</a>

\*POE = Point of entry to the distribution system. Sample at each POE that is representative of each source after treatment.

This is a good faith assessment of monitoring requirements for the above-referenced public water system for calendar year 2019 and may not include additional sampling required during the year due to special circumstances. If you have questions, please contact the appropriate personnel at (407) 897-4100. This chart shall not relieve any person from any requirement of Florida law.

This schedule and state forms can be found at <https://floridadep.gov/central/central/content/resources-drinking-water-facilities-and-operators> on the Central District’s website. Click on “Monitoring Schedules and Forms” under “Highlights” in the right-hand column.

- **It is important for you to provide this information to your operator and/or sampler.**
- **It is strongly recommended that testing be conducted early in the monitoring period to allow time for retests due to possible sampling or lab errors. Annual and triennial sampling should be completed by 9/30/19 to provide time for revisions, re-tests, and/or corrections. Failure to sample within the required monitoring periods may result in enforcement action.**

- **Test results must be submitted to DEP within the first 10 days following the end of the required monitoring period, or the first 10 days following the month in which the sample results were received, whichever time is the shortest. Failure to comply with deadlines may result in enforcement action.**





# Department of Environmental Protection

Central District

PWS ID #: 3590202

PWS NAME: LONGWOOD, CITY OF (2 WPs)

POPULATION: 20,332

## 2019 DRINKING WATER MONITORING REQUIREMENTS

MONITORING & REPORTS	DUE	COMMENTS
Microbiological (“Bacte”)	Monthly	Disinfectant residuals must be reported individually on bacte reports.
Disinfectant Residual Reports	Quarterly	Compliance for maximum disinfectant residual level is based on a running annual average.
Monthly Operation Reports (MORs)	Monthly	Include information about maintenance and/or abnormal occurrences & CT calcs. if required.
Nitrate and Nitrite	Annually	Sample at each POE* every year.
Primary Inorganics	2020	Sample at each POE every 3 years.
Secondaries	2020	Sample at each POE every 3 years.
Radiologicals ( <i>Gross Alpha &amp; Radium 228</i> )	2020	Sample at each POE every 3 years.
Volatile Organic Contaminants (VOCs)	2020	Sample at each POE every 3 years.
Synthetic Organic Contaminants (SOCs)	2 Quarters 2020	Sample at each POE for 2 quarters every 3 years; samples shall be taken at least 60 days apart.
Stage 2 Disinfection Byproducts (DBPs) and Disinfection Byproduct Reports <i>Total Trihalomethanes &amp; Haloacetic Acids (5)</i>	Quarterly in Week 3 (15 <sup>th</sup> – 21 <sup>st</sup> )	Continue <u>routine</u> (qtrly) testing at <u>4 sites</u> for both T/H (dual samples). Report disinfectant residuals. Sample in accordance with the Stage 2 Plan submitted to the Department. (Feb. May, Aug., Nov.)
Asbestos	2020	Asbestos-Free Certification or results due every 9 years. Use Form 62-555.900(10), F.A.C.
Lead and Copper (Tap Sampling)	June-Sept. 2020	Test in accordance with the most recently approved sampling plan.
Consumer Confidence Report (CCR) & CCR Certification of Delivery	July 1, 2019 & August 10, 2019	Data for CCR can be obtained at: <a href="https://floridadep.gov/central/central/content/resources-drinking-water-facilities-and-operators">https://floridadep.gov/central/central/content/resources-drinking-water-facilities-and-operators</a>

\*POE = Point of entry to the distribution system. Sample at each POE that is representative of each source after treatment.

This is a good faith assessment of monitoring requirements for the above-referenced public water system for calendar year 2019 and may not include additional sampling required during the year due to special circumstances. If you have questions, please contact the appropriate personnel at (407) 897-4100. This chart shall not relieve any person from any requirement of Florida law.

This schedule and state forms can be found at <https://floridadep.gov/central/central/content/resources-drinking-water-facilities-and-operators> on the Central District’s website. Click on “Monitoring Schedules and Forms” under “Highlights” in the right-hand column.

- **It is important for you to provide this information to your operator and/or sampler.**
- **It is strongly recommended that testing be conducted early in the monitoring period to allow time for retests due to possible sampling or lab errors. Annual and triennial sampling should be completed by 9/30/19 to provide time for revisions, re-tests, and/or corrections. Failure to sample within the required monitoring periods may result in enforcement action.**
- **Test results must be submitted to DEP within the first 10 days following the end of the required monitoring period, or the first 10 days following the month in which the sample results were received, whichever time is the shortest. Failure to comply with deadlines may result in enforcement action.**



# Department of Environmental Protection

Central District

PWS ID #: 3590205

PWS NAME: SANFORD, CITY OF (2 WPS)

POPULATION: 62,444

## 2019 DRINKING WATER MONITORING REQUIREMENTS

MONITORING & REPORTS	DUE	COMMENTS
Microbiological (“Bacte”)	Monthly	Disinfectant residuals must be reported individually on bacte reports.
Disinfectant Residual Reports	Quarterly	Compliance for maximum disinfectant residual level is based on a running annual average.
Monthly Operation Reports (MORs)	Monthly	Include information about maintenance and/or abnormal occurrences & CT calcs. if required.
Nitrate and Nitrite	Annually	Sample at each POE* every year. 2 POEs: Main WP1 & Auxiliary WP2. Aux. WP has ozonation.
Primary Inorganics	2020	Sample at each POE every 3 years.
Secondaries	2020	Sample at each POE every 3 years.
Radiologicals ( <i>Gross Alpha &amp; Radium 228</i> )	2020	Sample at Main WP POE every 3 years.
Arsenic & Radiologicals ( <i>Gross Alpha and Radium 228 minimum for rads</i> ) --Special Testing at Auxiliary WP due to ASR well--	2019-Auxiliary WP Monthly/Qtrly	Sample at Aux. WP POE <u>monthly</u> during recovery phases and <u>quarterly</u> when there is no recovery. (Monthly testing is recommended to cover all.)
Volatile Organic Contaminants (VOCs)	2020	Sample at each POE every 3 years.
Synthetic Organic Contaminants (SOCs)	2 Quarters 2020	Sample at each POE for 2 quarters every 3 years; samples shall be taken at least 60 days apart.
Stage 2 Disinfection Byproducts (DBPs) and Disinfection Byproduct Reports <i>Total Trihalomethanes &amp; Haloacetic Acids (5)</i> <i>EPA placed system on Schedule 3.</i>	Quarterly in Week 4 (22 <sup>nd</sup> – 28 <sup>th</sup> )	Continue <u>routine</u> (qtrly) testing at <u>4 sites</u> for both T/H (dual samples). Report the disinfectant residuals. Sample in accordance with Stage 2 Plan submitted to the Department. (Feb., April, July, Nov.)
Bromate	Monthly for WPs with ozonation	Test the POE monthly of each water plant with ozonation (Aux. WP has ozonation currently). Submit bromate running annual averages quarterly.
Asbestos	2020	Asbestos-Free Certification or results due every 9 years. Use Form 62-555.900(10), F.A.C.
Lead and Copper (Tap Sampling)	June – Sept. 2020	Test in accordance with the most recently approved sampling plan in per 7/19/11 email.
Water Quality Parameters (WQPs)	June – Sept. 2020	<u>Distribution sites</u> per Optimal WQP Approval Letter. These WQPs are to be tested at the same time that the Lead and Copper testing is done.
Water Quality Parameters (WQPs)	Jan.-June & July-Dec. 2019	Sample at <u>each POE</u> (2 POEs) at least every two weeks per Optimal WQP Approval Letter.
Consumer Confidence Report (CCR) & CCR Certification of Delivery	July 1, 2019 & August 10, 2019	Data for CCR can be obtained at: <a href="https://floridadep.gov/central/central/content/resources-drinking-water-facilities-and-operators">https://floridadep.gov/central/central/content/resources-drinking-water-facilities-and-operators</a>

\*POE = Point of entry to the distribution system. Sample at each POE that is representative of each source after treatment.

This is a good faith assessment of monitoring requirements for the above-referenced public water system for calendar year 2019 and may not include additional sampling required during the year due to special circumstances. If you have questions, please contact the appropriate personnel at (407) 897-4100. This chart shall not relieve any person from any requirement of Florida law.

This schedule and state forms can be found at <https://floridadep.gov/central/central/content/resources-drinking-water-facilities-and-operators> on the Central District’s website. Click on “Monitoring Schedules and Forms” under “Highlights” in the right-hand column.

➤ **It is important for you to provide this information to your operator and/or sampler.**

- It is strongly recommended that testing be conducted early in the monitoring period to allow time for retests due to possible sampling or lab errors. Annual and triennial sampling should be completed by 9/30/19 to provide time for revisions, re-tests, and/or corrections. Failure to sample within the required monitoring periods may result in enforcement action.
- Test results must be submitted to DEP within the first 10 days following the end of the required monitoring period, or the first 10 days following the month in which the sample results were received, whichever time is the shortest. Failure to comply with deadlines may result in enforcement action.



# Department of Environmental Protection

Central District

PWS ID #: 3590473

PWS NAME: SEMINOLE COUNTY NORTHEAST

POPULATION: 18,462

## 2019 DRINKING WATER MONITORING REQUIREMENTS

MONITORING & REPORTS	DUE	COMMENTS
Microbiological (“Bacte”)	Monthly	Disinfectant residuals must be reported individually on bacte reports.
Disinfectant Residual Reports	Quarterly	Compliance for maximum disinfectant residual level is based on a running annual average.
Monthly Operation Reports (MORs)	Monthly	Include information about maintenance and/or abnormal occurrences & CT calcs. if required.
Nitrate and Nitrite	Annually	Sample at each POE* every year.
Primary Inorganics	2020	Sample at each POE every 3 years.
Secondaries	2020	Sample at each POE every 3 years.
Radiologicals ( <i>Gross Alpha &amp; Radium 228</i> )	2023	Sample at each POE.
Volatile Organic Contaminants (VOCs)	2020	Sample at each POE every 3 years.
Synthetic Organic Contaminants (SOCs)	2 Quarters 2020	Sample at each POE for 2 quarters every 3 years; samples shall be taken at least 60 days apart.
Stage 2 Disinfection Byproducts (DBPs) and Disinfection Byproduct Reports <i>Total Trihalomethanes &amp; Haloacetic Acids (5)</i>	November 2019	System is on reduced (annual) testing at 2 sites (4267 Shades Crest Ln and 1606 Willow Oaks Ln) for both T/H (dual samples). Sample in accordance with your Stage 2 Plan that was submitted to the Department. Report disinfectant residuals.
Bromate	Monthly for WPs with ozonation	Test the POE monthly of each water plant with ozonation. Submit bromate running annual averages quarterly.
Asbestos	2020 (test)	Asbestos-Free Certification or results due every 9 years. Use Form 62-555.900(10), F.A.C.
Lead and Copper (Tap Sampling)	Annual June-Sept.	Test in accordance with the most recently approved sampling plan.
Consumer Confidence Report (CCR) & CCR Certification of Delivery	July 1, 2019 & August 10, 2019	Data for CCR can be obtained at: <a href="https://floridadep.gov/central/central/content/resources-drinking-water-facilities-and-operators">https://floridadep.gov/central/central/content/resources-drinking-water-facilities-and-operators</a>

\*POE = Point of entry to the distribution system. Sample at each POE that is representative of each source after treatment.

This is a good faith assessment of monitoring requirements for the above-referenced public water system for calendar year 2019 and may not include additional sampling required during the year due to special circumstances. If you have questions, please contact the appropriate personnel at (407) 897-4100. This chart shall not relieve any person from any requirement of Florida law.

This schedule and state forms can be found at <https://floridadep.gov/central/central/content/resources-drinking-water-facilities-and-operators> on the Central District’s website. Click on “Monitoring Schedules and Forms” under “Highlights” in the right-hand column.

- **It is important for you to provide this information to your operator and/or sampler.**
- **It is strongly recommended that testing be conducted early in the monitoring period to allow time for retests due to possible sampling or lab errors. Annual and triennial sampling should be completed by 9/30/19 to provide time for revisions, re-tests, and/or corrections. Failure to sample within the required monitoring periods may result in enforcement action.**

- **Test results must be submitted to DEP within the first 10 days following the end of the required monitoring period, or the first 10 days following the month in which the sample results were received, whichever time is the shortest. Failure to comply with deadlines may result in enforcement action.**



# Department of Environmental Protection

Central District

PWS ID #: 3590571

PWS NAME: SEMINOLE COUNTY SOUTHEAST

POPULATION: 62,012

## 2019 DRINKING WATER MONITORING REQUIREMENTS

MONITORING & REPORTS	DUE	COMMENTS
Microbiological (“Bacte”)	Monthly	Disinfectant residuals must be reported individually on bacte reports.
Disinfectant Residual Reports	Quarterly	Compliance for maximum disinfectant residual level is based on a running annual average.
Monthly Operation Reports (MORs)	Monthly	Include information about maintenance and/or abnormal occurrences & CT calcs. if required.
Nitrate and Nitrite	Annually	Sample at each POE* annually.
Primary Inorganics	2020	Sample at each POE every 3 years.
Secondaries	2020	Sample at each POE every 3 years.
Radiologicals ( <i>Gross Alpha &amp; Radium 228</i> )	2023	Sample at each POE every 3 years.
Volatile Organic Contaminants (VOCs)	2020	Sample at each POE every 3 years.
Synthetic Organic Contaminants (SOCs)	2 Quarters 2020	Sample at each POE for 2 quarters every 3 years; samples shall be taken at least 60 days apart.
Stage 2 Disinfection Byproducts (DBPs) and Disinfection Byproduct Reports <i>Total Trihalomethanes &amp; Haloacetic Acids (5)</i>	Quarterly in Week 2 (8 <sup>th</sup> – 14 <sup>th</sup> )	System is on <u>routine</u> (qtrly) testing at 4 sites for both T/H (dual samples). Report disinfectant residuals. Sample in accordance with most recently approved Stage 2 Plan. (March, June, Sept. and Dec.)
Bromate	Monthly for WPs with ozonation	Test the POE monthly of each water plant with ozonation (Aux. WP has ozonation currently). Submit bromate running annual averages quarterly.
Asbestos	2020 (test)	Asbestos-Free Certification or results due every 9 years. Use Form 62-555.900(10), F.A.C.
Lead and Copper (Tap Sampling)	June-Sept. 2020	Test in accordance with the most recently approved sampling plan.
Water Quality Parameters (WQPs)	June-Sept. 2020	<u>Distribution sites</u> per Optimal WQP Approval Letter.
Water Quality Parameters (WQPs)	Jan.-June & July–Dec. 2019	Sample at <u>each POE</u> (3 POEs) at least every two weeks per Optimal WQP Approval Letter.
Consumer Confidence Report (CCR) & CCR Certification of Delivery	July 1, 2019 & August 10, 2019	Data for CCR can be obtained at: <a href="https://floridadep.gov/central/central/content/resources-drinking-water-facilities-and-operators">https://floridadep.gov/central/central/content/resources-drinking-water-facilities-and-operators</a>

\*POE = Point of entry to the distribution system. Sample at each POE that is representative of each source after treatment.

This is a good faith assessment of monitoring requirements for the above-referenced public water system for calendar year 2019 and may not include additional sampling required during the year due to special circumstances. If you have questions, please contact the appropriate personnel at (407) 897-4100. This chart shall not relieve any person from any requirement of Florida law.

This schedule and state forms can be found at <https://floridadep.gov/central/central/content/resources-drinking-water-facilities-and-operators> on the Central District’s website. Click on “Monitoring Schedules and Forms” under “Highlights” in the right-hand column.

- **It is important for you to provide this information to your operator and/or sampler.**
- **It is strongly recommended that testing be conducted early in the monitoring period to allow time for retests due to possible sampling or lab errors. Annual and triennial sampling should be completed by**

**9/30/19 to provide time for revisions, re-tests, and/or corrections. Failure to sample within the required monitoring periods may result in enforcement action.**

- **Test results must be submitted to DEP within the first 10 days following the end of the required monitoring period, or the first 10 days following the month in which the sample results were received, whichever time is the shortest. Failure to comply with deadlines may result in enforcement action.**



# Department of Environmental Protection

## Central District

PWS ID #: 3590785

PWS NAME: SEMINOLE COUNTY SOUTHWEST

POPULATION: 10,435

### 2019 DRINKING WATER MONITORING REQUIREMENTS

MONITORING & REPORTS	DUE	COMMENTS
Microbiological (“Bacte”)	Monthly	Disinfectant residuals must be reported individually on bacte reports.
Disinfectant Residual Reports	Quarterly	Compliance for maximum disinfectant residual level is based on a running annual average.
Monthly Operation Reports (MORs)	Monthly	Include information about maintenance and/or abnormal occurrences & CT calcs. if required.
Nitrate and Nitrite	Annually	Sample at each POE* every year.
Primary Inorganics	2020	Sample at each POE every 3 years.
Secondaries	2020	Sample at each POE every 3 years.
Radiologicals ( <i>Gross Alpha &amp; Radium 228</i> )	2023	Sample at each POE every 3 years.
Volatile Organic Contaminants (VOCs)	2020	Sample at each POE every 3 years.
Synthetic Organic Contaminants (SOCs)	2 Quarters 2020	Sample at each POE for 2 quarters every 3 years; samples shall be taken at least 60 days apart.
Stage 2 Disinfection Byproducts (DBPs) and Disinfection Byproduct Reports <i>Total Trihalomethanes &amp; Haloacetic Acids (5)</i>	Annual (January)	System is on reduced (annual) testing at <u>2 sites</u> (631 W. Lake Brantley Rd and 198 Varsity Cir) for both T/H (dual samples). Sample in accordance with the most recent approved Stage 2 Plan. Report disinfectant residuals.
Asbestos	2020 (test)	Asbestos-Free Certification or results due every 9 years. Use Form 62-555.900(10), F.A.C.
Lead and Copper (Tap Sampling)	June-Sept. 2020	Test in accordance with the most recently approved sampling plan. 30 tap samples required.
Consumer Confidence Report (CCR) & CCR Certification of Delivery	July 1, 2019 & August 10, 2019	Data for CCR can be obtained at: <a href="https://floridadep.gov/central/central/content/resources-drinking-water-facilities-and-operators">https://floridadep.gov/central/central/content/resources-drinking-water-facilities-and-operators</a>

\*POE = Point of entry to the distribution system. Sample at each POE that is representative of each source after treatment.

This is a good faith assessment of monitoring requirements for the above-referenced public water system for calendar year 2019 and may not include additional sampling required during the year due to special circumstances. If you have questions, please contact the appropriate personnel at (407) 897-4100. This chart shall not relieve any person from any requirement of Florida law.

This schedule and state forms can be found at <https://floridadep.gov/central/central/content/resources-drinking-water-facilities-and-operators> on the Central District’s website. Click on “Monitoring Schedules and Forms” under “Highlights” in the right-hand column.

- **It is important for you to provide this information to your operator and/or sampler.**
- **It is strongly recommended that testing be conducted early in the monitoring period to allow time for retests due to possible sampling or lab errors. Annual and triennial sampling should be completed by 9/30/19 to provide time for revisions, re-tests, and/or corrections. Failure to sample within the required monitoring periods may result in enforcement action.**
- **Test results must be submitted to DEP within the first 10 days following the end of the required monitoring period, or the first 10 days following the month in which the sample results were received, whichever time is the shortest. Failure to comply with deadlines may result in enforcement action.**





# Department of Environmental Protection

Central District

PWS ID #: 3590879

PWS NAME: WINTER SPRINGS, CITY OF (3 WPS)

POPULATION: 34,657

## 2019 DRINKING WATER MONITORING REQUIREMENTS

MONITORING & REPORTS	DUE	COMMENTS
Microbiological (“Bacte”)	Monthly	Disinfectant residuals must be reported individually on bacte reports.
Disinfectant Residual Reports	Quarterly	Compliance for maximum disinfectant residual level is based on a running annual average.
Monthly Operation Reports (MORs)	Monthly	Include information about maintenance and/or abnormal occurrences & CT calcs. if required.
Nitrate and Nitrite	Annually	Sample at each POE* annually.
Primary Inorganics	2020	Sample at each POE every 3 years.
Secondaries	2020	Sample at each POE every 3 years.
Radiologicals ( <i>Gross Alpha &amp; Radium 228</i> )	2023	Sample at each POE every 3 years.
Volatile Organic Contaminants (VOCs)	2020	Sample at each POE every 3 years.
<b>Special Monitoring</b> <i>VOC chemical 2380: cis-1,2-dichloroethylene</i> <i>At WTP3 – Bahama Blvd WP</i>	<b>January – March 2019</b>	<b>cis-1,2-dichloroethylene due 1<sup>st</sup> quarter 2019. Continued annual monitoring is required due to a borderline detection in 2014. Due to a detect in 2018, annual monitoring is required for at least 3 more years</b>
Synthetic Organic Contaminants (SOCs)	2 Quarters 2020	Sample at each POE for 2 separate quarters every 3 years; samples shall be taken at least 60 days apart.
<b>Special Monitoring</b> <i>SOC chemical 2031: Dalapon</i> <i>at WTP 3 – Bahama Blvd WP</i>	<b>January – March 2019</b>	<b>Begin annual monitoring during the 1<sup>st</sup> quarter of 2019. Continue annual monitoring until further notice.</b>
Stage 2 Disinfection Byproducts (DBPs) and Disinfection Byproduct Reports <i>Total Trihalomethanes &amp; Haloacetic Acids (5)</i>	Quarterly in Week 1 (1 <sup>st</sup> – 7 <sup>th</sup> )	Continue <u>routine</u> (qtrly) testing at <u>4 sites</u> for both T/H (dual samples). Report disinfectant residuals. Sample in accordance with the most recently approved Stage 2 Sampling Plan. (Jan., April, July, Oct.)
Asbestos	2020 (test)	Asbestos-Free Certification or results due every 9 years. Use Form 62-555.900(10), F.A.C.
Lead and Copper (Tap Sampling)	June-Sept. 2020	Test in accordance with the most recently approved sampling plan.
Consumer Confidence Report (CCR) & CCR Certification of Delivery	July 1, 2019 & August 10, 2019	Data for CCR can be obtained at: <a href="https://floridadep.gov/central/cd-compliance-assurance/content/resources-drinking-water-facilities-and-operators-central">https://floridadep.gov/central/cd-compliance-assurance/content/resources-drinking-water-facilities-and-operators-central</a>

\*POE = Point of entry to the distribution system. Sample at each POE that is representative of each source after treatment.

This is a good faith assessment of monitoring requirements for the above-referenced public water system for calendar year 2019 and may not include additional sampling required during the year due to special circumstances. If you have questions, please contact the appropriate personnel at (407) 897-4142. This chart shall not relieve any person from any requirement of Florida law.

This schedule and state forms can be found at <https://floridadep.gov/central/cd-compliance-assurance/content/resources-drinking-water-facilities-and-operators-central> on the Central District’s website. Click on “Monitoring Schedules and Forms” under “Highlights” in the right-hand column.

- **It is important for you to provide this information to your operator and/or sampler.**
- **It is strongly recommended that testing be conducted early in the monitoring period to allow time for retests due to possible sampling or lab errors. Annual and triennial sampling should be completed by 9/30/19 to provide time for revisions, re-tests, and/or corrections. Failure to sample within the required monitoring periods may result in enforcement action.**

- **Test results must be submitted to DEP within the first 10 days following the end of the required monitoring period, or the first 10 days following the month in which the sample results were received, whichever time is the shortest. Failure to comply with deadlines may result in enforcement action.**



# Department of Environmental Protection

Central District

PWS ID #: 3590970

PWS NAME: OVIEDO, CITY OF

POPULATION: 41,713

## 2019 DRINKING WATER MONITORING REQUIREMENTS

MONITORING & REPORTS	DUE	COMMENTS
Microbiological (“Bacte”)	Monthly	Disinfectant residuals must be reported individually on bacte reports.
Disinfectant Residual Reports	Quarterly	Compliance for maximum disinfectant residual level is based on a running annual average.
Monthly Operation Reports (MORs)	Monthly	Include information about maintenance and/or abnormal occurrences & CT calcs. if required.
Nitrate and Nitrite	Annually	Sample at each POE* annually.
Primary Inorganics	2020	Sample at each POE every 3 years.
Secondaries	2020	Sample at each POE every 3 years.
Radiologicals ( <i>Gross Alpha &amp; Radium 228</i> )	2020	Sample at each POE every 3 years.
Volatile Organic Contaminants (VOCs)	2020	Sample at each POE every 3 years.
Synthetic Organic Contaminants (SOCs)	2 Quarters 2020	Sample at each POE for 2 quarters every 3 years; samples shall be taken at least 60 days apart.
Stage 2 Disinfection Byproducts (DBPs) and Disinfection Byproduct Reports <i>Total Trihalomethanes &amp; Haloacetic Acids (5)</i>	May 2019	Test each site annually for both (dual samples) TTHMs/HAA5s. Report the disinfectant residuals. Sample in accordance with the most recently approved Stage 2 Plan.
Asbestos	2020 (test)	Asbestos-Free Certification or results due every 9 years. Use Form 62-555.900(10), F.A.C.
Lead and Copper (Tap Sampling)	June – Sept. 2020	Test in accordance with the most recently approved sampling plan. System is on reduced monitoring now. 30 samples must be collected (not 60).
Consumer Confidence Report (CCR) & CCR Certification of Delivery	July 1, 2019 & August 10, 2019	Data for CCR can be obtained at: <a href="https://floridadep.gov/central/cd-compliance-assurance/content/resources-drinking-water-facilities-and-operators-central">https://floridadep.gov/central/cd-compliance-assurance/content/resources-drinking-water-facilities-and-operators-central</a>

\*POE = Point of entry to the distribution system. Sample at each POE that is representative of each source after treatment.

This is a good faith assessment of monitoring requirements for the above-referenced public water system for calendar year 2019 and may not include additional sampling required during the year due to special circumstances. If you have questions, please contact the appropriate personnel at (407) 897-4100. This chart shall not relieve any person from any requirement of Florida law.

This schedule and state forms can be found at <https://floridadep.gov/central/cd-compliance-assurance/content/resources-drinking-water-facilities-and-operators-central> on the Central District’s website. Click on “Monitoring Schedules and Forms” under “Highlights” in the right-hand column.

- **It is important for you to provide this information to your operator and/or sampler.**
- **It is strongly recommended that testing be conducted early in the monitoring period to allow time for retests due to possible sampling or lab errors. Annual and triennial sampling should be completed by 9/30/19**
- **to provide time for revisions, re-tests, and/or corrections. Failure to sample within the required monitoring periods may result in enforcement action.**
- **Test results must be submitted to DEP within the first 10 days following the end of the required monitoring period, or the first 10 days following the month in which the sample results were received, whichever time is the shortest. Failure to comply with deadlines may result in enforcement action.**



# Department of Environmental Protection

Central District

PWS ID #: 3591121

PWS NAME: SANLANDO UTILITIES CORPORATION (3 WTPs)

POPULATION: 36,953

## 2019 DRINKING WATER MONITORING REQUIREMENTS

MONITORING & REPORTS	DUE	COMMENTS
Microbiological (“Bacte”)	Monthly	Disinfectant residuals must be reported individually on bacte reports.
Disinfectant Residual Reports	Quarterly	Compliance for maximum disinfectant residual level is based on a running annual average.
Monthly Operation Reports (MORs)	Monthly	Include information about maintenance and/or abnormal occurrences & CT calcs. if required.
Nitrate and Nitrite	Annually	Sample at each POE* every year.
Primary Inorganics	2020	Sample at each POE every 3 years.
Secondaries	2020	Sample at each POE every 3 years.
Radiologicals ( <i>Gross Alpha &amp; Radium 228</i> )	2023	Sample at each POE
Volatile Organic Contaminants (VOCs)	2020	Sample at each POE every 3 years.
Synthetic Organic Contaminants (SOCs)	2 Quarters 2020	Sample at each POE for 2 quarters every 3 years; samples shall be taken at least 60 days apart.
Stage 2 Disinfection Byproducts (DBPs) and Disinfection Byproduct Reports <i>Total Trihalomethanes &amp; Haloacetic Acids (5)</i>	August 2019	System qualifies for reduced <u>annual</u> monitoring. Sample <u>2 sites</u> (1554 Rebecca and 118 Crown Point) for both T/H (dual samples). Report disinfectant residuals.
Asbestos	2020 (test)	Asbestos-Free Certification or results due every 9 years. Use Form 62-555.900(10), F.A.C.
Lead and Copper (Tap Sampling)	June-Sept. 2020	Test in accordance with the most recently approved sampling plan.
Water Quality Parameters (WQPs)	Jan.-June & July-Dec. 2019	Sample at <u>each POE</u> (3 POEs) at least every two weeks per Optimal WQP Approval Letter.
Consumer Confidence Report (CCR) & CCR Certification of Delivery	July 1, 2019 & August 10, 2019	Data for CCR can be obtained at: <a href="https://floridadep.gov/central/cd-compliance-assurance/content/resources-drinking-water-facilities-and-operators-central">https://floridadep.gov/central/cd-compliance-assurance/content/resources-drinking-water-facilities-and-operators-central</a>

\*POE = Point of entry to the distribution system. Sample at each POE that is representative of each source after treatment.

This is a good faith assessment of monitoring requirements for the above-referenced public water system for calendar year 2019 and may not include additional sampling required during the year due to special circumstances. If you have questions, please contact the appropriate personnel at (407) 897-4100. This chart shall not relieve any person from any requirement of Florida law.

This schedule and state forms can be found at <https://floridadep.gov/central/cd-compliance-assurance/content/resources-drinking-water-facilities-and-operators-central> on the Central District’s website. Click on “Monitoring Schedules and Forms” under “Highlights” in the right-hand column.

- **It is important for you to provide this information to your operator and/or sampler.**
- **It is strongly recommended that testing be conducted early in the monitoring period to allow time for retests due to possible sampling or lab errors. Annual and triennial sampling should be completed by 9/30/19 to provide time for revisions, re-tests, and/or corrections. Failure to sample within the required monitoring periods may result in enforcement action.**
- **Test results must be submitted to DEP within the first 10 days following the end of the required monitoring period, or the first 10 days following the month in which the sample results were received, whichever time is the shortest. Failure to comply with deadlines may result in enforcement action.**



# Department of Environmental Protection

Central District

PWS ID #: 3594107

PWS NAME: SEMINOLE COUNTY NORTHWEST

POPULATION: 25,811

## 2019 DRINKING WATER MONITORING REQUIREMENTS

MONITORING & REPORTS	DUE	COMMENTS
Microbiological (“Bacte”)	Monthly	Disinfectant residuals must be reported individually on bacte reports.
Disinfectant Residual Reports	Quarterly	Compliance for maximum disinfectant residual level is based on a running annual average.
Monthly Operation Reports (MORs)	Monthly	Include information about maintenance and/or abnormal occurrences & CT calcs. if required.
Nitrate and Nitrite	Annually	Sample at POE* every year.
Primary Inorganics	2020	Sample at POE every 3 years.
Secondaries	2020	Sample at POE every 3 years.
Radiologicals ( <i>Gross Alpha &amp; Radium 228</i> )	2023	Sample at each POE every 3 years.
Volatile Organic Contaminants (VOCs)	2020	Sample at each POE every 3 years.
Special Monitoring <i>1,1-Dichloroethylene</i>	Annual 2 <sup>nd</sup> quarter (April-June)	Monthly testing due to sites with elevated contam.levels ended in 2017. However, due to a detect in 2015, the system shall continue to test 1,1-Dichloroethylene during the 2 <sup>nd</sup> quarter.
Arsenic & Radiologicals <i>(Gross Alpha and Radium 228 minimum for rads) --Special Testing at Markham Regional WTP due to ASR well—If the ASR well is in use.</i>	Monthly/Qtrly (if ASR is reactivated)	Sample at Markham Regional WTP POE <u>monthly</u> during recovery phases and <u>quarterly</u> when there is no recovery. (Monthly testing is recommended to cover all.)
Synthetic Organic Contaminants (SOCs)	2 Quarters 2020	Sample at each POE for 2 quarters every 3 years; samples shall be taken at least 60 days apart.
Stage 2 Disinfection Byproducts (DBPs) and Disinfection Byproduct Reports <i>Total Trihalomethanes &amp; Haloacetic Acids (5)</i>	Quarterly in Week 2 (8 <sup>th</sup> – 14 <sup>th</sup> )	System is on <u>routine</u> (qtrly) testing at <u>4 sites</u> for both T/H (dual samples). Report disinfectant residuals. (January, April, July, October)
Bromate	Monthly for WPs with ozonation	Test the POE monthly of each water plant with ozonation (Aux. WP has ozonation currently). Submit bromate running annual averages quarterly.
Asbestos	2020	Certification or results due every 9 years. Use Form 62-555.900(10), F.A.C., Asbestos Free Certification or Asbestos Sampling Plan
Lead and Copper (Tap Sampling)	June-Sept. 2020	Test in accordance with the most recently approved sampling plan.
Consumer Confidence Report (CCR) & CCR Certification of Delivery	July 1, 2019 & August 10, 2019	Data for CCR can be obtained at: <a href="https://floridadep.gov/central/central/content/resources-drinking-water-facilities-and-operators">https://floridadep.gov/central/central/content/resources-drinking-water-facilities-and-operators</a>

\*POE = Point of entry to the distribution system. Sample at each POE that is representative of each source after treatment.

This is a good faith assessment of monitoring requirements for the above-referenced public water system for calendar year 2019 and may not include additional sampling required during the year due to special circumstances. If you have questions, please contact the appropriate personnel at (407) 897-4100. This chart shall not relieve any person from any requirement of Florida law.

This schedule and state forms can be found at <https://floridadep.gov/central/central/content/resources-drinking-water-facilities-and-operators> on the Central District’s website. Click on “Monitoring Schedules and Forms” under “Highlights” in the right-hand column.

- **It is important for you to provide this information to your operator and/or sampler.**
- **It is strongly recommended that testing be conducted early in the monitoring period to allow time for retests due to possible sampling or lab errors. Annual and triennial sampling should be completed by 9/30/19 to provide time for revisions, re-tests, and/or corrections. Failure to sample within the required monitoring periods may result in enforcement action.**

- **Test results must be submitted to DEP within the first 10 days following the end of the required monitoring period, or the first 10 days following the month in which the sample results were received, whichever time is the shortest. Failure to comply with deadlines may result in enforcement action.**



# Department of Environmental Protection

Central District

PWS ID #: 3590443

PWS NAME: GENEVA ELEMENTARY SCHOOL

POPULATION: 750

## 2019 DRINKING WATER MONITORING REQUIREMENTS

MONITORING & REPORTS	DUE	COMMENTS
Microbiological (“Bacte”)	Quarterly	<u>routine</u> quarterly monitoring. Disinfectant residuals must be reported individually and averaged on bacte reports. Compliance for maximum disinfectant residual level is based on a running annual average.
Monthly Operation Reports (MORs)	Monthly	Include information about maintenance and/or abnormal occurrences & CT calcs. if required.
Nitrate and Nitrite	Annually	Sample at each POE* every year.
Primary Inorganics	2019	Sample at each POE every 3 years.
Radiologicals (Gross Alpha & Radium 228)	Exempt	Acceptable 2015 historic data meets criteria of 62-550.519(1)(e)1. Exempt from further monitoring.
Volatile Organic Contaminants (VOCs)	2019	Sample at each POE every 3 years.
Synthetic Organic Contaminants (SOCs)	2019	Sample at each POE every 3 years.
Stage 2 Disinfection Byproducts (DBPs) <i>Total Trihalomethanes &amp; Haloacetic Acids (5)</i> <i>Revised 9/30/15 because &gt; 500 in population</i>	<b><i>Please submit an updated Stage 2 Plan in accordance with the EPA memorandum.</i></b>	Submit sampling plan with the month that you plan on sampling in the third quarter. 1 location, dual sample. Report disinfectant residuals.
Asbestos	2020-2022	Certification or results due every 9 years. Use Form 62-555.900(10), F.A.C., Asbestos Free Certification or Asbestos Sampling Plan.
Lead and Copper (Tap Sampling)	June-Sept. 2019	Test in accordance with the most recently approved sampling plan.

\*POE = Point of entry to the distribution system. Sample at each POE that is representative of each source after treatment.

\*\* NTNC ≤ 1,000 population sample quarterly due to Revised Total Coliform Rule becoming effective April 1, 2017.

This is a good faith assessment of monitoring requirements for the above-referenced public water system for calendar year 2019 and may not include additional sampling required during the year due to special circumstances. If you have questions, please contact the appropriate personnel at (407) 897-4100. This chart shall not relieve any person from any requirement of Florida law.

This schedule and state forms can be found at <https://floridadep.gov/central/cd-compliance-assurance/content/resources-drinking-water-facilities-and-operators-centra> on the Central District’s website. Click on “Monitoring Schedules and Forms” under “Highlights” in the right-hand column.

- **It is important for you to provide this information to your operator and/or sampler.**
- **It is strongly recommended that testing be conducted early in the monitoring period to allow time for retests due to possible sampling or lab errors. Annual and triennial sampling should be completed by 9/30/19 to provide time for revisions, re-tests, and/or corrections. Failure to sample within the required monitoring periods may result in enforcement action.**
- **Test results must be submitted to DEP within the first 10 days following the end of the required monitoring period, or the first 10 days following the month in which the sample results were received, whichever time is the shortest. Failure to comply with deadlines may result in enforcement action.**



# Department of Environmental Protection

Central District

PWS ID #: 3594180

PWS NAME: DOUBLE R SCHOOL

POPULATION: 160

## 2019 DRINKING WATER MONITORING REQUIREMENTS

MONITORING & REPORTS	DUE	COMMENTS
Microbiological (“Bacte”)	Quarterly	Disinfectant residuals must be reported individually and averaged on bacte reports. Compliance for maximum disinfectant residual level is based on a running annual average.
Monthly Operation Reports (MORs)	Monthly	Include information about maintenance and/or abnormal occurrences & CT calcs. if required.
Nitrate and Nitrite	Annually	Sample at each POE* every year.
Primary Inorganics	2019	Sample at each POE every 3 years.
Radiologicals (Radium-228 and Radium-226)	2025	Gross Alpha and Radium-228 acceptable grandfathered data in 2015. System is exempt from further GA monitoring. Sample at the POE for Radium-228 and Radium-226 in 6 years.
Volatile Organic Contaminants (VOCs)	2019	Sample at each POE every 3 years. <b>**Special monitoring for Dichloromethane will be included in the VOCs and can be credited towards the special monitoring listed below if VOCs are collected in the 3<sup>rd</sup> Qtr.</b>
<b>**Special Monitoring – Total Xylenes VOC: 2955</b>	<b>**Quarterly 2019**</b>	<b>**We need 4 consecutive quarters to sample for Total Xylenes** Sample at the point of entry to the distribution system quarterly for Xylene. (March, June, September, December 2019)</b>
Synthetic Organic Contaminants (SOCs)	2019	Sample at each POE every 3 years.
Stage 2 Disinfection Byproducts (DBPs) Total Trihalomethanes & Haloacetic Acids (5)	<b>Please submit an updated Stage 2 Plan in accordance with the EPA memorandum.</b>	Revise Stage 2 Plan and send to the department with the month you plan on testing during the third quarter. Report disinfectant residuals.
Asbestos	2020-2022	Certification or results due every 9 years. Use Form 62-555.900(10), F.A.C., Asbestos Free Certification or Asbestos Sampling Plan.
Lead and Copper (Tap Sampling)	Jun-Sept 2019	Test in accordance with the most recently approved sampling plan.

\*POE = Point of entry to the distribution system. Sample at each POE that is representative of each source after treatment.

\*\* NTNC ≤ 1,000 population sample quarterly due to Revised Total Coliform Rule becoming effective April 1, 2019.

This is a good faith assessment of monitoring requirements for the above-referenced public water system for calendar year 2019 and may not include additional sampling required during the year due to special circumstances. If you have questions, please contact the appropriate personnel at (407) 897-4100. This chart shall not relieve any person from any requirement of Florida law.

This schedule and state forms can be found at <https://floridadep.gov/central/cd-compliance-assurance/content/resources-drinking-water-facilities-and-operators-central> on the Central District’s website. Click on “Monitoring Schedules and Forms” under “Highlights” in the right-hand column.

➤ **It is important for you to provide this information to your operator and/or sampler.**



- **It is strongly recommended that testing be conducted early in the monitoring period to allow time for retests due to possible sampling or lab errors. Annual and triennial sampling should be completed by 9/30/19 to provide time for revisions, re-tests, and/or corrections. Failure to sample within the required monitoring periods may result in enforcement action.**
- **Test results must be submitted to DEP within the first 10 days following the end of the required monitoring period, or the first 10 days following the month in which the sample results were received, whichever time is the shortest. Failure to comply with deadlines may result in enforcement action.**



# Department of Environmental Protection

Central District

PWS ID #: 3594221

PWS NAME: ORLANDO FREIGHTLINER

POPULATION: 75

## 2019 DRINKING WATER MONITORING REQUIREMENTS

MONITORING & REPORTS	DUE	COMMENTS
Microbiological (“Bacte”)	Quarterly	<u>Routine</u> quarterly monitoring. Disinfectant residuals must be reported individually and averaged on bacte reports. Compliance for maximum disinfectant residual level is based on a running annual average.
Monthly Operation Reports (MORs)	Monthly	Include information about maintenance and/or abnormal occurrences & CT calcs. if required.
Nitrate and Nitrite	Annually	Sample at each POE* every year.
Primary Inorganics	2019	Sample at each POE every 3 years.
Radiologicals ( <i>Gross Alpha &amp; Radium 228</i> )	Exempt	Qualified for grandfathered data in 2015. Results low enough that the system is exempt from further Rads testing.
Volatile Organic Contaminants (VOCs)	2019	Sample at each POE every 3 years.
Synthetic Organic Contaminants (SOCs)	2019	Sample at each POE every 3 years.
Stage 2 Disinfection Byproducts (DBPs) and Disinfection Byproduct Reports <i>Total Trihalomethanes &amp; Haloacetic Acids (5)</i>	August 2019	System is on reduced (triennial) testing. Report the disinfectant residual. Sample in accordance with the most recently approved Stage 2 Plan.
Asbestos	2020-2022	Certification or results due every 9 years. Use Form 62-555.900(10), F.A.C., Asbestos Free Certification or Asbestos Sampling Plan.
Lead and Copper (Tap Sampling)	June-Sept. 2019	Test in accordance with the most recently approved sampling plan.

\*POE = Point of entry to the distribution system. Sample at each POE that is representative of each source after treatment.

\*\* NTNC  $\leq$  1,000 population sample quarterly due to Revised Total Coliform Rule becoming effective April 1, 2019.

This is a good faith assessment of monitoring requirements for the above-referenced public water system for calendar year 2019 and may not include additional sampling required during the year due to special circumstances. If you have questions, please contact the appropriate personnel at (407) 897-4100. This chart shall not relieve any person from any requirement of Florida law.

This schedule and state forms can be found at <https://floridadep.gov/central/cd-compliance-assurance/content/resources-drinking-water-facilities-and-operators-central> on the Central District’s website. Click on “Monitoring Schedules and Forms” under “Highlights” in the right-hand column.

- **It is important for you to provide this information to your operator and/or sampler.**
- **It is strongly recommended that testing be conducted early in the monitoring period to allow time for retests due to possible sampling or lab errors. Annual and triennial sampling should be completed by 9/30/19 to provide time for revisions, re-tests, and/or corrections. Failure to sample within the required monitoring periods may result in enforcement action.**
- **Test results must be submitted to DEP within the first 10 days following the end of the required monitoring period, or the first 10 days following the month in which the sample results were received, whichever time is the shortest. Failure to comply with deadlines may result in enforcement action.**